
Description of the Mapping Flow

This documentation contains file-specific information.

Attributes

Key word	Value
Name	/Sinacofi_MR4/Mapping Flows/MR4_FT3.dmlflw
Last modified	-0300
Label	

Content


Configuration Parameters

Configuration parameter	Value
Check input attributes	Yes
Stop on first input attribute check error	No
Check input validation rules	No
Stop on first input validation rule error	No
Check output attributes	Yes
Stop on first output attribute check error	No
Check output validation rules	Yes
Stop on first output validation rule error	Yes
Continue message processing on error	No
Concatenate all resulting instances	No
Keep exact value	Yes
Copy all attributes	Yes

Node Expressions

Mapping Flow node	Expression
If1	in1:\inbound\Datos <> null
Parse1	convertToV(in1:\inbound\Datos)
Parse1	convertToV(in1:\inbound\Datos1&"\n"&in1:\inbound\Datos2&"\n"&in1:\inbound\Datos3&"\n")
Parse1	convertToV(in1:\inbound\Caratula)
Parse2	convertToV(in1:\inbound\ControlDatos)
Set1	%Sinacofi_MR4.correlativoPrefijo:= getSubString(getAttribute("B2BXGIReceive_Correlativo", "B2BXGIReceive_Correlativo"), 1, 10)
If1	in1:\Root\ControlCaratula <> null
Parse1	convertToV(in1:\Root\ControlCaratula)
Set1	setDocumentAttributeToOutput("out", "B2BXGISend_ProductionFilename", %Sinacofi_MR4.correlativoPrefijo)
SetValidado	<pre>%Sinacofi_MR4.Destino:= getSubString(in5:\Details\Detalles, 41, 20); if %Sinacofi_MR4.var_error1 = "" then { %Sinacofi_MR4.correlativoPrefijo:= getSubString(getAttribute("B2BXGIReceive_Correlativo", "B2BXGIReceive_Correlativo"), 1, 10) %Sinacofi_MR4.MovimientoProcesado:=Sinacofi_MR4.InsertMovTBL(%Sinacofi_MR4.correlativoPrefijo, %Sinacofi_MR4.Destino, %Sinacofi_MR4.CasillaDestino, %Sinacofi_MR4.CasillaOrigen, %Sinacofi_MR4.CodigoBanco, %Sinacofi_MR4.NombreArchivo, %Sinacofi_MR4.nombreSalida) }</pre>
SetProcesado	<pre>%Sinacofi_MR4.Correlativo:= Sinacofi_MR4.Correlativo(); %Sinacofi_MR4.CasillaDestino:= trimString(getSubString(in5:\Details\Detalles, 41, 20)); %Sinacofi_MR4.CasillaOrigen:= trimString(getSubString(in5:\Details\Detalles, 21, 30)); %Sinacofi_MR4.CodigoBanco:= getStringRight(GetEntidadByCasilla(%Sinacofi_MR4.CasillaDestino), 3); %Sinacofi_MR4.NombreArchivo:= trimString(getSubString(in5:\Details\Detalles, 31, 40)); %Sinacofi_MR4.nombreSalida:= "MR4FT" + padStringLeft(formatString(%Sinacofi_MR4.CodigoBanco, "%03d"), 4); %Sinacofi_MR4.correlativoPrefijo:= getSubString(getAttribute("B2BXGIReceive_Correlativo", "B2BXGIReceive_Correlativo"), 1, 10) %Sinacofi_MR4.MovimientoProcesado:=Sinacofi_MR4.InsertMovTBL(%Sinacofi_MR4.correlativoPrefijo, %Sinacofi_MR4.Destino, %Sinacofi_MR4.CasillaDestino, %Sinacofi_MR4.CasillaOrigen, %Sinacofi_MR4.CodigoBanco, %Sinacofi_MR4.NombreArchivo, %Sinacofi_MR4.nombreSalida) setDocumentAttributeToOutput("out", "B2BXGISend_ProductionFilename", %Sinacofi_MR4.correlativoPrefijo) setDocumentAttributeToOutput("out3", "B2BXGISend_ProductionFilename", %Sinacofi_MR4.CasillaDestino) setDocumentAttributeToOutput("out1", "B2BXGISend_ProductionFilename", %Sinacofi_MR4.CasillaOrigen) setDocumentAttributeToOutput("out2", "B2BXGISend_ProductionFilename", %Sinacofi_MR4.CodigoBanco) setDocumentAttributeToOutput("out6", "B2BXGISend_ProductionFilename", %Sinacofi_MR4.NombreArchivo) setDocumentAttributeToOutput("out4", "B2BXGISend_ProductionFilename", %Sinacofi_MR4.nombreSalida) setDocumentAttributeToOutput("out5", "B2BXGISend_ProductionFilename", %Sinacofi_MR4.Destino)</pre>
Set2	setDocumentAttributeToOutput("out", "B2BXGISend_ProductionFilename", formatString(%Sinacofi_MR4.correlativoPrefijo, "%010d"))
If1	countString(%Sinacofi_MR4.debug, "IO Error: The Network Adapter could not establish connection") > 0
Set1	<pre>if((%Sinacofi_MR4.var_error1 <> "OK"))then{ %Sinacofi_MR4.var_error1:=Sinacofi_MR4.InsertErrorTBL(%Sinacofi_MR4.correlativoPrefijo, "000", "Error Interno: "&getSubString(%Sinacofi_MR4.debug, 1, 4000), formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss")) }; %Sinacofi_MR4.var_error1:= Sinacofi_MR4.InsertMovTBL(%Sinacofi_MR4.correlativoPrefijo, %Sinacofi_MR4.Destino, %Sinacofi_MR4.CasillaDestino, %Sinacofi_MR4.CasillaOrigen, %Sinacofi_MR4.CodigoBanco, %Sinacofi_MR4.NombreArchivo, %Sinacofi_MR4.nombreSalida)</pre>
Set1	setDocumentAttributeToOutput("out", "B2BXGISend_ProductionFilename", %Sinacofi_MR4.correlativoPrefijo)

Design



Dependencies

var	/Sinacofi_MR4/Extended Objects/CasillaOrigen.var
var	/Sinacofi_MR4/Extended Objects/CamposConcatenados.var
var	/Sinacofi_MR4/Extended Objects/signo.var
bdoc	/Sinacofi_MR4/Business Documents/ArchivosMomentaneos/MR4_CAR_Val.bdoc
fct	/Sinacofi_MR4/Extended Objects/InsertErrorTBL.fct
fct	/Sinacofi_MR4/Extended Objects/GetMSGbyTD.fct
var	/Sinacofi_MR4/Extended Objects/indice2.var
var	/Sinacofi_MR4/Extended Objects/NombreArchivo.var
var	/Sinacofi_MR4/Extended Objects/debug.var
var	/Sinacofi_MR4/Extended Objects/tipoDocumentoPrefijo.var
var	/Sinacofi_MR4/Extended Objects/ConcatenarCampos.var
bdoc	/Sinacofi_MR4/Business Documents/ArchivosMomentaneos/MR4_Control_Datos_Val.bdoc
var	/Sinacofi_MR4/Extended Objects/var_error1.var
var	/Sinacofi_MR4/Extended Objects/usuarioNAPrefijo.var
mdm	/Sinacofi_MR4/Maps/MR4_CarVal_a_Car.mdm
bdoc	/Sinacofi_MR4/Business Documents/Salida/MR4_Caratula_Salida.bdoc
bdoc	/Sinacofi_MR4/Business Documents/Mensajeria/Aviso.bdoc
mdm	/Sinacofi_MR4/Maps/Creacion_Resultado_OK.mdm
bdoc	/Sinacofi_MR4/Business Documents/ArchivosEntrada/MR4_Control_Datos.bdoc
mdm	/Sinacofi_MR4/Maps/Creacion_LOG.mdm
mdm	/Sinacofi_MR4/Maps/CarExiste_a_CarVal.mdm
var	/Sinacofi_MR4/Extended Objects/Correlativo.var
bdoc	/Sinacofi_MR4/Business Documents/XSD_IN.bdoc
var	/Sinacofi_MR4/Extended Objects/Destino.var
fct	/Sinacofi_MR4/Extended Objects/InsertMovTBL.fct
bdoc	/Sinacofi_MR4/Business Documents/ArchivosEntrada/MR4_Control_Caratula.bdoc
fct	/Sinacofi_MR4/Extended Objects/ValidarLargos.fct
var	/Sinacofi_MR4/Extended Objects/SizeFile.var
var	/Sinacofi_MR4/Extended Objects/msg2.var
bdoc	/Sinacofi_MR4/Business Documents/ArchivosMomentaneos/Auxiliar.bdoc
mdm	/Sinacofi_MR4/Maps/XmlAFlat.mdm
fct	/Sinacofi_MR4/Extended Objects/Correlativo.fct
fct	/Sinacofi_MR4/Extended Objects/GetTamanoByCorrelativo.fct
var	/Sinacofi_MR4/Extended Objects/campoMOA.var
var	/Sinacofi_MR4/Extended Objects/usuarioPrefijo.var
bdoc	/Sinacofi_MR4/Business Documents/ArchivosEntrada/MR4_CAR.bdoc
var	/Sinacofi_MR4/Extended Objects/glosa.var
var	/Sinacofi_MR4/Extended Objects/ValoresConcatenados.var
var	/Sinacofi_MR4/Extended Objects/CodigoError.var
var	/Sinacofi_MR4/Extended Objects/indice.var
var	/Sinacofi_MR4/Extended Objects/nombreSalida.var
var	/Sinacofi_MR4/Extended Objects/CodigoBanco.var
var	/Sinacofi_MR4/Extended Objects/subCampo34.var
var	/Sinacofi_MR4/Extended Objects/correlativoPrefijo.var
var	/Sinacofi_MR4/Extended Objects/TipoArchivo.var
bdoc	/Sinacofi_MR4/Business Documents/Mensajeria/Resultado.bdoc
var	/Sinacofi_MR4/Extended Objects/campoPA1.var
mdm	/Sinacofi_MR4/Maps/Creacion_Resultado_NK.mdm

mdm	/Sinacofi_MR4/Maps/MR4_Generacion_CaratulaSalida.mdm
var	/Sinacofi_MR4/Extended Objects/MovimientoProcesado.var
bdoc	/Sinacofi_MR4/Business Documents/ArchivosEntrada/MR4_Archivo_Datos.bdoc
bdoc	/Sinacofi_MR4/Business Documents/ArchivosMomentaneos/MR4_CAR_Existe_Val.bdoc
fct	/Sinacofi_MR4/Extended Objects/ValidarEstructuraCAR.fct
var	/Sinacofi_MR4/Extended Objects/CapturaCampoCar.var
var	/Sinacofi_MR4/Extended Objects/CasillaDestino.var
fct	/Sinacofi_MR4/Extended Objects/CountCasillaByCasilla.fct
var	/Sinacofi_MR4/Extended Objects/indice3.var
mdm	/Sinacofi_MR4/Maps/ControlDatosVal_A_ControlDatos.mdm
var	/Sinacofi_MR4/Extended Objects/indiceLoop.var
fct	/Sinacofi_MR4/Extended Objects/GetCodigoMSGbyMSG.fct
var	/Sinacofi_MR4/Extended Objects/var_registro1.var
fct	/Sinacofi_MR4/Extended Objects/GetEntidadByCasilla.fct
mdm	/Sinacofi_MR4/Maps/Generar_Aviso.mdm
bdoc	/Sinacofi_MR4/Business Documents/Validacion_y_Error/LOG.bdoc
var	/Sinacofi_MR4/Extended Objects/resEstructuraValida.var

Creation Date: October 4, 2024

Generated with Mapping Services

Axway