
Description of the Business Document

This documentation contains file-specific information.

Attributes

Key word	Value
Name	/Sinacofi_C49/Business Documents/ArchivosMomentaneos/C49_CAR_Existe_Val.bdoc
Last modified	-0300
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE

Content

Elements

[Validation rules](#)

[Dependencies](#)

Flat File : C49_CAR_Existe_Val

UML Diagram	<pre> classDiagram class C49_CAR_Existe_Val["C49_CAR_Existe_Val : Flat File"] class Caratula["Caratula : Parent"] C49_CAR_Existe_Val "0..*" -- "*" Caratula </pre>									
Name	Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
	Caratula	0-N					Root	Implicit		

Parent : Caratula

UML Diagram	<pre> classDiagram class Caratula["Caratula : Parent"] class Campos["Campos : Leaf"] Caratula "0..1" -- "*" Campos </pre>									
Cardinality	0..*									
Name	Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
	Campos	0-1	S - String	string (len)	9999999			String	0x0a	!EOF!

Validation rules

Elements

Dependencies

Name	Expression
ValidationCode55_Code56_Code57_Code63_Code64	<pre> %Sinacofi_C49.indice:=index(getAttribute("B %Sinacofi_C49.indice2:=index(getAttribute(" %Sinacofi_C49.indice3:= index(getAttribute(%Sinacofi_C49.tipoDocumentoPrefijo:= getSubS %Sinacofi_C49.correlativoPrefijo:= getSubStr %Sinacofi_C49.usuarioNAPrefijo:= getSubStrin %Sinacofi_C49.usuarioPrefijo:= getSubString(%Sinacofi_C49.ConcatenarCampos:= " "; %Sinacofi_C49.NombreArchivo:= getSubString(g %Sinacofi_C49.TipoArchivo:= "Caratula"; %Sinacofi_C49.indiceLoop:=0; loop on \Caratula { %Sinacofi_C49.indiceLoop:= %Sinacofi_C49 %Sinacofi_C49.ConcatenarCampos:= %Sinaco }; %Sinacofi_C49.ConcatenarCampos:= getSubStrin </pre>

	<pre>%Sinacofi_C49.msg2:= Sinacofi_C49.GetMSGbyTD %Sinacofi_C49.resEstructuraValida:= Sinacofi if (%Sinacofi_C49.resEstructuraValida <> "1" %Sinacofi_C49.var_error1:= Sinacofi_C49. %Sinacofi_C49.correlativoPrefijo, %Sinacofi_C49.resEstructuraValida, %Sinacofi_C49.TipoArchivo, formatString(getDateAndTime(), "CCYY) }; True</pre>
ValidationContainer	<pre>if (%Sinacofi_C49.var_error1<>"") then { false } else True</pre>

Dependencies

Elements

Validation rules

var	/Sinacofi_C49/Extended Objects/NombreArchivo.var
var	/Sinacofi_C49/Extended Objects/tipoDocumentoPrefijo.var
fct	/Sinacofi_C49/Extended Objects/GetMSGbyTD.fct
fct	/Sinacofi_C49/Extended Objects/ValidarEstructuraCAR.fct
var	/Sinacofi_C49/Extended Objects/resEstructuraValida.var
var	/Sinacofi_C49/Extended Objects/TipoArchivo.var
var	/Sinacofi_C49/Extended Objects/indice3.var
fct	/Sinacofi_C49/Extended Objects/InsertErrorTBL.fct
var	/Sinacofi_C49/Extended Objects/indice2.var
var	/Sinacofi_C49/Extended Objects/var_error1.var
var	/Sinacofi_C49/Extended Objects/msg2.var
var	/Sinacofi_C49/Extended Objects/usuarioNAPrefijo.var
var	/Sinacofi_C49/Extended Objects/usuarioPrefijo.var
var	/Sinacofi_C49/Extended Objects/indice.var
var	/Sinacofi_C49/Extended Objects/ConcatenarCampos.var
var	/Sinacofi_C49/Extended Objects/correlativoPrefijo.var
var	/Sinacofi_C49/Extended Objects/indiceLoop.var

Creation Date: October 4, 2024

Generated with Mapping Services

Axway