

Documentation for Sinacofi_I05\ArchivosMomentaneos.I05_CAR_Val

Description of the Business Document

This documentation contains file-specific information.

Attributes

Key word	Value
Name	/Sinacofi_I05/Business Documents/ArchivosMomentaneos/I05_CAR_Val.bdoc
Last modified	-0300
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE

Content


Elements


Validation rules

<u>Dependencies</u>

Flat File: I05_CAR_Val 105_CAR_Val : Flat File Caratula: Parent UML Diagram Alternative Delimiter Data Default Definition Cardinality Class Label Delimiter delimiter Name type value value Name value Caratula Root Implicit

Parent : Caratula					





Cardinality	y 1									
	Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
	ORG	0-1	S - String	string (len)	255			String	0x0a	
	NMS	0-1	S - String	string (len)	255			String	0x0a	
	IDU	0-1	S - String	string (len)	255			String	0x0a	
	FGB	0-1	S - String	string (len)	255			String	0x0a	
	HGB	0-1	S - String	string (len)	255			String	0x0a	
	MSG	0-1	S - String	string (len)	255			String	0x0a	
	PRI	0-1	S - String	string (len)	255			String	0x0a	
	TID	0-1	S - String	string (len)	255			String	0x0a	
	NSE	0-1	S - String	string (len)	255			String	0x0a	
	FEN	0-1	S - String	string (len)	255			String	0x0a	
Name	HEN	0-1	S - String	string (len)	255			String	0x0a	
	G01	0-1	S - String	string (len)	255		Datos de Control de Transferencia	String	0x0a	
	18	0-1	S - String	string (len)	255		Nombre y Telefono Responsables firmados	String	0x0a	
	20	0-1	S - String	string (len)	255		Nuestra Referencia	String	0x0a	
	34	0-1	S - String	string (len)	255		Fecha Validez Datos	String	0x0a	
	EE1	0-1	S - String	string (len)	255		Numero de Registros Informados	String	0x0a	
	IP0	0-1	S - String	string (len)	255			String	0x0a	
	IP1	0-1	S - String	string (len)	255			String	0x0a	
	IP2	0-1	S - String	string (len)	255			String	0x0a	
	79	0-1	S - String	string (len)	255		Observaciones	String	0x0a	
	FIN	0-1	S - String	string (len)	255			String	0x0a	

Validation rules

Elements

<u>Dependencies</u>

```
Name
                    Expression
                    %Sinacofi_I05.indice:=index(getAttribute( "B2BXGIReceive_Consumption
                    %Sinacofi_I05.indice2:=index(getAttribute( "B2BXGIReceive_Consumptio")
                    %Sinacofi I05.indice3:= index(getAttribute( "B2BXGIReceive Consumpti
                    %Sinacofi_I05.tipoDocumentoPrefijo:= getSubString(getAttribute( "B2B
                    %Sinacofi_I05.correlativoPrefijo:= getSubString(getAttribute( "B2BXG
InstanciarVariables
                    Sinacofi_I05.usuarioNAPrefijo:= getSubString(getAttribute( "B2BXGIR"
                    %Sinacofi_I05.usuarioPrefijo:= getSubString(%Sinacofi_I05.usuarioNAP
                    %Sinacofi_I05.NombreArchivo:= getSubString(getAttribute( "B2BXGIRece
                    %Sinacofi_I05.TipoArchivo:= "Caratula";
                    if (1=1) then
                    True
                    %Sinacofi I05.CodigoError:= "046";
                    %Sinacofi_I05.CapturaCampoCar:= convertToI(getSubString(\Caratula\MS
                    if(%Sinacofi_I05.CapturaCampoCar <> Sinacofi_I05.GetCodigoMSGbyMSG(%
                    then
                             %Sinacofi_I05.var_error1:= Sinacofi_I05.InsertErrorTBL(
ValidationCode46_V4
                             %Sinacofi_IO5.correlativoPrefijo,
                             %Sinacofi_IO5.CodigoError,
                             %Sinacofi_I05.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                     True
                    %Sinacofi_I05.CodigoError:= "061";
                    if(getSubString(\Caratula\G01, length(trimStringRight(\Caratula\G01)
                    or getSubString(\Caratula\!18!, length(trimStringRight(\Caratula\!18
                    or getSubString(\Caratula\!20!, length(trimStringRight(\Caratula\!20
                    or getSubString(\Caratula\!34!, length(trimStringRight(\Caratula\!34
                    or getSubString(\Caratula\EE1, length(trimStringRight(\Caratula\EE1)
                    or getSubString(\Caratula\IP0, length(trimStringRight(\Caratula\IP0)
                    or getSubString(\Caratula\IP1, length(trimStringRight(\Caratula\IP1)
                    or getSubString(\Caratula\IP2, length(trimStringRight(\Caratula\IP2)
                    or getSubString(\Caratula\!79!, length(trimStringRight(\Caratula\!79
ValidationCode61_V14
                     then
                             %Sinacofi_I05.var_error1:= Sinacofi_I05.InsertErrorTBL(
                             %Sinacofi_I05.correlativoPrefijo,
                             %Sinacofi_I05.CodigoError,
                             %Sinacofi_I05.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    %Sinacofi_I05.CodigoError:= "060";
                    if(
                    countString(\Caratula\G01 , "}") > 1
                    or countString(\Caratula\!18! , "}") > 1
                    or countString(\Caratula\!20! , "\}") > 1
                    or countString(\Caratula\!34! , "}") > 1
                    or countString(\Caratula\EE1 , "}") > 1
                    or countString(\Caratula\IP0 , "}") > 1
```

```
or countString(\Caratula\IP1 , "}") > 1
ValidationCode60_V13 or countString(\Caratula\IP2 , "}") > 1
                   or countString(\Caratula\!79! , "}") > 1
                   ) then {
                           %Sinacofi_I05.var_error1:= Sinacofi_I05.InsertErrorTBL(
                           %Sinacofi_IO5.correlativoPrefijo,
                           %Sinacofi_I05.CodigoError,
                           %Sinacofi_I05.TipoArchivo,
                           formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                   };
                   True
                   if (%Sinacofi_I05.var_error1<>"")
                    then {
                           false
ValidationContainer1
                                   }
                   else
                   True
                   %Sinacofi IO5.CodigoError:= "051";
                   %Sinacofi I05.CamposConcatenados:=
                   trimString ( getSubString(\Caratula\G01 , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\!18! , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\!20! , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\!34! , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\EE1 , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\IPO , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\IP1 , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\IP2 , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\!79! , 1, 3 ) );
                   |%Sinacofi I05.ValoresConcatenados:="|" &
                   trimStringRight ( getSubString(\Caratula\G01 , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\!18! , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\!20! , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\!34! , 5, 255 ) )
ValidationCode51 V7
                   & trimStringRight ( getSubString(\Caratula\EE1 , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\IPO , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\IP1 , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\IP2 , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\!79! , 5, 255 ) );
                   if( Sinacofi_I05.ValidarLargos( convertToI(%Sinacofi_I05.CapturaCamp
                   then
                           %Sinacofi_I05.var_error1:= Sinacofi_I05.InsertErrorTBL(
                           %Sinacofi_I05.correlativoPrefijo,
                           %Sinacofi_IO5.CodigoError,
                           %Sinacofi_I05.TipoArchivo,
                           formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                           )
                   True
                   %Sinacofi I05.CodigoError:= "052";
                   %Sinacofi_I05.indice:= index(\Caratula\!34! , "}");
                   %Sinacofi_I05.subCampo34:= getSubString( \Caratula\!34! , 5, %Sinac
                   %Sinacofi_I05.indice:= index(\Caratula\EE1 , "}");
                   %Sinacofi_I05.indice:= index(\Caratula\IP0 , "}");
                   %Sinacofi_I05.campoIP0:= getSubString( \Caratula\IP0 , 5,
                                                                            %Sinacofi
                   %Sinacofi_I05.indice:= index(\Caratula\IP1 , "}");
                   %Sinacofi_I05.campoIP1:= getSubString( \Caratula\IP1 , 5,
                                                                            %Sinacofi
                   %Sinacofi_I05.indice:= index(\Caratula\IP2 , "}");
                   if ( convertToI(%Sinacofi I05.campoEE1 ) = null
ValidationCode52 V8
                   or convertToI(%Sinacofi_I05.campoIP0 ) = null
```

```
or convertToI(%Sinacofi_I05.campoIP1 ) = null
                    or convertToI(%Sinacofi_I05.campoIP2 ) = null
                    ) then {
                             %Sinacofi_I05.var_error1:= Sinacofi_I05.InsertErrorTBL(
                            %Sinacofi_IO5.correlativoPrefijo,
                             %Sinacofi_I05.CodigoError,
                             %Sinacofi_I05.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    True
                    if (%Sinacofi_I05.var_error1<>"")
                     then {
                             false
ValidationContainer2
                                     }
                    else
                    True
```

Dependencies

Elements

Validation rules

<u>v anua</u>	tion rules
var	/Sinacofi_I05/Extended Objects/ValoresConcatenados.var
var	/Sinacofi_I05/Extended Objects/var_error1.var
var	/Sinacofi_I05/Extended Objects/subCampo34.var
fct	/Sinacofi_I05/Extended Objects/InsertErrorTBL.fct
var	/Sinacofi_I05/Extended Objects/usuarioPrefijo.var
var	/Sinacofi_I05/Extended Objects/campoIP0.var
var	/Sinacofi_I05/Extended Objects/TipoArchivo.var
var	/Sinacofi_I05/Extended Objects/CamposConcatenados.var
var	/Sinacofi_I05/Extended Objects/indice3.var
var	/Sinacofi_I05/Extended Objects/NombreArchivo.var
var	/Sinacofi_I05/Extended Objects/campoIP2.var
var	/Sinacofi_I05/Extended Objects/tipoDocumentoPrefijo.var
fct	/Sinacofi_I05/Extended Objects/GetCodigoMSGbyMSG.fct
var	/Sinacofi_I05/Extended Objects/indice.var
var	/Sinacofi_I05/Extended Objects/campoEE1.var
var	/Sinacofi_I05/Extended Objects/usuarioNAPrefijo.var
var	/Sinacofi_I05/Extended Objects/correlativoPrefijo.var
var	/Sinacofi_I05/Extended Objects/CapturaCampoCar.var
var	/Sinacofi_I05/Extended Objects/indice2.var
fct	/Sinacofi_I05/Extended Objects/ValidarLargos.fct
var	/Sinacofi_I05/Extended Objects/campoIP1.var
var	/Sinacofi_I05/Extended Objects/CodigoError.var

Creation Date: October 4, 2024

Generated with Mapping Services

Axway