

Documentation for Sinacofi_C50_F1\ArchivosMomentaneos. C50_Archivo_Datos_Val

Description of the Business Document

This documentation contains file-specific information.


Attributes

Key word	Value
Name	/Sinacofi_C50_F1/Business Documents/ArchivosMomentaneos/C50_Archivo_Datos_Val. bdoc
Last modified	-0400
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE


Content

Elements


Flat File: C50_Archivo_Datos_Val



Parent: Header



Parent: Registros



Validation rules

Elements

Dependencies

```
Name
                     Expression
                     %Sinacofi_C50_F1.indice:=index(getAttribute( "B2BXGIReceive_Consumpt
                     %Sinacofi C50 F1.indice2:=index(getAttribute( "B2BXGIReceive Consump
                    %Sinacofi C50 F1.indice3:= index(getAttribute( "B2BXGIReceive Consum")
                     %Sinacofi C50 F1.tipoDocumentoPrefijo:= getSubString(getAttribute( "
                     %Sinacofi_C50_F1.correlativoPrefijo:= getSubString(getAttribute( "B2
InstanciarVariables
                    %Sinacofi_C50_F1.usuarioNAPrefijo:= getSubString(getAttribute( "B2BX
                     %Sinacofi_C50_F1.usuarioPrefijo:= getSubString(%Sinacofi_C50_F1.usua
                     %Sinacofi_C50_F1.TipoArchivo:= "Archivo de datos";
                    if ( 1=1 ) then
                    True
                     %Sinacofi C50 F1.Detalles2:="Lineas: ";
                     %Sinacofi C50 F1.indiceLoop:=1;
                     loop on \Registros{
                              {# Validacion 1 de largo de registro codigo 65 #}
                         %Sinacofi_C50_F1.indiceLoop:=%Sinacofi_C50_F1.indiceLoop+1;
                          if( Sinacofi_C50_F1.GetLargoRegistroByTD(%Sinacofi_C50_F1.tipoD
                                     then{
                                             %Sinacofi_C50_F1.Detalles2:=%Sinacofi_C50_F1
                                     }
Validation_V1_code65
                     if ( %Sinacofi C50 F1.Detalles2<>"Lineas: " )
                     then{
                         %Sinacofi_C50_F1.var_error1:= Sinacofi_C50_F1.InsertErrorTBL(
                                     %Sinacofi_C50_F1.correlativoPrefijo,
                                     "065",
                                     %Sinacofi_C50_F1.TipoArchivo & "-" & getSubString( %
                                     formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'
                             )
                     True
                     %Sinacofi C50 F1.CodigoError:= "005";
                     if(Sinacofi_C50_F1.GetEntidadByCasilla(%Sinacofi_C50_F1.usuarioPrefi
                    then
                             %Sinacofi_C50_F1.var_error1:= Sinacofi_C50_F1.InsertErrorTBL
                                     %Sinacofi_C50_F1.correlativoPrefijo,
Validation_code05_V2
                                     %Sinacofi_C50_F1.CodigoError,
                                     %Sinacofi_C50_F1.TipoArchivo,
                                     formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'
                     };
                     True
                     %Sinacofi C50 F1.CodigoError:= "074";
                     if (convertToI(getSubString(\Header\Datos, 8 , 4 )) < 1951
                    or convertToI(getSubString(\Header\Datos,12,2)) >12
                    or convertToI(getSubString(\Header\Datos,12,2)) <1)
                    then{
                             %Sinacofi_C50_F1.var_error1:= Sinacofi_C50_F1.InsertErrorTBL
                                     %Sinacofi_C50_F1.correlativoPrefijo,
Validation_code74_V5
                                     %Sinacofi_C50_F1.CodigoError,
                                     %Sinacofi_C50_F1.TipoArchivo,
                                     formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'
                             )
                     };
                     if ( %Sinacofi_C50_F1.var_error1 <> "" )
                     then{
                             False
```

```
Validation_container }else{
                             True
```

Dependencies

Elements Validation rules

var	/Sinacofi C50 F1/Extended Objects/indice.var
var	/Sinacofi C50 F1/Extended Objects/var_error1.var
var	/Sinacofi C50 F1/Extended Objects/correlativoPrefijo.var
var	/Sinacofi C50 F1/Extended Objects/usuarioNAPrefijo.var
fct	/Sinacofi_C50_F1/Extended Objects/GetLargoRegistroByTD.fct
var	/Sinacofi_C50_F1/Extended Objects/indice3.var
var	/Sinacofi_C50_F1/Extended Objects/indiceLoop.var
var	/Sinacofi_C50_F1/Extended Objects/Detalles2.var
var	/Sinacofi C50 F1/Extended Objects/indice2.var
fct	/Sinacofi_C50_F1/Extended Objects/InsertErrorTBL.fct
var	/Sinacofi_C50_F1/Extended Objects/TipoArchivo.var
fct	/Sinacofi_C50_F1/Extended Objects/GetEntidadByCasilla.fct
var	/Sinacofi C50 F1/Extended Objects/tipoDocumentoPrefijo.var
var	/Sinacofi_C50_F1/Extended Objects/usuarioPrefijo.var
var	/Sinacofi_C50_F1/Extended Objects/CodigoError.var

Creation Date: October 7, 2024

Generated with Mapping Services

Axway