

# $\begin{tabular}{ll} \textbf{Documentation for} \\ Sinacofi\_R11\_F1 \label{lambda} Archivos Momentaneos. \\ R11\_Archivo\_Datos\_Val \\ \end{tabular}$

## **Description of the Business Document**

This documentation contains file-specific information.


#### **Attributes**

Key word	Value
Name	/Sinacofi_R11_F1/Business Documents/ArchivosMomentaneos/R11_Archivo_Datos_Val. bdoc
Last modified	-0400
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE


### **Content**

#### **Elements**


#### Flat File: R11\_Archivo\_Datos\_Val



#### Parent: Header



#### **Parent: Registros**



#### Validation rules

#### **Elements**

**Dependencies** 

```
Expression
Name
                     %Sinacofi_R11_F1.indice:=index(getAttribute( "B2BXGIReceive_Consumpt
                     %Sinacofi R11 F1.indice2:=index(getAttribute( "B2BXGIReceive Consump
                     %Sinacofi R11 F1.indice3:= index(getAttribute( "B2BXGIReceive Consum")
                     %Sinacofi_R11_F1.tipoDocumentoPrefijo:= getSubString(getAttribute( "
                     %Sinacofi_R11_F1.correlativoPrefijo:= getSubString(getAttribute( "B2
                     %Sinacofi_R11_F1.usuarioNAPrefijo:= getSubString(getAttribute( "B2BX")
InstanciarVariables
                     %Sinacofi_R11_F1.usuarioPrefijo:= getSubString(%Sinacofi_R11_F1.usua
                     %Sinacofi_R11_F1.TipoArchivo:= "Archivo de datos";
                     if ( 1=1 ) then
                     True
                     %Sinacofi R11 F1.Detalles2:="Lineas: ";
                     %Sinacofi_R11_F1.indiceLoop:=1;
                     loop on \Registros{
                             %Sinacofi_R11_F1.indiceLoop:= %Sinacofi_R11_F1.indiceLoop +
                             if(Sinacofi_R11_F1.GetLargoRegistroByTD(%Sinacofi_R11_F1.tip
                                             %Sinacofi_R11_F1.Detalles2:=%Sinacofi_R11_F1
Validation code65 V1|if ( %Sinacofi R11 F1.Detalles2<>"Lineas: " )
                         then{
                             %Sinacofi_R11_F1.var_error1:= Sinacofi_R11_F1.InsertErrorTBL
                                                     %Sinacofi R11 F1.correlativoPrefijo,
                                                      "065",
                                                     %Sinacofi_R11_F1.TipoArchivo & "-" &
                                                     formatString(getDateAndTime(), "CCYY
                                     )
                              };
                     True
                     %Sinacofi R11 F1.CodigoError:= "005";
                     if(Sinacofi R11 F1.GetEntidadByCasilla(%Sinacofi R11 F1.usuarioPrefi
                     then
                             %Sinacofi_R11_F1.var_error1:= Sinacofi_R11_F1.InsertErrorTBL
                                     %Sinacofi_R11_F1.correlativoPrefijo,
Validation code05 V2
                                     %Sinacofi_R11_F1.CodigoError,
                                     %Sinacofi_R11_F1.TipoArchivo,
                                     formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'
                     True
                     %Sinacofi R11 F1.CodigoError:= "074";
                     if (convertToI(getSubString(\Header\Datos, 8 ,4 )) < 1951</pre>
                     or convertToI(getSubString(\Header\Datos,12,2)) >12
                     or convertToI(getSubString(\Header\Datos,12,2)) <1)
                     then{
                             %Sinacofi_R11_F1.var_error1:= Sinacofi_R11_F1.InsertErrorTBL
Validation_code74_V5
                                     %Sinacofi_R11_F1.correlativoPrefijo,
                                     %Sinacofi_R11_F1.CodigoError,
                                     %Sinacofi_R11_F1.TipoArchivo ,
                                     formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'
                     True
                     if ( %Sinacofi_R11_F1.var_error1 <> "" )
                     then{
                             False
Validation_container||}else{
```

True

# **Dependencies**

Elements Validation rules

	T WILDWIGHT 1 WILD	
var	/Sinacofi R11 F1/Extended Objects/var_error1.var	
var	/Sinacofi_R11_F1/Extended Objects/Detalles2.var	
var	/Sinacofi_R11_F1/Extended Objects/usuarioPrefijo.var	
var	/Sinacofi_R11_F1/Extended Objects/TipoArchivo.var	
var	/Sinacofi_R11_F1/Extended Objects/CodigoError.var	
var	/Sinacofi_R11_F1/Extended Objects/indiceLoop.var	
var	/Sinacofi R11 F1/Extended Objects/indice3.var	
fct	/Sinacofi R11 F1/Extended Objects/GetLargoRegistroByTD.fct	
var	/Sinacofi_R11_F1/Extended Objects/indice2.var	
var	/Sinacofi R11 F1/Extended Objects/tipoDocumentoPrefijo.var	
fct	/Sinacofi_R11_F1/Extended Objects/InsertErrorTBL.fct	
var	/Sinacofi_R11_F1/Extended Objects/indice.var	
var	/Sinacofi_R11_F1/Extended Objects/usuarioNAPrefijo.var	
fct	/Sinacofi_R11_F1/Extended Objects/GetEntidadByCasilla.fct	
var	/Sinacofi R11 F1/Extended Objects/correlativoPrefijo.var	

Creation Date: October 8, 2024

Generated with Mapping Services

Axway