

## Documentation for Sinacofi\_C45\ArchivosMomentaneos. C45\_Control\_Datos\_Val

# **Description of the Business Document**

This documentation contains file-specific information.


## **Attributes**

Key word	Value
Name	/Sinacofi_C45/Business Documents/ArchivosMomentaneos/C45_Control_Datos_Val. bdoc
Last modified	-0400
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE


# **Content**

## **Elements**

## Flat File: C45\_Control\_Datos\_Val



#### **Parent: Header**



#### **Parent: Details**

UML Diagram	Details : Parent Detailes : Leaf									
Cardinality	01	01								
Name	Name	Cardinality	ICIass	Data type	II Jefinifion	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
	Detalles	0-1	S - String	string (len)	9999			String	0x0a	

#### Parent: Footer

UML Diagram	Footer : Parent									
Cardinality	01									
Name	Name	Cardinality	l( ˈlacc	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
	Fin	0-1	S - String	string (len)	255			String	0x0a	!EOF!

# **Validation rules**

# **Elements**

<u>Dependencies</u>

Name	Expression
InstanciarVariables	<pre>%Sinacofi_C45.indice:=index(getAttribute( "B2BXGIReceive_Consumption %Sinacofi_C45.indice2:=index(getAttribute( "B2BXGIReceive_Consumptio %Sinacofi_C45.indice3:= index(getAttribute( "B2BXGIReceive_Consumpti %Sinacofi_C45.tipoDocumentoPrefijo:= getSubString(getAttribute( "B2BXGIReceive_Consumpti %Sinacofi_C45.correlativoPrefijo:= getSubString(getAttribute( "B2BXGIReceive_Consumpti %Sinacofi_C45.usuarioNAPrefijo:= getSubString(getAttribute( "B2BXGIR %Sinacofi_C45.usuarioNAPrefijo:= getSubString(getAttribute( "B2BXGIReceive_C45.usuarioNAPinacofi_C45.usuarioNAPinacofi_C45.NombreArchivo:= getSubString(getAttribute( "B2BXGIReceive_C45.nacofi_C45.CodigoBanco:= Sinacofi_C45.GetEntidadByCasilla(getSubSinacofi_C45.TipoArchivo:= "Archivo control de datos"; if ( 1=1 ) then</pre>
ValidationCode07_V6	<pre>%Sinacofi_C45.CodigoError:= "007"; if((Sinacofi_C45.CountCasillaByCasilla(trimString(getSubString(\Deta then {</pre>
ValidationCode06_V7	<pre>%Sinacofi_C45.CodigoError:= "006"; if((Sinacofi_C45.CountCasillaByCasilla(trimString(getSubString(\Deta then {</pre>
ValidationCode05_V17	<pre>%Sinacofi_C45.CodigoError:= "005"; if(trimString(getSubString(\Details\Detalles, 21, 20)) &lt;&gt; %Sinacofi_ then {</pre>

```
%Sinacofi C45.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                     };
                     True
                     %Sinacofi C45.CodigoError:= "015";
                     if(trimString(\Header\Inicio ) <> "MENSAJE_CONTROL")
                     then
                             %Sinacofi C45.var error1:= Sinacofi C45.InsertErrorTBL(
ValidationCode15 V1
                             %Sinacofi C45.correlativoPrefijo,
                             %Sinacofi_C45.CodigoError,
                             %Sinacofi_C45.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                     };
                     True
                     %Sinacofi_C45.CodigoError:= "025";
                             trimString(\Footer\Fin ) <> "FIN_MENSAJE"
                     ) then {
                             %Sinacofi C45.var error1:= Sinacofi C45.InsertErrorTBL(
ValidationCode25 V2
                             %Sinacofi C45.correlativoPrefijo,
                             %Sinacofi C45.CodigoError,
                             %Sinacofi_C45.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                     True
                     %Sinacofi_C45.CodigoError:= "004";
                     if ( not( getSubString( \Details\Detalles, 71, 1 ) in ( "F", "V") )
                    then
                             %Sinacofi C45.var error1:= Sinacofi C45.InsertErrorTBL(
ValidationCode04 V9
                             %Sinacofi C45.correlativoPrefijo,
                             %Sinacofi_C45.CodigoError,
                             %Sinacofi C45.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                     };
                     True
                     %Sinacofi_C45.CodigoError:= "002";
                    if(getSubString(\Details\Detalles, 82, 1) <> "A")
                    then
                             %Sinacofi C45.var error1:= Sinacofi C45.InsertErrorTBL(
ValidationCode02_V11
                             %Sinacofi_C45.correlativoPrefijo,
                             %Sinacofi_C45.CodigoError,
                             %Sinacofi_C45.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                     };
                     True
                     %Sinacofi_C45.CodigoError:= "001";
                    if(getSubString(\Details\Detalles, 83, 1) <> "N")
                    then
                             %Sinacofi_C45.var_error1:= Sinacofi_C45.InsertErrorTBL(
ValidationCode01_V12
                             %Sinacofi_C45.correlativoPrefijo,
                             %Sinacofi_C45.CodigoError,
                             %Sinacofi_C45.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                     True
                     %Sinacofi_C45.CodigoError:= "003";
                     %Sinacofi_C45.SizeFile:= Sinacofi_C45.GetTamanoByCorrelativo (%Sinac
                    if( getSubString( \Details\Detalles, 71, 1 )="F" and
```

```
convertToI( getSubString( \Details\Detalles, 72, 10 ) ) <> ( %Sinaco
                     or ( getSubString( \Details\Detalles, 71, 1 )="V" and
                    convertToI( getSubString( \Details\Detalles, 72, 10 ) ) <> ( %Sinaco
ValidationCode03_V10 then
                             %Sinacofi_C45.var_error1:= Sinacofi_C45.InsertErrorTBL(
                             %Sinacofi_C45.correlativoPrefijo,
                             %Sinacofi_C45.CodigoError,
                             %Sinacofi_C45.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    True
                     if (%Sinacofi_C45.var_error1<>"")
                     then {
                            false
validationContainer
                                     }
                    else
                    True
```

# **Dependencies**

#### **Elements**

#### Validation rules

var	/Sinacofi_C45/Extended Objects/usuarioNAPrefijo.var
var	/Sinacofi_C45/Extended Objects/tipoDocumentoPrefijo.var
fct	/Sinacofi_C45/Extended Objects/GetTamanoByCorrelativo.fct
var	/Sinacofi_C45/Extended Objects/NombreArchivo.var
var	/Sinacofi_C45/Extended Objects/SizeFile.var
var	/Sinacofi_C45/Extended Objects/correlativoPrefijo.var
var	/Sinacofi_C45/Extended Objects/indice3.var
fct	/Sinacofi_C45/Extended Objects/CountCasillaByCasilla.fct
var	/Sinacofi_C45/Extended Objects/var_error1.var
fct	/Sinacofi_C45/Extended Objects/InsertErrorTBL.fct
var	/Sinacofi_C45/Extended Objects/indice2.var
var	/Sinacofi_C45/Extended Objects/usuarioPrefijo.var
var	/Sinacofi_C45/Extended Objects/TipoArchivo.var
var	/Sinacofi_C45/Extended Objects/CodigoError.var
fct	/Sinacofi_C45/Extended Objects/GetEntidadByCasilla.fct
var	/Sinacofi_C45/Extended Objects/indice.var
var	/Sinacofi_C45/Extended Objects/CodigoBanco.var

Creation Date: October 4, 2024

Generated with Mapping Services

Axway