

---

## Description of the Mapping Flow

This documentation contains file-specific information.

---

## Attributes

Key word	Value
Name	/Sinacofi_D60/Mapping Flows/D60_FT3.dmlflw
Last modified	-0300
Label	

---

## Content


## Configuration Parameters

Configuration parameter	Value
Check input attributes	Yes
Stop on first input attribute check error	No
Check input validation rules	No
Stop on first input validation rule error	No
Check output attributes	Yes
Stop on first output attribute check error	No
Check output validation rules	Yes
Stop on first output validation rule error	Yes
Continue message processing on error	No
Concatenate all resulting instances	No
Keep exact value	Yes
Copy all attributes	Yes

## Node Expressions

Mapping Flow node	Expression
If1	<code>in1:\inbound\Datos &lt;&gt; null</code>
Parse1	<code>convertToV(in1:\inbound\Datos)</code>
Parse1	<code>convertToV(in1:\inbound\Datos1&amp;"\n"&amp;in1:\inbound\Datos2&amp;"\n"&amp;in1:\inbound\Datos3&amp;"\n")</code>
Parse1	<code>convertToV(in1:\inbound\Caratula)</code>
Parse2	<code>convertToV(in1:\inbound\ControlDatos)</code>
Set1	<code>%Sinacofi_D60.correlativoPrefijo:= getSubString(getAttribute( "B2BXGIReceive_Correlativo", "B2BXGIReceive_Correlativo"), 1, 10)</code>
If1	<code>in1:\Root\ControlCaratula &lt;&gt; null</code>
Parse1	<code>convertToV(in1:\Root\ControlCaratula )</code>
Set1	<code>setDocumentAttributeToOutput( "out", "B2BXGISend_ProductionFilename", %Sinacofi_D60.correlativoPrefijo)</code>
SetValidado	<pre> %Sinacofi_D60.Destino:= getSubString(in5:\Details\Detalles, 41, 20); if %Sinacofi_D60.var_error1 = "" then {     %Sinacofi_D60.correlativoPrefijo:= getSubString(getAttribute( "B2BXGIReceive_Correlativo", "B2BXGIReceive_Correlativo"), 1, 10)     %Sinacofi_D60.MovimientoProcesado:=Sinacofi_D60.InsertMovTBL(%Sinacofi_D60.correlativoPrefijo) } </pre>
SetProcesado	<pre> %Sinacofi_D60.Correlativo:= Sinacofi_D60.Correlativo(); %Sinacofi_D60.CasillaDestino:= trimString( getSubString(in5:\Details\Detalles, 41, 20)); %Sinacofi_D60.CasillaOrigen:= trimString( getSubString(in5:\Details\Detalles, 41, 20)); %Sinacofi_D60.CodigoBanco:= getStringRight(GetEntidadByCasilla( %Sinacofi_D60.CasillaDestino), 4); %Sinacofi_D60.NombreArchivo:= trimString( getSubString(in5:\Details\Detalles, 41, 20)); %Sinacofi_D60.nombreSalida:= "D60FT" + padStringLeft(formatString(%Sinacofi_D60.correlativoPrefijo, "0000000000"), 10); %Sinacofi_D60.correlativoPrefijo:= getSubString(getAttribute( "B2BXGIReceive_Correlativo", "B2BXGIReceive_Correlativo"), 1, 10); %Sinacofi_D60.MovimientoProcesado:=Sinacofi_D60.InsertMovTBL(%Sinacofi_D60.correlativoPrefijo); setDocumentAttributeToOutput( "out", "B2BXGISend_ProductionFilename", %Sinacofi_D60.correlativoPrefijo); setDocumentAttributeToOutput( "out3", "B2BXGISend_ProductionFilename", %Sinacofi_D60.CasillaDestino); setDocumentAttributeToOutput( "out1", "B2BXGISend_ProductionFilename", %Sinacofi_D60.CasillaOrigen); setDocumentAttributeToOutput( "out2", "B2BXGISend_ProductionFilename", %Sinacofi_D60.CodigoBanco); setDocumentAttributeToOutput( "out6", "B2BXGISend_ProductionFilename", %Sinacofi_D60.NombreArchivo); setDocumentAttributeToOutput( "out4", "B2BXGISend_ProductionFilename", %Sinacofi_D60.nombreSalida); setDocumentAttributeToOutput( "out5", "B2BXGISend_ProductionFilename", %Sinacofi_D60.correlativoPrefijo); </pre>
Set2	<code>setDocumentAttributeToOutput( "out", "B2BXGISend_ProductionFilename", formatString(%Sinacofi_D60.correlativoPrefijo, "0000000000"))</code>
If1	<code>countString(%Sinacofi_D60.debug, "IO Error: The Network Adapter could not establish connection") &gt; 0</code>
Set1	<pre> if( (%Sinacofi_D60.var_error1 &lt;&gt; "OK"))then{     %Sinacofi_D60.var_error1:=Sinacofi_D60.InsertErrorTBL(         %Sinacofi_D60.correlativoPrefijo,         "000",         "Error Interno: "&amp;getSubString(%Sinacofi_D60.debug, 1, 4000),         formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss")     ) }; %Sinacofi_D60.var_error1:= Sinacofi_D60.InsertMovTBL(%Sinacofi_D60.correlativoPrefijo) </pre>
Set1	<code>setDocumentAttributeToOutput( "out", "B2BXGISend_ProductionFilename", %Sinacofi_D60.correlativoPrefijo)</code>

**Design**



## Dependencies

var	<a href="#">/Sinacofi_D60/Extended Objects/CapturaCampoCar.var</a>
bdoc	<a href="#">/Sinacofi_D60/Business Documents/ArchivosEntrada/D60_CAR.bdoc</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/CodigoError.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/nombreSalida.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/CodigoBanco.var</a>
fct	<a href="#">/Sinacofi_D60/Extended Objects/ValidarLargos.fct</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/tipoDocumentoPrefijo.var</a>
fct	<a href="#">/Sinacofi_D60/Extended Objects/GetTamanoByCorrelativo.fct</a>
bdoc	<a href="#">/Sinacofi_D60/Business Documents/ArchivosEntrada/D60_Control_Datos.bdoc</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/MovimientoProcesado.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/campoIDD.var</a>
fct	<a href="#">/Sinacofi_D60/Extended Objects/InsertErrorTBL.fct</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/indice2.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/subCampo34.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/TipoArchivo.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/debug.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/ConcatenarCampos.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/usuarioNAPrefijo.var</a>
mdm	<a href="#">/Sinacofi_D60/Maps/Creacion_LOG.mdm</a>
mdm	<a href="#">/Sinacofi_D60/Maps/D60_Generacion_CaratulaSalida.mdm</a>
mdm	<a href="#">/Sinacofi_D60/Maps/Generar_Aviso.mdm</a>
bdoc	<a href="#">/Sinacofi_D60/Business Documents/ArchivosMomentaneos/D60_CAR_Val.bdoc</a>
bdoc	<a href="#">/Sinacofi_D60/Business Documents/Mensajeria/Resultado.bdoc</a>
mdm	<a href="#">/Sinacofi_D60/Maps/XmlAFlat.mdm</a>
fct	<a href="#">/Sinacofi_D60/Extended Objects/GetCodigoMSGbyMSG.fct</a>
mdm	<a href="#">/Sinacofi_D60/Maps/Creacion_Resultado_NK.mdm</a>
mdm	<a href="#">/Sinacofi_D60/Maps/CarExiste_a_CarVal.mdm</a>
fct	<a href="#">/Sinacofi_D60/Extended Objects/GetEntidadByCasilla.fct</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/resEstructuraValida.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/Destino.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/indiceLoop.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/correlativoPrefijo.var</a>
bdoc	<a href="#">/Sinacofi_D60/Business Documents/ArchivosEntrada/D60_Control_Caratula.bdoc</a>
bdoc	<a href="#">/Sinacofi_D60/Business Documents/ArchivosMomentaneos/Auxiliar.bdoc</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/campoIDC.var</a>
fct	<a href="#">/Sinacofi_D60/Extended Objects/CountCasillaByCasilla.fct</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/SizeFile.var</a>
mdm	<a href="#">/Sinacofi_D60/Maps/ControlDatosVal_A_ControlDatos.mdm</a>
fct	<a href="#">/Sinacofi_D60/Extended Objects/GetMSGbyTD.fct</a>
bdoc	<a href="#">/Sinacofi_D60/Business Documents/Mensajeria/Aviso.bdoc</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/var_registro1.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/glosa.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/indice.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/var_error1.var</a>
mdm	<a href="#">/Sinacofi_D60/Maps/D60_CarVal_a_Car.mdm</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/usuarioPrefijo.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/CasillaOrigen.var</a>
bdoc	<a href="#">/Sinacofi_D60/Business Documents/ArchivosEntrada/D60_Archivo_Datos.bdoc</a>

var	<a href="#">/Sinacofi_D60/Extended Objects/Correlativo.var</a>
fct	<a href="#">/Sinacofi_D60/Extended Objects/InsertMovTBL.fct</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/CamposConcatenados.var</a>
fct	<a href="#">/Sinacofi_D60/Extended Objects/ValidarEstructuraCAR.fct</a>
bdoc	<a href="#">/Sinacofi_D60/Business Documents/Salida/D60_Caratula_Salida.bdoc</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/NombreArchivo.var</a>
bdoc	<a href="#">/Sinacofi_D60/Business Documents/ArchivosMomentaneos/D60_Control_Datos_Val.bdoc</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/msg2.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/campoPA1.var</a>
mdm	<a href="#">/Sinacofi_D60/Maps/Creacion_Resultado_OK.mdm</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/campoIDE.var</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/indice3.var</a>
bdoc	<a href="#">/Sinacofi_D60/Business Documents/ArchivosMomentaneos/D60_CAR_Existe_Val.bdoc</a>
fct	<a href="#">/Sinacofi_D60/Extended Objects/Correlativo.fct</a>
bdoc	<a href="#">/Sinacofi_D60/Business Documents/Validacion_y_Error/LOG.bdoc</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/CasillaDestino.var</a>
bdoc	<a href="#">/Sinacofi_D60/Business Documents/XSD_IN.bdoc</a>
var	<a href="#">/Sinacofi_D60/Extended Objects/ValoresConcatenados.var</a>

Creation Date: October 4, 2024

***Generated with Mapping Services***

Axway