Description of the Business Document

This documentation contains file-specific information.

Attributes

Key word	Value
Name	/Sinacofi_I03/Business Documents/ArchivosMomentaneos/I03_CAR_Val.bdoc
Last modified	-0300
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE

Content

Elements

[Validation rules](#)
[Dependencies](#)

Flat File : I03_CAR_Val

UML Diagram	

	Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
Name	Caratula	1-1					Root	Implicit		

Parent : Caratula

UML
Diagram

Caratula : Parent ◇	
0..1	ORG : Leaf
0..1	NMS : Leaf
0..1	IDU : Leaf
0..1	FGB : Leaf
0..1	HGB : Leaf
0..1	MSG : Leaf
0..1	PRI : Leaf
0..1	TID : Leaf
0..1	NSE : Leaf
0..1	FEN : Leaf
0..1	HEN : Leaf
0..1	G01 : Leaf
0..1	18 : Leaf
0..1	20 : Leaf
0..1	34 : Leaf
0..1	IC1 : Leaf
0..1	IC2 : Leaf
0..1	IC3 : Leaf
0..1	IC4 : Leaf

0..1	IC5 : Leaf
0..1	IC6 : Leaf
0..1	IC7 : Leaf
0..1	IC8 : Leaf
0..1	IC9 : Leaf
0..1	ICA : Leaf
0..1	79 : Leaf
0..1	FIN : Leaf

Cardinality	1

	Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
	ORG	0-1	S - String	string (len)	255			String	0x0a	
	NMS	0-1	S - String	string (len)	255			String	0x0a	
	IDU	0-1	S - String	string (len)	255			String	0x0a	
	FGB	0-1	S - String	string (len)	255			String	0x0a	
	HGB	0-1	S - String	string (len)	255			String	0x0a	
	MSG	0-1	S - String	string (len)	255			String	0x0a	
	PRI	0-1	S - String	string (len)	255			String	0x0a	
	TID	0-1	S - String	string (len)	255			String	0x0a	
	NSE	0-1	S - String	string (len)	255			String	0x0a	
	FEN	0-1	S - String	string (len)	255			String	0x0a	
	HEN	0-1	S - String	string (len)	255			String	0x0a	
	G01	0-1	S - String	string (len)	255		Datos de Control de Transferencia	String	0x0a	
Name	18	0-1	S - String	string (len)	255		Nombre y Telefono Responsables	String	0x0a	

						firmados			
20	0-1	S - String	string (len)	255		Nuestra Referencia	String	0x0a	
34	0-1	S - String	string (len)	255		Fecha Validez Datos	String	0x0a	
IC1	0-1	S - String	string (len)	255		Numero de Registros Informados	String	0x0a	
IC2	0-1	S - String	string (len)	255			String	0x0a	
IC3	0-1	S - String	string (len)	255			String	0x0a	
IC4	0-1	S - String	string (len)	255			String	0x0a	
IC5	0-1	S - String	string (len)	255			String	0x0a	
IC6	0-1	S - String	string (len)	255			String	0x0a	
IC7	0-1	S - String	string (len)	255			String	0x0a	
IC8	0-1	S - String	string (len)	255			String	0x0a	
IC9	0-1	S - String	string (len)	255			String	0x0a	
ICA	0-1	S - String	string (len)	255			String	0x0a	
79	0-1	S - String	string (len)	255		Observaciones	String	0x0a	
FIN	0-1	S - String	string (len)	255			String	0x0a	

Validation rules

[Elements](#)
[Dependencies](#)

Name	Expression
InstanciarVariables	%Sinacofi_I03.indice:=index(getAttribute("B2BXGIReceive_Consumption %Sinacofi_I03.indice2:=index(getAttribute("B2BXGIReceive_Consumptio %Sinacofi_I03.indice3:= index(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_I03.tipoDocumentoPrefijo:= getSubString(getAttribute("B2B %Sinacofi_I03.correlativoPrefijo:= getSubString(getAttribute("B2BXG %Sinacofi_I03.usuarioNAPrefijo:= getSubString(getAttribute("B2BXGIR %Sinacofi_I03.usuarioPrefijo:= getSubString(%Sinacofi_I03.usuarioNAP %Sinacofi_I03.NombreArchivo:= getSubString(getAttribute("B2BXGIRece %Sinacofi_I03.TipoArchivo:= "Caratula"; if (1=1) then True

ValidationCode46_V4	%Sinacofi_I03.CodigoError:= "046";
	%Sinacofi_I03.CapturaCampoCar:= convertToI(getSubString(\Caratula\MS
	if(%Sinacofi_I03.CapturaCampoCar <> Sinacofi_I03.GetCodigoMSGbyMSG(%
	then
	{
	        %Sinacofi_I03.var_error1:= Sinacofi_I03.InsertErrorTBL(
	        %Sinacofi_I03.correlativoPrefijo,
	        %Sinacofi_I03.CodigoError,
	        %Sinacofi_I03.TipoArchivo,

	``
	        formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
	        )
	};
	True
	``

ValidationCode61_V14	```
	%Sinacofi_I03.CodigoError:= "061";
	if(getSubString(\Caratula\G01, length(trimStringRight(\Caratula\G01)
	or getSubString(\Caratula\!18!, length(trimStringRight(\Caratula\!18
	or getSubString(\Caratula\!20!, length(trimStringRight(\Caratula\!20
	or getSubString(\Caratula\!34!, length(trimStringRight(\Caratula\!34
	or getSubString(\Caratula\IC1, length(trimStringRight(\Caratula\IC1)
	or getSubString(\Caratula\IC2, length(trimStringRight(\Caratula\IC2)
	or getSubString(\Caratula\IC3, length(trimStringRight(\Caratula\IC3)
	or getSubString(\Caratula\IC4, length(trimStringRight(\Caratula\IC4)
	or getSubString(\Caratula\IC5, length(trimStringRight(\Caratula\IC5)
	or getSubString(\Caratula\IC6, length(trimStringRight(\Caratula\IC6)
	or getSubString(\Caratula\IC7, length(trimStringRight(\Caratula\IC7)
	or getSubString(\Caratula\IC8, length(trimStringRight(\Caratula\IC8)
	or getSubString(\Caratula\IC9, length(trimStringRight(\Caratula\IC9)
	or getSubString(\Caratula\ICA, length(trimStringRight(\Caratula\ICA)
	or getSubString(\Caratula\!79!, length(trimStringRight(\Caratula\!79
	)
	then
	{
	        %Sinacofi_I03.var_error1:= Sinacofi_I03.InsertErrorTBL(
	        %Sinacofi_I03.correlativoPrefijo,
	        %Sinacofi_I03.CodigoError,
	        %Sinacofi_I03.TipoArchivo,
	        formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
	        )
	};
	True
	``

ValidationCode60_V13	```
	%Sinacofi_I03.CodigoError:= "060";
	if(
	countString(\Caratula\G01 , "}") > 1
	or countString(\Caratula\!18! , "}") > 1
	or countString(\Caratula\!20! , "}") > 1
	or countString(\Caratula\!34! , "}") > 1
	or countString(\Caratula\IC1 , "}") > 1
	or countString(\Caratula\IC2 , "}") > 1
	or countString(\Caratula\IC3 , "}") > 1
	or countString(\Caratula\IC4 , "}") > 1
	or countString(\Caratula\IC5 , "}") > 1
	or countString(\Caratula\IC6 , "}") > 1
	or countString(\Caratula\IC7 , "}") > 1
	or countString(\Caratula\IC8 , "}") > 1
	or countString(\Caratula\IC9 , "}") > 1
	or countString(\Caratula\ICA , "}") > 1
	or countString(\Caratula\!79! , "}") > 1
	) then {
	        %Sinacofi_I03.var_error1:= Sinacofi_I03.InsertErrorTBL(
	        %Sinacofi_I03.correlativoPrefijo,
	        %Sinacofi_I03.CodigoError,
	        %Sinacofi_I03.TipoArchivo,
	        formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
	        )
	};
	True
	``

ValidationContainer1	```
	if (%Sinacofi_I03.var_error1<>"")
	 then {
	        false
	                }
	else
	True
	``

| ValidationCode51_V7 | ```
%Sinacofi_I03.CodigoError:= "051";
%Sinacofi_I03.CamposConcatenados:=
trimString ( getSubString(\Caratula\G01 , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\!18! , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\!20! , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\!34! , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\IC1 , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\IC2 , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\IC3 , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\IC4 , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\IC5 , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\IC6 , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\IC7 , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\IC8 , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\IC9 , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\ICA , 1, 3 ) )
& "|" & trimString ( getSubString(\Caratula\!79! , 1, 3 ) );
%Sinacofi_I03.ValoresConcatenados:="|" &
trimStringRight ( getSubString(\Caratula\G01 , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\!18! , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\!20! , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\!34! , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IC1 , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IC2 , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IC3 , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IC4 , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IC5 , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IC6 , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IC7 , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IC8 , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IC9 , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\ICA , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\!79! , 5, 255 ) );
if( Sinacofi_I03.ValidarLargos( convertToI(%Sinacofi_I03.CapturaCamp
then
{
        %Sinacofi_I03.var_error1:= Sinacofi_I03.InsertErrorTBL(
        %Sinacofi_I03.correlativoPrefijo,
        %Sinacofi_I03.CodigoError,
        %Sinacofi_I03.TipoArchivo,
        formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
        )
};
True
``` |
| | ```
%Sinacofi_I03.CodigoError:= "052";
%Sinacofi_I03.indice:= index(\Caratula\!34! , "}");
%Sinacofi_I03.subCampo34:= getSubString( \Caratula\!34! , 5,  %Sinac
%Sinacofi_I03.indice:= index(\Caratula\IC1 , "}");
%Sinacofi_I03.campoIC1:= getSubString( \Caratula\IC1 , 5,  %Sinacofi
%Sinacofi_I03.indice:= index(\Caratula\IC2 , "}");
%Sinacofi_I03.campoIC2:= getSubString( \Caratula\IC2 , 5,  %Sinacofi
%Sinacofi_I03.indice:= index(\Caratula\IC3 , "}");
%Sinacofi_I03.campoIC3:= getSubString( \Caratula\IC3 , 5,  %Sinacofi
%Sinacofi_I03.indice:= index(\Caratula\IC4 , "}");
%Sinacofi_I03.campoIC4:= getSubString( \Caratula\IC4 , 5,  %Sinacofi
%Sinacofi_I03.indice:= index(\Caratula\IC5 , "}");
%Sinacofi_I03.campoIC5:= getSubString( \Caratula\IC5 , 5,  %Sinacofi
%Sinacofi_I03.indice:= index(\Caratula\IC6 , "}");
%Sinacofi_I03.campoIC6:= getSubString( \Caratula\IC6 , 5,  %Sinacofi
%Sinacofi_I03.indice:= index(\Caratula\IC7 , "}");
%Sinacofi_I03.campoIC7:= getSubString( \Caratula\IC7 , 5,  %Sinacofi
%Sinacofi_I03.indice:= index(\Caratula\IC8 , "}");
%Sinacofi_I03.campoIC8:= getSubString( \Caratula\IC8 , 5,  %Sinacofi
%Sinacofi_I03.indice:= index(\Caratula\IC9 , "}");
``` |

| ValidationCode52_V8 | ```
%Sinacofi_I03.campoIC9:= getSubString( \Caratula\IC9 , 5,  %Sinacofi
%Sinacofi_I03.indice:= index(\Caratula\ICA , "}");
%Sinacofi_I03.campoICA:= getSubString( \Caratula\ICA , 5,  %Sinacofi
if ( convertToI(%Sinacofi_I03.campoIC1 ) = null
or  convertToI(%Sinacofi_I03.campoIC2 ) = null
or  convertToI(%Sinacofi_I03.campoIC3 ) = null
or  convertToI(%Sinacofi_I03.campoIC4 ) = null
or  convertToI(%Sinacofi_I03.campoIC5 ) = null
or  convertToI(%Sinacofi_I03.campoIC6 ) = null
or  convertToI(%Sinacofi_I03.campoIC7 ) = null
or  convertToI(%Sinacofi_I03.campoIC8 ) = null
or  convertToI(%Sinacofi_I03.campoIC9 ) = null
or  convertToI(%Sinacofi_I03.campoICA ) = null
) then {
        %Sinacofi_I03.var_error1:= Sinacofi_I03.InsertErrorTBL(
        %Sinacofi_I03.correlativoPrefijo,
        %Sinacofi_I03.CodigoError,
        %Sinacofi_I03.TipoArchivo,
        formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
        )
};
True
``` |
| ValidationContainer2 | ```
if (%Sinacofi_I03.var_error1<>"")
 then {
        false
                }
else
True
``` |

Dependencies

var	[/Sinacofi_I03/Extended Objects/usuarioNAPrefijo.var](#)
var	[/Sinacofi_I03/Extended Objects/campoIC9.var](#)
var	[/Sinacofi_I03/Extended Objects/campoIC1.var](#)
var	[/Sinacofi_I03/Extended Objects/CapturaCampoCar.var](#)
var	[/Sinacofi_I03/Extended Objects/indice2.var](#)
fct	[/Sinacofi_I03/Extended Objects/ValidarLargos.fct](#)
var	[/Sinacofi_I03/Extended Objects/campoIC6.var](#)
var	[/Sinacofi_I03/Extended Objects/ValoresConcatenados.var](#)
var	[/Sinacofi_I03/Extended Objects/TipoArchivo.var](#)
var	[/Sinacofi_I03/Extended Objects/campoIC3.var](#)
var	[/Sinacofi_I03/Extended Objects/CamposConcatenados.var](#)
var	[/Sinacofi_I03/Extended Objects/campoIC8.var](#)
var	[/Sinacofi_I03/Extended Objects/var_error1.var](#)
var	[/Sinacofi_I03/Extended Objects/campoIC5.var](#)
var	[/Sinacofi_I03/Extended Objects/subCampo34.var](#)
var	[/Sinacofi_I03/Extended Objects/tipoDocumentoPrefijo.var](#)
var	[/Sinacofi_I03/Extended Objects/campoIC2.var](#)
fct	[/Sinacofi_I03/Extended Objects/InsertErrorTBL.fct](#)
var	[/Sinacofi_I03/Extended Objects/usuarioPrefijo.var](#)
var	[/Sinacofi_I03/Extended Objects/indice3.var](#)
var	[/Sinacofi_I03/Extended Objects/NombreArchivo.var](#)
var	[/Sinacofi_I03/Extended Objects/campoIC7.var](#)
fct	[/Sinacofi_I03/Extended Objects/GetCodigoMSGbyMSG.fct](#)

var	/Sinacofi_I03/Extended Objects/CodigoError.var
var	/Sinacofi_I03/Extended Objects/correlativoPrefijo.var
var	/Sinacofi_I03/Extended Objects/indice.var
var	/Sinacofi_I03/Extended Objects/campoIC4.var
var	/Sinacofi_I03/Extended Objects/campoICA.var

Creation Date: October 4, 2024

Generated with Mapping Services

Axway