

Documentation for Sinacofi_P40\ArchivosMomentaneos.P40_CAR_Val

Description of the Business Document

This documentation contains file-specific information.

Attributes

Key word	Value
Name	/Sinacofi_P40/Business Documents/ArchivosMomentaneos/P40_CAR_Val.bdoc
Last modified	-0300
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE

Content

Elements


Validation rules


<u>Dependencies</u>

Flat File: P40 CAR Val

UML Diagram	P	r40_CAR_Val	: Flat File	\(\)		Ca	aratula : Par	ent		
Name	Name	Cardinality	IC TACC	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
	<u>Caratula</u>	1-1					Root	Implicit		

Parent : C	Caratula	





Cardinality	1									
	Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
	ORG	0-1	S - String	string (len)	255			String	0x0a	
	NMS	0-1	S - String	string (len)	255			String	0x0a	
	IDU	0-1	S - String	string (len)	255			String	0x0a	
	FGB	0-1	S - String	string (len)	255			String	0x0a	
	HGB	0-1	S - String	string (len)	255			String	0x0a	
	MSG	0-1	S - String	string (len)	255			String	0x0a	
	PRI	0-1	S - String	string (len)	255			String	0x0a	
	TID	0-1	S - String	string (len)	255			String	0x0a	
	NSE	0-1	S - String	string (len)	255			String	0x0a	
	FEN	0-1	S - String	string (len)	255			String	0x0a	
Name	HEN	0-1	S - String	string (len)	255			String	0x0a	
	G01	0-1	S - String	string (len)	255		Datos de Control de Transferencia	String	0x0a	
	18	0-1	S - String	string (len)	255		Nombre y Telefono Responsables firmados	String	0x0a	
	20	0-1	S - String	string (len)	255		Nuestra Referencia	String	0x0a	
	34	0-1	S - String	string (len)	255		Fecha Validez Datos	String	0x0a	
	PA1	0-1	S - String	string (len)	255		Numero de Registros Informados	String	0x0a	
	PAO	0-1	S - String	string (len)	255			String	0x0a	
	PAP	0-1	S - String	string (len)	255			String	0x0a	
	PAQ	0-1	S - String	string (len)	255			String	0x0a	
	79	0-1	S - String	string (len)	255		Observaciones	String	0x0a	
	FIN	0-1	S - String	string (len)	255			String	0x0a	

Validation rules

Elements

<u>Dependencies</u>

```
Name
                    Expression
                    %Sinacofi_P40.indice:=index(getAttribute( "B2BXGIReceive_Consumption
                    %Sinacofi_P40.indice2:=index(getAttribute( "B2BXGIReceive_Consumptio")
                    %Sinacofi P40.indice3:= index(getAttribute( "B2BXGIReceive Consumpti
                    %Sinacofi_P40.tipoDocumentoPrefijo:= getSubString(getAttribute( "B2B
                    %Sinacofi_P40.correlativoPrefijo:= getSubString(getAttribute( "B2BXG
InstanciarVariables
                    Sinacofi_P40.usuarioNAPrefijo:= getSubString(getAttribute( "B2BXGIR"
                    %Sinacofi_P40.usuarioPrefijo:= getSubString(%Sinacofi_P40.usuarioNAP
                    %Sinacofi_P40.NombreArchivo:= getSubString(getAttribute( "B2BXGIRece
                    %Sinacofi_P40.TipoArchivo:= "Caratula";
                    if (1=1) then
                    True
                    %Sinacofi P40.CodigoError:= "046";
                    %Sinacofi_P40.CapturaCampoCar:= convertToI(getSubString(\Caratula\MS
                    if(%Sinacofi_P40.CapturaCampoCar <> Sinacofi_P40.GetCodigoMSGbyMSG(%
                    then
                             %Sinacofi_P40.var_errorl:= Sinacofi_P40.InsertErrorTBL(
ValidationCode46_V4
                             %Sinacofi_P40.correlativoPrefijo,
                             %Sinacofi_P40.CodigoError,
                             %Sinacofi_P40.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                     True
                    %Sinacofi_P40.CodigoError:= "061";
                    if(getSubString(\Caratula\G01, length(trimStringRight(\Caratula\G01)
                    or getSubString(\Caratula\!18!, length(trimStringRight(\Caratula\!18
                    or getSubString(\Caratula\!20!, length(trimStringRight(\Caratula\!20
                    or getSubString(\Caratula\!34!, length(trimStringRight(\Caratula\!34
                    or getSubString(\Caratula\PA1, length(trimStringRight(\Caratula\PA1)
                    or getSubString(\Caratula\PAO, length(trimStringRight(\Caratula\PAO)
                    or getSubString(\Caratula\PAP, length(trimStringRight(\Caratula\PAP)
                    or getSubString(\Caratula\PAQ, length(trimStringRight(\Caratula\PAQ)
                    or getSubString(\Caratula\!79!, length(trimStringRight(\Caratula\!79
ValidationCode61_V14
                     then
                             %Sinacofi_P40.var_error1:= Sinacofi_P40.InsertErrorTBL(
                             %Sinacofi_P40.correlativoPrefijo,
                             %Sinacofi_P40.CodigoError,
                             %Sinacofi P40.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    %Sinacofi_P40.CodigoError:= "060";
                    if(
                    countString(\Caratula\G01 , "}") > 1
                    or countString(\Caratula\!18! , "}") > 1
                    or countString(\Caratula\!20! , "\}") > 1
                    or countString(\Caratula\!34! , "}") > 1
                    or countString(\Caratula\PA1 , "}") > 1
                    or countString(\Caratula\PAO , "}") > 1
```

```
or countString(\Caratula\PAP , "}") > 1
ValidationCode60_{V13} or countString(\Caratula\PAQ , "}") > 1
                    or countString(\Caratula\!79! , "}") > 1
                    ) then {
                            %Sinacofi_P40.var_error1:= Sinacofi_P40.InsertErrorTBL(
                            %Sinacofi_P40.correlativoPrefijo,
                            %Sinacofi_P40.CodigoError,
                            %Sinacofi_P40.TipoArchivo,
                            formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    };
                    True
                    if (%Sinacofi_P40.var_error1<>"")
                     then {
                           false
ValidationContainer1
                                    }
                    else
                    True
                    %Sinacofi P40.CodigoError:= "051";
                    %Sinacofi P40.CamposConcatenados:=
                    trimString ( getSubString(\Caratula\G01 , 1, 3 ) )
                    & "|" & trimString ( getSubString(\Caratula\!18! , 1, 3 ) )
                    & "|" & trimString ( getSubString(\Caratula\!20! , 1, 3 ) )
                    & "|" & trimString ( getSubString(\Caratula\!34! , 1, 3 ) )
                    & "|" & trimString ( getSubString(\Caratula\PA1 , 1, 3 ) )
                    & "|" & trimString ( getSubString(\Caratula\PAO , 1, 3 ) )
                    & "|" & trimString ( getSubString(\Caratula\PAP , 1, 3 ) )
                    & "|" & trimString ( getSubString(\Caratula\PAQ , 1, 3 ) )
                    & "|" & trimString ( getSubString(\Caratula\!79! , 1, 3 ) );
                    |%Sinacofi P40.ValoresConcatenados:="|" &
                    trimStringRight ( getSubString(\Caratula\G01 , 5, 255 ) )
                    & trimStringRight ( getSubString(\Caratula\!18! , 5, 255 ) )
                    & trimStringRight ( getSubString(\Caratula\!20! , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\!34! , 5, 255 ) )
ValidationCode51 V7
                    & trimStringRight ( getSubString(\Caratula\PA1 , 5, 255 ) )
                    & trimStringRight ( getSubString(\Caratula\PAO , 5, 255 ) )
                    & trimStringRight ( getSubString(\Caratula\PAP , 5, 255 ) )
                    & trimStringRight ( getSubString(\Caratula\PAQ , 5, 255 ) )
                    & trimStringRight ( getSubString(\Caratula\!79! , 5, 255 ) );
                    if( Sinacofi_P40.ValidarLargos( convertToI(%Sinacofi_P40.CapturaCamp
                    then
                            %Sinacofi_P40.var_error1:= Sinacofi_P40.InsertErrorTBL(
                            %Sinacofi_P40.correlativoPrefijo,
                            %Sinacofi_P40.CodigoError,
                            %Sinacofi_P40.TipoArchivo,
                            formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                            )
                    True
                    %Sinacofi P40.CodigoError:= "052";
                    %Sinacofi_P40.indice:= index(\Caratula\!34! , "}");
                    %Sinacofi_P40.subCampo34:= getSubString( \Caratula\!34! , 5, %Sinac
                    %Sinacofi_P40.indice:= index(\Caratula\PA1 , "}");
                    %Sinacofi_P40.campoPA1:= getSubString( \Caratula\PA1 , 5,  %Sinacofi
                    %Sinacofi_P40.indice:= index(\Caratula\PAO , "}");
                    %Sinacofi_P40.campoPAO:= getSubString( \Caratula\PAO , 5,
                                                                              %Sinacofi
                    %Sinacofi_P40.indice:= index(\Caratula\PAP , "}");
                    %Sinacofi_P40.campoPAP:= getSubString( \Caratula\PAP , 5,
                                                                              %Sinacofi
                    %Sinacofi_P40.indice:= index(\Caratula\PAQ , "}");
                    if ( convertToI(%Sinacofi P40.campoPA1 ) = null
ValidationCode52 V8
                   or convertToI(%Sinacofi_P40.campoPAO ) = null
```

```
or convertToI(%Sinacofi_P40.campoPAP ) = null
                    or convertToI(%Sinacofi_P40.campoPAQ ) = null
                    ) then {
                             %Sinacofi_P40.var_error1:= Sinacofi_P40.InsertErrorTBL(
                            %Sinacofi_P40.correlativoPrefijo,
                             %Sinacofi_P40.CodigoError,
                             %Sinacofi_P40.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    True
                    if (%Sinacofi_P40.var_error1<>"")
                     then {
                             false
ValidationContainer2
                                     }
                    else
                    True
```

Dependencies

Elements

Validation rules

var	/Sinacofi_P40/Extended Objects/indice.var
var	/Sinacofi_P40/Extended Objects/indice3.var
var	/Sinacofi_P40/Extended Objects/TipoArchivo.var
var	/Sinacofi_P40/Extended Objects/correlativoPrefijo.var
var	/Sinacofi_P40/Extended Objects/campoPAO.var
var	/Sinacofi_P40/Extended Objects/tipoDocumentoPrefijo.var
var	/Sinacofi_P40/Extended Objects/CapturaCampoCar.var
fct	/Sinacofi_P40/Extended Objects/InsertErrorTBL.fct
var	/Sinacofi_P40/Extended Objects/usuarioPrefijo.var
fct	/Sinacofi_P40/Extended Objects/ValidarLargos.fct
var	/Sinacofi_P40/Extended Objects/campoPAQ.var
var	/Sinacofi_P40/Extended Objects/var_error1.var
var	/Sinacofi_P40/Extended Objects/subCampo34.var
var	/Sinacofi_P40/Extended Objects/indice2.var
var	/Sinacofi_P40/Extended Objects/ValoresConcatenados.var
var	/Sinacofi_P40/Extended Objects/campoPA1.var
var	/Sinacofi_P40/Extended Objects/usuarioNAPrefijo.var
var	/Sinacofi_P40/Extended Objects/CodigoError.var
var	/Sinacofi_P40/Extended Objects/CamposConcatenados.var
var	/Sinacofi_P40/Extended Objects/campoPAP.var
var	/Sinacofi_P40/Extended Objects/NombreArchivo.var
fct	/Sinacofi_P40/Extended Objects/GetCodigoMSGbyMSG.fct

Creation Date: October 4, 2024

Generated with Mapping Services

Axway