

# $\label{localization} \textbf{Documentation for} \\ \textit{Sinacofi\_C47} \\ \textit{ArchivosMomentaneos.C47\_CAR\_Val} \\$

# **Description of the Business Document**

This documentation contains file-specific information.

#### **Attributes**

Key word	Value
Name	/Sinacofi_C47/Business Documents/ArchivosMomentaneos/C47_CAR_Val.bdoc
Last modified	-0300
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE

## **Content**

#### **Elements**

Validation rules

<u>Dependencies</u>


Flat File : C47\_CAR\_Val : Flat File 

C47\_CAR\_Val : Flat File 

UML
Diagram

Name	Name	Cardinality	Class	Data type	II)efinition	Default value	Label	lDelimiter	Delimiter value	Alternative delimiter value
	<u>Caratula</u>	1-1					Root	Implicit		

Parent : C	aratula		



				L	01	FIN : Lea	ıf			
Cardinality	1									
	Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
	ORG	0-1	S - String	string (len)	255			String	0x0a	
	NMS	0-1	S - String	string (len)	255			String	0x0a	
	IDU	0-1	S - String	string (len)	255			String	0x0a	
	FGB	0-1	S - String	string (len)	255			String	0x0a	
	HGB	0-1	S - String	string (len)	255			String	0x0a	
	MSG	0-1	S - String	string (len)	255			String	0x0a	
	PRI	0-1	S - String	string (len)	255			String	0x0a	
	TID	0-1	S - String	string (len)	255			String	0x0a	
	NSE	0-1	S - String	string (len)	255			String	0x0a	
Name	FEN	0-1	S - String	string (len)	255			String	0x0a	
rame	HEN	0-1	S - String	string (len)	255		D	String	0x0a	
	G01	0-1	S - String	string (len)	255		Datos de Control de Transferencia	String	0x0a	
	18A	0-1	S - String	string (len)	255		Nombre y Telefono Responsables firmados	String	0x0a	
	20	0-1	S - String	string (len)	255		Nuestra Referencia	String	0x0a	
	34	0-1	S - String	string (len)	255		Fecha Validez Datos	String	0x0a	
	PCA	0-1	S - String	string (len)	255		Numero de Registros Informados	String	0x0a	
	PC7	0-1	S - String	string (len)	255			String	0x0a	
	PC8	0-1	S - String	string (len)	255			String	0x0a	
	79	0-1	S - String	string (len)	255		Observaciones	String	0x0a	
	FIN	0-1	S - String	string (len)	255			String	0x0a	

```
Name
                    Expression
                    %Sinacofi_C47.indice:=index(getAttribute( "B2BXGIReceive_Consumption
                    %Sinacofi_C47.indice2:=index(getAttribute( "B2BXGIReceive_Consumptio")
                    %Sinacofi_C47.indice3:= index(getAttribute( "B2BXGIReceive_Consumpti
                    %Sinacofi_C47.tipoDocumentoPrefijo:= getSubString(getAttribute( "B2B
                    %Sinacofi_C47.correlativoPrefijo:= getSubString(getAttribute( "B2BXG")
InstanciarVariables
                    Sinacofi C47.usuarioNAPrefijo:= getSubString(getAttribute( "B2BXGIR"
                    %Sinacofi C47.usuarioPrefijo:= getSubString(%Sinacofi C47.usuarioNAP
                    %Sinacofi_C47.NombreArchivo:= getSubString(getAttribute( "B2BXGIRece
                    %Sinacofi_C47.TipoArchivo:= "Caratula";
                    if (1=1) then
                    True
                    %Sinacofi_C47.CodigoError:= "046";
                    %Sinacofi_C47.CapturaCampoCar:= convertToI(getSubString(\Caratula\MS
                    if(%Sinacofi_C47.CapturaCampoCar <> Sinacofi_C47.GetCodigoMSGbyMSG(%
                             %Sinacofi_C47.var_error1:= Sinacofi_C47.InsertErrorTBL(
ValidationCode46_V4
                             %Sinacofi_C47.correlativoPrefijo,
                             %Sinacofi_C47.CodigoError,
                             %Sinacofi_C47.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                     True
                    %Sinacofi_C47.CodigoError:= "061";
                    if(getSubString(\Caratula\G01, length(trimStringRight(\Caratula\G01)
                    or getSubString(\Caratula\18A, length(trimStringRight(\Caratula\18A)
                    or getSubString(\Caratula\!20!, length(trimStringRight(\Caratula\!20
                    or getSubString(\Caratula\!34!, length(trimStringRight(\Caratula\!34
                    or getSubString(\Caratula\PCA, length(trimStringRight(\Caratula\PCA)
                    or getSubString(\Caratula\PC7, length(trimStringRight(\Caratula\PC7)
                    or getSubString(\Caratula\PC8, length(trimStringRight(\Caratula\PC8)
                    or getSubString(\Caratula\!79!, length(trimStringRight(\Caratula\!79
ValidationCode61_V14
                    then
                             %Sinacofi_C47.var_error1:= Sinacofi_C47.InsertErrorTBL(
                             %Sinacofi_C47.correlativoPrefijo,
                             %Sinacofi_C47.CodigoError,
                             %Sinacofi_C47.TipoArchivo,
                             formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    %Sinacofi_C47.CodigoError:= "060";
                    countString(\Caratula\G01 , "}") > 1
                    or countString(\Caratula\18A , "\}") > 1
                    or countString(\Caratula\!20! , "}") > 1
                    or countString(\Caratula\!34! , "}") > 1
                    or countString(\Caratula\PCA , "\}") > 1
                    or countString(\Caratula\PC7 , "}") > 1
                    or countString(\Caratula\PC8 , "\hat{j}") > 1
ValidationCode60_V13 or countString(\Caratula\!79! , "}") > 1
                     ) then {
                             %Sinacofi C47.var error1:= Sinacofi C47.InsertErrorTBL(
                             %Sinacofi_C47.correlativoPrefijo,
                             %Sinacofi_C47.CodigoError,
                             %Sinacofi_C47.TipoArchivo,
```

```
formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                   };
                   True
                   if (%Sinacofi_C47.var_error1<>"")
                    then {
                           false
ValidationContainer1
                                  }
                   else
                   True
                   %Sinacofi_C47.CodigoError:= "051";
                   %Sinacofi_C47.CamposConcatenados:=
                   trimString ( getSubString(\Caratula\G01 , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\18A , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\!20! , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\!34! , 1, 3 ) )
                   & "| " & trimString ( getSubString(\Caratula\PCA , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\PC7 , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\PC8 , 1, 3 ) )
                   & "|" & trimString ( getSubString(\Caratula\!79! , 1, 3 ) );
                   |%Sinacofi C47.ValoresConcatenados:="|" &
                   trimStringRight ( getSubString(\Caratula\G01 , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\18A , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\!20! , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\!34! , 5, 255 ) )
ValidationCode51 V7
                   & trimStringRight ( getSubString(\Caratula\PCA , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\PC7 , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\PC8 , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\!79! , 5, 255 ) );
                   if( Sinacofi_C47.ValidarLargos( convertToI(%Sinacofi_C47.CapturaCamp
                   then
                           %Sinacofi_C47.var_error1:= Sinacofi_C47.InsertErrorTBL(
                           %Sinacofi_C47.correlativoPrefijo,
                           %Sinacofi_C47.CodigoError,
                           %Sinacofi_C47.TipoArchivo,
                           formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                   True
                   %Sinacofi C47.CodigoError:= "052";
                   %Sinacofi C47.indice:= index(\Caratula\!34! , "}");
                   %Sinacofi_C47.indice:= index(\Caratula\PCA , "}");
                   %Sinacofi_C47.campoPCA:= getSubString( \Caratula\PCA , 5,  %Sinacofi
                   %Sinacofi_C47.indice:= index(\Caratula\PC7 , "}");
                   %Sinacofi_C47.campoPC7:= getSubString( \Caratula\PC7 , 5,
                                                                           %Sinacofi
                   %Sinacofi_C47.indice:= index(\Caratula\PC8 , "}");
                   if ( convertToI(%Sinacofi_C47.campoPCA ) = null
ValidationCode52 V8
                   or convertToI(%Sinacofi C47.campoPC7 ) = null
                   or convertToI(%Sinacofi_C47.campoPC8 ) = null
                   ) then {
                           %Sinacofi_C47.var_error1:= Sinacofi_C47.InsertErrorTBL(
                           %Sinacofi_C47.correlativoPrefijo,
                           %Sinacofi_C47.CodigoError,
                           %Sinacofi_C47.TipoArchivo,
                           formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                   True
                   if (%Sinacofi_C47.var_error1<>"")
                    then {
```

ValidationContainer2	<pre>false }</pre>
$\epsilon$	else
Г	True

# **Dependencies**

## **Elements**

# Validation rules

var	/Sinacofi_C47/Extended Objects/indice3.var
var	/Sinacofi_C47/Extended Objects/campoPC8.var
fct	/Sinacofi_C47/Extended Objects/InsertErrorTBL.fct
var	/Sinacofi_C47/Extended Objects/usuarioPrefijo.var
var	/Sinacofi_C47/Extended Objects/usuarioNAPrefijo.var
var	/Sinacofi_C47/Extended Objects/correlativoPrefijo.var
var	/Sinacofi_C47/Extended Objects/ValoresConcatenados.var
var	/Sinacofi_C47/Extended Objects/indice2.var
var	/Sinacofi_C47/Extended Objects/campoPC7.var
var	/Sinacofi_C47/Extended Objects/CapturaCampoCar.var
var	/Sinacofi_C47/Extended Objects/NombreArchivo.var
var	/Sinacofi_C47/Extended Objects/var_error1.var
var	/Sinacofi_C47/Extended Objects/indice.var
var	/Sinacofi_C47/Extended Objects/subCampo34.var
var	/Sinacofi_C47/Extended Objects/TipoArchivo.var
var	/Sinacofi_C47/Extended Objects/campoPCA.var
var	/Sinacofi_C47/Extended Objects/CodigoError.var
fct	/Sinacofi_C47/Extended Objects/GetCodigoMSGbyMSG.fct
fct	/Sinacofi_C47/Extended Objects/ValidarLargos.fct
var	/Sinacofi_C47/Extended Objects/CamposConcatenados.var
var	/Sinacofi_C47/Extended Objects/tipoDocumentoPrefijo.var

Creation Date: October 4, 2024

Generated with Mapping Services

Axway