

---

## Description of the Business Document

This documentation contains file-specific information.

---

## Attributes

Key word	Value
Name	/Sinacofi_P40/Business Documents/ArchivosEntrada/P40_Control_Caratula.bdoc
Last modified	-0300
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE

---

## Content

### Elements

**Flat File : P40\_Control\_Caratula**

---

UML Diagram	<pre>classDiagram     class P40_Control_Caratula["P40_Control_Caratula : Flat File"]     class ControlCaratula["ControlCaratula : Parent"]     P40_Control_Caratula "1" *-- "0..*" ControlCaratula</pre>																													
	Name	<table><tr><th>Name</th><th>Cardinality</th><th>Class</th><th>Data type</th><th>Definition</th><th>Default value</th><th>Label</th><th>Delimiter</th><th>Delimiter value</th><th>Alternative delimiter value</th></tr><tr><td><a href="#">ControlCaratula</a></td><td>0-N</td><td></td><td></td><td></td><td></td><td></td><td>Implicit</td><td></td><td></td></tr></table>	Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value	<a href="#">ControlCaratula</a>	0-N						Implicit										
Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value																					
<a href="#">ControlCaratula</a>	0-N						Implicit																							

**Parent : ControlCaratula**

UML Diagram	<pre>classDiagram     class ControlCaratula["ControlCaratula : Parent"]     class Contenido["Contenido : Leaf"]     ControlCaratula "1" *-- "0..1" Contenido</pre>																													
Cardinality	0..*																													
Name	<table><tr><th>Name</th><th>Cardinality</th><th>Class</th><th>Data type</th><th>Definition</th><th>Default value</th><th>Label</th><th>Delimiter</th><th>Delimiter value</th><th>Alternative delimiter value</th></tr><tr><td><a href="#">Contenido</a></td><td>0-1</td><td>S - String</td><td>string (len)</td><td>99999</td><td></td><td></td><td>String</td><td>0x0a</td><td>!EOF!</td></tr></table>										Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value	<a href="#">Contenido</a>	0-1	S - String	string (len)	99999			String	0x0a	!EOF!
Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value																					
<a href="#">Contenido</a>	0-1	S - String	string (len)	99999			String	0x0a	!EOF!																					

Creation Date: October 4, 2024

*Generated with Mapping Services*

Axway