

Documentation for Sinacofi_D02\ArchivosMomentaneos.D02_CAR_Val

Description of the Business Document

This documentation contains file-specific information.

Attributes

Key word	Value
Name	/Sinacofi_D02/Business Documents/ArchivosMomentaneos/D02_CAR_Val.bdoc
Last modified	-0300
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE

Content

Elements


Validation rules


<u>Dependencies</u>

Flat File: D02_CAR_Val

UML Diagram	DUZ_CA	002_CAR_Val	: Flat File	\(\)	, ,	Ci	aratula : Par	ent		
Name		Cardinality	l(lacc	Data type	Definition	Default value	<u> </u>	Delimiter Implicit	Delimiter value	Alternative delimiter value

-				
arent : C	'aratula			





Cardinality

Name

y []

Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
ORG	0-1	S - String	string (len)	255			String	0x0a	
NMS	0-1	S - String	string (len)	255			String	0x0a	
IDU	0-1	S - String	string (len)	255			String	0x0a	
FGB	0-1	S - String	string (len)	255			String	0x0a	
HGB	0-1	S - String	string (len)	255			String	0x0a	
MSG	0-1	S - String	string (len)	255			String	0x0a	
PRI	0-1	S - String	string (len)	255			String	0x0a	
TID	0-1	S - String	string (len)	255			String	0x0a	
NSE	0-1	S - String	string (len)	255			String	0x0a	
FEN	0-1	S - String	string (len)	255			String	0x0a	
HEN	0-1	S - String	string (len)	255			String	0x0a	
G01	0-1	S - String	string (len)	255		Datos de Control de Transferencia	String	0x0a	
18	0-1	S - String	string (len)	255		Nombre y Telefono Responsables firmados	String	0x0a	
20	0-1	S - String	string (len)	255		Nuestra Referencia	String	0x0a	
34	0-1	S - String	string (len)	255		Fecha Validez Datos	String	0x0a	
						Numero de			

DA0	0-1		string (len)	255	Registros Informados	String	0x0a	
DB1A	0-1	S - String	string (len)	255		String	0x0a	
DB1B	0-1	S - String	string (len)	255		String	0x0a	
DB1C	0-1	S - String	string (len)	255		String	0x0a	
DBV	0-1	S - String	string (len)	255		String	0x0a	
DBW	0-1	S - String	string (len)	255		String	0x0a	
DBX	0-1	S - String	string (len)	255		String	0x0a	
DB7	0-1	S - String	string (len)	255		String	0x0a	
79	0-1	S - String	string (len)	255	Observaciones	String	0x0a	
FIN	0-1	S - String	string (len)	255		String	0x0a	

Validation rules

Elements Dependencies

Name	Expression
InstanciarVariables	<pre>%Sinacofi_D02.indice:=index(getAttribute("B2BXGIReceive_Consumption %Sinacofi_D02.indice2:=index(getAttribute("B2BXGIReceive_Consumptio %Sinacofi_D02.indice3:= index(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_D02.tipoDocumentoPrefijo:= getSubString(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_D02.tipoDocumentoPrefijo:= getSubString(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_D02.correlativoPrefijo:= getSubString(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_D02.usuarioNPrefijo:= getSubString(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_D02.usuarioNPrefijo:= getSubString(getAttribute("B2BXGIReceive_Consumption) %Sinac</pre>
ValidationCode46_V4	<pre>%Sinacofi_D02.CodigoError:= "046"; %Sinacofi_D02.CapturaCampoCar:= convertToI(getSubString(\Caratula\MS if(%Sinacofi_D02.CapturaCampoCar <> Sinacofi_D02.GetCodigoMSGbyMSG(% then {</pre>
	<pre>%Sinacofi_D02.CodigoError:= "061"; if(getSubString(\Caratula\G01, length(trimStringRight(\Caratula\G01) or getSubString(\Caratula\!18!, length(trimStringRight(\Caratula\!18 or getSubString(\Caratula\!20!, length(trimStringRight(\Caratula\!20 or getSubString(\Caratula\!34!, length(trimStringRight(\Caratula\!34 or getSubString(\Caratula\DA0, length(trimStringRight(\Caratula\DA0)) or getSubString(\Caratula\DB1A, length(trimStringRight(\Caratula\DB1))</pre>

```
or getSubString(\Caratula\DB1B, length(trimStringRight(\Caratula\DB1
                    or getSubString(\Caratula\DB1C, length(trimStringRight(\Caratula\DB1
                    or getSubString(\Caratula\DBV, length(trimStringRight(\Caratula\DBV)
                    or getSubString(\Caratula\DBW, length(trimStringRight(\Caratula\DBW)
                    or getSubString(\Caratula\DBX, length(trimStringRight(\Caratula\DBX)
ValidationCode61_V14 or getSubString(\Caratula\DB7, length(trimStringRight(\Caratula\DB7)
                    or getSubString(\Caratula\!79!, length(trimStringRight(\Caratula\!79
                    then
                            %Sinacofi_D02.var_error1:= Sinacofi_D02.InsertErrorTBL(
                            %Sinacofi_D02.correlativoPrefijo,
                            %Sinacofi_D02.CodigoError,
                            %Sinacofi_D02.TipoArchivo,
                            formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    True
                    %Sinacofi_D02.CodigoError:= "060";
                    if(
                    countString(\Caratula\G01 , "}") > 1
                    or countString(\Caratula\!18! , "\}") > 1
                    or countString(\Caratula\!20! ,
                                                   "}") > 1
                    or countString(\Caratula\!34! , "\}") > 1
                    or countString(\Caratula\DA0 , "}") > 1
                    or countString(\Caratula\DB1A , "}") > 1
                    or countString(\Caratula\DB1B , "}") > 1
                    or countString(\Caratula\DB1C , "}") > 1
                    or countString(\Caratula\DBV , "}") > 1
                    or countString(\Caratula\DBW , "\}") > 1
ValidationCode60_V13
                    or countString(\Caratula\DBX , "\}") > 1
                    or countString(\Caratula\DB7 , "}") > 1
                    or countString(\Caratula\!79! , "}") > 1
                            %Sinacofi D02.var error1:= Sinacofi D02.InsertErrorTBL(
                            %Sinacofi_D02.correlativoPrefijo,
                            %Sinacofi_D02.CodigoError,
                            %Sinacofi_D02.TipoArchivo,
                            formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    };
                    if (%Sinacofi_D02.var_error1<>"")
                     then {
                            false
ValidationContainer1
                                    }
                    True
                    %Sinacofi_D02.CodigoError:= "051";
                    %Sinacofi_D02.CamposConcatenados:=
                    trimString ( getSubString(\Caratula\G01 , 1, 3 ) )
                    & "|" & trimString ( getSubString(\Caratula\!18! , 1, 3 ) )
                    & "|" & trimString ( getSubString(\Caratula\!34! , 1, 3 ) )
                     "| " & trimString ( getSubString(\Caratula\DA0 , 1, 3 ) )
                      "|" & trimString ( getSubString(\Caratula\DB1A , 1, 3 ) )
                      "|" & trimString ( getSubString(\Caratula\DB1B , 1, 3 ) )
                     "|" & trimString ( getSubString(\Caratula\DB1C , 1, 3 ) )
                     "| % trimString ( getSubString(\Caratula\DBV , 1, 3 ) )
                      "|" & trimString ( getSubString(\Caratula\DBW , 1, 3 ) )
                    & "| & trimString ( getSubString(\Caratula\DBX , 1, 3 ) )
                    & "|" & trimString ( getSubString(\Caratula\DB7 , 1, 3 ) )
                      "| a trimString ( getSubString(\Caratula\!79! , 1, 3 ) );
```

```
%Sinacofi D02.ValoresConcatenados:=" | " &
                   trimStringRight ( getSubString(\Caratula\G01 , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\!18! , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\!20! , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\!34! , 5, 255 ) )
ValidationCode51 V7
                   & trimStringRight ( getSubString(\Caratula\DA0 , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\DB1A , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\DB1B , 5, 255 )
                   & trimStringRight ( getSubString(\Caratula\DB1C , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\DBV , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\DBW , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\DBX , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\DB7 , 5, 255 ) )
                   & trimStringRight ( getSubString(\Caratula\!79! , 5, 255 ) );
                   if( Sinacofi_D02.ValidarLargos( convertToI(%Sinacofi_D02.CapturaCamp
                   then
                           %Sinacofi_D02.var_error1:= Sinacofi_D02.InsertErrorTBL(
                           %Sinacofi_D02.correlativoPrefijo,
                           %Sinacofi_D02.CodigoError,
                           %Sinacofi D02.TipoArchivo,
                           formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    };
                   True
                   %Sinacofi_D02.CodigoError:= "052";
                   %Sinacofi_D02.indice:= index(\Caratula\!34! , "}");
                   %Sinacofi_D02.subCampo34:= getSubString( \Caratula\!34! , 5, %Sinac
                   %Sinacofi_D02.indice:= index(\Caratula\DA0 , "}");
                   %Sinacofi_D02.indice:= index(\Caratula\DB1A , "}");
                   %Sinacofi_D02.campoDB1A:= getSubString( \Caratula\DB1A , 5,
                                                                              %Sinaco
                   %Sinacofi_D02.indice:= index(\Caratula\DB1B , "}");
                   %Sinacofi_D02.campoDB1B:= getSubString( \Caratula\DB1B , 5,
                   %Sinacofi_D02.indice:= index(\Caratula\DB1C , "}");
                   %Sinacofi_D02.campoDB1C:= getSubString( \Caratula\DB1C , 5,
                   %Sinacofi_D02.indice:= index(\Caratula\DBV , "}");
                   %Sinacofi_D02.campoDBV:= getSubString( \Caratula\DBV , 5,
                   %Sinacofi_D02.indice:= index(\Caratula\DBW , "}");
                   %Sinacofi_D02.campoDBW:= getSubString( \Caratula\DBW , 5,
                                                                            %Sinacofi
                   %Sinacofi_D02.indice:= index(\Caratula\DBX , "}");
                   %Sinacofi_D02.campoDBX:= getSubString( \Caratula\DBX , 5,
                                                                            %Sinacofi
                   %Sinacofi_D02.indice:= index(\Caratula\DB7 , "\}");
ValidationCode52 V8
                   if ( convertToI(%Sinacofi_D02.campoDA0 ) = null
                   or
                      convertToI(%Sinacofi_D02.campoDB1A) = null
                      convertToI(%Sinacofi_D02.campoDB1B ) = null
                   or
                   or convertToI(%Sinacofi_D02.campoDB1C) = null
                   or convertToI(%Sinacofi_D02.campoDBV ) = null
                   or convertToI(%Sinacofi_D02.campoDBW ) = null
                      convertToI(%Sinacofi_D02.campoDBX ) = null
                   or convertToI(%Sinacofi D02.campoDB7 ) = null
                   ) then {
                           %Sinacofi_D02.var_error1:= Sinacofi_D02.InsertErrorTBL(
                           %Sinacofi_D02.correlativoPrefijo,
                           %Sinacofi_D02.CodigoError,
                           %Sinacofi_D02.TipoArchivo,
                           formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                   if (%Sinacofi_D02.var_error1<>"")
                    then {
```

ValidationContainer2	fa	ılse		
		}		
	else			
	True			

Dependencies

Elements

Validation rules

HOIT TUICS
/Sinacofi_D02/Extended Objects/indice3.var
/Sinacofi_D02/Extended Objects/ValidarLargos.fct
/Sinacofi_D02/Extended Objects/campoDA0.var
/Sinacofi_D02/Extended Objects/campoDB1A.var
/Sinacofi_D02/Extended Objects/tipoDocumentoPrefijo.var
/Sinacofi_D02/Extended Objects/TipoArchivo.var
/Sinacofi_D02/Extended Objects/correlativoPrefijo.var
/Sinacofi_D02/Extended Objects/ValoresConcatenados.var
/Sinacofi_D02/Extended Objects/campoDBW.var
/Sinacofi_D02/Extended Objects/campoDB1C.var
/Sinacofi_D02/Extended Objects/InsertErrorTBL.fct
/Sinacofi_D02/Extended Objects/usuarioPrefijo.var
/Sinacofi_D02/Extended Objects/indice2.var
/Sinacofi_D02/Extended Objects/usuarioNAPrefijo.var
/Sinacofi_D02/Extended Objects/var_error1.var
/Sinacofi_D02/Extended Objects/subCampo34.var
/Sinacofi_D02/Extended Objects/campoDB7.var
/Sinacofi_D02/Extended Objects/NombreArchivo.var
/Sinacofi_D02/Extended Objects/campoDBV.var
/Sinacofi_D02/Extended Objects/GetCodigoMSGbyMSG.fct
/Sinacofi_D02/Extended Objects/campoDB1B.var
/Sinacofi_D02/Extended Objects/CodigoError.var
/Sinacofi_D02/Extended Objects/CamposConcatenados.var
/Sinacofi_D02/Extended Objects/indice.var
/Sinacofi_D02/Extended Objects/CapturaCampoCar.var
/Sinacofi_D02/Extended Objects/campoDBX.var

Creation Date: October 4, 2024

Generated with Mapping Services

Axway