Description of the Business Document

This documentation contains file-specific information.

Attributes

| Key word	Value
Name	/Sinacofi_R13/Business Documents/ArchivosMomentaneos/R13_CAR_Val.bdoc
Last modified	-0300
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE

Content

Elements

Validation rules
Dependencies

Flat File : R13_CAR_Val

UML Diagram	
	R13_CAR_Val : Flat File ◇——1——Caratula : Parent

Name	Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
	Caratula	1-1					Root	Implicit		

Parent : Caratula

UML
Diagram

Caratula : Parent	0..1	ORG : Leaf
	0..1	NMS : Leaf
	0..1	IDU : Leaf
	0..1	FGB : Leaf
	0..1	HGB : Leaf
	0..1	MSG : Leaf
	0..1	PRI : Leaf
	0..1	TID : Leaf
	0..1	NSE : Leaf
	0..1	FEN : Leaf
	0..1	HEN : Leaf
	0..1	G01 : Leaf
	0..1	18 : Leaf
	0..1	20 : Leaf
	0..1	34 : Leaf
	0..1	PA1 : Leaf
	0..1	IDC : Leaf
	0..1	IDD : Leaf
	0..1	IDE : Leaf

<table>
<tr><td></td><td colspan="2">

</td></tr>
<tr><td>Cardinality</td><td colspan="2">1</td></tr>
<tr><td rowspan="2">Name</td><td colspan="2">

Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
ORG	0-1	S - String	string (len)	255			String	0x0a	
NMS	0-1	S - String	string (len)	255			String	0x0a	
IDU	0-1	S - String	string (len)	255			String	0x0a	
FGB	0-1	S - String	string (len)	255			String	0x0a	
HGB	0-1	S - String	string (len)	255			String	0x0a	
MSG	0-1	S - String	string (len)	255			String	0x0a	
PRI	0-1	S - String	string (len)	255			String	0x0a	
TID	0-1	S - String	string (len)	255			String	0x0a	
NSE	0-1	S - String	string (len)	255			String	0x0a	
FEN	0-1	S - String	string (len)	255			String	0x0a	
HEN	0-1	S - String	string (len)	255			String	0x0a	
G01	0-1	S - String	string (len)	255		Datos de Control de Transferencia	String	0x0a	
18	0-1	S - String	string (len)	255		Nombre y Telefono Responsables firmados	String	0x0a	
20	0-1	S - String	string (len)	255		Nuestra Referencia	String	0x0a	
34	0-1	S - String	string (len)	255		Fecha Validez Datos	String	0x0a	
						Numero de			

</td></tr>
</table>

	PA1	0-1	S - String	string (len)	255		Registros Informados	String	0x0a	
	IDC	0-1	S - String	string (len)	255			String	0x0a	
	IDD	0-1	S - String	string (len)	255			String	0x0a	
	IDE	0-1	S - String	string (len)	255			String	0x0a	
	IDF	0-1	S - String	string (len)	255			String	0x0a	
	IDG	0-1	S - String	string (len)	255			String	0x0a	
	IDH	0-1	S - String	string (len)	255			String	0x0a	
	IDI	0-1	S - String	string (len)	255			String	0x0a	
	79	0-1	S - String	string (len)	255		Observaciones	String	0x0a	
	FIN	0-1	S - String	string (len)	255			String	0x0a	

Validation rules

[Elements](#)
[Dependencies](#)

Name	Expression
InstanciarVariables	%Sinacofi_R13.indice:=index(getAttribute("B2BXGIReceive_Consumption %Sinacofi_R13.indice2:=index(getAttribute("B2BXGIReceive_Consumptio %Sinacofi_R13.indice3:= index(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_R13.tipoDocumentoPrefijo:= getSubString(getAttribute("B2B %Sinacofi_R13.correlativoPrefijo:= getSubString(getAttribute("B2BXG %Sinacofi_R13.usuarioNAPrefijo:= getSubString(getAttribute("B2BXGIR %Sinacofi_R13.usuarioPrefijo:= getSubString(%Sinacofi_R13.usuarioNAP %Sinacofi_R13.NombreArchivo:= getSubString(getAttribute("B2BXGIRece %Sinacofi_R13.TipoArchivo:= "Caratula"; if (1=1) then True

ValidationCode46_V4	%Sinacofi_R13.CodigoError:= "046";
	%Sinacofi_R13.CapturaCampoCar:= convertToI(getSubString(\Caratula\MS
	if(%Sinacofi_R13.CapturaCampoCar <> Sinacofi_R13.GetCodigoMSGbyMSG(%
	then
	{
	     %Sinacofi_R13.var_error1:= Sinacofi_R13.InsertErrorTBL(
	     %Sinacofi_R13.correlativoPrefijo,
	     %Sinacofi_R13.CodigoError,
	     %Sinacofi_R13.TipoArchivo,
	     formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
	     )
	};
	True

	%Sinacofi_R13.CodigoError:= "061"; if(getSubString(\Caratula\G01, length(trimStringRight(\Caratula\G01) or getSubString(\Caratula\!18!, length(trimStringRight(\Caratula\!18 or getSubString(\Caratula\!20!, length(trimStringRight(\Caratula\!20 or getSubString(\Caratula\!34!, length(trimStringRight(\Caratula\!34 or getSubString(\Caratula\PA1, length(trimStringRight(\Caratula\PA1) or getSubString(\Caratula\IDC, length(trimStringRight(\Caratula\IDC)

ValidationCode61_V14	```
	or getSubString(\Caratula\IDD, length(trimStringRight(\Caratula\IDD)
	or getSubString(\Caratula\IDE, length(trimStringRight(\Caratula\IDE)
	or getSubString(\Caratula\IDF, length(trimStringRight(\Caratula\IDF)
	or getSubString(\Caratula\IDG, length(trimStringRight(\Caratula\IDG)
	or getSubString(\Caratula\IDH, length(trimStringRight(\Caratula\IDH)
	or getSubString(\Caratula\IDI, length(trimStringRight(\Caratula\IDI)
	or getSubString(\Caratula\!79!, length(trimStringRight(\Caratula\!79
	)
	then
	{
	        %Sinacofi_R13.var_error1:= Sinacofi_R13.InsertErrorTBL(
	        %Sinacofi_R13.correlativoPrefijo,
	        %Sinacofi_R13.CodigoError,
	        %Sinacofi_R13.TipoArchivo,
	        formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
	        )
	};
	True
	``

ValidationCode60_V13	```
	%Sinacofi_R13.CodigoError:= "060";
	if(
	countString(\Caratula\G01 , "}") > 1
	or countString(\Caratula\!18! , "}") > 1
	or countString(\Caratula\!20! , "}") > 1
	or countString(\Caratula\!34! , "}") > 1
	or countString(\Caratula\PA1 , "}") > 1
	or countString(\Caratula\IDC , "}") > 1
	or countString(\Caratula\IDD , "}") > 1
	or countString(\Caratula\IDE , "}") > 1
	or countString(\Caratula\IDF , "}") > 1
	or countString(\Caratula\IDG , "}") > 1
	or countString(\Caratula\IDH , "}") > 1
	or countString(\Caratula\IDI , "}") > 1
	or countString(\Caratula\!79! , "}") > 1
	) then {
	        %Sinacofi_R13.var_error1:= Sinacofi_R13.InsertErrorTBL(
	        %Sinacofi_R13.correlativoPrefijo,
	        %Sinacofi_R13.CodigoError,
	        %Sinacofi_R13.TipoArchivo,
	        formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
	        )
	};
	True
	``

ValidationContainer1	```
	if (%Sinacofi_R13.var_error1<>"")
	 then {
	        false
	               }
	else
	True
	``

	``` %Sinacofi_R13.CodigoError:= "051"; %Sinacofi_R13.CamposConcatenados:= trimString (getSubString(\Caratula\G01 , 1, 3)) & "|" & trimString (getSubString(\Caratula\!18! , 1, 3)) & "|" & trimString (getSubString(\Caratula\!20! , 1, 3)) & "|" & trimString (getSubString(\Caratula\!34! , 1, 3)) & "|" & trimString (getSubString(\Caratula\PA1 , 1, 3)) & "|" & trimString (getSubString(\Caratula\IDC , 1, 3)) & "|" & trimString (getSubString(\Caratula\IDD , 1, 3)) & "|" & trimString (getSubString(\Caratula\IDE , 1, 3)) & "|" & trimString (getSubString(\Caratula\IDF , 1, 3)) & "|" & trimString (getSubString(\Caratula\IDG , 1, 3)) & "|" & trimString (getSubString(\Caratula\IDH , 1, 3)) & "|" & trimString (getSubString(\Caratula\IDI , 1, 3)) & "|" & trimString (getSubString(\Caratula\!79! , 1, 3)); ```

| ValidationCode51_V7 | ```
%Sinacofi_R13.ValoresConcatenados:="|" &
trimStringRight ( getSubString(\Caratula\G01 , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\!18! , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\!20! , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\!34! , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\PA1 , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IDC , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IDD , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IDE , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IDF , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IDG , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IDH , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\IDI , 5, 255 ) )
& trimStringRight ( getSubString(\Caratula\!79! , 5, 255 ) );
if( Sinacofi_R13.ValidarLargos( convertToI(%Sinacofi_R13.CapturaCamp
then
{
        %Sinacofi_R13.var_error1:= Sinacofi_R13.InsertErrorTBL(
        %Sinacofi_R13.correlativoPrefijo,
        %Sinacofi_R13.CodigoError,
        %Sinacofi_R13.TipoArchivo,
        formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
        )
};
True
``` |
| ValidationCode52_V8 | ```
%Sinacofi_R13.CodigoError:= "052";
%Sinacofi_R13.indice:= index(\Caratula\PA1 , "}");
%Sinacofi_R13.campoPA1:= getSubString( \Caratula\PA1 , 5,  %Sinacofi
%Sinacofi_R13.indice:= index(\Caratula\IDC , "}");
%Sinacofi_R13.campoIDC:= getSubString( \Caratula\IDC , 5,  %Sinacofi
%Sinacofi_R13.indice:= index(\Caratula\IDD , "}");
%Sinacofi_R13.campoIDD:= getSubString( \Caratula\IDD , 5,  %Sinacofi
%Sinacofi_R13.indice:= index(\Caratula\IDE , "}");
%Sinacofi_R13.campoIDE:= getSubString( \Caratula\IDE , 5,  %Sinacofi
%Sinacofi_R13.indice:= index(\Caratula\IDF , "}");
%Sinacofi_R13.campoIDF:= getSubString( \Caratula\IDF , 5,  %Sinacofi
%Sinacofi_R13.indice:= index(\Caratula\IDG , "}");
%Sinacofi_R13.campoIDG:= getSubString( \Caratula\IDG , 5,  %Sinacofi
%Sinacofi_R13.indice:= index(\Caratula\IDH , "}");
%Sinacofi_R13.campoIDH:= getSubString( \Caratula\IDH , 5,  %Sinacofi
%Sinacofi_R13.indice:= index(\Caratula\IDI , "}");
%Sinacofi_R13.campoIDI:= getSubString( \Caratula\IDI , 5,  %Sinacofi
if ( convertToI(%Sinacofi_R13.campoPA1 ) = null
or convertToI(%Sinacofi_R13.campoIDC ) = null
or convertToI(%Sinacofi_R13.campoIDD ) = null
or convertToI(%Sinacofi_R13.campoIDE ) = null
or convertToI(%Sinacofi_R13.campoIDF ) = null
or convertToI(%Sinacofi_R13.campoIDG ) = null
or convertToI(%Sinacofi_R13.campoIDH ) = null
or convertToI(%Sinacofi_R13.campoIDI ) = null
) then {
        %Sinacofi_R13.var_error1:= Sinacofi_R13.InsertErrorTBL(
        %Sinacofi_R13.correlativoPrefijo,
        %Sinacofi_R13.CodigoError,
        %Sinacofi_R13.TipoArchivo,
        formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
        )
};
True
``` |
| ValidationContainer2 | ```
if (%Sinacofi_R13.var_error1<>"")
 then {
        false
                }
``` |

```
else
True
```

Dependencies

[Elements](#)
[Validation rules](#)

var	[/Sinacofi_R13/Extended Objects/campoIDG.var](#)
fct	[/Sinacofi_R13/Extended Objects/InsertErrorTBL.fct](#)
var	[/Sinacofi_R13/Extended Objects/indice2.var](#)
var	[/Sinacofi_R13/Extended Objects/campoPA1.var](#)
var	[/Sinacofi_R13/Extended Objects/CamposConcatenados.var](#)
var	[/Sinacofi_R13/Extended Objects/campoIDD.var](#)
var	[/Sinacofi_R13/Extended Objects/campoIDI.var](#)
var	[/Sinacofi_R13/Extended Objects/ValoresConcatenados.var](#)
var	[/Sinacofi_R13/Extended Objects/CapturaCampoCar.var](#)
var	[/Sinacofi_R13/Extended Objects/CodigoError.var](#)
var	[/Sinacofi_R13/Extended Objects/campoIDF.var](#)
var	[/Sinacofi_R13/Extended Objects/usuarioNAPrefijo.var](#)
var	[/Sinacofi_R13/Extended Objects/tipoDocumentoPrefijo.var](#)
var	[/Sinacofi_R13/Extended Objects/NombreArchivo.var](#)
var	[/Sinacofi_R13/Extended Objects/campoIDC.var](#)
var	[/Sinacofi_R13/Extended Objects/correlativoPrefijo.var](#)
var	[/Sinacofi_R13/Extended Objects/campoIDH.var](#)
var	[/Sinacofi_R13/Extended Objects/usuarioPrefijo.var](#)
var	[/Sinacofi_R13/Extended Objects/indice.var](#)
var	[/Sinacofi_R13/Extended Objects/indice3.var](#)
var	[/Sinacofi_R13/Extended Objects/var_error1.var](#)
var	[/Sinacofi_R13/Extended Objects/TipoArchivo.var](#)
var	[/Sinacofi_R13/Extended Objects/campoIDE.var](#)
fct	[/Sinacofi_R13/Extended Objects/GetCodigoMSGbyMSG.fct](#)
fct	[/Sinacofi_R13/Extended Objects/ValidarLargos.fct](#)

Creation Date: October 4, 2024

Generated with Mapping Services

Axway