

Politecnico di Milano

Computer Science and Engineering's master degree course  
Department of Electronics and Information



# **eMall – e-Mobility for All**

## Requirements Analysis and Specification Document

**Version 1.1**

Release Date:

Customer: Eng. Elisabetta DI NITTO

Authors:

- Eng. Roberto CIALINI      Id. 933385
- Eng. Umberto COLANGELO      Id. 935073
- Eng. Vittorio LA FERLA      Id. 224509

## **Contents**



# 1 Introduction

## 1.1 Purpose

Nowadays sustainability is one of the most important and debated topics in our society. In fact, in the next few years we are going to deal with a huge green transition to limit our carbon footprint on the planet, such as in the transportation field, which finds itself as one of the main contributors of global warming. In this direction, in recent years the old motor vehicles running on gasoline are leaving space for electricity-powered vehicles, even though there are several central aspects to deal with in order to let the electric vehicles be competitive with the old vehicle generation. In this direction, the goal is to create a fully operative and diffused infrastructure for the fast charging of the batteries, which is one of the main limitations for the final customer. In fact, the batteries need to be charged often and nowadays the task of finding an available charging spot is not as easy as it seems.

With this issue in mind, eMALL is an operating system, itself composed of two subsystems, whose goal is to offer a way to find available charging stations for electric vehicles, offering at the same time to the user the possibility to access to several features such as the reservation of a specific socket at a certain timeframe or the reception of personalised proactive suggestions by the system.

This document will further explain in detail goals and requirements put on the system to be with this purpose of guiding the development.

### 1.1.1 Goals

Goal	Description
G1	Allow Drivers to find available charging stations, the nearest ones, their energy cost per unit (MW/h)
G2	Allow Drivers to book the desired charging station for a certain timeframe
G3	Allow Drivers to decide the start of the charging process and to be notified about its end

G4	Allow Admin to track data regarding the internal status of each charging station
G5	Allow the Admin to manually decide for each station where to get energy for charging (station battery, DSO, or a mix), decide the cost of charging and set special offers
G6	Allow Admin to have access to DSOs information about the current price of energy and to decide to set manually or automatically from which to acquire energy

## AGGIUNGERE RECOMMENDATION TRA I GOAL

### 1.2 Scope

While there are several stakeholders to consider, this document is only concerned about two actors: Drivers and Administrators. The former is the final user, or rather the one who interacts with the eMSP to have the possibility to book the battery recharge of his vehicles. Instead the role of the system Administrator mainly concerns to monitor the correct behaviour of the system and to take strategic decisions.

The main system is divided into two subsystems: the eMSP and CPMS. The eMPS is designed to be an interface and to communicate both with the Driver and the Administrator, driving their requests. The CPMS, instead, is modelled on the OCPI 2.2.1 protocol and is referred to a specific CPO. The main task of the CPMS is to supply information about its CPO charging stations to the eMSPs it is linked to, both for the Driver and the Administrator usage.

Although CPO and DBO are mentioned in this document along with the other entities described before, we will not consider either their internal system or their decision making.

This application is supposed to work properly in every situation in which are well defined the previously mentioned rules, with no limitation to the metropolitan areas.

#### 1.2.1 World Phenomena

Identifier	Description
------------	-------------

WP1	Malfunction of the system
WP2	eMSPs has access to all the CPMS information correctly
WP3	Drivers use the charging stations to charge their vehicles

### 1.2.2 Shared Phenomena

Identifier	Description
SP1	User registers an account
SP2	User pays the cost for recharging
SP3	User chose the charging station he prefers from the available ones
SP4	Admin has access to the all the data regarding of CPMS
SP5	User books for specified amount of time a socket in a recharging station
SP6	System visualises data about recharging station based on the CPOS information
SP7	User decides to end the charge of the battery
SP9	System make recommendation on the best charging station available
SP8	System sends notification to user
SP9	Admin manually selects from which DSO to acquire energy from or chooses this selection to be automatic
SP10	Admin manually selects for each station where to get energy from or chooses this selection to be automatic
SP11	System know when the battery is fully recharged

## 1.3 Definitions, Acronyms, Abbreviations

### 1.3.1 Definitions

Definitions	Descriptions
Driver Identifier	To identify a specific driver, this could be an identification number such as his/her SSN
Car Identifier	To identify a specific car, this could be the licence plate

Station Identifier	To identify a specific charging station
--------------------	---

### 1.3.2 Abbreviations

RASD	Requirements Analysis and Specification Document
WP	World Phenomena
SP	Shared Phenomena
GX	Goal number X
DX	Domain assumption number X
RX	Requirements number X
eMALL	e-Mobility for All
EV	Electric Vehicle

### 1.4 Revision History

### 1.5 Reference Documents

The specification document “Assignment RDD AY 2022-2023\_v2.pdf ”

### 1.6 Document Structure

This document is composed of six sections, detailed below.

In the first section the problem is introduced together with the goals of the project. Additionally, the scope of the project is specified along with the various phenomena occurring. Lastly, the necessary information to read the report is presented, such as definitions and abbreviations.

Section two contains an overall description of the system, including a detailing of its users and main functions. Moreover there is the class diagram, descriptions of several scenarios, some statecharts and finally the domain assumptions made in this report.

In section three the requirements on the system are specified. This includes functional requirements, non-functional requirements and requirements on external interfaces. Furthermore use cases are described, with accompanying use cases and sequence diagrams. Section three also

contains mappings of functional requirements to the goals of the system, and to the use cases.

Section four contains a formal analysis with the help of Alloy. Together with the Alloy code, the analysis objective is described.

In section five there is a presentation of the project members total effort spent.

Section six contains the references used.

## **2. Overall description**

### **2.1 Product perspective**

#### **2.1.1 Scenarios**

##### **1. Electric vehicle driver starts using the system**

The electric vehicle driver Carlos wants to register to the service to have access at the several facilities it offers, such as finding a charging station and charging his vehicle outdoors. He launches the service and chooses to sign up, fulfilling the mandatory information required to access the service.

##### **2. Electric vehicle driver setting personalised data**

Jim, an electric vehicle driver, once he has registered to the system using his credentials, by selecting his profile and then from the section “Active Vehicle” he chose one of his vehicles and set it to be his Active Vehicle. In this way, the system automatically filters the stations according to the vehicle information, meaning that will show as clickable only the stations that have the socket compatible with his Active Veichle

##### **3. Electric vehicle driver wants to book a charging station**

John is an electric vehicle driver who needs to charge his car. After he logged in into the system using his user credentials, he has the access to the home page where (da modificare) are displayed the best available charging station according to price, distance and free slots. The user can also decide to filter the station by selecting the feature he needs the most. Once John has selected the station, can click on “Book Now” to reserve the slot for a

certain timeframe. Jack, another user that needs to charge his vehicle in the same period of time, won't be able to book the same socket and will see it as already engaged.

#### **4. Electric vehicle driver wants to start the charging process**

Samantha, an electric vehicle driver, wants to charge her car. Once she reaches the parking spot and has plugged in the vehicle, she logs into the system with her user credentials and by clicking on his reservation on "My Reservations" and then clicking on "Start Now", she confirms to begin the charging process. Samantha can also monitor the progress live.

#### **5. Electric vehicle driver pays for the charge**

Steve logged into the system and is using an available slot in a station to charge his vehicle. Selecting "Details" he can see in live the charging progress of the battery and can decide to stop it whenever the charging reaches the desired level. Otherwise, the system notifies Steve when the charging process is finished. After that, selecting "Pay Now", he can pay for the given service using the credit card registered on the system or using the contactless card he prefers directly in the proper payment area present in each slot. Then Steve can continue his journey happily.

#### **6. CPO station administrator monitoring station status**

A CPO employee, with station administration tasks, logs into the system using his administrator credentials. In the main page he has access to the stations of his company connected to the system backend infrastructure. By selecting one of them, he can monitor the status, such as electricity and free slots available, current price and if the station is properly working. He can also analyse the performance of the last 60 days.

#### **7. CPO station administrator taking decisions**

The station administrator Mike logs into the system using his administrator credentials. After he has selected a charging station, Mike has at one's disposal its performance and can set a DSO to acquire the energy from, analysing the offered price, choose how the station must charge the cars, by




using current ground energy or the one present in the stationary battery. The administrator can also choose to set these decisions to be automatized by the CPMS.


### **2.1.2 Class Diagram**

This is the class diagram of the system. User is an abstract class, associated with its extensions: EV Driver and CPO Administrator, where each one has its own specific attributes. Following the diagram in the EV Driver direction there are Electric Vehicle (notice that a user can have more than one vehicle and a vehicle can be associated to more than one user), Reservation, where the timeframe and the related socket are specified. In the CPO Administrator direction there are CPO and DSO, with their identifiers. Finally, there are Charging Station class, linked to its CPO owner, and Socket classes composing the station

## Class Diagram




### 2.1.3 StateChart




### 1-Sign-in and Sign-Up

- The state diagram summarises the sign-in and sign-up actions. Once the Driver enters the main Page, he can decide if he wants to register or to login, while the Administrator can only login. If the user chooses the login, depending on his authorizations, he is redirected to the Driver or Administrator main page.




### 2- Book the station

- The user can decide which station he wants to book from two different visualisation pages. The Home Page shows a list of the available stations, while the Map Page displays all the available stations on the map.



### 3-Reach the station

The Driver can visualise the recommended



### 4- Admin access to the system

Here it's briefly represented all the possible actions that the Administrator can do. The Admin Sections has two main pages, the Performance page where all the data about the CPMSs is displayed, and the Settings where the Admin controls the CPMSs decisions (source of energy, DSO...)

## 2.2 Product functions

In this section the main functionalities of eMALL is described in more detail:

### 2.2.1 Let drivers know the charging stations nearby, their cost, special offers available and book a charge

One of the most important aspects of the system is the ability of the drivers to know the location of nearby charging stations: this

will be achieved throughout the visualisation of an interactive map shown in the “Map Page”, that thanks to the drivers gps, will show the current user location as well as the real time data regarding the charging stations nearby.

In the “Main Page” a list of all available charging stations is shown. The user can sort the charging stations by applying filters to the list, such as cost, travel distance and presence of special offers available.

The user will be able to select a charging station to obtain more details regarding it and if it is available, he will be able to book a charge for a certain time frame, depending on the ones available.

After booking a charge, the user will have a certain period of time to show up at the charging station and start the charging process, otherwise the reservation previously booked will be cancelled.

In case a special offer is present, the user will be notified through the presence of a special icon on the charging stations promoting the offer. Furthermore, when selecting a charging station, the offer details will be shown.

### **2.2.2 Let drivers start the charging process, be notified when it ends and pay for the service**

After a driver reaches the station and parks his EV in the designated area, he can connect it to the charging station's socket he previously booked or to one available at the moment. To start the charging process the driver must scan a QR code present on the charging station or insert a code on the app.

After checking that the user has a valid payment method linked to his account and the charging station is available and not booked by other users, the charging process starts. The user will be able to monitor the current status of the battery and the

estimated time left for the charging to complete. The user will be free to stop the charging process anytime through the app. After the charging process ends the payment will be automatically debited from the user's account. In case the payment fails, the user will be unable to use the service until a valid payment method is selected and the transaction is completed.

When the vehicle battery is completely charged, the user will be notified through a notification on his device and will have a certain period of time to disconnect his EV and leave the charging spot free.

## **2.3 User characteristics**

The following three actors are considered in the eMALL systems.

### **1. Unregistered electric vehicle driver**

A driver that needs to register to the eMALL platform before being able to use any of its functionalities.

### **2. Electric vehicle driver**

A registered user that uses the system to find the charging stations nearby, their cost and any special offer they have. He can also book a charge for a certain timeframe and monitor the live charging process.

### **3. CPO station administrator**

A registered user, working as station administrator for a specific CPO. He is able to monitor the status of his charging

stations and to take strategic decisions in the supply chain of the stations.

## 2.3 Assumptions, dependencies and constraints

### 2.3.1 Domain assumptions

Identifier	Description
D1	There exists an API where user credentials can be verified (birth date, etc...)
D2	There exists an API where the correct map and gps data can be retrieved
D3	There exists an API where updated DSO prices can be retrieved and the DSO can be selected for energy acquirement
D4	When a driver disconnects his EV from the socket he utilised, he immediately leaves the parking area.
D5	Users insert their personally identifiable informations into the system
D6	CPO Admins have access to an already existing account on eMALL
D7	Users give the system the authorization to access their personal data regarding their EV, current position and calendar
D8	Energy is supplied correctly from DSOs to CPOs charging stations
D9	Drivers correctly park and connect their vehicle to the charging station socket



D10	The drivers respect the reservations made by showing up at the charging station booked on time.
D11	All the vehicles considered have a Universal Socket accepted by all the sockets
D12	For each socket is associated a parking spot where the vehicle can be parked while it is charging.

- Each user can only have associated to his account vehicle that he owns
- All vehicle has different sockets, some vehicle may not accepts superfats recharge

### 3 Specific Requirements

#### 3.1 External Interface Requirements

##### 3.1.1 User Interfaces

The user interface of eMALL is both a computer and a mobile applications that will be used both by EV Drivers and CPO Administrators. It should be available as much as possible and easy to use, in particular the mobile app interface, where the search and the reservation of the charging slot by

the drivers has to be fast and user-friendly. In the other side, Administrator are supposed to have office PC where to work on the system, so the computer application has to be optimised and oriented towards data analysis through the use of specific accurate tools.

### **3.1.2 Hardware Interfaces**

The system sets up from the necessity to handle with multiple and simultaneous commands from different actors, which are driven in their decisions by the continuous upgrade of specific informations from communication sources. Moreover, since the system has to be fully available both on the mobile and the computer application through the connection to , the only hardware interface requirements are a web browser (or even better a mobile application store) and the possibility to provide geolocalization informations by the user for a better experience. The system also relies on the use of different sensor deployed to obtain data, such as vehicle battery percentage or the internal status of the charging stations. This informations are supposed to be managed externally and that there are specific APIs to retrieve data for eMALL.

### **3.1.3 Communication Interfaces**

The system is based on the management of many information sources to provide lots of its functionalities.

Therefore, it is required the communication with external information providers from where eMALL retrieves data or services.

In particular, there are different interfaces that eMALL exploits, possibly through Web APIs, as previously explained in the assumptions.

- **Retrieval of data on EV battery status and geolocalization**

The interface is able to respond with the current status of the battery, if there are malfunctions or not, the battery level both during the charging process and during its usage (in line with the goal of customization and the recommendations the system gives to the user).

The interface is also able to provide the current position of the EV in order to provide a better service including recommendations on the best possible charging stations.

- **Retrieval of data on charging station internal status**

The interface is able to respond with the current internal status of the charging station, which means the mix of energy used (specifying the percentage from each source), the level of the storage of the stationary battery and the availability of each slot with its main informations, such as the power provided (super fast, fast, slow).

- **Retrieval of data on EV driver schedule**

The interface provides the information about the user's daily schedule, contained in his own calendar. Using these informations, the system is able to give proper suggestions, about the best time in which to charge the EV, to the user.

- **Payment authorization and correct completion**

The interface deals with the payment process, in particular with the validation of the credit/debit card, the authorization to proceed with the payment (given by the user through his online bank or similar methods) and the effective correctness of the transaction.

Moreover, there are communication protocols needed for the correct forwarding of information among the different subsystems and the physical infrastructures (charging station and its components).

- **OCPI**

This protocol is required in the communication between our subsystems: eMSP and CPMS. It is mainly used to provide charging station information (socket status and details, location and tariff), to book and to authorise the charging session.

- **OCPP**

This protocol is required in the communication between CPMS and a specific charging station. The main information forwarded are the principal operative commands of the charging session (start/stop and current status) and diagnostic information/updates.

These protocols are supposed to work properly.  
Furthermore, the OCPP informations, differently from the OCPI ones, are no longer described and modelled in this document.

### 3.2 Functional Requirements

Requirement	Description
R1	The system shall allow an unregistered user to register an account
R2	The system shall allow a registered user to insert one or more EV
R3	The system shall allow a registered user to insert and modify (even if banned for an unsuccessful payment transaction) one or more valid payment methods
R4	The system shall allow a registered user to search a charging station, visualising its CPO owner, the current energy price and the distance from the user location
R5	The system shall allow a registered user to book a socket at a certain timeframe

R6	The system shall allow a registered user to choose the desired type of charging socket (slow, fast, super fast)
R7	The system shall allow a registered user to view his reservations
R8	The system shall allow a registered user to start the charging process
R9	The system shall allow a registered user to view the live status of the EV battery during the charge
R10	The system shall allow a registered user to view system's suggestions
R11	The system shall allow a registered user to accept one of the suggestions
R12	The system shall allow a registered user to cancel a reservation
R13	The system shall allow a registered CPO administrator to view the status of his company charging stations, including availability, DSO and energy price (for the CPO)

R14	The system shall allow a registered administrator to view status, type and availability of each socket in a certain charging station
R15	The system shall allow a registered administrator to view the status of the stationary battery (if present) of a certain charging station
R16	The system shall allow a registered administrator to view the current energy mix (ground, stationary battery, green) used in the charging process in a certain station
R17	The system shall allow a registered administrator to enable the eMSP to automatically select DSO, energy mix and energy price (for the costumer) for a certain charging station through the informations retrieved by the CPMS
R18	The system shall allow a registered administrator to manually select DSO, energy mix and energy price (for the costumer) for a certain charging station
R19	The system shall allow a registered administrator to view statistics for a certain charging station, including average customers

	usage and in which time slots, average energy price (both for CPO and user), average energy mix used
R20	The system must be able to notify user of exception
R21	The system must be able to notify user on successful action
R22	The system must store the history of charging stations performance
R23	The system must store the validity of the last payment transaction for each user
R24	The system must ban a user in case of unsuccessful payment transaction
R25	The system must allow registered users to login
R26	The system must allow registered CPO administrator to login

### 3.2.1 Mapping on Goals



Goal	Domain assumptions	Requirements
G1	D1, D2, D3	R4, R6, R20, R21, R25
G2	D1, D4, D10	R4, R5, R6, R7, R12, R20, R21, R22, R25
G3	D7, D8, D9, D11, D12	R7, R8, R9, R20, R21, R22, R23, R24, R25
G4	D3, D6	R13, R14, R15, R16, R19, R20, R21, R22, R26
G5	D3, D6	R13, R14, R15, R16, R17, R18, R19, R20, R21, R22, R26
G6	D3, D6	R13, R17, R18, R19, R20, R21, R22, R26

### 3.2.2 Use cases:

#### 1-Registration:

Actor	Driver
Entry condition	The Driver does not have an account and he is on the MainPage of the system
Events flow	<ol style="list-style-type: none"> <li>1. The Driver presses the "Sign Up" button</li> <li>2. The Driver enters nickname, name, a valid payment method, email address and password.</li> <li>3. The Driver enters the licence plate of the first vehicle he wants to add.</li> <li>4. The Driver accepts to use geolocalization on his device and to use his daily schedule information.</li> <li>5. E-MALL processes the information and show a success message</li> </ol>
Exit	A new Driver account is created

condition	
Exceptions	<p>Exceptions 1. The Driver does not enter all the mandatory data.</p> <p>Exceptions 2. The Driver enters a non valid payment method.</p> <p>Exceptions 3. The Driver does not permit the system to access the localization of the device.</p> <p>Exceptions 4. The Driver enters a licence plate which does not exist.</p> <ul style="list-style-type: none"> <li>• In all cases E-MALL will notify the Driver by displaying an error message</li> </ul>

## 2- LOGIN

Actor	Driver or Administrator
Entry condition	The Driver or the Administrator is on the MainPage of the system
Events flow	<p>1. The Driver presses the “Sign in” button.</p> <p>2. The Driver enters his nickname , or email and his password</p> <p>3. The Driver clicks on the submit button.</p> <p>4. E-Mall process the information and redirect to the User Homepage if it is a Driver or to the Admin Homepage if it is an Administrator</p>
Exit condition	Driver or Administrator is logged in
Exceptions	<p>Exceptions 1. The Driver does not enter a correct password for that email/nickname</p> <p>Exceptions 2. The nickname or email entered do not exist in the system.</p> <ul style="list-style-type: none"> <li>• In all cases E-Mall will notify the Driver through showing an error message</li> </ul>

## 3- Enter a new vehicle

Actor	Driver
Entry condition	The Driver is logged in to the system and he is in the User Homepage of the system

Event flow	1.The Driver clicks on UserProfile Page 2. The Driver clicks on “Enter a new vehicle” 3. The Driver enters the licence plate of his vehicle. 4. E-MALL processes the information and shows a success message displaying all the sockets in which the vehicle can be plugged in.
Exit condition	A new vehicle is inserted in the “My vehicles” section in the User Profile.
Exceptions	Exceptions 1. The Driver enters a licence plate which does not exist. Exceptions 2. The vehicle entered can be only plugged in with a socket not available in the system. • In all cases E-Mall will notify the Driver through showing an error message

**qui ho inserito che non si possono inserire veicoli che non hanno una socket accettata dal sistema**

#### **4- Change Active Vehicle**

Actor	Driver
Entry condition	The Driver is logged in to the system and he is in the User Homepage of the system
Event flow	1.The Driver clicks on UserProfile Page 2. The Driver clicks on “Change Active Vehicle” 3. The Driver chooses one vehicle from a list showing all his vehicles. 4. E-MALL processes the information and shows a success message
Exit condition	The vehicle chosen is set as the Active Vehicle
Exceptions	No Exception

#### **5- Make a reservation da cambiare**

Actor	Driver
Entry condition	The Driver is logged in to the system and he is in the User Homepage of the system

Event flow	<ol style="list-style-type: none"> <li>1. The Driver can decide if to click on Map Page and select the station from the map shown or select directly from the User HomePage where the is shown a list of the stations.</li> <li>2. The Driver clicks on the station where he wants to book a socket for his vehicle.</li> <li>3. The Driver selects which socket he wants (ex: superfast, fast..) if more than one is available.</li> <li>4.The Driver selects which TimeFrame he wants.</li> <li>5. E-Mall processes the information and shows a success message</li> </ol>
Exit condition	<p>1-A new event in the User Calendar is created displaying the vehicle, time chosen for the reservation and the socket ID assigned.</p> <p><u><a href="#">Da cambaire</a></u></p>
Exceptions	<p>Exceptions 2. There is no socket available for the Driver's Active Vehicle</p> <ul style="list-style-type: none"> <li>• E-Mall will notify the Driver through showing an error message</li> </ul>

## 6- Cancel a reservation

Actor	Driver
Entry condition	The Driver is logged in to the system and he is in the User Homepage of the system
Event flow	<ol style="list-style-type: none"> <li>1.The Driver clicks on the UserProfile Page.</li> <li>2. The Driver clicks My Bookings and a list of all of his current bookings is displayed.</li> <li>3. The driver clicks on the reservation he wants to cancel.</li> <li>4.The Driver clicks on "Cancel"</li> <li>5. E-Mall processes the information and shows a success message</li> </ol>
Exit condition	1-The reservation is cancelled.
Exceptions	<p>Exceptions 1. The time remaining for the reservation is less than 15 minutes</p> <ul style="list-style-type: none"> <li>• E-Mall will notify the Driver through showing an error message</li> </ul>

## 7- Begin the recharging process

Actor	Driver
Entry condition	The Driver is in the station he booked and he is logged in on the HomePage.
Event flow	<ol style="list-style-type: none"><li>1. The Driver clicks on "User Profile".</li><li>2. The Driver clicks on "My Calendar"</li><li>3. The Driver clicks on the reservation for that <u>Da cambaire con my reservations</u> station</li><li>4. The Driver clicks on "Start recharging"</li><li>4. E-Mall processes the information and shows a success message.</li></ol>
Exit condition	The recharging process starts.
Exceptions	<p>Exceptions 1. The socket it's not plugged in correctly.</p> <ul style="list-style-type: none"><li>• In this case E-Mall will notify the driver via an error message</li></ul>

Bisogna aggiungere nei requirements che si può cambiare payment method

## 8- Enter a new payment method

Actor	Driver
Entry condition	The Driver is in the station he booked and he is logged in on the HomePage.
Event flow	<ol style="list-style-type: none"><li>1. The Driver clicks on UserProfile Page</li><li>2. The Driver clicks on "Add new payment method"</li><li>3. The Driver fills the forms with all the mandatory data.</li><li>4. E-MALL processes the information and shows a success message</li></ol>
Exit condition	The Driver has a new payment method among his personal payment methods.
Exceptions	<p>Exceptions 1. The Driver enters wrong data in the form.</p> <ul style="list-style-type: none"><li>• In this case E-Mall will notify the driver via an error message</li></ul>

## 9- Change Active Payment Method

Actor	Driver
Entry condition	The Driver is in the station he booked and he is logged in on the HomePage.
Event flow	<ol style="list-style-type: none"><li>1.The Driver clicks on UserProfile Page</li><li>2. The Driver clicks on “Change Active Payment Method”</li><li>3. The driver selects from a list with all his previously entered payment methods the payment method he wants to set as active.</li><li>4. E-MALL processes the information and shows a success message</li></ol>
Exit condition	The Driver’s Active Payment method is modified.
Exceptions	<ul style="list-style-type: none"><li>• No Exceptions.</li></ul>

## 10- Manually modify the source of supply of the stations

Actor	Administrator
Entry condition	The Administrator is logged in and he is currently in the HomePage Admin
Event flow	<ol style="list-style-type: none"><li>1. The Administrator clicks on “Settings Page”.</li><li>2. The Administrator clicks on one of the CPOs displayed in the list displayed, which contains all the CPOs handled by the Administrator.</li><li>3. The Administrator clicks on “Change current source of supply”</li><li>4.The Administrator clicks on the Mix of Energy desired.</li><li>5. E-MALL processes the information and shows a success message.</li></ol>
Exit condition	The CPO source of energy is changed.
Exceptions	<p>Exceptions 1. There is not enough power to change the source of supply, this could be due to lack of energy provided by DSO or the energy stored in the batteries is not enough.</p> <ul style="list-style-type: none"><li>• E-Mall will notify the Administrator through</li></ul>

	showing the reason why it failed
--	----------------------------------

### 11- Change from which DSO acquire energy

Actor	Administrator
Entry condition	The Administrator is logged in and he is currently in the HomePage Admin
Event flow	<ol style="list-style-type: none"> <li>1. The Administrator clicks on "Settings Page".</li> <li>2. The Administrator clicks on one of the CPOs displayed in the list displayed, which contains all the CPOs handled by the Administrator.</li> <li>3. The Administrator clicks on "Change DSO".</li> <li>4. The Administrator chooses the DSO he wants from a list which shows all the DSOs available for that CPO.</li> <li>5. E-Mall processes the information and shows a success message.</li> </ol>
Exit condition	The CPO source of energy is changed.
Exceptions	No Exception

### 12- Administrator visualise CPO performance


Actor	Administrator
Entry condition	The Administrator is logged in and he is currently in the HomePage Admin
Event flow	<ol style="list-style-type: none"> <li>1. The Administrator clicks on "Performance Page".</li> <li>2. The Administrator clicks on one of the CPOs displayed in the list displayed, which contains all the CPOs handled by the Administrator.</li> <li>3. The Administrator clicks on "ShowPerformance" on one of the CPOs.</li> <li>5. E-Mall processes the information and shows the data about that CPO, such as energy stored in the battery, number of reservations...</li> </ol>
Exit condition	The CPO source of energy is changed.
Exceptions	No Exception

## 9.Recommendation

- the recommendation to the user?????


### 3.2.3 Use case diagrams:

#### 1. Unregistered Driver




#### 2. Administrator






### 3.Driver(Manca recommendation)




## Sequence diagram:

### 1.Registration




Here is described the process that an unregistered Driver must follow to Sign Up. After he enters the Profile Informations he will be asked to enter his vehicle information which will be set as his active vehicle. In CheckFirstLogin is checked if the email has been already registered.

## 2.Login




### 3.Add a new vehicle




Here is described the process to add a new vehicle for the Driver. In CheckVeichle is checked if the vehicle is already present in the E-Mall Database and checks if the vehicle accepts at least one of the sockets made available by E-Mall.

### 4.Change Active Vehicle



Here is described the process which the user must follow to change his Active Vehicle. In the section MyVehicles in the UserProfile Page is present a button clickable that permits the Driver to change his Active Vehicle. The Active Vehicle will be useful for the system to make custom recommendations.


## 5. Change Active Payment Method



Here is described the process that the Driver must follow to change his active payment method.

6. Add a new payment method

7. Make a reservation



Here is described the process that the Driver must follow to create a new Reservation. Once the Driver enters in the HomePage he starts a request to receive all the stations managed by the eMSP. The eMSP will forward the request to all the CPMS registered on his system and it will forward to the Driver the response received by the various CPMS.

The opt sequence represents the possibility for the Driver to choose the desired station from the map.


Once the Driver clicks on the desired station the following requests made by the Driver are forwarded to the CPMS in charge of that particular station which it will request the information needed to the station desired.

Thus, after the Driver has visualised all the information about that particular station he has to choose the kind of socket he wants to use. Afterwards the system will show the time frames available for that kind of socket in that station. Eventually the Reservation is created.




## **8. Cancel a reservation**

## **9. Start charging process:**



The process that the Driver must follow to start the charging process is described above. Once the Driver is in the parking space with the plug inserted in his vehicle he clicks StartCharging on his reservation. The eMSP will receive the request and it will forward to the CPMS. The CPMS will receive the request and will proceed to forward it to the target station which, with CheckSocket, will check if the socket is inserted correctly. If so, the station will notify the CPMS of the start of the recharging process. The CPMS will proceed to forward the message to the eMSP.


## 10. Manually modify the DSO



The process that the Administrator must follow to modify the DSO of the CPO is described below.


The Settings Page shows all the CPOs managed by the Administrator. After the administrator has chosen the CPO whose DSO he wants to change and click on "Change DSO" on the desired CPO. In the loop sequence the CPMS will request all the DSOs connected to the station for all the necessary information. After selecting the desired DSO the system will process the request and modify the DSO. The station will be notified by the CPMS and it will proceed to change its DSO.

## 11.Show Performance



Once the Administrator enters the Show Performance Page the list of CPOs managed by the Administrator will be displayed. Once the administrator has clicked on the CPO whose performance he wants to see, the request is forwarded to the CPMS which manages the requested CPO. The CPMS will request all the history information to each station it manages and returns the information to the eMSP .

## 12.Change source of supply



The process that the Administrator must follow to change the source of supply of the CPO is described below.

The Settings Page shows all the CPOs managed by the Administrator. After the administrator clicks on the CPO whose source he wants to change, he displays all the stations managed by that CPO. The Administrator selects the desired station, subsequently the request will be forwarded to the CPMS which will send a request to obtain all the internal information directly to the station. The Administrator sees all the information about that station and chooses the Energy Mix he wants. The CheckSupplySource is called to check if there are the conditions for changing the source of supply and if so proceed with the fulfilment of the request.

## 4 Formal Analysis

### 4.1 Alloy code

The formal analysis of the system is represented through the use of Alloy code in order to verify the consistency of the model presented and the needed constraints.

```
// Signatures
```

```
open util/boolean
```

```
/*sig UserId{}  
sig DocumentId{}  
sig PaymentMethod{}  
sig CPOLd{}  
sig DSOLd{}  
sig SocketId{}  
sig ReservationId{}  
sig StationId{}  
sig Position{}  
*/
```

```
sig CPO {  
    //cpold: one CPOLd  
    dso: one DSO  
}
```

```
sig DSO {  
    //dsold: one DSOLd,  
    energyPrice: one Int  
}
```

```
abstract sig SocketType{}
one sig SLOW extends Bool {}
one sig FAST extends Bool {}
one sig RAPID extends Bool {}
```

```
abstract sig StationStatus{}
one sig ON extends Bool {}
one sig OFF extends Bool {}
```

```
abstract sig SocketStatus{}
one sig AVAILABLE extends Bool {}
one sig UNAVAILABLE extends Bool {}
one sig CHARGING extends Bool {}
```

```
abstract sig RechargeStatus{}
one sig INPROGRESS extends Bool {}
one sig FINISHED extends Bool {}
one sig PAYED extends Bool {}
```

```
abstract sig User {
    //userId: one UserId,
    //name: one String,
    //surname: one String,
    //documentId: one DocumentId,
    //email: one Email,
    //password: one String
}
```

```
sig CPOAdministrator extends User{
    cpo: one CPO
}
```

```
sig EVDriver extends User {
    paymentMethod: one PaymentMethod,
    vehicles: set ElectricVehicle
}
```

```
sig ElectricVehicle {
    licensePlate: one String,
    socketType: one SocketType
}
```

```

sig Socket {
    //socketId: one socketId,
    socketType: one SocketType,
    active: one Bool,
    status: one SocketStatus
}

sig ChargingStation {
    //stationId: one StationId,
    energyMix: one Int,
    price: one Int,
    position: one Int
}

sig PaymentMethod {
    //cardNumber: one String
} {
    // every payment method must be of a user driver
    all p : PaymentMethod | p in EVDriver.paymentMethods
}

sig Payment {
    //paymentId: one PaymentId
    recharge: one Recharge
}

sig Recharge {
    fromDate: one Int,
    toDate: one Int,
    payment: one Payment,
    status: one RechargeStatus
}

sig Reservation {
    //reservationId: ReservationId
    fromDate: one Int,
    toDate: one Int,
    socket: one Socket,
    user: one EVDriver
}

```



## 5 Effort spent

### 5.1.1 Umberto Colangelo

Section	Time spent
Introduction	6 h
Overall description	5 h
Specific requirements	5 h
Formal analysis	1 h
Reasoning	10 h

Total time	27 h
------------	------

### 5.1.2 Roberto Cialini

Section	Time spent
Introduction	4 h
Overall description	6 h
Specific requirements	2 h
Plumbing	8 h
Formal analysis	6 h
Reasoning	10 h

Total time	28 h
------------	------

### 5.1.2 Vittorio La Ferla

Section	Time spent
Introduction	7 h
Overall description	6 h

Specific requirements	4 h
Formal analysis	2 h
Reasoning	10 h

Total time	29 h
------------	------