Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

┌─ Checker Input ───┐

Show [✔] source   [ ] outline   [ ] image report

[Options…]

Check by [text input ▾]

[Enter the URL for an HTML, CSS, or SVG document   ]

[Check]

└──┘

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

┌──┐
| **Document checking completed. No errors or warnings to show.** |
└──┘

Source

```
 1.  <!DOCTYPE html>↵
 2.  <html lang="en"><head>↵
 3.          <title>Answerly</title>↵
 4.          <!-- CSRF Token -->↵
 5.          <meta name="csrf-token"
     content="WuImAvrfmvHTh5RsrfnOHrXbMPrPrZPfgA0zi3YY">↵
 6.          <meta charset="utf-8">↵
 7.          <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
 8.          <meta name="viewport" content="width=device-width, initial-
     scale=1, shrink-to-fit=no">↵
 9.          <script defer="" src="https://code.jquery.com/jquery-
     3.4.1.slim.min.js" integrity="sha384-
     J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
     crossorigin="anonymous"></script>↵
10.          <script defer=""
     src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.
     js" integrity="sha384-
     Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
     crossorigin="anonymous"></script>↵
11.          <script defer=""
     src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.mi
     n.js" integrity="sha384-
     wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
     crossorigin="anonymous"></script>↵
12.          <script src="https://kit.fontawesome.com/6d90d25abc.js"
     crossorigin="anonymous"></script>↵
13.          <script src="http://localhost:8000/js/app.js" defer=""> ↵
14.          </script>↵
15.  ↵
16.          <!-- our css -->↵
17.                  <link href="http://localhost:8000/css/layout.css"
     rel="stylesheet">↵
18.          ↵
19.      <link rel="stylesheet"
     href="http://localhost:8000/css/question.css">↵
20.          </head>↵
```

```
21.        <body>↵
22.            <main>↵
23.            <header>↵
24.                ↵
25.                <nav class="navbar navbar-expand-lg navbar-light navbar-
    default fixed-top">↵
26.                    <div id="answerly" class="navbar-brand col-3">↵
27.                        <a href="http://localhost:8000/">Answerly</a>↵
28.                    </div>↵
29.                    <div id="search-bar" class="collapse navbar-collapse
    navbarSupportedContent m-auto">↵
30.                        <form class="form-inline navbar-nav m-auto">↵
31.                            <input id="start_search" class="form-control"
    type="search" placeholder="Search" aria-label="Search">↵
32.                        </form>↵
33.                    </div>↵
34.                    <div id="sign-in" class="collapse navbar-collapse
    navbarSupportedContent col-sm-3">↵
35.                        <ul class="navbar-nav">↵
36.                                            <li>↵
37.                    </li><li class="nav-item">↵
38.                        <button class="btn my-2 my-sm-0" data-
    toggle="modal" data-target="#ask_something">Ask Something</button>↵
39.                    </li>↵
40.                    <li class="nav-link ml-2">↵
41.                        <div class="dropdown">↵
42.                            <div class="dropdown-menu dropdown-
    menu-right">↵
43.                                <a role="button"
    class="dropdown-item" href="http://localhost:8000/user/2">Profile</a>↵
44.                                <a role="button"
    class="dropdown-item" href="http://localhost:8000/logout">Logout</a>
    <span></span>↵
45.                            </div>↵
46.                        </div>↵
47.                        <a role="button" class="fas fa-user fa-
    lg dropdown-toggle" id="dropdownMenuProfileButton" data-
    toggle="dropdown" aria-haspopup="true" aria-expanded="false" aria-
    hidden="true"></a>↵
48.                    </li>↵
49.                    <li class="nav-link ml-2">↵
50.                        <div class="dropdown">↵
51.                            <div id="notifications_menu"
    class="dropdown-menu dropdown-menu-right" aria-
    labelledby="dropdownMenuNotificationsButton">↵
52.
    <a role="button" class="dropdown-item"
    href="http://localhost:8000/question/2">A user has answered a question
    of yours</a>↵
53.
    <a role="button" class="dropdown-item"
    href="http://localhost:8000/user/2">A user has answered a question you
    follow</a>↵
54.
    </div>↵
55.                            </div>↵
56.                                            <a
    role="button" class="fas fa-bell fa-lg yellow dropdown-toggle"
    id="dropdownMenuNotificationsButton" data-toggle="dropdown" aria-
    haspopup="true" aria-expanded="false" aria-hidden="true"></a>↵
57.                                            </li>↵
58.                ↵
59.                            </ul>↵
60.                    </div>↵
61.                    <button class="navbar-toggler" type="button" data-
    toggle="collapse" data-target=".navbarSupportedContent" aria-
    expanded="false" aria-label="Toggle navigation">↵
62.                        <span class="navbar-toggler-icon"></span>↵
63.                    </button>↵
64.                </nav>↵
65.                <div class="modal fade" id="ask_something" tabindex="-1"
    role="dialog" aria-hidden="true">↵
66.                    <div class="modal-dialog modal-dialog-centered"
    role="document">↵
67.                        <div class="modal-content">↵
```

```
 68.                        <div class="modal-header">↵
 69.                          <h5 class="modal-title"
     id="exampleModalLongTitle">Ask something</h5>↵
 70.                          <button type="button" class="close" data-
     dismiss="modal" aria-label="Close">↵
 71.                          <span aria-hidden="true">×</span>↵
 72.                          </button>↵
 73.                        </div>↵
 74.                        <div class="modal-body">↵
 75.                          <form>↵
 76.                            <div class="form-group">↵
 77.                              <label
     for="formControlTextareaQuestion">Write your question here</label>↵
 78.                              <textarea class="form-control"
     id="formControlTextareaQuestion" rows="1"></textarea>↵
 79.                            </div>↵
 80.                            <div class="form-group">↵
 81.                              <label
     for="formControlTextareaDescription">Write more details here</label>↵
 82.                              <textarea class="form-control"
     id="formControlTextareaDescription" rows="3"></textarea>↵
 83.                            </div>↵
 84.                            <div id="labels">↵
 85.                              <a class="badge badge-dark badge-
     pill" id="add_label">+ Label</a>↵
 86.                            </div>↵
 87.                            <div id="form-buttons" class="form-
     group row">↵
 88.                              <input type="file" class="form-
     control-file col-sm-9" id="exampleFormControlFile1" accept="image/png,
     image/jpeg">↵
 89.                            </div>↵
 90.                          </form>↵
 91.                        </div>↵
 92.                        <div class="modal-footer">↵
 93.                          <button id="add_question_btn" type="submit"
     class="btn btn-primary" data-dismiss="modal">Add</button>↵
 94.                        </div>↵
 95.                      </div>↵
 96.                    </div>↵
 97.                  </div> ↵
 98. ↵
 99.        </header>↵
100.        <div id="side_navs">↵
101.            <div id="sidenav_left" class="sidenav d-none d-md-
     block">↵
102.        <label>Recently followed questions</label>↵
103.        <a class="row" data-id="1"
     href="http://localhost:8000/question/1"> Name some great method
     actors</a>↵
104.        </div>↵
105. <div id="sidenav_right" class="sidenav d-none d-md-block">↵
106.     <label>Popular labels</label>↵
107.     <a class="row"
     href="http://localhost:8000/search/science">#science</a>↵
108.     <a class="row"
     href="http://localhost:8000/search/virus">#virus</a>↵
109.     <a class="row"
     href="http://localhost:8000/search/english">#english</a>↵
110.     <a class="row"
     href="http://localhost:8000/search/culture">#culture</a>↵
111.     <a class="row"
     href="http://localhost:8000/search/music">#music</a>↵
112. </div>        </div>↵
113. ↵
114.        <section id="content">↵
115.            <div class="modal fade" id="report_something" tabindex="-1"
     role="dialog" aria-hidden="true">↵
116.     <div class="modal-dialog modal-dialog-centered" role="document">↵
117.        <div class="modal-content">↵
118.          <div class="modal-header">↵
119.            <h5 class="modal-title">Help us</h5>↵
120.            <button type="button" class="close" data-
     dismiss="modal" aria-label="Close">↵
121.            <span aria-hidden="true">×</span>↵
```

```
122.                    </button>↵
123.                </div>↵
124.                <div class="modal-body">↵
125.                    <form>↵
126.                        <div class="form-group">↵
127.                            <label for="formControlTextareaQuestion">Write
     here a brief description of the problem</label>↵
128.                            <textarea class="form-control" rows="5">
     </textarea>↵
129.                        </div>↵
130.                    </form>↵
131.                </div>↵
132.                <div class="modal-footer">↵
133.                    <button id="report_question" type="submit" class="btn
     btn-primary" data-dismiss="modal">Send</button>↵
134.                </div>↵
135.            </div>↵
136.        </div>↵
137. </div> ↵
138. ↵
139. <div id="question-div" class="container-fluid col-md-6" data-id="7">↵
140.     <div class="wrapper">↵
141.        <div>↵
142.     <!-- Modal -->↵
143.     <div class="modal fade" id="deleteQuestionModal" tabindex="-1"
     role="dialog" aria-hidden="true">↵
144.        <div class="modal-dialog" role="document">↵
145.            <div class="modal-content">↵
146.                <div class="modal-header">↵
147.                    <h5 class="modal-title" id="deleteModalLabel">Are
     you sure you want to delete it?</h5>↵
148.                    <button type="button" class="close" data-
     dismiss="modal" aria-label="Close">↵
149.                        <span aria-hidden="true">×</span>↵
150.                    </button>↵
151.                </div>↵
152.                <div class="modal-footer">↵
153.                    <button type="button" class="btn btn-secondary"
     data-dismiss="modal">Cancel</button>↵
154.                    <button id="delete_question" type="button"
     class="btn btn-primary">Yes</button>↵
155.                </div>↵
156.            </div>↵
157.        </div>↵
158.     </div> ↵
159. </div>↵
160. <div class="row flex-row-reverse">↵
161.     <div class="col-sm-9">↵
162.        <h1 id="question_title">Running a program from within java
     code</h1>↵
163.                        <a class="icon-question" id="delete-
     question-btn" data-toggle="modal" data-target="#deleteQuestionModal">↵
164.            <i class="fas fa-trash-alt" aria-hidden="true"> Delete</i>↵
165.        </a>↵
166.                        <a class="icon-question"
     id="edit_question">↵
167.            <i class="fas fa-edit" aria-hidden="true"> Edit</i>↵
168.        </a>↵
169.        <a class="icon-question" id="save_question">↵
170.            <i class="fas fa-save" aria-hidden="true"> Save</i>↵
171.        </a>↵
172.                    </div>↵
173.     <div id="prof-img" class="col-sm-3 text-center">↵
174.        <a class="row-sm" href="http://localhost:8000/user/5">↵
175.            <img src="http://localhost:8000/img/unknown.png" alt="user
     image">↵
176.        </a>↵
177.        <p class="row-sm text-truncate" id="username-question"><a
     href="http://localhost:8000/user/5">lurdes01</a></p>↵
178.     </div>↵
179. </div>↵
180. <div>↵
181.     <p id="question_description">What is the simplest way to call a
     program from with a piece of Java code? (The program I want to run is
```

aiSee and it can be run from command line or from Windows GUI; and I am
on Vista but the code will also be run on Linux systems).</p>↵
182.   <a class="badge badge-dark badge-pill labels"
id="question_label27" data-id="27">programming↵
183.   x↵
184.   ↵
185.   <div class="icons">↵
186. ↵
187.   ↵
188.   ↵
189.   <i class="fas fa-thumbs-up fa-lg like1P" aria-
hidden="true"> 14</i>↵
190.   ↵
191.   ↵
192.   <i class="fas fa-thumbs-down fa-lg dislike1" aria-
hidden="true"> 10</i>↵
193.   ↵
194.   ↵
195.
<i class="fas fa-arrow-right fa-lg followQ" aria-hidden="true"> follow
</i>↵
196.   ↵
197.   ↵
198.   <i class="fas fa-bug" data-toggle="modal" data-
target="#report_something" aria-hidden="true"> Report</i>↵
199.   ↵
200.   </div>↵
201. </div>   <div>↵
202.   <div class="form-group" id="add_answer_form">↵
203.   <label for="exampleFormControlTextarea1"></label>↵
204.   <form class="new_answer">↵
205.   <textarea class="form-control" placeholder="Do you
know the answer to this question?" id="exampleFormControlTextarea1"
rows="4"></textarea>↵
206.   </form>↵
207.   <button class="btn my-2 my-sm-0" type="submit"> Answer
</button>↵
208.   </div>↵
209. ↵
210.   <div class="form-group add_comment_form">↵
211.   <label for="exampleFormControlTextarea2"></label>↵
212.   <textarea class="form-control" placeholder="Do you want
to comment this question?" id="exampleFormControlTextarea2" rows="2">
</textarea>↵
213.   <button class="btn my-2 my-sm-0" id="comment-button"
type="submit">Comment</button>↵
214.   </div>↵
215.   <div class="container">↵
216.   <h2 class="mt-0">Comments</h2>↵
217. ↵
218. <div class="media-body" id="comments-list">↵
219.   </div>   </div>   ↵
220.   <h2 class="mt-0">Answers</h2>↵
221.   ↵
222. <ul class="list-unstyled" id="answers-list">↵
223.   <li id="answer7" class="answer_item" data-id="7">↵
224.   <div class="row">↵
225.   <a class="col-sm-3 d-none d-sm-block text-center"
href="http://localhost:8000/user/7">↵
226.   <img src="http://localhost:8000/img/unknown.png"
alt="user image">↵
227.   ↵
228.   <div class="col-sm-9">↵
229.   <i class="fas fa-
star" aria-hidden="true"></i>Score 1↵
230.   <p id="user_ans"><a
href="http://localhost:8000/user/7">pcardoso</p>↵
231.   </div>↵
232.   </div>↵
233.   <div class="ans-body">↵
234.   <p id="answer_content">Take a look at Process and Runtime
classes. Keep in mind that what you are trying to accomplish is
probably not platform independent.</p>↵
235.   <div class="icons-answers">↵
236.   ↵

```
237.                                            <a role="button" class="icon-answers">↵
238.                              <i class="fas fa-thumbs-up like2" aria-
      hidden="true"> 0</i>↵
239.                          </a>↵
240.                          <a role="button" class="icon-answers">↵
241.                              <i class="fas fa-thumbs-down dislike2" aria-
      hidden="true"> 0</i>↵
242.                          </a>↵
243.                              <a class="icon-answers" data-
      toggle="collapse" href="#collapsed_comments7">↵
244.                              <i class="fas fa-comment" aria-hidden="true">
      0</i>↵
245.                          </a>↵
246.                          <a role="button" class="icon-answers" data-
      toggle="collapse" data-target="#collapseReportAnswer7" aria-
      expanded="false">↵
247.                              <i class="fas fa-bug" aria-hidden="true">
      Report</i>↵
248.                          </a>↵
249.                                              <a role="button"
      class="icon-answers edit_answer_btn" id="edit_answer7">↵
250.                              <i class="fas fa-edit" aria-hidden="true">
      Edit</i>↵
251.                          </a>↵
252.                          <a role="button" class="icon-answers save_answer_btn"
      id="save_answer7">↵
253.                              <i class="fas fa-save" aria-hidden="true">
      Save</i>↵
254.                          </a>↵
255.                                              <a
      role="button" class="icon-answers" id="delete_answer">↵
256.                              <i class="fas fa-trash-alt" aria-hidden="true">
      </i>↵
257.                          </a>↵
258.                                              </div>↵
259.                      </div>↵
260.                  <div class="collapse" id="collapsed_comments7">↵
261.                      <div class="card card-body">↵
262.                          <div class="form-group add_comment_form">↵
263.      <label for="exampleFormControlTextarea2"></label>↵
264.      <input class="form-control" placeholder="Do you want to comment
      this answer?" id="exampleFormControlTextarea3">↵
265.      <button class="btn my-2 my-sm-0" id="subcomment-button"
      type="submit">Comment</button>↵
266. </div>↵
267. <div class="media-body" id="subcomments-list">↵
268.      </div>                </div>↵
269.                  </div>↵
270.                  <div class="collapse collapsed_report"
      id="collapseReportAnswer7">↵
271.                      <div class="card card-header">↵
272.                          <h5>Help us</h5>↵
273.                      </div>↵
274.                      <div class="card card-body">↵
275.                          <form>↵
276.                              <div class="form-group">↵
277.                                  <label for="formControlTextareaQuestion">Write
      here a brief description of the problem</label>↵
278.                                  <textarea class="form-control" rows="5">
      </textarea>↵
279.                              </div>↵
280.                          </form>↵
281.                          <button type="submit" class="btn btn-primary
      report_answer" data-toggle="collapse" data-
      target="#collapseReportAnswer7">Send</button>↵
282.                      </div>↵
283.                  </div>↵
284.      </li>↵
285.      </ul>          </div>↵
286.      </div>↵
287. </div>↵
288.          </section>↵
289.      </main>↵
290.      <footer class="page-footer font-small indigo">↵
291.          <!-- Footer Links -->↵
```

```
292.                <div class="container text-center text-md-left">↵
293.           <!-- Grid row -->↵
294.             <div class="row">↵
295.                 <!-- Grid column -->↵
296.                 <div class="col-md-3 mx-auto">↵
297.                     <!-- Links -->↵
298.                     <h3 class="font-weight-bold text-uppercase mt-3 mb-
     4">Access</h3>↵
299.                     <ul class="list-unstyled">↵
300.                                     <li>↵
301.                         <a
     href="http://localhost:8000/user/2">Access my profile</a>↵
302.                         </li>↵
303.                         <li>↵
304.                         <a
     href="http://localhost:8000/admin">Moderate</a>↵
305.                         </li>↵
306.                                     <li>↵
307.                         <a href="http://localhost:8000/">Get back
     home</a>↵
308.                         </li>↵
309.                     </ul>↵
310.                 </div>↵
311.                 <!-- Grid column -->↵
312.                 <!-- Grid column -->↵
313.                 <div class="col-md-3 mx-auto">↵
314.                 <!-- Links -->↵
315.                     <h3 class="font-weight-bold text-uppercase mt-3 mb-
     4">Most Popular</h3>↵
316.                     <ul class="list-unstyled">↵
317.                         <li>↵
318.                         <a href="#!">#Sports</a>↵
319.                         </li>↵
320.                         <li>↵
321.                         <a href="#!">#Astronomy</a>↵
322.                         </li>↵
323.                         <li>↵
324.                         <a href="#!">#Web_development</a>↵
325.                         </li>↵
326.                     </ul>↵
327.                 </div>↵
328.                 <!-- Grid column -->↵
329.                 <!-- Grid column -->↵
330.                 <div class="col-md-3 mx-auto">↵
331.                     <!-- Links -->↵
332.                     <h3 class="font-weight-bold text-uppercase mt-3 mb-
     4">Most Popular</h3>↵
333.                     <ul class="list-unstyled">↵
334.                         <li>↵
335.                         <a href="#!">#Physics</a>↵
336.                         </li>↵
337.                         <li>↵
338.                         <a href="#!">#Anatomy</a>↵
339.                         </li>↵
340.                         <li>↵
341.                         <a href="#!">#Comics</a>↵
342.                         </li>↵
343.                     </ul>↵
344.                 </div>↵
345.                     <!-- Grid column -->↵
346.                     <div class="col-md-3 mx-auto">↵
347.                     <!-- Links -->↵
348.                     <h3 class="font-weight-bold text-uppercase mt-3 mb-
     4">About</h3>↵
349.                     <ul class="list-unstyled">↵
350.                         <li>↵
351.                         <a href="http://localhost:8000/about">About
     us</a>↵
352.                         </li>↵
353.                     </ul>↵
354.                 </div>↵
355.                     <!-- Grid column -->↵
356.             </div>↵
357.         <!-- Grid row -->↵
358.         </div>↵
```

```
359.          <!-- Footer Links -->↵
360.          <!-- Copyright -->↵
361.          <div class="footer-copyright text-center py-3">© 2020
     Copyright:↵
362.          <a href="http://localhost:8000/"> Answerly</a>↵
363.          </div>↵
364.          <!-- Copyright -->↵
365.       </footer>↵
366.    ↵
367. ↵
368. </body></html>
```

Used the HTML parser.

Total execution time 147 milliseconds.

About this checker • Report an issue • Version: 20.5.30