

Home Page

HTML - Validation

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ▼

Enter the URL for an HTML, CSS, or SVG document

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 43, column 29; to line 43, column 78](#)

```
<input id="start_date" type="date" name="strDate">
```

2. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 47, column 29; to line 47, column 76](#)

```
<input id="end_date" type="date" name="endDate">
```

3. **Error** Bad value `navigation` for attribute `role` on element `ul`.

[From line 653, column 5; to line 653, column 45](#)

```
rse"> <ul class="pagination" role="navigation">
```

4. **Warning** Possible misuse of `aria-label`. (If you disagree with this warning, [file an issue report](#) or send e-mail to www-validator@w3.org.)

[From line 655, column 21; to line 655, column 96](#)

```
<li class="page-item disabled" aria-disabled="true" aria-label="« Previous">
```

Document checking completed.

Source

```

1. <!DOCTYPE html>↵
2. <html lang="en"><head>↵
3.     <title>Answerly</title>↵
4.     <!-- CSRF Token -->↵
5.     <meta name="csrf-token"
content="nHUYFfraUQaRk9qSlqYBbYaAdgnLqzQ6rxfQkajMq">↵
6.     <meta charset="utf-8">↵
7.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
8.     <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">↵
9.     <script defer="" src="https://code.jquery.com/jquery-
3.4.1.slim.min.js" integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwjlyYfoRSJoZ+n"
crossorigin="anonymous"></script>↵
10.    <script defer=""
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>↵
11.    <script defer=""
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min
.js" integrity="sha384-
wfSDF2E50Y2D1lUdJ003uMBJnjuUD4Ih7YwaYdliqfktj0Uod8GCExl30g8ifwB6"
crossorigin="anonymous"></script>↵
12.    <script src="https://kit.fontawesome.com/6d90d25abc.js"
crossorigin="anonymous"></script>↵
13.    <script src="http://localhost:8000/js/app.js" defer=""> ↵
14.    </script>↵
15. ↵
16.    <!-- our css -->↵
17.    <link href="http://localhost:8000/css/layout.css"
rel="stylesheet">↵
18.    ↵
19.    <link rel="stylesheet" href="http://localhost:8000/css/home.css">↵
20. </head>↵
21. <body>↵
22.     <main>↵
23.     <header>↵
24.     ↵
25.     <nav class="navbar navbar-expand-lg navbar-light navbar-
default fixed-top">↵
26.         <div id="answerly" class="navbar-brand col-3">↵
27.             <a href="http://localhost:8000/">Answerly</a>↵
28.         </div>↵
29.         <div id="search-bar" class="collapse navbar-collapse
navbarSupportedContent m-auto">↵
30.             <form class="form-inline navbar-nav m-auto"
method="GET" action="/search" role="search">↵
31.                 <input id="start_search" class="form-control
col-md-10" type="search" placeholder="Search" aria-label="Search"
name="keyword">↵
32.                 <div id="accordion" class="ml-auto align-self-
sm-center">↵
33.                     <a role="button" class="btn btn-link text-white" data-
toggle="collapse" data-target="#collapseOne">↵
34.                         Filters↵
35.                     </a>↵
36.                     <div id="collapseOne" class="collapse float-right" data-
parent="#accordion">↵
37.                         <div class="card-body filters">↵
38.                             <div id="filters-bar">↵
39.                                 <div class="row">↵
40.                                     <div class="dates row m-auto my-auto">↵
41.                                         <fieldset>↵
42.                                             <label class="text-white">Start</label>↵
43.                                             <input id="start_date" type="date"
name="strDate">↵
44.                                         </fieldset>↵
45.                                         <fieldset>↵
46.                                             <label class="text-white">End</label>↵
47.                                             <input id="end_date" type="date"
name="endDate">↵
48.                                         </fieldset>↵
49.                                     </div>↵
50.                                 </div>↵
51.                             </div>↵

```

```

52.         </div>↵
53.     </div>↵
54. </div>↵         </form>↵
55.         </div>↵
56.         <div id="sign-in" class="collapse navbar-collapse
navbarSupportedContent col-sm-3">↵
57.             <ul class="navbar-nav">↵
58.                 <li class="nav-item">↵
59.                     <a class="btn btn-primary my-2 my-sm-0"
href="http://localhost:8000/login" role="button">Sign in</a>↵
60.                 </li>↵
61.             </ul>↵
62.         </div>↵
63.         <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target=".navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">↵
64.             <span class="navbar-toggler-icon"></span>↵
65.         </button>↵
66.     </nav>↵
67.     <div class="modal fade" id="ask_something" tabindex="-1"
role="dialog" aria-hidden="true">↵
68.         <div class="modal-dialog modal-dialog-centered"
role="document">↵
69.             <div class="modal-content">↵
70.                 <div class="modal-header">↵
71.                     <h5 class="modal-title"
id="exampleModalLongTitle">Ask something</h5>↵
72.                     <button type="button" class="close" data-
dismiss="modal" aria-label="Close">↵
73.                         <span aria-hidden="true">x</span>↵
74.                     </button>↵
75.                 </div>↵
76.                 <div class="modal-body">↵
77.                     <form id="add_question_form">↵
78.                         <div class="form-group">↵
79.                             <label
for="formControlTextareaQuestion">Write your question here</label>↵
80.                             <textarea class="form-control"
id="formControlTextareaQuestion" rows="1"></textarea>↵
81.                         </div>↵
82.                         <div class="form-group">↵
83.                             <label
for="formControlTextareaDescription">Write more details here</label>↵
84.                             <textarea class="form-control"
id="formControlTextareaDescription" rows="3"></textarea>↵
85.                         </div>↵
86.                         <div id="labels">↵
87.                             <a class="badge badge-dark badge-
pill" id="add_label">+ Label</a>↵
88.                         </div>↵
89.                     </form>↵
90.                 </div>↵
91.                 <div class="modal-footer">↵
92.                     <button id="add_question_btn" type="submit"
class="btn btn-primary">Add</button>↵
93.                 </div>↵
94.             </div>↵
95.         </div>↵
96.     </div>↵
97. </div>↵
98. ↵
99. </header>↵
100. <div id="side_navs">↵
101.     <div id="sidenav_left" class="sidenav d-none d-md-block">↵
102.         <label>Popular questions</label>↵
103.         <a class="row" data-id="1"
href="http://localhost:8000/question/1"> Name some great method
actors</a>↵
104.         <a class="row" data-id="2"
href="http://localhost:8000/question/2"> Are intelligent and wise people
the same?</a>↵
105.         <a class="row" data-id="3"
href="http://localhost:8000/question/3"> Who are the biggest jerks in
music?</a>↵
106.         <a class="row" data-id="8"
href="http://localhost:8000/question/8"> What is the best TV series and

```

```

why?</a>↵
107.     <a class="row" data-id="7"
href="http://localhost:8000/question/7"> Running a program from within
java code</a>↵
108.     <a class="row" data-id="6"
href="http://localhost:8000/question/6"> Can someone explain to me the
AirPod hype?</a>↵
109.     </div>↵
110. <div id="sidenav_right" class="sidenav d-none d-md-block">↵
111.     <label>Popular labels</label>↵
112.     <a class="row" href="http://localhost:8000/search?
keyword=culture">#culture</a>↵
113.     <a class="row" href="http://localhost:8000/search?
keyword=society">#society</a>↵
114.     <a class="row" href="http://localhost:8000/search?
keyword=english">#english</a>↵
115.     <a class="row" href="http://localhost:8000/search?
keyword=music">#music</a>↵
116.     <a class="row" href="http://localhost:8000/search?
keyword=computers">#computers</a>↵
117.     <a class="row" href="http://localhost:8000/search?
keyword=science">#science</a>↵
118. </div>↵ </div>↵
119. ↵
120.     <section id="content">↵
121.         <div class="col-md-6 container-fluid">↵
122.             <a href="http://localhost:8000/login">↵
123.                 <div id="add_btn" class="input-button">↵
124.                     What is your question?↵
125.                 </div>↵
126.             </a>↵
127.             <div class="wrapper home_question container-fluid questions-
list" data-id="7">↵
128.                 <div class="row mb-3">↵
129.                     <div class="col-3 text-center">↵
130.                         ↵
131.                         <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/5">edu01</a></p>↵
132.                     </div>↵
133.                     <div class="col-9">↵
134.                         <h1><a class="question-header"
href="http://localhost:8000/question/7">Running a program from within
java code</a></h1>↵
135.                         <div class="module brief-description">↵
136.                             <p>What is the simplest way to call a program from
with a piece of Java code? (The program I want to run is aiSee and it
can be run from command line or from Windows GUI; and I am on Vista but
the code will also be run on Linux systems).</p>↵
137.                             <div class="more-btn-div">↵
138.                                 <div>↵
139.                                     <a href="http://localhost:8000/question/7">
(...)</a>↵
140.                                 </div>↵
141.                             </div>↵
142.                         </div>↵
143.                     </div>↵
144.                 </div>↵
145.             ↵
146.             <div class="row">↵
147.                 <div class="icons col-9">↵
148.                     ↵
149.                         <a class="icon">↵
150.                             <i class="fas fa-thumbs-up fa-lg like3" aria-
hidden="true"> 14</i>↵
151.                         </a>↵
152.                         <a class="icon">↵
153.                             <i class="fas fa-thumbs-down fa-lg dislike3"
aria-hidden="true"> 10</i>↵
154.                         </a>↵
155.                             <a class="icon" href="#">↵
156.                                 <i class="fas fa-reply fa-lg" aria-hidden="true"> 1
</i>↵
157.                             </a>↵
158.                         </div>↵
159.                     <p class="col-3 question_date">2020-04-20</p>↵

```

```

160.         </div>↵
161.     </div>↵
162.     <div class="wrapper home_question container-fluid questions-
list" data-id="8">↵
163.         <div class="row mb-3">↵
164.             <div class="col-3 text-center">↵
165.                 ↵
166.                 <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/8">juju</a></p>↵
167.             </div>↵
168.             <div class="col-9">↵
169.                 <h1><a class="question-header"
href="http://localhost:8000/question/8">What is the best TV series and
why?</a></h1>↵
170.                 <div class="module brief-description">↵
171.                     <p>I would like to really get into a tv show, but I
only want to watch the best of the best.</p>↵
172.                     <div class="more-btn-div">↵
173.                         <div>↵
174.                             <a href="http://localhost:8000/question/8">
(...)</a>↵
175.                         </div>↵
176.                     </div>↵
177.                 </div>↵
178.             </div>↵
179.         </div>↵
180. ↵
181.         <div class="row">↵
182.             <div class="icons col-9">↵
183. ↵
184.                 <a class="icon">↵
185.                     <i class="fas fa-thumbs-up fa-lg like3" aria-
hidden="true"> 20</i>↵
186.                 </a>↵
187.                 <a class="icon">↵
188.                     <i class="fas fa-thumbs-down fa-lg dislike3"
aria-hidden="true"> 10</i>↵
189.                 </a>↵
190.                 <a class="icon" href="#">↵
191.                     <i class="fas fa-reply fa-lg" aria-hidden="true"> 1
</i>↵
192.                 </a>↵
193.             </div>↵
194.             <p class="col-3 question_date">2020-03-20</p>↵
195.         </div>↵
196.     </div>↵
197.     <div class="wrapper home_question container-fluid questions-
list" data-id="18">↵
198.         <div class="row mb-3">↵
199.             <div class="col-3 text-center">↵
200.                 ↵
201.                 <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/30">vieira01</a></p>↵
202.             </div>↵
203.             <div class="col-9">↵
204.                 <h1><a class="question-header"
href="http://localhost:8000/question/18">Express How You Feel</a></h1>↵
205.                 <div class="module brief-description">↵
206.                     <p>Why is Italy still getting thousands of
coronavirus cases per day if they are locked down for weeks?</p>↵
207.                     <div class="more-btn-div">↵
208.                         <div>↵
209.                             <a href="http://localhost:8000/question/18">
(...)</a>↵
210.                         </div>↵
211.                     </div>↵
212.                 </div>↵
213.             </div>↵
214.         </div>↵
215. ↵
216.         <div class="row">↵
217.             <div class="icons col-9">↵
218. ↵
219.                 <a class="icon">↵

```

```

220.         <i class="fas fa-thumbs-up fa-lg like3" aria-
hidden="true"> 0</i>␣
221.         </a>␣
222.         <a class="icon">␣
223.             <i class="fas fa-thumbs-down fa-lg dislike3"
aria-hidden="true"> 0</i>␣
224.         </a>␣
225.             <a class="icon" href="#">␣
226.                 <i class="fas fa-reply fa-lg" aria-hidden="true"> 0
</i>␣
227.             </a>␣
228.         </div>␣
229.         <p class="col-3 question_date">2020-03-12</p>␣
230.     </div>␣
231. </div>␣
232.     <div class="wrapper home_question container-fluid questions-
list" data-id="10">␣
233.         <div class="row mb-3">␣
234.             <div class="col-3 text-center">␣
235.                 ␣
236.                 <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/9">carolas</a></p>␣
237.             </div>␣
238.             <div class="col-9">␣
239.                 <h1><a class="question-header"
href="http://localhost:8000/question/10">Who is handling the coronavirus
outbreak better, the United States or Canada?</a></h1>␣
240.                 <div class="module brief-description">␣
241.                     <p>Im a proud American and Ill be damned if Canada
is handeling it better &gt;:(</p>␣
242.                     <div class="more-btn-div">␣
243.                         <div>␣
244.                             <a href="http://localhost:8000/question/10">
(...)</a>␣
245.                         </div>␣
246.                     </div>␣
247.                 </div>␣
248.             </div>␣
249.         </div>␣
250.     ␣
251.     <div class="row">␣
252.         <div class="icons col-9">␣
253.             ␣
254.                 <a class="icon">␣
255.                     <i class="fas fa-thumbs-up fa-lg like3" aria-
hidden="true"> 0</i>␣
256.                 </a>␣
257.                 <a class="icon">␣
258.                     <i class="fas fa-thumbs-down fa-lg dislike3"
aria-hidden="true"> 0</i>␣
259.                 </a>␣
260.                     <a class="icon" href="#">␣
261.                         <i class="fas fa-reply fa-lg" aria-hidden="true"> 1
</i>␣
262.                     </a>␣
263.                 </div>␣
264.                 <p class="col-3 question_date">2020-03-03</p>␣
265.             </div>␣
266.         </div>␣
267.         <div class="wrapper home_question container-fluid questions-
list" data-id="5">␣
268.             <div class="row mb-3">␣
269.                 <div class="col-3 text-center">␣
270.                     ␣
271.                     <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/6">paula64</a></p>␣
272.                 </div>␣
273.                 <div class="col-9">␣
274.                     <h1><a class="question-header"
href="http://localhost:8000/question/5">Will science reconcile with
religion in the future?</a></h1>␣
275.                     <div class="module brief-description">␣
276.                         <p>Just wondering if I could ever pair the certainty
of science with my love for the lord.</p>␣

```



```
277.         <div class="more-btn-div">↵
278.             <div>↵
279.                 <a href="http://localhost:8000/question/5">
280.                     (...)↵</a>↵
281.             </div>↵
282.         </div>↵
283.     </div>↵
284. </div>↵
285. ↵
286.     <div class="row">↵
287.         <div class="icons col-9">↵
288.             ↵
289.                 <a class="icon">↵
290.                     <i class="fas fa-thumbs-up fa-lg like3" aria-
291.                         hidden="true"> 4</i>↵
292.                     <a class="icon">↵
293.                         <i class="fas fa-thumbs-down fa-lg dislike3"
294.                             aria-hidden="true"> 6</i>↵
295.                         <a class="icon" href="#">↵
296.                             <i class="fas fa-reply fa-lg" aria-hidden="true"> 1
297.                             </i>↵
298.                         </a>↵
299.                     </div>↵
300.                     <p class="col-3 question_date">2020-02-02</p>↵
301.                 </div>↵
302.                 <div class="wrapper home_question container-fluid questions-
303.                     list" data-id="14">↵
304.                     <div class="row mb-3">↵
305.                         <div class="col-3 text-center">↵
306.                             ↵
308.                             <p><a class="row-2 d-none d-sm-block"
309.                                 href="http://localhost:8000/user/47">leonor</a></p>↵
310.                             </div>↵
311.                             <div class="col-9">↵
312.                                 <h1><a class="question-header"
313.                                     href="http://localhost:8000/question/14">English (language)</a></h1>↵
314.                                 <div class="module brief-description">↵
315.                                     <p>In the UK, what is the correct way to order food,
316.                                     coffee, etc."can have a latte" or " I" have a latte?</p>↵
317.                                     <div class="more-btn-div">↵
318.                                         <div>↵
319.                                             <a href="http://localhost:8000/question/14">
320.                                                 (...)↵</a>↵
321.                                             </div>↵
322.                                         </div>↵
323.                                     </div>↵
324.                                 </div>↵
325.                             <div class="row">↵
326.                                 <div class="icons col-9">↵
327.                                     ↵
328.                                         <a class="icon">↵
329.                                             <i class="fas fa-thumbs-up fa-lg like3" aria-
330.                                                 hidden="true"> 0</i>↵
331.                                             <a class="icon">↵
332.                                                 <i class="fas fa-thumbs-down fa-lg dislike3"
333.                                                     aria-hidden="true"> 0</i>↵
334.                                                 <a class="icon" href="#">↵
335.                                                     <i class="fas fa-reply fa-lg" aria-hidden="true"> 1
336.                                                     </i>↵
337.                                                 </a>↵
338.                                             </div>↵
339.                                             <p class="col-3 question_date">2020-01-12</p>↵
340.                                         </div>↵
341.                                     </div>↵
342.                                 <div class="wrapper home_question container-fluid questions-
343.                                     list" data-id="3">↵
344.                                     <div class="row mb-3">↵
```



```

339.         <div class="col-3 text-center">↵
340.             ↵
341.             <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/1">nmtc01</a></p>↵
342.         </div>↵
343.         <div class="col-9">↵
344.             <h1><a class="question-header"
href="http://localhost:8000/question/3">Who are the biggest jerks in
music?</a></h1>↵
345.             <div class="module brief-description">↵
346.                 <p>Can you name some musicians that are particularly
obnoxious? Who are the biggest douchebags in the music world?</p>↵
347.                 <div class="more-btn-div">↵
348.                     <div>↵
349.                         <a href="http://localhost:8000/question/3">
( ... )</a>↵
350.                     </div>↵
351.                 </div>↵
352.             </div>↵
353.         </div>↵
354.     </div>↵
355. ↵
356.     <div class="row">↵
357.         <div class="icons col-9">↵
358.             ↵
359.                 <a class="icon">↵
360.                     <i class="fas fa-thumbs-up fa-lg like3" aria-
hidden="true"> 20</i>↵
361.                 </a>↵
362.                 <a class="icon">↵
363.                     <i class="fas fa-thumbs-down fa-lg dislike3"
aria-hidden="true"> 10</i>↵
364.                 </a>↵
365.                 <a class="icon" href="#">↵
366.                     <i class="fas fa-reply fa-lg" aria-hidden="true"> 1
</i>↵
367.                 </a>↵
368.             </div>↵
369.             <p class="col-3 question_date">2020-01-02</p>↵
370.         </div>↵
371.     </div>↵
372.     <div class="wrapper home_question container-fluid questions-
list" data-id="25">↵
373.         <div class="row mb-3">↵
374.             <div class="col-3 text-center">↵
375.                 ↵
376.                 <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/44">edu</a></p>↵
377.             </div>↵
378.             <div class="col-9">↵
379.                 <h1><a class="question-header"
href="http://localhost:8000/question/25">What is the oldest age a K-pop
idol ever debuted?</a></h1>↵
380.                 <div class="module brief-description">↵
381.                     <p>I really want to know this.</p>↵
382.                     <div class="more-btn-div">↵
383.                         <div>↵
384.                             <a href="http://localhost:8000/question/25">
( ... )</a>↵
385.                         </div>↵
386.                     </div>↵
387.                 </div>↵
388.             </div>↵
389.         </div>↵
390.     ↵
391.     <div class="row">↵
392.         <div class="icons col-9">↵
393.             ↵
394.                 <a class="icon">↵
395.                     <i class="fas fa-thumbs-up fa-lg like3" aria-
hidden="true"> 0</i>↵
396.                 </a>↵
397.                 <a class="icon">↵

```

```

398.         <i class="fas fa-thumbs-down fa-lg dislike3"
aria-hidden="true"> 0</i>↵
399.         </a>↵
400.             <a class="icon" href="#">↵
401.                 <i class="fas fa-reply fa-lg" aria-hidden="true"> 0
</i>↵
402.             </a>↵
403.         </div>↵
404.         <p class="col-3 question_date">2019-12-15</p>↵
405.     </div>↵
406. </div>↵
407.     <div class="wrapper home_question container-fluid questions-
list" data-id="28">↵
408.         <div class="row mb-3">↵
409.             <div class="col-3 text-center">↵
410.                 ↵
411.                 <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/47">leonora</a></p>↵
412.             </div>↵
413.             <div class="col-9">↵
414.                 <h1><a class="question-header"
href="http://localhost:8000/question/28">Tell me your opinion</a></h1>↵
415.                 <div class="module brief-description">↵
416.                     <p>What is a historical fact that would sadden most
people if they found out?</p>↵
417.                     <div class="more-btn-div">↵
418.                         <div>↵
419.                             <a href="http://localhost:8000/question/28">
(...)</a>↵
420.                         </div>↵
421.                     </div>↵
422.                 </div>↵
423.             </div>↵
424.         </div>↵
425.     ↵
426.     <div class="row">↵
427.         <div class="icons col-9">↵
428.             ↵
429.                 <a class="icon">↵
430.                     <i class="fas fa-thumbs-up fa-lg like3" aria-
hidden="true"> 0</i>↵
431.                 </a>↵
432.                 <a class="icon">↵
433.                     <i class="fas fa-thumbs-down fa-lg dislike3"
aria-hidden="true"> 0</i>↵
434.                 </a>↵
435.                     <a class="icon" href="#">↵
436.                         <i class="fas fa-reply fa-lg" aria-hidden="true"> 1
</i>↵
437.                     </a>↵
438.                 </div>↵
439.                 <p class="col-3 question_date">2019-12-12</p>↵
440.             </div>↵
441.         </div>↵
442.         <div class="wrapper home_question container-fluid questions-
list" data-id="1">↵
443.             <div class="row mb-3">↵
444.                 <div class="col-3 text-center">↵
445.                     ↵
446.                     <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/4">bob56moura</a></p>↵
447.                 </div>↵
448.                 <div class="col-9">↵
449.                     <h1><a class="question-header"
href="http://localhost:8000/question/1">Name some great method
actors</a></h1>↵
450.                     <div class="module brief-description">↵
451.                         <p>What are some fascinating examples of how an
actor got into character for a movie role?</p>↵
452.                         <div class="more-btn-div">↵
453.                             <div>↵
454.                                 <a href="http://localhost:8000/question/1">
(...)</a>↵
455.                             </div>↵

```

```
456.         </div>↵
457.     </div>↵
458. </div>↵
459. </div>↵
460. ↵
461.     <div class="row">↵
462.         <div class="icons col-9">↵
463. ↵
464.             <a class="icon">↵
465.                 <i class="fas fa-thumbs-up fa-lg like3" aria-
hidden="true"> 14</i>↵
466.             </a>↵
467.             <a class="icon">↵
468.                 <i class="fas fa-thumbs-down fa-lg dislike3"
aria-hidden="true"> 4</i>↵
469.             </a>↵
470.                 <a class="icon" href="#">↵
471.                     <i class="fas fa-reply fa-lg" aria-hidden="true"> 1
</i>↵
472.                 </a>↵
473.             </div>↵
474.         <p class="col-3 question_date">2019-12-03</p>↵
475.     </div>↵
476. </div>↵
477.     <div class="wrapper home_question container-fluid questions-
list" data-id="2">↵
478.         <div class="row mb-3">↵
479.             <div class="col-3 text-center">↵
480.                 ↵
481.                 <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/2">pedrodantas</a></p>↵
482.             </div>↵
483.             <div class="col-9">↵
484.                 <h1><a class="question-header"
href="http://localhost:8000/question/2">Are intelligent and wise people
the same?</a></h1>↵
485.                 <div class="module brief-description">↵
486.                     <p>What is the difference between an intelligent
person and a wise person?</p>↵
487.                     <div class="more-btn-div">↵
488.                         <div>↵
489.                             <a href="http://localhost:8000/question/2">
(...)</a>↵
490.                         </div>↵
491.                     </div>↵
492.                 </div>↵
493.             </div>↵
494.         </div>↵
495. ↵
496.     <div class="row">↵
497.         <div class="icons col-9">↵
498. ↵
499.             <a class="icon">↵
500.                 <i class="fas fa-thumbs-up fa-lg like3" aria-
hidden="true"> 20</i>↵
501.             </a>↵
502.             <a class="icon">↵
503.                 <i class="fas fa-thumbs-down fa-lg dislike3"
aria-hidden="true"> 10</i>↵
504.             </a>↵
505.                 <a class="icon" href="#">↵
506.                     <i class="fas fa-reply fa-lg" aria-hidden="true"> 1
</i>↵
507.                 </a>↵
508.             </div>↵
509.         <p class="col-3 question_date">2019-11-24</p>↵
510.     </div>↵
511. </div>↵
512.     <div class="wrapper home_question container-fluid questions-
list" data-id="9">↵
513.         <div class="row mb-3">↵
514.             <div class="col-3 text-center">↵
515.                 ↵
```

```
516.         <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/10">lindas</a></p>
517.         </div>
518.         <div class="col-9">
519.             <h1><a class="question-header"
href="http://localhost:8000/question/9">What country's flag is the most
controversial?</a></h1>
520.             <div class="module brief-description">
521.                 <p>This may seem odd, but I would like to hear the
internets opinion.</p>
522.                 <div class="more-btn-div">
523.                     <div>
524.                         <a href="http://localhost:8000/question/9">
(...)</a>
525.                     </div>
526.                 </div>
527.             </div>
528.         </div>
529.     </div>
530.     <div class="row">
531.         <div class="icons col-9">
532.             <a class="icon">
533.                 <i class="fas fa-thumbs-up fa-lg like3" aria-
hidden="true"> 0</i>
536.             </a>
537.             <a class="icon">
538.                 <i class="fas fa-thumbs-down fa-lg dislike3"
aria-hidden="true"> 0</i>
539.             </a>
540.                 <a class="icon" href="#">
541.                     <i class="fas fa-reply fa-lg" aria-hidden="true"> 1
</i>
542.                 </a>
543.             </div>
544.             <p class="col-3 question_date">2019-10-19</p>
545.         </div>
546.     </div>
547.     <div class="wrapper home_question container-fluid questions-
list" data-id="6">
548.         <div class="row mb-3">
549.             <div class="col-3 text-center">
550.                 
551.                 <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/7">pcardoso</a></p>
552.             </div>
553.             <div class="col-9">
554.                 <h1><a class="question-header"
href="http://localhost:8000/question/6">Can someone explain to me the
AirPod hype?</a></h1>
555.                 <div class="module brief-description">
556.                     <p>Why are Apples AirPods so hyped up when fake
Airpods work just the same?</p>
557.                     <div class="more-btn-div">
558.                         <div>
559.                             <a href="http://localhost:8000/question/6">
(...)</a>
560.                         </div>
561.                     </div>
562.                 </div>
563.             </div>
564.         </div>
565.         <div class="row">
566.             <div class="icons col-9">
567.                 <a class="icon">
568.                     <i class="fas fa-thumbs-up fa-lg like3" aria-
hidden="true"> 6</i>
571.                 </a>
572.                 <a class="icon">
573.                     <i class="fas fa-thumbs-down fa-lg dislike3"
aria-hidden="true"> 4</i>
574.                 </a>
```

```

575.             <a class="icon" href="#">↵
576.             <i class="fas fa-reply fa-lg" aria-hidden="true"> 1
↵
577.             </i>↵
578.             </a>↵
579.             </div>↵
580.             <p class="col-3 question_date">2019-09-30</p>↵
581.         </div>↵
582.         </div>↵
583.         <div class="wrapper home_question container-fluid questions-
list" data-id="20">↵
584.             <div class="row mb-3">↵
585.                 <div class="col-3 text-center">↵
586.                     ↵
587.                     <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/41">cardoso</a></p>↵
588.                 </div>↵
589.                 <div class="col-9">↵
590.                     <h1><a class="question-header"
href="http://localhost:8000/question/20">Studying in Japan</a></h1>↵
591.                     <div class="module brief-description">↵
592.                         <p>What schools accepted/rejected you (April 2020)?
</p>↵
593.                     <div class="more-btn-div">↵
594.                         <div>↵
595.                             <a href="http://localhost:8000/question/20">
( ... )</a>↵
596.                         </div>↵
597.                     </div>↵
598.                 </div>↵
599.             </div>↵
600.         ↵
601.         <div class="row">↵
602.             <div class="icons col-9">↵
603.                 ↵
604.                     <a class="icon">↵
605.                         <i class="fas fa-thumbs-up fa-lg like3" aria-
hidden="true"> 0</i>↵
606.                     </a>↵
607.                     <a class="icon">↵
608.                         <i class="fas fa-thumbs-down fa-lg dislike3"
aria-hidden="true"> 0</i>↵
609.                     </a>↵
610.                         <a class="icon" href="#">↵
611.                         <i class="fas fa-reply fa-lg" aria-hidden="true"> 0
</i>↵
612.                         </a>↵
613.                     </div>↵
614.                     <p class="col-3 question_date">2019-09-10</p>↵
615.                 </div>↵
616.             </div>↵
617.             <div class="wrapper home_question container-fluid questions-
list" data-id="29">↵
618.                 <div class="row mb-3">↵
619.                     <div class="col-3 text-center">↵
620.                         ↵
621.                         <p><a class="row-2 d-none d-sm-block"
href="http://localhost:8000/user/49">rui01</a></p>↵
622.                     </div>↵
623.                     <div class="col-9">↵
624.                         <h1><a class="question-header"
href="http://localhost:8000/question/29">History</a></h1>↵
625.                         <div class="module brief-description">↵
626.                             <p>Who are some historical figures wrongly portrayed
in popular culture?</p>↵
627.                         <div class="more-btn-div">↵
628.                             <div>↵
629.                                 <a href="http://localhost:8000/question/29">
( ... )</a>↵
630.                             </div>↵
631.                         </div>↵
632.                     </div>↵
633.                 </div>↵
634.             </div>↵

```

```

635. ↵
636.         <div class="row">↵
637.             <div class="icons col-9">↵
638. ↵
639.                 <a class="icon">↵
640.                     <i class="fas fa-thumbs-up fa-lg like3" aria-
hidden="true"> 0</i>↵
641.                 </a>↵
642.                 <a class="icon">↵
643.                     <i class="fas fa-thumbs-down fa-lg dislike3"
aria-hidden="true"> 0</i>↵
644.                 </a>↵
645.                     <a class="icon" href="#">↵
646.                         <i class="fas fa-reply fa-lg" aria-hidden="true"> 1
</i>↵
647.                     </a>↵
648.                 </div>↵
649.             <p class="col-3 question_date">2019-09-01</p>↵
650.         </div>↵
651.     </div>↵
652.     <div class="d-flex flex-row-reverse">↵
653.         <ul class="pagination" role="navigation">↵
654.             ↵
655.                 <li class="page-item disabled" aria-disabled="true"
aria-label="« Previous">↵
656.                     <span class="page-link" aria-hidden="true"><</span>↵
657.                 </li>↵
658.                 ↵
659.                 ↵
660.                 ↵
661.                 ↵
662.                 ↵
663.                 <li class="page-item active" aria-current="page"><span class="page-
link">1</span></li>↵
664.                 <li class="page-item"><a class="page-link" href="http://localhost:8000?
page=2">2</a></li>↵
665.                 ↵
666.                 ↵
667.                 <li class="page-item">↵
668.                     <a class="page-link" href="http://localhost:8000?page=2"
rel="next" aria-label="Next »">></a>↵
669.                 </li>↵
670.             </ul>↵
671.         ↵
672.     </div>↵
673. </div>         </section>↵
674. </main>↵
675. <footer class="page-footer font-small indigo">↵
676.     <!-- Footer Links -->↵
677.     <div class="container text-center text-md-left">↵
678.         <!-- Grid row -->↵
679.         <div class="row">↵
680.             <!-- Grid column -->↵
681.             <div class="col-md-3 mx-auto">↵
682.                 <!-- Links -->↵
683.                 <h3 class="font-weight-bold text-uppercase mt-3 mb-
4">Access</h3>↵
684.                 <ul class="list-unstyled">↵
685.                     <li>↵
686.                         <a href="http://localhost:8000/">Get back
home</a>↵
687.                     </li>↵
688.                 </ul>↵
689.             </div>↵
690.             <!-- Grid column -->↵
691.             <!-- Grid column -->↵
692.             <div class="col-md-3 mx-auto">↵
693.                 <!-- Links -->↵
694.                 <h3 class="font-weight-bold text-uppercase mt-3 mb-
4">Most Popular</h3>↵
695.                 <ul class="list-unstyled">↵
696.                     <li>↵
697.                         <a href="http://localhost:8000/search?
keyword=culture">#culture</a>↵

```



```

698.         </li>↵
699.         </li>↵
700.         <a href="http://localhost:8000/search?
keyword=society">#society</a>↵
701.         </li>↵
702.         </li>↵
703.         <a href="http://localhost:8000/search?
keyword=english">#english</a>↵
704.         </li>↵
705.     </ul>↵
706. </div>↵
707. <!-- Grid column -->↵
708. <!-- Grid column -->↵
709. <div class="col-md-3 mx-auto">↵
710.     <!-- Links -->↵
711.     <h3 class="font-weight-bold text-uppercase mt-3 mb-
4">Most Popular</h3>↵
712.         <ul class="list-unstyled">↵
713.             <li>↵
714.                 <a href="http://localhost:8000/search?
keyword=music">#music</a>↵
715.             </li>↵
716.             <li>↵
717.                 <a href="http://localhost:8000/search?
keyword=computers">#computers</a>↵
718.             </li>↵
719.             <li>↵
720.                 <a href="http://localhost:8000/search?
keyword=science">#science</a>↵
721.             </li>↵
722.         </ul>↵
723.     </div>↵
724.     <!-- Grid column -->↵
725.     <div class="col-md-3 mx-auto">↵
726.         <!-- Links -->↵
727.         <h3 class="font-weight-bold text-uppercase mt-3 mb-
4">About</h3>↵
728.             <ul class="list-unstyled">↵
729.                 <li>↵
730.                     <a href="http://localhost:8000/about">About
us</a>↵
731.                 </li>↵
732.             </ul>↵
733.         </div>↵
734.         <!-- Grid column -->↵
735.     </div>↵
736. <!-- Grid row -->↵
737. </div>↵
738. <!-- Footer Links -->↵
739. <!-- Copyright -->↵
740. <div class="footer-copyright text-center py-3">© 2020
Copyright:↵
741.     <a href="http://localhost:8000/"> Answerly</a>↵
742. </div>↵
743.     <!-- Copyright -->↵
744. </footer>↵
745. ↵
746. ↵
747. </body></html>

```

Used the HTML parser.

Total execution time 135 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 20.5.30

Question Page

HTML - Validation

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ CSS

```
<input class="form-control" placeholder="Do you want to comment this
answer?" id="exampleFormControlTextarea3">
<button class="btn my-2 my-sm-0" id="subcomment-button"
type="submit">Comment</button>
</div>
<div class="media-body" id="subcomments-list">
  </div>
</div>
<div class="collapse collapsed_report" id="collapseReportAnswer7">
  <div class="card card-header">
    <h5>Help us</h5>
  </div>
  <div class="card card-body">
    <form>
      <div class="form-group">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 43, column 29; to line 43, column 78](#)

```
<input id="start_date" type="date" name="strDate">...
```

2. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 47, column 29; to line 47, column 76](#)

```
<input id="end_date" type="date" name="endDate">...
```

Document checking completed.

Source

```

1. <!DOCTYPE html>␣
2. <html lang="en"><head>␣
3.     <title>Answerly</title>␣
4.     <!-- CSRF Token -->␣
5.     <meta name="csrf-token"
content="nHUYFruUQaRk9qSlqYBbYaAdgnLqzQ6rxfQkajMq">␣
6.     <meta charset="utf-8">␣
7.     <meta http-equiv="X-UA-Compatible" content="IE=edge">␣
8.     <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">␣
9.     <script defer="" src="https://code.jquery.com/jquery-
3.4.1.slim.min.js" integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwjlyYfoRSJoZ+n"
crossorigin="anonymous"></script>␣
10.    <script defer=""
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.j
s" integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>␣
11.    <script defer=""
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min
.js" integrity="sha384-
wfSDF2E50Y2D1lUdj003uMBJnjuUD4Ih7YwaYdliqfktj0Uod8GCExl30g8ifwB6"
crossorigin="anonymous"></script>␣
12.    <script src="https://kit.fontawesome.com/6d90d25abc.js"
crossorigin="anonymous"></script>␣
13.    <script src="http://localhost:8000/js/app.js" defer=""> ␣
14.    </script>␣
15. ␣
16.    <!-- our css -->␣
17.    <link href="http://localhost:8000/css/layout.css"
rel="stylesheet">␣
18.    ␣
19.    <link rel="stylesheet"
href="http://localhost:8000/css/question.css">␣
20. </head>␣
21. <body>␣
22.     <main>␣
23.     <header>␣
24.     ␣
25.     <nav class="navbar navbar-expand-lg navbar-light navbar-
default fixed-top">␣
26.         <div id="answerly" class="navbar-brand col-3">␣
27.             <a href="http://localhost:8000/">Answerly</a>␣
28.         </div>␣
29.         <div id="search-bar" class="collapse navbar-collapse
navbarSupportedContent m-auto">␣
30.             <form class="form-inline navbar-nav m-auto"
method="GET" action="/search" role="search">␣
31.                 <input id="start_search" class="form-control
col-md-10" type="search" placeholder="Search" aria-label="Search"
name="keyword">␣
32.                 <div id="accordion" class="ml-auto align-self-
sm-center">␣
33.                     <a role="button" class="btn btn-link text-white" data-
toggle="collapse" data-target="#collapseOne">␣
34.                         Filters␣
35.                     </a>␣
36.                     <div id="collapseOne" class="collapse float-right" data-
parent="#accordion">␣
37.                         <div class="card-body filters">␣
38.                             <div id="filters-bar">␣
39.                                 <div class="row">␣
40.                                     <div class="dates row m-auto my-auto">␣
41.                                         <fieldset>␣
42.                                             <label class="text-white">Start</label>␣
43.                                             <input id="start_date" type="date"
name="strDate">␣
44.                                         </fieldset>␣
45.                                         <fieldset>␣
46.                                             <label class="text-white">End</label>␣
47.                                             <input id="end_date" type="date"
name="endDate">␣
48.                                         </fieldset>␣
49.                                     </div>␣
50.                                 </div>␣

```

```

51.         </div>↵
52.     </div>↵
53. </div>↵
54. </div>↵         </form>↵
55.         </div>↵
56.         <div id="sign-in" class="collapse navbar-collapse
57. navbarSupportedContent col-sm-3">↵
58.             <ul class="navbar-nav">↵
59.                 <li class="nav-item">↵
60.                     <a class="btn btn-primary my-2 my-sm-0"
61. href="http://localhost:8000/login" role="button">Sign in</a>↵
62.                 </li>↵
63.             </ul>↵
64.         </div>↵
65.         <button class="navbar-toggler" type="button" data-
66. toggle="collapse" data-target=".navbarSupportedContent" aria-
67. expanded="false" aria-label="Toggle navigation">↵
68.             <span class="navbar-toggler-icon"></span>↵
69.         </button>↵
70.     </nav>↵
71.     <div class="modal fade" id="ask_something" tabindex="-1"
72. role="dialog" aria-hidden="true">↵
73.         <div class="modal-dialog modal-dialog-centered"
74. role="document">↵
75.             <div class="modal-content">↵
76.                 <div class="modal-header">↵
77.                     <h5 class="modal-title"
78. id="exampleModalLongTitle">Ask something</h5>↵
79.                     <button type="button" class="close" data-
80. dismiss="modal" aria-label="Close">↵
81.                         <span aria-hidden="true">x</span>↵
82.                     </button>↵
83.                 </div>↵
84.                 <div class="modal-body">↵
85.                     <form id="add_question_form">↵
86.                         <div class="form-group">↵
87.                             <label
88. for="formControlTextareaQuestion">Write your question here</label>↵
89.                             <textarea class="form-control"
90. id="formControlTextareaQuestion" rows="1"></textarea>↵
91.                         </div>↵
92.                         <div class="form-group">↵
93.                             <label
94. for="formControlTextareaDescription">Write more details here</label>↵
95.                             <textarea class="form-control"
96. id="formControlTextareaDescription" rows="3"></textarea>↵
97.                         </div>↵
98.                         <div id="labels">↵
99.                             <a class="badge badge-dark badge-
100. pill" id="add_label">+ Label</a>↵
101.                         </div>↵
102.                     </form>↵
103.                 </div>↵
104.                 <div class="modal-footer">↵
105.                     <button id="add_question_btn" type="submit"
106. class="btn btn-primary">Add</button>↵
107.                 </div>↵
108.             </div>↵
109.         </div>↵
110.     </div>↵
111. ↵
112. </header>↵
113. <div id="side_navs">↵
114.     <div id="sidenav_left" class="sidenav d-none d-md-block">↵
115.         <label>Popular questions</label>↵
116.         <a class="row" data-id="1"
117. href="http://localhost:8000/question/1"> Name some great method
118. actors</a>↵
119.         <a class="row" data-id="2"
120. href="http://localhost:8000/question/2"> Are intelligent and wise people
121. the same?</a>↵
122.         <a class="row" data-id="3"
123. href="http://localhost:8000/question/3"> Who are the biggest jerks in
124. music?</a>↵

```

```

106.     <a class="row" data-id="8"
href="http://localhost:8000/question/8"> What is the best TV series and
why?</a>↵
107.     <a class="row" data-id="7"
href="http://localhost:8000/question/7"> Running a program from within
java code</a>↵
108.     <a class="row" data-id="6"
href="http://localhost:8000/question/6"> Can someone explain to me the
AirPod hype?</a>↵
109.     </div>↵
110. <div id="sidenav_right" class="sidenav d-none d-md-block">↵
111.     <label>Popular labels</label>↵
112.     <a class="row" href="http://localhost:8000/search?
keyword=culture">#culture</a>↵
113.     <a class="row" href="http://localhost:8000/search?
keyword=society">#society</a>↵
114.     <a class="row" href="http://localhost:8000/search?
keyword=english">#english</a>↵
115.     <a class="row" href="http://localhost:8000/search?
keyword=music">#music</a>↵
116.     <a class="row" href="http://localhost:8000/search?
keyword=computers">#computers</a>↵
117.     <a class="row" href="http://localhost:8000/search?
keyword=science">#science</a>↵
118.     </div>↵ </div>↵
119. ↵
120.     <section id="content">↵
121.         <div class="modal fade" id="report_something" tabindex="-1"
role="dialog" aria-hidden="true">↵
122.             <div class="modal-dialog modal-dialog-centered" role="document">↵
123.                 <div class="modal-content">↵
124.                     <div class="modal-header">↵
125.                         <h5 class="modal-title">Help us</h5>↵
126.                         <button type="button" class="close" data-dismiss="modal"
aria-label="Close">↵
127.                             <span aria-hidden="true">x</span>↵
128.                         </button>↵
129.                     </div>↵
130.                     <div class="modal-body">↵
131.                         <form>↵
132.                             <div class="form-group">↵
133.                                 <label for="formControlTextareaQuestion">Write
here a brief description of the problem</label>↵
134.                                 <textarea class="form-control" rows="5">
</textarea>↵
135.                             </div>↵
136.                             </form>↵
137.                         </div>↵
138.                         <div class="modal-footer">↵
139.                             <button id="report_question" type="submit" class="btn
btn-primary" data-dismiss="modal">Send</button>↵
140.                         </div>↵
141.                     </div>↵
142.                 </div>↵
143.             </div>↵ ↵
144. ↵
145. <div class="modal fade" id="help_question" tabindex="-1" role="dialog"
aria-hidden="true">↵
146.     <div class="modal-dialog modal-dialog-centered" role="document">↵
147.         <div class="modal-content">↵
148.             <div class="modal-header">↵
149.                 <h5 class="modal-title">Help</h5>↵
150.                 <button type="button" class="close" data-dismiss="modal"
aria-label="Close">↵
151.                     <span aria-hidden="true">x</span>↵
152.                 </button>↵
153.             </div>↵
154.             <div class="modal-body">↵
155.                 <div>↵
156.                     <h3>What does this page mean?</h3>↵
157.                     <p>This page represents a question. It consists of a
title and a brief description. You can tell if it was a helpful question
or not using the like and dislike buttons. You can also follow it to be
notified everytime it's answered. Below, you have its comments and
answers. You can also rank and comment answers.</p>↵
158.                 </div>↵

```

```

159.         <div>↵
160.             <h3>What happens when I report a question, comment
or answer?</h3>↵
161.             <p>If you believe a given post is disrespectful,
absurd or even racist you can report it to our Moderators and Admins.
You will be asked to write a brief description of the problem to make
their jobs more efficient. Reporting this type of behaviour helps us
enhance your user experience and create a more thriving community.</p>↵
162.         </div>↵
163.         <div>↵
164.             <h3>Some answers have a green tick on their
wildcard. What does that mean?</h3>↵
165.             <p>If you see a green tick on an answer, that means
it is considered by the question holder as a valid response. That is,
the user who asked believes its question has been successfully answered.
</p>↵
166.         </div>↵
167.     </div>↵
168.     <div class="modal-footer">↵
169.         <button id="close_help_question" class="btn btn-primary"
data-dismiss="modal">Ok, thank you</button>↵
170.     </div>↵
171. </div>↵
172. </div>↵
173. </div> ↵
174. ↵
175. <div id="question-div" class="container-fluid col-md-6" data-id="7">↵
176.     <div class="wrapper">↵
177.         <div>↵
178.             <!-- Modal -->↵
179.             <div class="modal fade" id="deleteQuestionModal" tabindex="-1"
role="dialog" aria-hidden="true">↵
180.                 <div class="modal-dialog" role="document">↵
181.                     <div class="modal-content">↵
182.                         <div class="modal-header">↵
183.                             <h5 class="modal-title" id="deleteModalLabel">Are
you sure you want to delete it?</h5>↵
184.                             <button type="button" class="close" data-
dismiss="modal" aria-label="Close">↵
185.                                 <span aria-hidden="true">x</span>↵
186.                             </button>↵
187.                         </div>↵
188.                         <div class="modal-footer">↵
189.                             <button type="button" class="btn btn-secondary"
data-dismiss="modal">Cancel</button>↵
190.                             <button id="delete_question" type="button"
class="btn btn-primary">Yes</button>↵
191.                         </div>↵
192.                     </div>↵
193.                 </div>↵
194.             </div> ↵
195.         </div>↵
196.     <div class="row flex-row-reverse">↵
197.         <div class="col-sm-9">↵
198.             <h1 id="question_title">Running a program from within java
code</h1>↵
199.         </div>↵
200.         <div id="prof-img" class="col-sm-3 text-center">↵
201.             <a class="row-sm" href="http://localhost:8000/user/5">↵
202.                 ↵
203.             </a>↵
204.             <p class="row-sm text-truncate" id="username-question"><a
href="http://localhost:8000/user/5">edu01</a></p>↵
205.         </div>↵
206.     </div>↵
207. <div>↵
208.     <p id="question_description">What is the simplest way to call a
program from with a piece of Java code? (The program I want to run is
aiSee and it can be run from command line or from Windows GUI; and I am
on Vista but the code will also be run on Linux systems).</p>↵
209.     <a class="badge badge-dark badge-pill labels"
id="question_label27" data-id="27">programming↵
210.     </a>↵
211.     <div class="icons">↵
212. ↵

```

```

213.         <a class="icon">↵
214.         <i class="fas fa-thumbs-up fa-lg like1" aria-
hidden="true"> 14</i>↵
215.         </a>↵
216.         <a class="icon">↵
217.         <i class="fas fa-thumbs-down fa-lg dislike1" aria-
hidden="true"> 10</i>↵
218.         </a>↵
219.         <a class="icon-answers">↵
220.         <i class="fas fa-bug" data-toggle="modal" data-
target="#report_something" aria-hidden="true"> Report</i>↵
221.         </a>↵
222.         <a class="icon-answers">↵
223.         <i class="fas fa-question-circle" data-toggle="modal" data-
target="#help_question" aria-hidden="true"> Help</i>↵
224.         </a>↵
225.     </div>↵
226. </div>↵
227.     <div class="form-group" id="add_answer_form">↵
228.         <label for="exampleFormControlTextarea1"></label>↵
229.         <form class="new_answer">↵
230.             <textarea class="form-control" placeholder="Do you
know the answer to this question?" id="exampleFormControlTextarea1"
rows="4"></textarea>↵
231.         </form>↵
232.         <button class="btn my-2 my-sm-0" type="submit"> Answer
</button>↵
233.     </div>↵
234. ↵
235.     <div class="form-group add_comment_form">↵
236.         <label for="exampleFormControlTextarea2"></label>↵
237.         <textarea class="form-control" placeholder="Do you want
to comment this question?" id="exampleFormControlTextarea2" rows="2">
</textarea>↵
238.         <button class="btn my-2 my-sm-0" id="comment-button"
type="submit">Comment</button>↵
239.     </div>↵
240.     <div class="container">↵
241.         <h2 class="mt-0">Comments</h2>↵
242.     ↵
243.     <div class="media-body" id="comments-list">↵
244.         </div>↵
245.         <h2 class="mt-0">Answers</h2>↵
246.     ↵
247.     <ul class="list-unstyled" id="answers-list">↵
248.         <li id="answer7" class="answer_item" data-id="7">↵
249.             <div class="row">↵
250.                 <a class="col-sm-3 d-none d-sm-block text-center"
href="http://localhost:8000/user/7">↵
251.                 ↵
252.                 </a>↵
253.                 <div class="col-sm-9">↵
254.                     <span class="badge badge-success"><i class="fas fa-star"
aria-hidden="true"></i>Score 1</span>↵
255.                     <p id="user_ans"><a
href="http://localhost:8000/user/7">pcardoso</a></p>↵
256.                 </div>↵
257.             </div>↵
258.             <div class="ans-body">↵
259.                 <p id="answer_content">Take a look at Process and Runtime
classes. Keep in mind that what you are trying to accomplish is probably
not platform independent.</p>↵
260.                 <div class="icons-answers">↵
261.                     ↵
262.                     <a role="button" class="icon-answers">↵
263.                         <i class="fas fa-thumbs-up like2" aria-
hidden="true"> 0</i>↵
264.                     </a>↵
265.                     <a role="button" class="icon-answers">↵
266.                         <i class="fas fa-thumbs-down dislike2" aria-
hidden="true"> 0</i>↵
267.                     </a>↵
268.                     <a class="icon-answers" data-
toggle="collapse" href="#collapsed_comments7">↵
269.                         <i class="fas fa-comment" aria-hidden="true"> 0</i>↵

```



```

270.         </a><br>
271.         <a role="button" class="icon-answers" data-
toggle="collapse" data-target="#collapseReportAnswer7" aria-
expanded="false"><br>
272.         <i class="fas fa-bug" aria-hidden="true">
Report</i><br>
273.         </a><br>
274.         </div><br>
275.     </div><br>
276.     <div class="collapse" id="collapsed_comments7"><br>
277.         <div class="card card-body"><br>
278.             <div class="form-group add_comment_form"><br>
279.                 <label for="exampleFormControlTextarea2"></label><br>
280.                 <input class="form-control" placeholder="Do you want to comment this
answer?" id="exampleFormControlTextarea3"><br>
281.                 <button class="btn my-2 my-sm-0" id="subcomment-button"
type="submit">Comment</button><br>
282.             </div><br>
283.             <div class="media-body" id="subcomments-list"><br>
284.                 </div><br>
285.             </div><br>
286.             <div class="collapse collapsed_report"
id="collapseReportAnswer7"><br>
287.                 <div class="card card-header"><br>
288.                     <h5>Help us</h5><br>
289.                 </div><br>
290.                 <div class="card card-body"><br>
291.                     <form><br>
292.                         <div class="form-group"><br>
293.                             <label for="formControlTextareaQuestion">Write
here abrief description of the problem</label><br>
294.                             <textarea class="form-control" rows="5">
</textarea><br>
295.                         </div><br>
296.                     </form><br>
297.                     <button type="submit" class="btn btn-primary
report_answer" data-toggle="collapse" data-
target="#collapseReportAnswer7">Send</button><br>
298.                 </div><br>
299.             </div><br>
300.         </li><br>
301.     </ul><br>
302. </div><br>
303. </div><br>
304. </section><br>
305. </main><br>
306. <footer class="page-footer font-small indigo"><br>
307.     <!-- Footer Links --><br>
308.     <div class="container text-center text-md-left"><br>
309.         <!-- Grid row --><br>
310.         <div class="row"><br>
311.             <!-- Grid column --><br>
312.             <div class="col-md-3 mx-auto"><br>
313.                 <!-- Links --><br>
314.                 <h3 class="font-weight-bold text-uppercase mt-3 mb-
4">Access</h3><br>
315.                 <ul class="list-unstyled"><br>
316.                     <li><br>
317.                         <a href="http://localhost:8000/">Get back
home</a><br>
318.                     </li><br>
319.                 </ul><br>
320.             </div><br>
321.             <!-- Grid column --><br>
322.             <!-- Grid column --><br>
323.             <div class="col-md-3 mx-auto"><br>
324.                 <!-- Links --><br>
325.                 <h3 class="font-weight-bold text-uppercase mt-3 mb-
4">Most Popular</h3><br>
326.                 <ul class="list-unstyled"><br>
327.                     <li><br>
328.                         <a href="http://localhost:8000/search?
keyword=culture">#culture</a><br>
329.                     </li><br>
330.                     <li><br>

```

```

331.         <a href="http://localhost:8000/search?
keyword=society">#society</a>
332.     </li>
333. </li>
334.         <a href="http://localhost:8000/search?
keyword=english">#english</a>
335.     </li>
336. </ul>
337. </div>
338. <!-- Grid column -->
339. <!-- Grid column -->
340. <div class="col-md-3 mx-auto">
341.     <!-- Links -->
342.     <h3 class="font-weight-bold text-uppercase mt-3 mb-
4">Most Popular</h3>
343.         <ul class="list-unstyled">
344.             <li>
345.                 <a href="http://localhost:8000/search?
keyword=music">#music</a>
346.             </li>
347.             <li>
348.                 <a href="http://localhost:8000/search?
keyword=computers">#computers</a>
349.             </li>
350.             <li>
351.                 <a href="http://localhost:8000/search?
keyword=science">#science</a>
352.             </li>
353.         </ul>
354.     </div>
355.     <!-- Grid column -->
356.     <div class="col-md-3 mx-auto">
357.         <!-- Links -->
358.         <h3 class="font-weight-bold text-uppercase mt-3 mb-
4">About</h3>
359.             <ul class="list-unstyled">
360.                 <li>
361.                     <a href="http://localhost:8000/about">About
us</a>
362.                 </li>
363.             </ul>
364.         </div>
365.     <!-- Grid column -->
366. </div>
367. <!-- Grid row -->
368. </div>
369. <!-- Footer Links -->
370. <!-- Copyright -->
371. <div class="footer-copyright text-center py-3">© 2020
Copyright:
372.     <a href="http://localhost:8000/"> Answerly</a>
373. </div>
374.     <!-- Copyright -->
375. </footer>
376.
377.
378. </body></html>

```

Used the HTML parser.

Total execution time 153 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 20.5.30

Search Page

HTML - Validation

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ css

```
<!DOCTYPE html>
<html lang="en"><head>
  <title>Answerly</title>
  <!-- CSRF Token -->
  <meta name="csrf-token"
content="nHUYFraUQaRk9qS1qYBbYaAdgnLqzQ6rxfQkajMq">
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
  <script defer="" src="https://code.jquery.com/jquery-
3.4.1.slim.min.js" integrity="sha384-
J6qa4849bLE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1lyYfoRSJoZ+n"
crossorigin="anonymous"></script>
  <script defer=""
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 44, column 29; to line 44, column 78](#)

```
<input id="start_date" type="date" name="strDate">
```

2. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 48, column 29; to line 48, column 76](#)

```
<input id="end_date" type="date" name="endDate">
```

Document checking completed.

Source

About Page

HTML - Validation

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ CSS

```
<div class="col-md-3 mx-auto">
  <!-- Links -->
  <h3 class="font-weight-bold text-uppercase mt-3 mb-4">Most Popular</h3>
  <ul class="list-unstyled">
    <li>
      <a href="http://localhost:8000/search?keyword=culture">#culture</a>
    </li>
    <li>
      <a href="http://localhost:8000/search?keyword=society">#society</a>
    </li>
    <li>
      <a href="http://localhost:8000/search?
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 43, column 29; to line 43, column 78](#)

```
<input id="start_date" type="date" name="strDate">
```

2. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 47, column 29; to line 47, column 76](#)

```
<input id="end_date" type="date" name="endDate">
```

3. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 105, column 5; to line 105, column 8](#)

Login Page

HTML - Validation

Login Page

HTML - Validation

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ CSS

```
J6qqa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwjl1yYfoRSJoZ+n"
crossorigin="anonymous"></script>
<script defer=""
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
<script defer=""
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYdliqfktj0Uod8GCExl30g8ifwB6"
crossorigin="anonymous"></script>
<script src="https://kit.fontawesome.com/6d90d25abc.js"
crossorigin="anonymous"></script>
<script src="http://localhost:8000/js/app.js" defer="">
```

Check

Message Filtering

- From line 43, column 29; to line 43, column 78

- From line 47, column 29; to line 47, column 76

Source

Register Page

HTML - Validation

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ☐ CSS

```

J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwjlYfoRSJoZ+n"
crossorigin="anonymous"></script>
<script defer=""
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEwldlvI9I0Yy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
<script defer=""
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYdliqfktj0Uod8GCExl30g8ifwB6"
crossorigin="anonymous"></script>
<script src="https://kit.fontawesome.com/6d90d25abc.js"
crossorigin="anonymous"></script>
<script src="http://localhost:8000/js/app.js" defer="">

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The date input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 43, column 29; to line 43, column 78](#)

```
<input id="start_date" type="date" name="strDate">...
```

2. **Warning** The date input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 47, column 29; to line 47, column 76](#)

```
<input id="end_date" type="date" name="endDate">...
```

Document checking completed.

Source

Moderation Page

HTML - Validation

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by

text input

☐ css

```
<!-- Grid column -->
<!-- Grid column -->
<div class="col-md-3 mx-auto">
  <!-- Links -->
    <h3 class="font-weight-bold text-uppercase mt-3 mb-4">Most Popular</h3>
    <ul class="list-unstyled">
      <li>
        <a href="http://localhost:8000/search?keyword=culture">#culture</a>
      </li>
      <li>
        <a href="http://localhost:8000/search?keyword=society">#society</a>
      </li>
    </ul>
  </div>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 43, column 29; to line 43, column 78](#)

```
<input id="start_date" type="date" name="strDate">
```

2. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 47, column 29; to line 47, column 76](#)

```
<input id="end_date" type="date" name="endDate">
```

Document checking completed.

Source

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ☐ css

```
<p>This moderator has a score of 0</p>
</div>
<div class="modal-footer">
  <a href="http://localhost:8000/user/9"
role="button" class="btn btn-primary view">
    View
  </a>
</div>
</div>
</div>
</div>
  <button type="button" class="list-group-item list-
group-item-action" data-toggle="modal" data-target="#reported_elem510">
    lindas
  </button>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 43, column 29; to line 43, column 78](#)

```
<input id="start_date" type="date" name="strDate">...
```

2. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 47, column 29; to line 47, column 76](#)

```
<input id="end_date" type="date" name="endDate">...
```

Document checking completed.

Source

