
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).
 From line 105, column 5; to line 105, column 8 out"> e <h1>About
- 2. Warning Article lacks heading. Consider using h2 h6 elements to add identifying headings to all articles.

 From line 106, column 5; to line 106, column 13

 </h1>
 </ri>
- 3. Warning Section lacks heading. Consider using [h2-h6] elements to add identifying headings to all sections.

 From line 103, column 9; to line 103, column 30

ہب

```
<section id="content">⊷
```

Document checking completed.

Source

```
<!DOCTYPE html>↔
   <html lang="en"><head>↔
 3.
            <title>Answerly</title>↔
 4.
            <!-- CSRF Token -->₽
            <meta name="csrf-token"</pre>
 5.
   content="WuImAvrfmvHTh5RsrfnOHrXbMPrPrZPfgA0zi3YY">↔
            <meta charset="utf-8">↔
 6.
            <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
 7.
8.
            <meta name="viewport" content="width=device-width, initial-</pre>
   scale=1, shrink-to-fit=no">↔
            <script defer="" src="https://code.jquery.com/jquery-</pre>
 9.
   3.4.1.slim.min.js" integrity="sha384-
   J6qa4849blE2+poŤ4WnyKhvŠvZFŠSrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
   crossorigin="anonymous"></script>↔
<script defer=""
10.
   src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.j
s" integrity="sha384-
   Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9I0Yy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
   crossorigin="anonymous"></script>↩
            <script défer=""
11
   src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min
    .js" integrity="sha384-
   wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6"
   crossorigin="anonymous"></script>↔
12.
            <script src="https://kit.fontawesome.com/6d90d25abc.js"</pre>
   crossorigin="anonymous"></script>↩
            <script src="http://localhost:8000/js/app.js" defer=""> ↔
13.
14.
            </script>↩
15.
16.
            <!-- our css -->₽
                         <link href="http://localhost:8000/css/layout.css"</pre>
17.
   rel="stylesheet">↔
18.
        <link rel="stylesheet" href="http://localhost:8000/css/about.css">↔
19.
20.
        </head>↩
21.
        <body>←
22.
            <main>↩
23.
            <header>↩
24.
25.
                <nav class="navbar navbar-expand-lg navbar-light navbar-</pre>
   default fixed-top">↩
                     .
<div id="answerly" class="navbar-brand col-3">↔
26.
27.
                         <a href="http://localhost:8000/">Answerly</a>↔
28.
                     </div>↩
                     <div id="search-bar" class="collapse navbar-collapse</pre>
29.
   navbarSupportedContent m-auto">↩
30.
                         <form class="form-inline navbar-nav m-auto">←
                             <input id="start_search" class="form-control"</pre>
31.
   type="search" placeholder="Search" aria-Tabel="Search">↔
                         </form>↩
32.
33.
                     </div>↩
                     <div id="sign-in" class="collapse navbar-collapse</pre>
34.
   navbarSupportedContent col-sm-3">←
35.
                         ↔
36.
                                                       +
                                  ↩
37.
                                      <button class="btn my-2 my-sm-0" data-</pre>
38.
   toggle="modal" data-target="#ask something">Ask Something</button>↔
39.
                                  40.
                                  class="nav-link ml-2">↔
                                      <div class="dropdown">↔
<div class="dropdown-menu dropdown-
41.
42.
   menu-right">↩
```

```
<a role="button"
43.
   class="dropdown-item" href="http://localhost:8000/user/2">Profile</a>↔
<a role="button"
44
   class="dropdown-item" href="http://localhost:8000/logout">Logout</a>
   <span></span>↔
45.
                                         </div>↩
46.
                                     </div>↔
                                     <a role="button" class="fas fa-user fa-</pre>
47.
   lg dropdown-toggle" id="dropdownMenuProfileButton" data-
   toggle="dropdown" aria-haspopup="true" aria-expanded="false" aria-
   hidden="true"></a>↩
48.
                                 ↩
49.
                                 class="nav-link ml-2">↔
                                     <div class="dropdown">↔
50.
   51.
   labelledby="dropdownMenuNotificationsButton">↔
52.
   <a role="button" class="dropdown-item"</pre>
   href="http://localhost:8000/question/2">A user has answered a question
   of vours</a>↔
53.
   <a role="button" class="dropdown-item"</pre>
   href="http://localhost:8000/user/2">A user has answered a question you
   follow</a>↔
54.
   </div>↔
55.
                                     </div>↔
56
                                                                      <a
   role="button" class="fas fa-bell fa-lg yellow dropdown-toggle"
   id="dropdownMenuNotificationsButton" data-toggle="dropdown" ar
haspopup="true" aria-expanded="false" aria-hidden="true"></a>ન્
                                                                  ↩
57.
58.
59.
                                                 ↔
                    </div>↔
60.
   61.
62.
63.
                    </button>↩
64.
                </nav>↩
                <div class="modal fade" id="ask_something" tabindex="-1"</pre>
65.
   role="dialog" aria-hidden="true">↔
66.
                    <div class="modal-dialog modal-dialog-centered"</pre>
   role="document">↩
67.
                        <div class="modal-content">↔
                             <div class="modal-header">↔
68.
                                 <h5 class="modal-title"
69.
   id="exampleModalLongTitle">Ask something</h5>↔
                                 <button type="button" class="close" data-</pre>
70.
   dismiss="modal" aria-label="Close">↔
71.
                                 <span aria-hidden="true">×</span>↔
72.
                                 </button>↩
73.
                             </div>↔
                             <div class="modal-body">↔
74.
75.
                                 <form>↩
                                     <div class="form-group">↔
76.
77.
                                         <label
   for="formControlTextareaQuestion">Write your question here</label>↔
                                         <textarea class="form-control"
78.
   id="formControlTextareaQuestion" rows="1"></textarea>↔
79.
                                     </div>↩
                                     <div class="form-group">↩
80.
81.
                                         <label
   for="formControlTextareaDescription">Write more details here</label>↔
                                         <textarea class="form-control"
82.
   id="formControlTextareaDescription" rows="3"></textarea>↔
83.
                                     </div>↔
                                     <div id="labels">↔
84.
                                         <a class="badge badge-dark badge-
85.
   pill" id="add label">+ Label</a>↔
86.
                                     </div>↩
                                     <div id="form-buttons" class="form-group</pre>
87.
   row">↩
```

```
88.
    image/jpeg">↩
 89.
                                      </div>↔
                                 </form>↔
 90.
 91.
                             </div>↩
 92.
                             <div class="modal-footer">↩
    93.
 94.
                             </div>↩
 95.
                         </div>↩
 96.
                     </div>↔
 97.
                 </div> ↔
 98. ↩
 99.
             </header>↩
             <div id="side navs">↩
100.
101.
                         </div>↔
102. ↩
             <section id="content">

103.
                 <section id="about">↩
104.
105.
        <h1>About answerly</h1>↔
106.
        <article>↩
             Within the scope of the LBAW course, we were proposed to
107.
    develop a web application for collaborative Questions and Answers. For
    this to be a commendable product, we want to assure a great user experience where the questions are easy to find and the answers helpful
    to the user. We aim to have an easily navigable website. A good
    interface is very important and the users need to be comfortable
    browsing the site.↔
108.
             Throughout life, we often find ourselves wondering about
    questions that surely a stranger, somewhere out there knows the answer and there is no way for him to reach out to us. With our project, we aim
    to tackle that by building a clean and trustworthy platform where
    relevant questions are asked and pertinent answers are replied.↔
109.
        </article>↩
110.
        <article>↩
111.
             <h2>Contacts</h2>↔
             Antonio Pedro Reis Ribeiro Sousa Dantas,
112.
    <span>up201703878@fe.up.pt</span>↔
113.
             Eduardo João Santana Macedo,
    <span>up201703658@fe.up.pt</span>
Nuno Miguel Teixeira Cardoso,
114.
    <span>up201706162@fe.up.pt</span>↔
115.
             Roberto Dias Mourato, <span>up201705616@fe.up.pt</span>↔
116.
        </article>↩
117. </section>↩
118.
             </section>↩
119.
        </main>↩
120.
        <footer class="page-footer font-small indigo">↔
121.
             <!-- Footer Links -->↩
             <div class="container text-center text-md-left">←
122.
             <!-- Grid row -->↔
123.
                 <div class="row">↔
124.
125.
                     <!-- Grid column -->↔
126.
                     <div class="col-md-3 mx-auto">↔
127.
                         <!-- Links -->↔
                         <h3 class="font-weight-bold text-uppercase mt-3 mb-
128.
    4">Access</h3>↔
129.
                         ul class="list-unstyled">↔
130.
131.
    href="http://localhost:8000/user/2">Access my profile</a>↔
132.
                             133.
                             <e
134.
    href="http://localhost:8000/admin">Moderate</a>↔
135.
136.
                                                      دا i >ب
                                 <a href="http://localhost:8000/">Get back
137.
    home</a>↔
138.
                             ↩
139.
                         </div>↩
140.
141.
                     <!-- Grid column -->↩
                     <!-- Grid column -->↔
142.
                     <div class="col-md-3 mx-auto">↔
143.
```

Used the HTML parser.

Total execution time 116 milliseconds.

About this checker • Report an issue • Version: 20.5.30