# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

Options…

Check by text input ▼   ☐ css

```
                <!-- Grid column -->
                <!-- Grid column -->
                <div class="col-md-3 mx-auto">
                <!-- Links -->
                    <h3 class="font-weight-bold text-uppercase mt-3 mb-
4">Most Popular</h3>
                    <ul class="list-unstyled">
                        <li>
                            <a href="http://localhost:8000/search?
keyword=culture">#culture</a>
                        </li>
                        <li>
                            <a href="http://localhost:8000/search?
keyword=society">#society</a>
                        </li>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `date` **input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.**

   From line 43, column 29; to line 43, column 78

   ```
           <input id="start_date" type="date" name="strDate">↵
   ```

2. **Warning** The `date` **input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.**

   From line 47, column 29; to line 47, column 76

   ```
           <input id="end_date" type="date" name="endDate">↵
   ```

Document checking completed.

Source

```
1.  <!DOCTYPE html>↵
2.  <html lang="en"><head>↵
3.          <title>Answerly</title>↵
4.          <!-- CSRF Token -->↵
5.          <meta name="csrf-token"
    content="nHUYFraUQaRk9qS1qYBbYaAdgnLqzQ6rxfQkajMq">↵
6.          <meta charset="utf-8">↵
7.          <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
8.          <meta name="viewport" content="width=device-width, initial-
    scale=1, shrink-to-fit=no">↵
9.          <script defer="" src="https://code.jquery.com/jquery-
    3.4.1.slim.min.js" integrity="sha384-
    J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
    crossorigin="anonymous"></script>↵
10.         <script defer=""
    src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.j
    s" integrity="sha384-
    Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
    crossorigin="anonymous"></script>↵
11.         <script defer=""
    src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min
    .js" integrity="sha384-
    wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
    crossorigin="anonymous"></script>↵
12.         <script src="https://kit.fontawesome.com/6d90d25abc.js"
    crossorigin="anonymous"></script>↵
13.         <script src="http://localhost:8000/js/app.js" defer=""> ↵
14.         </script>↵
15.  ↵
16.         <!-- our css -->↵
17.                 <link href="http://localhost:8000/css/layout.css"
    rel="stylesheet">↵
18.         ↵
19.     <link rel="stylesheet"
    href="http://localhost:8000/css/register.css">↵
20.     </head>↵
21.     <body>↵
22.         <main>↵
23.         <header>↵
24.             ↵
25.             <nav class="navbar navbar-expand-lg navbar-light navbar-
    default fixed-top">↵
26.                 <div id="answerly" class="navbar-brand col-3">↵
27.                 <a href="http://localhost:8000/">Answerly</a>↵
28.                 </div>↵
29.                 <div id="search-bar" class="collapse navbar-collapse
    navbarSupportedContent m-auto">↵
30.                     <form class="form-inline navbar-nav m-auto"
    method="GET" action="/search" role="search">↵
31.                         <input id="start_search" class="form-control
    col-md-10" type="search" placeholder="Search" aria-label="Search"
    name="keyword">↵
32.                         <div id="accordion" class="ml-auto align-self-
    sm-center">↵
33.     <a role="button" class="btn btn-link text-white" data-
    toggle="collapse" data-target="#collapseOne">↵
34.     Filters↵
35.     </a>↵
36.     <div id="collapseOne" class="collapse float-right" data-
    parent="#accordion">↵
37.         <div class="card-body filters">↵
38.             <div id="filters-bar">↵
39.                 <div class="row">↵
40.                     <div class="dates row m-auto my-auto">↵
41.                         <fieldset>↵
42.                             <label class="text-white">Start</label>↵
43.                             <input id="start_date" type="date"
    name="strDate">↵
44.                         </fieldset>↵
45.                         <fieldset>↵
46.                             <label class="text-white">End</label>↵
47.                             <input id="end_date" type="date"
    name="endDate">↵
48.                         </fieldset>↵
49.                     </div>↵
50.                 </div>↵
```

```
51.                    </div>↵
52.                  </div>↵
53.              </div>↵
54.  </div>                              </form>↵
55.                    </div>↵
56.                    <div id="sign-in" class="collapse navbar-collapse
     navbarSupportedContent col-sm-3">↵
57.                        <ul class="navbar-nav">↵
58.                                          <li class="nav-item">↵
59.                            <a class="btn btn-primary my-2 my-sm-0"
     href="http://localhost:8000/login" role="button">Sign in</a>↵
60.                            </li>↵
61.                                            </ul>↵
62.                    </div>↵
63.                    <button class="navbar-toggler" type="button" data-
     toggle="collapse" data-target=".navbarSupportedContent" aria-
     expanded="false" aria-label="Toggle navigation">↵
64.                        <span class="navbar-toggler-icon"></span>↵
65.                    </button>↵
66.              </nav>↵
67.                    <div class="modal fade" id="ask_something" tabindex="-1"
     role="dialog" aria-hidden="true">↵
68.                        <div class="modal-dialog modal-dialog-centered"
     role="document">↵
69.                        <div class="modal-content">↵
70.                          <div class="modal-header">↵
71.                            <h5 class="modal-title"
     id="exampleModalLongTitle">Ask something</h5>↵
72.                            <button type="button" class="close" data-
     dismiss="modal" aria-label="Close">↵
73.                              <span aria-hidden="true">×</span>↵
74.                            </button>↵
75.                          </div>↵
76.                          <div class="modal-body">↵
77.                            <form id="add_question_form">↵
78.                              <div class="form-group">↵
79.                                <label
     for="formControlTextareaQuestion">Write your question here</label>↵
80.                                <textarea class="form-control"
     id="formControlTextareaQuestion" rows="1"></textarea>↵
81.                              </div>↵
82.                              <div class="form-group">↵
83.                                <label
     for="formControlTextareaDescription">Write more details here</label>↵
84.                                <textarea class="form-control"
     id="formControlTextareaDescription" rows="3"></textarea>↵
85.                              </div>↵
86.                              <div id="labels">↵
87.                                <a class="badge badge-dark badge-
     pill" id="add_label">+ Label</a>↵
88.                              </div>↵
89.                                ↵
90.                            </form>↵
91.                          </div>↵
92.                          <div class="modal-footer">↵
93.                            <button id="add_question_btn" type="submit"
     class="btn btn-primary">Add</button>↵
94.                          </div>↵
95.                        </div>↵
96.                      </div>↵
97.                </div> ↵
98.  ↵
99.        </header>↵
100.        <div id="side_navs">↵
101.                <7div>↵
102.  ↵
103.        <section id="content">↵
104.            <div class="container register">↵
105.  <div class="row">↵
106.    ↵
107.    <div class="col-md-3 register-left my-auto">↵
108.        <h1><a href="">Answerly</a></h1>↵
109.        <p>Hope you have a lot of questions ready to be answered!</p>↵
110.    </div>↵
111.  ↵
112.    <div class="col-md-9 register-right">↵
```

```
113.  ↵
114.          <div class="tab-content" id="myTabContent">↵
115.  ↵
116.              <div class="tab-pane fade show active" id="home"
      role="tabpanel">↵
117.  ↵
118.                  <form method="POST"
      action="http://localhost:8000/register">↵
119.                      <input type="hidden" name="_token"
      value="nHUYFraUQaRk9qS1qYBbYaAdgnLqzQ6rxfQkajMq">↵
120.  ↵
121.                  <div class="row register-form">↵
122.  ↵
123.                      <div class="col-md-6">↵
124.                  ↵
125.                          <div class="form-group">↵
126.                          <input id="first_name" class="form-control"
      placeholder="First Name *" type="text" name="first_name" value=""
      required="" autofocus="">↵
127.                                          </div>↵
128.  ↵
129.                          <div class="form-group">↵
130.                          <input id="last_name" class="form-control"
      placeholder="Last Name *" type="text" name="last_name" value=""
      required="">↵
131.                                          </div>↵
132.  ↵
133.                          <div class="form-group">↵
134.                          <input id="email" class="form-control"
      placeholder="Your Email *" type="text" name="email" value=""
      required="">↵
135.                                          </div>↵
136.  ↵
137.                      </div>↵
138.                      <div class="col-md-6 ml-auto">↵
139.  ↵
140.                          <div class="form-group">↵
141.                          <input id="username" class="form-control"
      placeholder="Username *" type="text" name="username" value=""
      required="">↵
142.                                          </div>↵
143.  ↵
144.                          <div class="form-group">↵
145.                          <input id="password" type="password" class="form-
      control" placeholder="Password *" name="password" required="">↵
146.                                          </div>↵
147.  ↵
148.                          <div class="form-group">↵
149.                          <input id="password-confirm" type="password"
      class="form-control" placeholder="Confirm Password *"
      name="password_confirmation" required="">↵
150.                          </div>↵
151.  ↵
152.                          <div class="form-group">↵
153.                          <textarea class="form-control"
      placeholder="Description" name="bio" rows="5"></textarea>↵
154.                                          </div>↵
155.                      </div>↵
156.                  </div>↵
157.                  <div class="col-md-6 ml-auto">    ↵
158.                    <input type="submit" id="register_button"
      class="btnRegister" value="Register">↵
159.                    ↵
160.                    <div class="align-middle d-flex justify-content-end">↵
161.                      <a class="d-flex justify-content-end"
      href="http://localhost:8000/login">Sign In</a>↵
162.                    </div>↵
163.  ↵
164.                  </div>↵
165.                  </form>        ↵
166.              </div>↵
167.          </div>↵
168.      </div> ↵
169.    </div>↵
170.  </div>↵
171.          </section>↵
```

```
172.        </main>↵
173.        <footer class="page-footer font-small indigo">↵
174.            <!-- Footer Links -->↵
175.            <div class="container text-center text-md-left">↵
176.            <!-- Grid row -->↵
177.                <div class="row">↵
178.                    <!-- Grid column -->↵
179.                    <div class="col-md-3 mx-auto">↵
180.                        <!-- Links -->↵
181.                        <h3 class="font-weight-bold text-uppercase mt-3 mb-
        4">Access</h3>↵
182.                        <ul class="list-unstyled">↵
183.                                    <li>↵
184.                            <a href="http://localhost:8000/">Get back
        home</a>↵
185.                        </li>↵
186.                    </ul>↵
187.                </div>↵
188.                <!-- Grid column -->↵
189.                <!-- Grid column -->↵
190.                <div class="col-md-3 mx-auto">↵
191.                    <!-- Links -->↵
192.                    <h3 class="font-weight-bold text-uppercase mt-3 mb-
        4">Most Popular</h3>↵
193.                    <ul class="list-unstyled">↵
194.                        <li>↵
195.                            <a href="http://localhost:8000/search?
        keyword=culture">#culture</a>↵
196.                        </li>↵
197.                        <li>↵
198.                            <a href="http://localhost:8000/search?
        keyword=society">#society</a>↵
199.                        </li>↵
200.                        <li>↵
201.                            <a href="http://localhost:8000/search?
        keyword=english">#english</a>↵
202.                        </li>↵
203.                    </ul>↵
204.                </div>↵
205.                <!-- Grid column -->↵
206.                <!-- Grid column -->↵
207.                <div class="col-md-3 mx-auto">↵
208.                    <!-- Links -->↵
209.                    <h3 class="font-weight-bold text-uppercase mt-3 mb-
        4">Most Popular</h3>↵
210.                    <ul class="list-unstyled">↵
211.                        <li>↵
212.                            <a href="http://localhost:8000/search?
        keyword=music">#music</a>↵
213.                        </li>↵
214.                        <li>↵
215.                            <a href="http://localhost:8000/search?
        keyword=computers">#computers</a>↵
216.                        </li>↵
217.                        <li>↵
218.                            <a href="http://localhost:8000/search?
        keyword=science">#science</a>↵
219.                        </li>↵
220.                    </ul>↵
221.                </div>↵
222.                    <!-- Grid column -->↵
223.                    <div class="col-md-3 mx-auto">↵
224.                    <!-- Links -->↵
225.                    <h3 class="font-weight-bold text-uppercase mt-3 mb-
        4">About</h3>↵
226.                    <ul class="list-unstyled">↵
227.                        <li>↵
228.                            <a href="http://localhost:8000/about">About
        us</a>↵
229.                        </li>↵
230.                    </ul>↵
231.                </div>↵
232.                    <!-- Grid column -->↵
233.            </div>↵
234.            <!-- Grid row -->↵
235.            </div>↵
```

```
236.        <!-- Footer Links -->↵
237.        <!-- Copyright -->↵
238.        <div class="footer-copyright text-center py-3">© 2020
     Copyright:↵
239.        <a href="http://localhost:8000/"> Answerly</a>↵
240.        </div>↵
241.        <!-- Copyright -->↵
242.    </footer>↵
243.    ↵
244. ↵
245. </body></html>
```

Used the HTML parser.

Total execution time 115 milliseconds.

About this checker • Report an issue • Version: 20.5.30