Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

Options…

Check by [text input ▾]   ☐ css

```
<!DOCTYPE html>
<html lang="en"><head>
        <title>Answerly</title>
        <!-- CSRF Token -->
        <meta name="csrf-token"
content="nHUYFraUQaRk9qS1qYBbYaAdgnLqzQ6rxfQkajMq">
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
        <script defer="" src="https://code.jquery.com/jquery-
3.4.1.slim.min.js" integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
crossorigin="anonymous"></script>
        <script defer=""
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning**   The `date` **input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.**

   From line 44, column 29; to line 44, column 78

   ```
               <input id="start_date" type="date" name="strDate">↵
   ```

2. **Warning**   The `date` **input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.**

   From line 48, column 29; to line 48, column 76

   ```
               <input id="end_date" type="date" name="endDate">↵
   ```

Document checking completed.

Source

```
1.  <!DOCTYPE html>↵
2.  <html lang="en"><head>↵
3.         <title>Answerly</title>↵
4.         <!-- CSRF Token -->↵
5.         <meta name="csrf-token"
    content="nHUYFraUQaRk9qS1qYBbYaAdgnLqzQ6rxfQkajMq">↵
6.         <meta charset="utf-8">↵
7.         <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
8.         <meta name="viewport" content="width=device-width, initial-
    scale=1, shrink-to-fit=no">↵
9.         <script defer="" src="https://code.jquery.com/jquery-
    3.4.1.slim.min.js" integrity="sha384-
    J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
    crossorigin="anonymous"></script>↵
10.         <script defer=""
    src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.j
    s" integrity="sha384-
    Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
    crossorigin="anonymous"></script>↵
11.         <script defer=""
    src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min
    .js" integrity="sha384-
    wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
    crossorigin="anonymous"></script>↵
12.         <script src="https://kit.fontawesome.com/6d90d25abc.js"
    crossorigin="anonymous"></script>↵
13.         <script src="http://localhost:8000/js/app.js" defer=""> ↵
14.         </script>↵
15. ↵
16.         <!-- our css -->↵
17.                 <link href="http://localhost:8000/css/layout.css"
    rel="stylesheet">↵
18.         ↵
19.     <link rel="stylesheet" href="http://localhost:8000/css/home.css">↵
20.     <link rel="stylesheet" href="http://localhost:8000/css/search.css">↵
21.     </head>↵
22.     <body>↵
23.         <main>↵
24.         <header>↵
25.             ↵
26.             <nav class="navbar navbar-expand-lg navbar-light navbar-
    default fixed-top">↵
27.                 <div id="answerly" class="navbar-brand col-3">↵
28.                 <a href="http://localhost:8000/">Answerly</a>↵
29.                 </div>↵
30.                 <div id="search-bar" class="collapse navbar-collapse
    navbarSupportedContent m-auto">↵
31.                     <form class="form-inline navbar-nav m-auto"
    method="GET" action="/search" role="search">↵
32.                         <input id="start_search" class="form-control
    col-md-10" type="search" placeholder="Search" aria-label="Search"
    name="keyword">↵
33.                         <div id="accordion" class="ml-auto align-self-
    sm-center">↵
34.     <a role="button" class="btn btn-link text-white" data-
    toggle="collapse" data-target="#collapseOne">↵
35.     Filters↵
36.     </a>↵
37.     <div id="collapseOne" class="collapse float-right" data-
    parent="#accordion">↵
38.         <div class="card-body filters">↵
39.             <div id="filters-bar">↵
40.                 <div class="row">↵
41.                     <div class="dates row m-auto my-auto">↵
42.                         <fieldset>↵
43.                             <label class="text-white">Start</label>↵
44.                             <input id="start_date" type="date"
    name="strDate">↵
45.                         </fieldset>↵
46.                         <fieldset>↵
47.                             <label class="text-white">End</label>↵
48.                             <input id="end_date" type="date"
    name="endDate">↵
49.                         </fieldset>↵
50.                     </div>↵
51.                 </div>↵
```

```
52.              </div>↵
53.            </div>↵
54.          </div>↵
55. </div>              </form>↵
56.              </div>↵
57.              <div id="sign-in" class="collapse navbar-collapse
    navbarSupportedContent col-sm-3">↵
58.                  <ul class="navbar-nav">↵
59.                          <li class="nav-item">↵
60.                      <a class="btn btn-primary my-2 my-sm-0"
    href="http://localhost:8000/login" role="button">Sign in</a>↵
61.                      </li>↵
62.                          </ul>↵
63.              </div>↵
64.              <button class="navbar-toggler" type="button" data-
    toggle="collapse" data-target=".navbarSupportedContent" aria-
    expanded="false" aria-label="Toggle navigation">↵
65.                  <span class="navbar-toggler-icon"></span>↵
66.              </button>↵
67.          </nav>↵
68.              <div class="modal fade" id="ask_something" tabindex="-1"
    role="dialog" aria-hidden="true">↵
69.                  <div class="modal-dialog modal-dialog-centered"
    role="document">↵
70.                  <div class="modal-content">↵
71.                      <div class="modal-header">↵
72.                          <h5 class="modal-title"
    id="exampleModalLongTitle">Ask something</h5>↵
73.                          <button type="button" class="close" data-
    dismiss="modal" aria-label="Close">↵
74.                          <span aria-hidden="true">×</span>↵
75.                          </button>↵
76.                      </div>↵
77.                      <div class="modal-body">↵
78.                          <form id="add_question_form">↵
79.                          <div class="form-group">↵
80.                              <label
    for="formControlTextareaQuestion">Write your question here</label>↵
81.                              <textarea class="form-control"
    id="formControlTextareaQuestion" rows="1"></textarea>↵
82.                          </div>↵
83.                          <div class="form-group">↵
84.                              <label
    for="formControlTextareaDescription">Write more details here</label>↵
85.                              <textarea class="form-control"
    id="formControlTextareaDescription" rows="3"></textarea>↵
86.                          </div>↵
87.                          <div id="labels">↵
88.                              <a class="badge badge-dark badge-
    pill" id="add_label">+ Label</a>↵
89.                          </div>↵
90.                          ↵
91.                          </form>↵
92.                      </div>↵
93.                      <div class="modal-footer">↵
94.                          <button id="add_question_btn" type="submit"
    class="btn btn-primary">Add</button>↵
95.                      </div>↵
96.                  </div>↵
97.                  </div>↵
98.              </div> ↵
99. ↵
100.      </header>↵
101.      <div id="side_navs">↵
102.          <div id="sidenav_left" class="sidenav d-none d-md-block">↵
103.      <label>Popular questions</label>↵
104.      <a class="row" data-id="1"
    href="http://localhost:8000/question/1"> Name some great method
    actors</a>↵
105.      <a class="row" data-id="2"
    href="http://localhost:8000/question/2"> Are intelligent and wise people
    the same?</a>↵
106.      <a class="row" data-id="3"
    href="http://localhost:8000/question/3"> Who are the biggest jerks in
    music?</a>↵
```

```
107.          <a class="row" data-id="8"
      href="http://localhost:8000/question/8"> What is the best TV series and
      why?</a>↵
108.          <a class="row" data-id="7"
      href="http://localhost:8000/question/7"> Running a program from within
      java code</a>↵
109.          <a class="row" data-id="6"
      href="http://localhost:8000/question/6"> Can someone explain to me the
      AirPod hype?</a>↵
110.          </div>↵
111.  <div id="sidenav_right" class="sidenav d-none d-md-block">↵
112.      <label>Popular labels</label>↵
113.          <a class="row" href="http://localhost:8000/search?
      keyword=culture">#culture</a>↵
114.          <a class="row" href="http://localhost:8000/search?
      keyword=society">#society</a>↵
115.          <a class="row" href="http://localhost:8000/search?
      keyword=english">#english</a>↵
116.          <a class="row" href="http://localhost:8000/search?
      keyword=music">#music</a>↵
117.          <a class="row" href="http://localhost:8000/search?
      keyword=computers">#computers</a>↵
118.          <a class="row" href="http://localhost:8000/search?
      keyword=science">#science</a>↵
119.      </div>          </div>↵
120.  ↵
121.          <section id="content">↵
122.              <div class="col-md-6 container-fluid">↵
123.              <div id="question-list-first" class="wrapper home_question
      container-fluid" data-id="18">↵
124.          <div class="row mb-3">↵
125.              <div class="col-3 text-center">↵
126.                  <img src="http://localhost:8000/img/unknown.png"
      alt="user image">↵
127.                  <p><a class="row-2 d-none d-sm-block"
      href="http://localhost:8000/user/30">vieira01</a></p>↵
128.              </div>↵
129.              <div class="col-9">↵
130.                  <h1><a class="question-header"
      href="http://localhost:8000/question/18">Express How You Feel</a></h1>↵
131.                  <div class="module brief-description">↵
132.                      <p>Why is Italy still getting thousands of
      coronavirus cases per day if they are locked down for weeks?</p>↵
133.                      <div class="more-btn-div">↵
134.                          <div>↵
135.                              <a href="http://localhost:8000/question/18">
      (...)</a>↵
136.                          </div>↵
137.                      </div>↵
138.                  </div>↵
139.              </div>↵
140.              <p class="ml-auto question_date">2020-03-12</p>↵
141.          </div>↵
142.      </div>↵
143.          <div id="question-list" class="wrapper home_question container-
      fluid" data-id="19">↵
144.          <div class="row mb-3">↵
145.              <div class="col-3 text-center">↵
146.                  <img src="http://localhost:8000/img/unknown.png"
      alt="user image">↵
147.                  <p><a class="row-2 d-none d-sm-block"
      href="http://localhost:8000/user/20">bar01</a></p>↵
148.              </div>↵
149.              <div class="col-9">↵
150.                  <h1><a class="question-header"
      href="http://localhost:8000/question/19">Covid-19 in Italy</a></h1>↵
151.                  <div class="module brief-description">↵
152.                      <p>Why is the coronavirus so bad in Italy?</p>↵
153.                      <div class="more-btn-div">↵
154.                          <div>↵
155.                              <a href="http://localhost:8000/question/19">
      (...)</a>↵
156.                          </div>↵
157.                      </div>↵
158.                  </div>↵
159.              </div>↵
```

```
160.                    <p class="ml-auto question_date">2019-03-15</p>↵
161.              </div>↵
162.        </div>↵
163.        </div>            </section>↵
164.        </main>↵
165.        <footer class="page-footer font-small indigo">↵
166.              <!-- Footer Links -->↵
167.              <div class="container text-center text-md-left">↵
168.              <!-- Grid row -->↵
169.                  <div class="row">↵
170.                      <!-- Grid column -->↵
171.                      <div class="col-md-3 mx-auto">↵
172.                          <!-- Links -->↵
173.                          <h3 class="font-weight-bold text-uppercase mt-3 mb-
       4">Access</h3>↵
174.                          <ul class="list-unstyled">↵
175.                                            <li>↵
176.                              <a href="http://localhost:8000/">Get back
       home</a>↵
177.                              </li>↵
178.                          </ul>↵
179.                      </div>↵
180.                      <!-- Grid column -->↵
181.                      <!-- Grid column -->↵
182.                      <div class="col-md-3 mx-auto">↵
183.                          <!-- Links -->↵
184.                          <h3 class="font-weight-bold text-uppercase mt-3 mb-
       4">Most Popular</h3>↵
185.                          <ul class="list-unstyled">↵
186.                              <li>↵
187.                                  <a href="http://localhost:8000/search?
       keyword=culture">#culture</a>↵
188.                              </li>↵
189.                              <li>↵
190.                                  <a href="http://localhost:8000/search?
       keyword=society">#society</a>↵
191.                              </li>↵
192.                              <li>↵
193.                                  <a href="http://localhost:8000/search?
       keyword=english">#english</a>↵
194.                              </li>↵
195.                          </ul>↵
196.                      </div>↵
197.                      <!-- Grid column -->↵
198.                      <!-- Grid column -->↵
199.                      <div class="col-md-3 mx-auto">↵
200.                          <!-- Links -->↵
201.                          <h3 class="font-weight-bold text-uppercase mt-3 mb-
       4">Most Popular</h3>↵
202.                          <ul class="list-unstyled">↵
203.                              <li>↵
204.                                  <a href="http://localhost:8000/search?
       keyword=music">#music</a>↵
205.                              </li>↵
206.                              <li>↵
207.                                  <a href="http://localhost:8000/search?
       keyword=computers">#computers</a>↵
208.                              </li>↵
209.                              <li>↵
210.                                  <a href="http://localhost:8000/search?
       keyword=science">#science</a>↵
211.                              </li>↵
212.                          </ul>↵
213.                      </div>↵
214.                      <!-- Grid column -->↵
215.                      <div class="col-md-3 mx-auto">↵
216.                      <!-- Links -->↵
217.                          <h3 class="font-weight-bold text-uppercase mt-3 mb-
       4">About</h3>↵
218.                          <ul class="list-unstyled">↵
219.                              <li>↵
220.                              <a href="http://localhost:8000/about">About
       us</a>↵
221.                              </li>↵
222.                          </ul>↵
223.                      </div>↵
```

```
224.            <!-- Grid column -->↵
225.          </div>↵
226.        <!-- Grid row -->↵
227.      </div>↵
228.      <!-- Footer Links -->↵
229.      <!-- Copyright -->↵
230.      <div class="footer-copyright text-center py-3">© 2020
     Copyright:↵
231.        <a href="http://localhost:8000/"> Answerly</a>↵
232.      </div>↵
233.      <!-- Copyright -->↵
234.   </footer>↵
235.     ↵
236.  ↵
237. </body></html>
```

Used the HTML parser.

Total execution time 115 milliseconds.

About this checker • Report an issue • Version: 20.5.30