
## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

2. Warning The date input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

From line 47, column 29; to line 47, column 76

<input id="end\_date" type="date" name="endDate">==

Document checking completed.

## Source

```
<!DOCTYPE html>↔
  1.
       3.
                       <!-- CSRF Token -->₽
  4.
                        <meta name="csrf-token"</pre>
  5.
       \verb|content="nHUYFraUQaRk9qS1qYBbYaAdgnLqzQ6rxfQkajMq"> \omega | Content="nHUYFraUQaRk9qS1qYBbYaAdgnLqzQ6rxfQkajMq" > \omega | Content="nHUYFraUQaRk9qByaAdgnLqzQ6rxfQkajMq" > \omega | Content="nHUYFraUQaRk9qByaAdgnLqzqqq" > \omega | Content="nHUYFraUqaRk9qByaAdgnLqzqq" > \omega | Content="nHUYFraUqaRk9qByaAdgnLqzq" > \omega | Content="nHUYFraUqaRk9qByaAdgnLqz" > \omega | Content="nHUYFraUq
                       <meta charset="utf-8">
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">

  6.
  7.
                        <meta name="viewport" content="width=device-width, initial-</pre>
  8.
       scale=1, shrink-to-fit=no">↔
                        <script defer="" src="https://code.jquery.com/jquery-</pre>
  9.
       3.4.1.slim.min.js" integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
       crossorigin="anonymous"></script>↔
<script defer=""
10.
       src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.j
       s" integrity="sha384-
       Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9I0Yy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>↔
<script defer=""
11
       src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min
       .js" integrity="sha384-
       wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6"
       12.
       crossorigin="anonymous"></script>↔
                        <script src="http://localhost:8000/js/app.js" defer=""> ↔
13.
14.
                        </script>↩
15.
16.
                        <!-- our css -->↔
                                                 k href="http://localhost:8000/css/layout.css"
17.
       rel="stylesheet">↩
18.
               <link rel="stylesheet"</pre>
19.
       href="http://localhost:8000/css/question.css">↔
20.
               </head>↩
21.
               <body>←
22.
                        <main>↔
23.
                        <header>↩
24.
25.
                                <nav class="navbar navbar-expand-lg navbar-light navbar-</pre>
       default fixed-top">↩
26.
                                        .
<div id="answerly" class="navbar-brand col-3">↔
                                                 <a href="http://localhost:8000/">Answerly</a>↔
27.
28.
                                        </div>↩
29.
                                        <div id="search-bar" class="collapse navbar-collapse
       navbarSupportedContent m-auto">↩
                                                 <form class="form-inline navbar-nav m-auto"</pre>
30.
       method="GET" action="/search" role="search">↔
                                                         <input id="start search" class="form-control</pre>
31.
       col-md-10" type="search" placeholder="Search" aria-label="Search"
       name="keyword">↔
                                                         <div id="accordion" class="ml-auto align-self-</pre>
32.
       sm-center">↩
               <a role="button" class="btn btn-link text-white" data-</pre>
33.
       toggle="collapse" data-target="#collapseOne">↔
34.
               Filters↩
35.
               </a>←
               <div id="collapseOne" class="collapse float-right" data-</pre>
36.
       parent="#accordion">↔
                        <div class="card-body filters">↔
37.
                                <div id="filters-bar">↔
38.
                                        <div class="row">↩
39.
                                                 <div class="dates row m-auto my-auto">↔
40.
41.
                                                         <fieldset>↩
                                                                 <label class="text-white">Start</label>↔
42.
                                                                 <input id="start date" type="date"</pre>
43.
       name="strDate">↩
44.
                                                         </fieldset>↩
45.
                                                         <fieldset>↩
                                                                 <label class="text-white">End</label>↔
46.
47.
                                                                 <input id="end date" type="date"</pre>
       name="endDate">↩
                                                         </fieldset>↩
48.
49.
                                                 </div>↔
50.
                                        </div>↩
```

```
51.
                 </div>↩
 52.
             </div>↩
        </div>↔
 53.
 54.
    </div>
                               </form>↔
 55.
                     </div>↩
                     <div id="sign-in" class="collapse navbar-collapse</pre>
 56.
    navbarSupportedContent col-sm-3">↔
                         ↔
 57.
 58.
                                                      class="nav-item">↩
                                 <a class="btn btn-primary my-2 my-sm-0"</pre>
 59.
    href="http://localhost:8000/login" role="button">Sign in</a>↔
 60.
 61.
 62.
                     </div>↩
    63.
    expanded="false" aria-label="Toggle navigation">↔
<span class="navbar-toggler-icon"></span>↔
 64
 65.
                     </button>↩
 66.
                 </nav>↩
 67
                 <div class="modal fade" id="ask_something" tabindex="-1"</pre>
                  aria-hidden="true">↩
                     <div class="modal-dialog modal-dialog-centered"</pre>
 68.
    role="document">↔
                         <div class="modal-content">↔
 69.
                             <div class="modal-header">↔
 70.
                                 <h5 class="modal-title"
 71.
    id="exampleModalLongTitle">Ask something</h5>↔
 72.
                                 <button type="button" class="close" data-</pre>
    dismiss="modal" aria-label="Close">↔
 73.
                                 <span aria-hidden="true">×</span>↩
                                 </button>↩
 74.
 75.
                             </div>↩
                             <div class="modal-body">↩
 76.
                                 77.
 78.
 79.
                                         <label
    for="formControlTextareaQuestion">Write your question here</label>↔
 80.
                                         <textarea class="form-control"
    id="formControlTextareaQuestion" rows="1"></textarea>↔
 81.
                                     </div>↔
                                     <div class="form-group">↩
 82.
 83.
                                         <label
    for="formControlTextareaDescription">Write more details here</label>↔
 84.
                                         <textarea class="form-control'
    id="formControlTextareaDescription" rows="3"></textarea>↔
 85.
                                     </div>←
                                     <div id="labels">↔
 86.
                                         <a class="badge badge-dark badge-
 87.
    pill" id="add label">+ Label</a>↔
 88.
                                     </div>↩
 89.
                                 </form>↩
 90.
 91.
                             </div>↩
                             <div class="modal-footer">↩
 92.
                                 <button id="add question btn" type="submit"</pre>
 93.
    class="btn btn-primary">Add</button>↔
 94.
                             </div>↩
 95.
                         </div>↔
96.
                     </div>↩
                 </div> ↔
 97.
 98.
 99.
             </header>↩
            100.
101.
             <label>Popular questions</label>↔</label><a class="row" data-id="1"</li>
102.
103
    href="http://localhost:8000/question/1"> Name some great method
    actors</a>←
             <a class="row" data-id="2"</pre>
104.
    href="http://localhost:8000/question/2"> Are intelligent and wise people
    the same?</a>↔
             <a class="row" data-id="3"</pre>
105.
    href="http://localhost:8000/question/3"> Who are the biggest jerks in
    music?</a>→
```

```
106.
             <a class="row" data-id="8"</pre>
    href="http://localhost:8000/question/8"> What is the best TV series and
    why?</a>↔
             <a class="row" data-id="7"</pre>
107.
    href="http://localhost:8000/question/7"> Running a program from within
    java code</a>↩
             <a class="row" data-id="6"</pre>
108.
    href="http://localhost:8000/question/6"> Can someone explain to me the
    AirPod hype?</a>↩
109.
             </div>↩
110. <div id="sidenav right" class="sidenav d-none d-md-block">↔
111.
         112.
    keyword=culture">#culture</a>
113.
                 <a class="row" href="http://localhost:8000/search?</pre>
    keyword=society">#society</a>↔
<a class="row" href="http://localhost:8000/search?
114.
    keyword=english">#english</a>↔
<a class="row" href="http://localhost:8000/search?
115.
    keyword=music">#music</a>
                 <a class="row" href="http://localhost:8000/search?</pre>
116.
    keyword=computers">#computers</a>↔
                 <a class="row" href="http://localhost:8000/search?</pre>
117.
    keyword=science">#science</a>↔
118.
         </div>
                        </div>↩
119.
120.
             <section id="content">↩
121.
                 <div class="modal fade" id="report something" tabindex="-1"</pre>
    role="dialog" aria-hidden="true">↩
122.
         <div class="modal-dialog modal-dialog-centered" role="document">↔
123.
             <div class="modal-content">↔
                 <div class="modal-header">↔
124.
125.
                      <h5 class="modal-title">Help us</h5>↔
                      <button type="button" class="close" data-dismiss="modal"</pre>
126.
    aria-label="Close">↩
127.
                      <span aria-hidden="true">×</span>↔
128.
                      </button>↩
129.
                 </div>↔
                 <div class="modal-body">↔
130.
                      <form>↩
131.
132.
                          <div class="form-group">↩
                              <label for="formControlTextareaQuestion">Write
133.
    here a brief description of the problem</label>↔
                              <textarea class="form-control" rows="5">
134.
    </textarea>↩
135.
                          </div>↩
136.
                      </form>↩
                 </div>↩
137.
138.
                 <div class="modal-footer">↩
                      <button id="report question" type="submit" class="btn</pre>
139.
    btn-primary" data-dismiss="modal">\overline{\overline{S}}\)end</button>↔
140.
                 </div>↔
141.
             </div>↔
142.
         </div>↩
143. </div> ↔
144. ↔
145. <div class="modal fade" id="help question" tabindex="-1" role="dialog"
    aria-hidden="true">↩
         <div class="modal-dialog modal-dialog-centered" role="document">↔
146.
             <div class="modal-content">↔
147.
148.
                 <div class="modal-header">↔
                      <h5 class="modal-title">Help</h5>↔
149.
150.
                      <button type="button" class="close" data-dismiss="modal"</pre>
    aria-label="Close">←
151.
                      <span aria-hidden="true">×</span>↩
152.
                      </button>↩
153.
                 </div>↔
                 <div class="modal-body">↔
154.
155.
                      <div>←
                          <h3>What does this page mean?</h3>~
156.
                          This page represents a question. It consists of a
157.
    title and a brief description. You can tell if it was a helpful question
    or not using the like and dislike buttons. You can also follow it to be
    notified everytime it's answered. Below, you have its comments and
    answers. You can also rank and comment answers.
158.
                      </div>↩
```

```
159.
                    <div>←
160.
                        <h3>What happens when I report a question, comment
    or answer?</h3>↩
161.
                        If you believe a given post is disrespectful,
    absurd or even racist you can report it to our Moderators and Admins.
    You will be asked to write a brief description of the problem to make
    their jobs more efficient. Reporting this type of behaviour helps us
    enhance your user experience and create a more thriving community.
                    </div>↩
162.
163.
                    <div>↩
164.
                        <h3>Some answers have a green tick on their
    wildcard. What does that mean?</h3>↩
                        If you see a green tick on an answer, that means
the question holder as a valid response. That is,
165.
    it is considered by the question holder as a valid response.
    the user who asked believes its question has been successfully answered.
166.
                    </div>↩
167.
                </div>↔
                <div class="modal-footer">↩
168.
                    <button id="close help question" class="btn btn-primary"</pre>
169.
    data-dismiss="modal">0k, thank you</button>↔
170.
                </div>↩
171.
            </div>↩
172.
        </div>↩
    </div> ↔
173.
174. ↔
175. <div id="question-div" class="container-fluid col-md-6" data-id="7">↔
176.
        <div class="wrapper">↩
177.
            <div>↩
178.
        <!-- Modal -->↔
        <div class="modal fade" id="deleteQuestionModal" tabindex="-1"</pre>
179.
    role="dialog" aria-hidden="true">↔
            <div class="modal-dialog" role="document">↔
180.
181.
                <div class="modal-content">↔
                    182.
183.
    you sure you want to delete it?</h5>
    184.
185.
                            <span aria-hidden="true">×</span>↩
186.
                        </button>↩
187.
                    </div>←
                    <div class="modal-footer">↩
188.
189.
                        <button type="button" class="btn btn-secondary"</pre>
    data-dismiss="modal">Cancel</button>↔
190.
                        <button id="delete_question" type="button"</pre>
    class="btn btn-primary">Yes</button>↩
191.
                    </div>↩
192.
                </div>↔
193.
            </div>↩
194.
        </div> ↔
195. </div>↔
    <div class="row flex-row-reverse">←
196.
        <div class="col-sm-9">↔
197.
            <hl id="question_title">Running a program from within java
198.
    code</h1>↩
199.
                </div>↔
        200.
201.
202.
                <img src="http://localhost:8000/img/eduardo.jpg" alt="user</pre>
    image">↩
203.
            </a>↩
            <a</pre>
204.
    href="http://localhost:8000/user/5">edu01</a>↔
205.
        </div>↩
206. </div>↔
207.
        What is the simplest_way to call a
208.
    program from with a piece of Java code? (The program I want to run is
    aiSee and it can be run from command line or from Windows GUI; and I am on Vista but the code will also be run on Linux systems).
209.
            <a class="badge badge-dark badge-pill labels"
    id="question label27" data-id="27">programming↔
210.
                </a>↩
            <div class="icons">↩
211.
212.
```

```
03/06/2020
   270.
                        </a>↩
   271.
                        <a role="button" class="icon-answers" data-</pre>
        toggle="collapse" data-target="#collapseReportAnswer7" aria-
        expanded="false">↔
                            <i class="fas fa-bug" aria-hidden="true">
   272.
        Report</i>
   273.
                        </a>↩
   274.
                                    </div>↩
   275.
                </div>↔
   276.
                <div class="collapse" id="collapsed comments7">↔
                    <div class="card card-body">↔
   277.
            278.
   279.
            <input class="form-control" placeholder="Do you want to comment this</pre>
   280.
                id="exampleFormControlTextarea3">↔
        answer?
            <button class="btn my-2 my-sm-0" id="subcomment-button"</pre>
   281.
        type="submit">Comment</button>↔
   282.
        </div>↩
        <div class="media-body" id="subcomments-list">↔
   283.
   284.
            </div>
                                </div>↩
   285.
                </div>↩
                <div class="collapse collapsed report"</pre>
   286.
        id="collapseReportAnswer7">↔
   287.
                    <div class="card card-header">↔
   288.
                        <h5>Help us</h5>↔
   289.
                    </div>↔
   290.
                    <div class="card card-body">↔
   291.
                        <form>↩
                            292.
   293.
        here a brief description of the problem</label>

<textarea class="form-control" rows="5">
   294.
        </textarea>↩
   295.
                            </div>↩
   296.
                        </form>↔
        297.
        target="#collapseReportAnswer7">Send</button>↔
   298.
                    </div>↩
   299.
                </div>↩
            300.
                         </div>↔
   301.
            302.
            </div>↩
   303. </div>↔
   304.
                </section>↩
   305.
            </main>↩
            <footer class="page-footer font-small indigo">→
    <!-- Footer Links -->→
   306.
   307.
                <div class="container text-center text-md-left">←
   308.
   309.
                <!-- Grid row -->↔
                    <div class="row">↔
   310.
                        <!-- Grid column -->↔
<div class="col-md-3 mx-auto">↔
   311
   312.
   313.
                            <!-- Links -->↔
                            <h3 class="font-weight-bold text-uppercase mt-3 mb-
   314.
        4">Access</h3>↔
   315.
                            ↔
   316.
                                                         ~
                                    <a href="http://localhost:8000/">Get back
   317.
        home</a>↔
   318.
                                ↩
                            ~
   319.
   320.
                        </div>↩
                        <!-- Grid column -->↔
   321.
   322.
                        <!-- Grid column -->↔
   323.
                        <div class="col-md-3 mx-auto">↔
   324.
                        <!-- Links -->↔
                            <h3 class="font-weight-bold text-uppercase mt-3 mb-
   325.
        4">Most Popular</h3>↔
   326.
                            ul class="list-unstyled">↔
   327.
                                <
   328.
                                    <a href="http://localhost:8000/search?</pre>
        keyword=culture">#culture</a>↔
   329.
                                ↔
   330.
                                <e
```

Used the HTML parser.

Total execution time 153 milliseconds.

About this checker • Report an issue • Version: 20.5.30