Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- 2. Warning The date input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

 From line 47, column 29; to line 47, column 76

 <input id="end date" type="date" name="endDate">

 <
- 3. Warning Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).

From line 105, column 5; to line 105, column 8

```
out"> < < h1>About
```

4. Warning Article lacks heading. Consider using [h2]-[h6] elements to add identifying headings to all articles.

From line 106, column 5; to line 106, column 13

</h1>
</ri>
</ri>

```
5. Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections.

From line 103, column 9; to line 103, column 30

∠→ <section id="content">→
```

Document checking completed.

Source

```
<!DOCTYPE html>↔
   <html lang="en"><head>↩
 3.
            <title>Answerly</title>↩
 4.
            <!-- CSRF Token -->↔
            <meta name="csrf-token"</pre>
 5.
   6.
            <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
 7.
   <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">↔
 8.
            <script defer="" src="https://code.jquery.com/jquery-</pre>
 9.
   3.4.1.slim.min.js" integrity="sha384-
J6qa4849blE2+poT4WnyKhv5vZF5SrPo0iEjwBvKU7imGFAV0wwj1yYfoRSJoZ+n"
   crossorigin="anonymous"></script>↩
            <script défer=""
   src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.j
   s" integrity="sha384-
   Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9I0Yy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
   crossorigin="anonymous"></script>↩
<script defer=""
11.
   src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min
    .js" integrity="sha384-
   wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6"
   crossorigin="anonymous"></script>↔
            <script src="https://kit.fontawesome.com/6d90d25abc.js"</pre>
12.
   crossorigin="anonymous"></script>↔
            <script src="http://localhost:8000/js/app.js" defer=""> ↔
13.
14.
            </script>↩
15. ↔
16.
            <!-- our css -->↔
                         <link href="http://localhost:8000/css/layout.css"</pre>
17.
   rel="stylesheet">↔
18.
19.
        <link rel="stylesheet" href="http://localhost:8000/css/about.css">₽
20.
        </head>↔
21.
        <body>←
22.
            <main>↩
23.
            <header>↩
24.
                 <nav class="navbar navbar-expand-lg navbar-light navbar-</pre>
25.
   default fixed-top">↩
                     .
<div id="answerly" class="navbar-brand col-3">↩
26.
27.
                         <a href="http://localhost:8000/">Answerly</a>↔
28.
                     </div>↩
                     <div id="search-bar" class="collapse navbar-collapse</pre>
29.
   navbarSupportedContent m-auto">←
```

```
30.
                         <form class="form-inline navbar-nav m-auto"</pre>
   method="GET" action="/search" role="search">↔
                             <input id="start_search" class="form-control</pre>
31.
   col-md-10" type="search" placeholder="Search" aria-label="Search"
   name="keyword">↔
                             <div id="accordion" class="ml-auto align-self-</pre>
32.
   sm-center">↩
        <a role="button" class="btn btn-link text-white" data-</pre>
33.
   toggle="collapse" data-target="#collapseOne">↔
34.
        Filters↩
35.
        <div id="collapseOne" class="collapse float-right" data-</pre>
36.
   parent="#accordion">↔
            <div class="card-body filters">↔
37.
                38.
39.
                         <div class="dates row m-auto my-auto">↔
40.
41.
                             <fieldset>↩
                                  <label class="text-white">Start</label>↔
42.
                                 <input id="start date" type="date"</pre>
43.
   name="strDate">↩
44.
                             </fieldset>↩
45.
                             <fieldset>↩
                                 <label class="text-white">End</label>↔
<input id="end_date" type="date"</pre>
46.
47.
   name="endDate">↩
48.
                             </fieldset>↩
49.
                         </div>↩
50.
                     </div>↩
51.
                </div>↩
            </div>↔
52.
53.
        </div>↔
54.
   </div>
                               </form>↔
                     </div>↩
55.
56.
                     <div id="sign-in" class="collapse navbar-collapse
   navbarSupportedContent col-šm-3">↔
                         ↔
57.
58.
                                                       class="nav-item">↩
59.
                                 <a class="btn btn-primary my-2 my-sm-0"</pre>
   href="http://localhost:8000/login" role="button">Sign in</a>-
60.
                             ↔
61.
                                                   62.
                     </div>↩
63.
                     <button class="navbar-toggler" type="button" data-</pre>
   toggle="collapse" data-target=".navbarSupportedContent" aria-
   expanded="false" aria-label="Toggle navigation">↔
64.
                         <span class="navbar-toggler-icon"></span>↔
65.
                     </button>↩
66.
                </nav>↩
                <div class="modal fade" id="ask something" tabindex="-1"</pre>
67.
    role="dialog" aria-hidden="true">↩
68.
                     <div class="modal-dialog modal-dialog-centered"</pre>
    role="document">↔
69.
                         <div class="modal-content">↩
                             <div class="modal-header">↔
70.
71.
                                 <h5 class="modal-title"
   id="exampleModalLongTitle">Ask something</h5>↔
                                 <button type="button" class="close" data-</pre>
72.
   dismiss="modal" aria-label="Close">↔
73.
                                 <span aria-hidden="true">×</span>↔
74.
                                  </button>↩
75.
                             </div>↩
                             <div class="modal-body">↩
76.
                                 77.
78.
                                          <label
79
   for="formControlTextareaQuestion">Write your question here</label>↔
                                          <textarea class="form-control"
80.
   id="formControlTextareaQuestion" rows="1"></textarea>↔
81.
                                      </div>↔
                                      <div class="form-group">↔
82.
83.
                                          <label
    for="formControlTextareaDescription">Write more details here</label>↩
                                          <textarea class="form-control"</pre>
84.
   id="formControlTextareaDescription" rows="3"></textarea>↔
85.
                                      </div>↩
```

```
03/06/2020
                              Showing results for contents of text-input area - Nu Html Checker
   143.
                                  ↩
   144.
                                  ان>ب
                                      <a href="http://localhost:8000/search?</pre>
   145.
        keyword=society">#society</a>↔
   146.
                                  ↩
   147.
                                 <e
                                      <a href="http://localhost:8000/search?</pre>
   148.
        keyword=english">#english</a>↔
   149.
                                  </ĺi>↩
   150.
                             ~
                         </div>↔
   151.
   152.
                         <!-- Grid column -->↔
   153.
                         <!-- Grid column -->↩
                         <div class="col-md-3 mx-auto">↔
   154.
   155.
                             <!-- Links -->↔
                             <h3 class="font-weight-bold text-uppercase mt-3 mb-
   156.
        4">Most Popular</h3>↔
   157.
                             ↔
   158.
                                  <
   159.
                                      <a href="http://localhost:8000/search?</pre>
        keyword=music">#music</a>↔
   160.
                                  ↩
                                  <e
   161.
   162.
                                      <a href="http://localhost:8000/search?</pre>
        keyword=computers">#computers</a>↔
   163.
                                 ↔
   164.
                                  <e
   165.
                                      <a href="http://localhost:8000/search?</pre>
        keyword=science">#science</a>↔
   166.
                                  ↩
   167.
                             168.
                         </div>↩
   169.
                             <!-- Grid column -->↩
                             <div class="col-md-3 mx-auto">↔
   170.
   171.
                             <!-- Links
                                         ب< - -
                             <h3 class="font-weight-bold text-uppercase mt-3 mb-
   172.
        4">About</h3>↔
                             ↔
   173.
   174.
   175.
                                  <a href="http://localhost:8000/about">About
        us</a>↩
   176.
                                 ↩
   177.
                             178.
                         </div>↔
                         <!-- Grid column -->↔
   179.
   180.
                     </div>↔
   181.
                 <!-- Grid row -->↔
                </div>↩
   182.
   183.
                 <!-- Footer Links -->↩
   184.
                 <!-- Copyright -->↔
                 <div class="footer-copyright text-center py-3">© 2020
   185.
        Copyright: ←
                 <a href="http://localhost:8000/"> Answerly</a>↔
   186.
   187.
                 </div>↩
                 <!-- Copyright -->↔
   188.
            </footer>↩
   189.
   190.
   191.
        </body></html>
   192.
   Used the HTML parser.
```

About this checker • Report an issue • Version: 20.5.30

Total execution time 111 milliseconds.