

date	treatment	tank	oyster.id	length.mm	image.name	notes
20241204	control	control	0	2.5	20241204_example	
20241204	control	control	1	4.41	20241204_control_size.jpeg	
20241204	control	control	2	4.3	20241204_control_size.jpeg	
20241204	control	control	3	3.6	20241204_control_size.jpeg	
20241204	control	control	4	4.23	20241204_control_size.jpeg	
20241204	control	control	5	3.52	20241204_control_size.jpeg	
20241204	control	control	6	3.37	20241204_control_size.jpeg	
20241204	control	control	7	2.49	20241204_control_size.jpeg	
20241204	control	control	8	2.76	20241204_control_size.jpeg	
20241204	control	control	9	2.57	20241204_control_size.jpeg	
20241204	control	control	10	2.76	20241204_control_size.jpeg	
20241204	control	control	11	3.63	20241204_control_size.jpeg	
20241204	control	control	12	3.75	20241204_control_size.jpeg	
20241204	control	control	13	2.21	20241204_control_size.jpeg	
20241204	control	control	14	2.39	20241204_control_size.jpeg	
20241204	control	control	15	2.9	20241204_control_size.jpeg	
20241204	control	control	16	2.81	20241204_control_size.jpeg	
20241204	control	control	17	3.44	20241204_control_size.jpeg	
20241204	control	control	18	3.53	20241204_control_size.jpeg	
20241204	control	control	19	3.06	20241204_control_size.jpeg	
20241204	control	control	20	4.35	20241204_control_size.jpeg	
20241204	control	control	21	2.45	20241204_control_size.jpeg	
20241204	control	control	22	3.45	20241204_control_size.jpeg	
20241204	control	control	23	3.37	20241204_control_size.jpeg	
20241204	control	control	24	3.1	20241204_control_size.jpeg	
20241204	control	control	25	3.52	20241204_control_size.jpeg	
20241204	control	control	26	2.76	20241204_control_size.jpeg	
20241204	control	control	27	4.12	20241204_control_size.jpeg	
20241204	control	control	28	3.58	20241204_control_size.jpeg	
20241204	control	control	29	3.57	20241204_control_size.jpeg	
20241204	control	control	30	3.46	20241204_control_size.jpeg	
20241204	control	control	31	3.1	20241204_control_size.jpeg	
20241204	control	control	32	3.7	20241204_control_size.jpeg	
20241204	control	control	33	3.3	20241204_control_size.jpeg	
20241204	control	control	34	2.71	20241204_control_size.jpeg	
20241204	control	control	35	2.6	20241204_control_size.jpeg	
20241204	control	control	36	4.12	20241204_control_size.jpeg	
20241204	control	control	37	3.53	20241204_control_size.jpeg	
20241204	control	control	38	2.3	20241204_control_size.jpeg	
20241204	control	control	39	3.83	20241204_control_size.jpeg	
20241204	control	control	40	2.81	20241204_control_size.jpeg	
20241204	control	control	41	3.79	20241204_control_size.jpeg	
20241204	control	control	42	4.46	20241204_control_size.jpeg	
20241204	control	control	43	2.19	20241204_control_size.jpeg	
20241204	control	control	44	3.01	20241204_control_size.jpeg	
20241204	control	control	45	2.82	20241204_control_size.jpeg	

20241204	control	control	46	3.24	20241204_control_size.jpeg
20241204	control	control	47	3.03	20241204_control_size.jpeg
20241204	control	control	48	3.05	20241204_control_size.jpeg
20241204	control	control	49	2.49	20241204_control_size.jpeg
20241204	control	control	50	2.86	20241204_control_size.jpeg
20241204	control	control	51	2.42	20241204_control_size.jpeg
20241204	control	control	52	2.76	20241204_control_size.jpeg
20241204	control	control	53	2.71	20241204_control_size.jpeg
20241204	control	control	54	3.08	20241204_control_size.jpeg
20241204	control	control	55	3.29	20241204_control_size.jpeg
20241204	control	control	56	3.45	20241204_control_size.jpeg
20241204	control	control	57	2.86	20241204_control_size.jpeg
20241204	control	control	58	3.36	20241204_control_size.jpeg
20241204	control	control	59	3.36	20241204_control_size.jpeg
20241204	control	control	60	3.49	20241204_control_size.jpeg
20241204	control	control	61	3.07	20241204_control_size.jpeg
20241204	control	control	62	2.81	20241204_control_size.jpeg
20241204	control	control	63	3.06	20241204_control_size.jpeg
20241204	control	control	64	3.16	20241204_control_size.jpeg
20241204	control	control	65	3.85	20241204_control_size.jpeg
20241204	control	control	66	3.91	20241204_control_size.jpeg
20241204	control	control	67	2.92	20241204_control_size.jpeg
20241204	control	control	68	3.6	20241204_control_size.jpeg
20241204	control	control	69	2.47	20241204_control_size.jpeg
20241204	control	control	70	3.16	20241204_control_size.jpeg
20241204	control	control	71	2.81	20241204_control_size.jpeg
20241204	control	control	72	2.85	20241204_control_size.jpeg
20241204	control	control	73	3.53	20241204_control_size.jpeg
20241204	control	control	74	2.49	20241204_control_size.jpeg
20241204	control	control	75	2.42	20241204_control_size.jpeg
20241204	control	control	76	2.67	20241204_control_size.jpeg
20241204	control	control	77	3.57	20241204_control_size.jpeg
20241204	control	control	78	3.38	20241204_control_size.jpeg
20241204	control	control	79	3.23	20241204_control_size.jpeg
20241204	control	control	80	3.22	20241204_control_size.jpeg
20241204	control	control	81	3.45	20241204_control_size.jpeg
20241204	control	control	82	2.49	20241204_control_size.jpeg
20241204	control	control	83	2.13	20241204_control_size.jpeg
20241204	control	control	84	2.1	20241204_control_size.jpeg
20241204	control	control	85	2.84	20241204_control_size.jpeg
20241204	control	control	86	3.01	20241204_control_size.jpeg
20241204	control	control	87	2.9	20241204_control_size.jpeg
20241204	control	control	88	3.03	20241204_control_size.jpeg
20241204	control	control	89	3.72	20241204_control_size.jpeg
20241204	control	control	90	3.56	20241204_control_size.jpeg
20241204	control	control	91	3.85	20241204_control_size.jpeg
20241204	control	control	92	3.07	20241204_control_size.jpeg

20241204	control	control	93	2.39	20241204_control_size.jpeg
20241204	control	control	94	4.2	20241204_control_size.jpeg
20241204	control	control	95	2.48	20241204_control_size.jpeg
20241204	control	control	96	2.2	20241204_control_size.jpeg
20241204	control	control	97	2.92	20241204_control_size.jpeg
20241204	control	control	98	2.65	20241204_control_size.jpeg
20241204	control	control	99	2.58	20241204_control_size.jpeg
20241204	control	control	100	1.84	20241204_control_size.jpeg
20241204	treatment	treatment	1	3.06	20241204_treated_size.jpeg
20241205	treatment	treatment	2	2.2	20241204_treated_size.jpeg
20241206	treatment	treatment	3	2.04	20241204_treated_size.jpeg
20241207	treatment	treatment	4	2.52	20241204_treated_size.jpeg
20241208	treatment	treatment	5	4.14	20241204_treated_size.jpeg
20241209	treatment	treatment	6	2.89	20241204_treated_size.jpeg
20241210	treatment	treatment	7	3.6	20241204_treated_size.jpeg
20241211	treatment	treatment	8	3.2	20241204_treated_size.jpeg
20241212	treatment	treatment	9	2.88	20241204_treated_size.jpeg
20241213	treatment	treatment	10	2.35	20241204_treated_size.jpeg
20241214	treatment	treatment	11	2.58	20241204_treated_size.jpeg
20241215	treatment	treatment	12	2.76	20241204_treated_size.jpeg
20241216	treatment	treatment	13	2.31	20241204_treated_size.jpeg
20241217	treatment	treatment	14	2.52	20241204_treated_size.jpeg
20241218	treatment	treatment	15	2.44	20241204_treated_size.jpeg
20241219	treatment	treatment	16	3.39	20241204_treated_size.jpeg
20241220	treatment	treatment	17	2.57	20241204_treated_size.jpeg
20241221	treatment	treatment	18	3.34	20241204_treated_size.jpeg
20241222	treatment	treatment	19	3.81	20241204_treated_size.jpeg
20241223	treatment	treatment	20	2.52	20241204_treated_size.jpeg
20241224	treatment	treatment	21	2.88	20241204_treated_size.jpeg
20241225	treatment	treatment	22	2.37	20241204_treated_size.jpeg
20241226	treatment	treatment	23	2.88	20241204_treated_size.jpeg
20241227	treatment	treatment	24	3.22	20241204_treated_size.jpeg
20241228	treatment	treatment	25	2.2	20241204_treated_size.jpeg
20241229	treatment	treatment	26	2.59	20241204_treated_size.jpeg
20241230	treatment	treatment	27	2.43	20241204_treated_size.jpeg
20241231	treatment	treatment	28	3.73	20241204_treated_size.jpeg
20241232	treatment	treatment	29	3.62	20241204_treated_size.jpeg
20241233	treatment	treatment	30	3.06	20241204_treated_size.jpeg
20241234	treatment	treatment	31	2.9	20241204_treated_size.jpeg
20241235	treatment	treatment	32	2.26	20241204_treated_size.jpeg
20241236	treatment	treatment	33	2.23	20241204_treated_size.jpeg
20241237	treatment	treatment	34	2.68	20241204_treated_size.jpeg
20241238	treatment	treatment	35	2.47	20241204_treated_size.jpeg
20241239	treatment	treatment	36	2.14	20241204_treated_size.jpeg
20241240	treatment	treatment	37	2.27	20241204_treated_size.jpeg
20241241	treatment	treatment	38	3	20241204_treated_size.jpeg
20241242	treatment	treatment	39	2.8	20241204_treated_size.jpeg

20241243	treatment	treatment	40	2.81	20241204_treated_size.jpeg
20241244	treatment	treatment	41	2.76	20241204_treated_size.jpeg
20241245	treatment	treatment	42	2.65	20241204_treated_size.jpeg
20241246	treatment	treatment	43	3.6	20241204_treated_size.jpeg
20241247	treatment	treatment	44	3.46	20241204_treated_size.jpeg
20241248	treatment	treatment	45	3.97	20241204_treated_size.jpeg
20241249	treatment	treatment	46	2.72	20241204_treated_size.jpeg
20241250	treatment	treatment	47	1.92	20241204_treated_size.jpeg
20241251	treatment	treatment	48	4.08	20241204_treated_size.jpeg
20241252	treatment	treatment	49	2.54	20241204_treated_size.jpeg
20241253	treatment	treatment	50	3.76	20241204_treated_size.jpeg
20241254	treatment	treatment	51	2.68	20241204_treated_size.jpeg
20241255	treatment	treatment	52	2.03	20241204_treated_size.jpeg
20241256	treatment	treatment	53	3.26	20241204_treated_size.jpeg
20241257	treatment	treatment	54	2.31	20241204_treated_size.jpeg
20241258	treatment	treatment	55	2.43	20241204_treated_size.jpeg
20241259	treatment	treatment	56	2.52	20241204_treated_size.jpeg
20241260	treatment	treatment	57	3.39	20241204_treated_size.jpeg
20241261	treatment	treatment	58	3.02	20241204_treated_size.jpeg
20241262	treatment	treatment	59	4.41	20241204_treated_size.jpeg
20241263	treatment	treatment	60	4.14	20241204_treated_size.jpeg
20241264	treatment	treatment	61	3.49	20241204_treated_size.jpeg
20241265	treatment	treatment	62	3.75	20241204_treated_size.jpeg
20241266	treatment	treatment	63	2.31	20241204_treated_size.jpeg
20241267	treatment	treatment	64	3.63	20241204_treated_size.jpeg
20241268	treatment	treatment	65	3.09	20241204_treated_size.jpeg
20241269	treatment	treatment	66	2.72	20241204_treated_size.jpeg
20241270	treatment	treatment	67	2.54	20241204_treated_size.jpeg
20241271	treatment	treatment	68	2.76	20241204_treated_size.jpeg
20241272	treatment	treatment	69	2.5	20241204_treated_size.jpeg
20241273	treatment	treatment	70	2.88	20241204_treated_size.jpeg
20241274	treatment	treatment	71	1.37	20241204_treated_size.jpeg
20241275	treatment	treatment	72	2.52	20241204_treated_size.jpeg
20241276	treatment	treatment	73	3.26	20241204_treated_size.jpeg
20241277	treatment	treatment	74	2.9	20241204_treated_size.jpeg
20241278	treatment	treatment	75	3.33	20241204_treated_size.jpeg
20241279	treatment	treatment	76	3.26	20241204_treated_size.jpeg
20241280	treatment	treatment	77	3.07	20241204_treated_size.jpeg
20241281	treatment	treatment	78	3.43	20241204_treated_size.jpeg
20241282	treatment	treatment	79	3.39	20241204_treated_size.jpeg
20241283	treatment	treatment	80	3.43	20241204_treated_size.jpeg
20241284	treatment	treatment	81	2.9	20241204_treated_size.jpeg
20241285	treatment	treatment	82	2.71	20241204_treated_size.jpeg
20241286	treatment	treatment	83	3.86	20241204_treated_size.jpeg
20241287	treatment	treatment	84	2.76	20241204_treated_size.jpeg
20241288	treatment	treatment	85	2.3	20241204_treated_size.jpeg
20241289	treatment	treatment	86	3.15	20241204_treated_size.jpeg

20241290	treatment	treatment	87	2.27	20241204_treated_size.jpeg
20241291	treatment	treatment	88	2.82	20241204_treated_size.jpeg
20241292	treatment	treatment	89	3.93	20241204_treated_size.jpeg
20241293	treatment	treatment	90	2.04	20241204_treated_size.jpeg
20241294	treatment	treatment	91	1.67	20241204_treated_size.jpeg
20241295	treatment	treatment	92	2.07	20241204_treated_size.jpeg
20241296	treatment	treatment	93	2.5	20241204_treated_size.jpeg
20241297	treatment	treatment	94	2.96	20241204_treated_size.jpeg
20241298	treatment	treatment	95	2.05	20241204_treated_size.jpeg
20241299	treatment	treatment	96	2.76	20241204_treated_size.jpeg
20241300	treatment	treatment	97	2.72	20241204_treated_size.jpeg
20241301	treatment	treatment	98	3.05	20241204_treated_size.jpeg
20241302	treatment	treatment	99	3.12	20241204_treated_size.jpeg
20241303	treatment	treatment	100	3.05	20241204_treated_size.jpeg
20250107	control	control	1	3.62	20250107_control1_size.jpeg
20250107	control	control	2	4.63	20250107_control1_size.jpeg
20250107	control	control	3	3.55	20250107_control1_size.jpeg
20250107	control	control	4	5.35	20250107_control1_size.jpeg
20250107	control	control	5	4.16	20250107_control1_size.jpeg
20250107	control	control	6	4.41	20250107_control1_size.jpeg
20250107	control	control	7	3.59	20250107_control1_size.jpeg
20250107	control	control	8	4.15	20250107_control1_size.jpeg
20250107	control	control	9	3.28	20250107_control1_size.jpeg
20250107	control	control	10	4	20250107_control1_size.jpeg
20250107	control	control	11	4.68	20250107_control1_size.jpeg
20250107	control	control	12	4.14	20250107_control1_size.jpeg
20250107	control	control	13	5.33	20250107_control1_size.jpeg
20250107	control	control	14	4.5	20250107_control1_size.jpeg
20250107	control	control	15	2.51	20250107_control1_size.jpeg
20250107	control	control	16	3.43	20250107_control1_size.jpeg
20250107	control	control	17	4.16	20250107_control1_size.jpeg
20250107	control	control	18	4.34	20250107_control1_size.jpeg
20250107	control	control	19	4.03	20250107_control1_size.jpeg
20250107	control	control	20	3.08	20250107_control1_size.jpeg
20250107	control	control	21	4.49	20250107_control1_size.jpeg
20250107	control	control	22	4.14	20250107_control1_size.jpeg
20250107	control	control	23	3.43	20250107_control1_size.jpeg
20250107	control	control	24	3.94	20250107_control1_size.jpeg
20250107	control	control	25	3.92	20250107_control1_size.jpeg
20250107	control	control	26	4.1	20250107_control1_size.jpeg
20250107	control	control	27	4.16	20250107_control1_size.jpeg
20250107	control	control	28	4.02	20250107_control1_size.jpeg
20250107	control	control	29	3.77	20250107_control1_size.jpeg
20250107	control	control	30	2.73	20250107_control1_size.jpeg
20250107	control	control	31	4.41	20250107_control1_size.jpeg
20250107	control	control	32	4.3	20250107_control1_size.jpeg
20250107	control	control	33	4.47	20250107_control1_size.jpeg

20250107	control	control	34	4.15	20250107_control1_size.jpeg
20250107	control	control	35	2.8	20250107_control1_size.jpeg
20250107	control	control	36	3.72	20250107_control1_size.jpeg
20250107	control	control	37	3.43	20250107_control1_size.jpeg
20250107	control	control	38	3.44	20250107_control1_size.jpeg
20250107	control	control	39	4.72	20250107_control1_size.jpeg
20250107	control	control	40	4.23	20250107_control1_size.jpeg
20250107	control	control	41	4.26	20250107_control1_size.jpeg
20250107	control	control	42	4.08	20250107_control1_size.jpeg
20250107	control	control	43	4.22	20250107_control1_size.jpeg
20250107	control	control	44	4.66	20250107_control1_size.jpeg
20250107	control	control	45	3.41	20250107_control1_size.jpeg
20250107	control	control	46	3.81	20250107_control1_size.jpeg
20250107	control	control	47	3.87	20250107_control1_size.jpeg
20250107	control	control	48	3.08	20250107_control1_size.jpeg
20250107	control	control	49	3.34	20250107_control1_size.jpeg
20250107	control	control	50	4.89	20250107_control1_size.jpeg
20250107	control	control	51	4.02	20250107_control1_size.jpeg
20250107	control	control	52	4.42	20250107_control1_size.jpeg
20250107	control	control	53	3.92	20250107_control1_size.jpeg
20250107	control	control	54	3.93	20250107_control1_size.jpeg
20250107	control	control	55	4.32	20250107_control1_size.jpeg
20250107	control	control	56	3.78	20250107_control1_size.jpeg
20250107	control	control	57	3.44	20250107_control1_size.jpeg
20250107	control	control	58	4.3	20250107_control1_size.jpeg
20250107	control	control	59	5.27	20250107_control1_size.jpeg
20250107	control	control	60	3.77	20250107_control1_size.jpeg
20250107	control	control	61	3.71	20250107_control1_size.jpeg
20250107	control	control	62	3.58	20250107_control1_size.jpeg
20250107	control	control	63	3.35	20250107_control1_size.jpeg
20250107	control	control	64	5.43	20250107_control1_size.jpeg
20250107	control	control	65	4.5	20250107_control1_size.jpeg
20250107	control	control	66	3.98	20250107_control1_size.jpeg
20250107	control	control	67	4.08	20250107_control1_size.jpeg
20250107	control	control	68	3.8	20250107_control1_size.jpeg
20250107	control	control	69	3.07	20250107_control1_size.jpeg
20250107	control	control	70	4.26	20250107_control1_size.jpeg
20250107	control	control	71	4.26	20250107_control1_size.jpeg
20250107	control	control	72	2.81	20250107_control1_size.jpeg
20250107	control	control	73	2.09	20250107_control1_size.jpeg
20250107	control	control	74	2.72	20250107_control1_size.jpeg
20250107	control	control	75	3.18	20250107_control1_size.jpeg
20250107	control	control	76	4.14	20250107_control1_size.jpeg
20250107	control	control	77	3.71	20250107_control1_size.jpeg
20250107	control	control	78	3.89	20250107_control1_size.jpeg
20250107	control	control	79	3.8	20250107_control1_size.jpeg
20250107	control	control	80	2.93	20250107_control1_size.jpeg

20250107	control	control	81	4.39	20250107_control1_size.jpeg
20250107	control	control	82	3.95	20250107_control1_size.jpeg
20250107	control	control	83	3.02	20250107_control1_size.jpeg
20250107	control	control	84	3.78	20250107_control1_size.jpeg
20250107	control	control	85	4.36	20250107_control1_size.jpeg
20250107	control	control	86	2.7	20250107_control1_size.jpeg
20250107	control	control	87	4.73	20250107_control1_size.jpeg
20250107	control	control	88	3.31	20250107_control1_size.jpeg
20250107	control	control	89	4.16	20250107_control1_size.jpeg
20250107	control	control	90	3.88	20250107_control1_size.jpeg
20250107	control	control	91	4.95	20250107_control1_size.jpeg
20250107	control	control	92	5	20250107_control1_size.jpeg
20250107	control	control	93	4.52	20250107_control1_size.jpeg
20250107	control	control	94	5.42	20250107_control1_size.jpeg
20250107	control	control	95	5.26	20250107_control1_size.jpeg
20250107	control	control	96	5.42	20250107_control1_size.jpeg
20250107	control	control	97	4.81	20250107_control1_size.jpeg
20250107	control	control	98	4.73	20250107_control1_size.jpeg
20250107	control	control	99	4.93	20250107_control1_size.jpeg
20250107	control	control	100	2.51	20250107_control1_size.jpeg
20250107	control	control	1	4.48	20250107_control2_size.jpeg
20250107	control	control	2	3.9	20250107_control2_size.jpeg
20250107	control	control	3	4.94	20250107_control2_size.jpeg
20250107	control	control	4	4.07	20250107_control2_size.jpeg
20250107	control	control	5	3.63	20250107_control2_size.jpeg
20250107	control	control	6	4.86	20250107_control2_size.jpeg
20250107	control	control	7	4.57	20250107_control2_size.jpeg
20250107	control	control	8	4.98	20250107_control2_size.jpeg
20250107	control	control	9	4.73	20250107_control2_size.jpeg
20250107	control	control	10	3.84	20250107_control2_size.jpeg
20250107	control	control	11	5.31	20250107_control2_size.jpeg
20250107	control	control	12	4.73	20250107_control2_size.jpeg
20250107	control	control	13	4.88	20250107_control2_size.jpeg
20250107	control	control	14	5.31	20250107_control2_size.jpeg
20250107	control	control	15	5.25	20250107_control2_size.jpeg
20250107	control	control	16	4.58	20250107_control2_size.jpeg
20250107	control	control	17	4.71	20250107_control2_size.jpeg
20250107	control	control	18	4.77	20250107_control2_size.jpeg
20250107	control	control	19	4.69	20250107_control2_size.jpeg
20250107	control	control	20	4.12	20250107_control2_size.jpeg
20250107	control	control	21	4.82	20250107_control2_size.jpeg
20250107	control	control	22	4.46	20250107_control2_size.jpeg
20250107	control	control	23	4.98	20250107_control2_size.jpeg
20250107	control	control	24	6.76	20250107_control2_size.jpeg
20250107	control	control	25	4.28	20250107_control2_size.jpeg
20250107	control	control	26	3.32	20250107_control2_size.jpeg
20250107	control	control	27	3.7	20250107_control2_size.jpeg

20250107	control	control	28	4.74	20250107_control2_size.jpeg
20250107	control	control	29	5.57	20250107_control2_size.jpeg
20250107	control	control	30	3.71	20250107_control2_size.jpeg
20250107	control	control	31	5.46	20250107_control2_size.jpeg
20250107	control	control	32	5.66	20250107_control2_size.jpeg
20250107	control	control	33	4.51	20250107_control2_size.jpeg
20250107	control	control	34	4.2	20250107_control2_size.jpeg
20250107	control	control	35	4.18	20250107_control2_size.jpeg
20250107	control	control	36	4.37	20250107_control2_size.jpeg
20250107	control	control	37	4.7	20250107_control2_size.jpeg
20250107	control	control	38	5.09	20250107_control2_size.jpeg
20250107	control	control	39	4.96	20250107_control2_size.jpeg
20250107	control	control	40	4.11	20250107_control2_size.jpeg
20250107	control	control	41	5.06	20250107_control2_size.jpeg
20250107	control	control	42	4.37	20250107_control2_size.jpeg
20250107	control	control	43	4.65	20250107_control2_size.jpeg
20250107	control	control	44	5.24	20250107_control2_size.jpeg
20250107	control	control	45	6.1	20250107_control2_size.jpeg
20250107	control	control	46	4.33	20250107_control2_size.jpeg
20250107	control	control	47	4.98	20250107_control2_size.jpeg
20250107	control	control	48	5.21	20250107_control2_size.jpeg
20250107	control	control	49	4.57	20250107_control2_size.jpeg
20250107	control	control	50	4.89	20250107_control2_size.jpeg
20250107	control	control	51	5.45	20250107_control2_size.jpeg
20250107	control	control	52	5.38	20250107_control2_size.jpeg
20250107	control	control	53	5.48	20250107_control2_size.jpeg
20250107	control	control	54	4.92	20250107_control2_size.jpeg
20250107	control	control	55	5.08	20250107_control2_size.jpeg
20250107	control	control	56	4.75	20250107_control2_size.jpeg
20250107	control	control	57	5.58	20250107_control2_size.jpeg
20250107	control	control	58	4.92	20250107_control2_size.jpeg
20250107	control	control	59	5.32	20250107_control2_size.jpeg
20250107	control	control	60	4.49	20250107_control2_size.jpeg
20250107	control	control	61	5.2	20250107_control2_size.jpeg
20250107	control	control	62	5.24	20250107_control2_size.jpeg
20250107	control	control	63	4.96	20250107_control2_size.jpeg
20250107	control	control	64	5.04	20250107_control2_size.jpeg
20250107	control	control	65	3.37	20250107_control2_size.jpeg
20250107	control	control	66	5.51	20250107_control2_size.jpeg
20250107	control	control	67	5.6	20250107_control2_size.jpeg
20250107	control	control	68	5.33	20250107_control2_size.jpeg
20250107	control	control	69	4.58	20250107_control2_size.jpeg
20250107	control	control	70	4.09	20250107_control2_size.jpeg
20250107	control	control	71	4.59	20250107_control2_size.jpeg
20250107	control	control	72	4.72	20250107_control2_size.jpeg
20250107	control	control	73	5.47	20250107_control2_size.jpeg
20250107	control	control	74	5.24	20250107_control2_size.jpeg

20250107 control control	75	6.57 20250107_control2_size.jpeg
20250107 control control	76	4.61 20250107_control2_size.jpeg
20250107 control control	77	4.34 20250107_control2_size.jpeg
20250107 control control	78	4.46 20250107_control2_size.jpeg
20250107 control control	79	5.06 20250107_control2_size.jpeg
20250107 control control	80	4.49 20250107_control2_size.jpeg
20250107 control control	81	4.57 20250107_control2_size.jpeg
20250107 control control	82	5.3 20250107_control2_size.jpeg
20250107 control control	83	4.07 20250107_control2_size.jpeg
20250107 control control	84	5.25 20250107_control2_size.jpeg
20250107 control control	85	4.95 20250107_control2_size.jpeg
20250107 control control	86	5.56 20250107_control2_size.jpeg
20250107 control control	87	5.94 20250107_control2_size.jpeg
20250107 control control	88	5.57 20250107_control2_size.jpeg
20250107 control control	89	4.58 20250107_control2_size.jpeg
20250107 control control	90	3.77 20250107_control2_size.jpeg
20250107 control control	91	5.12 20250107_control2_size.jpeg
20250107 control control	92	6.37 20250107_control2_size.jpeg
20250107 control control	93	4.54 20250107_control2_size.jpeg
20250107 control control	94	5.68 20250107_control2_size.jpeg
20250107 control control	95	4.69 20250107_control2_size.jpeg
20250107 control control	96	5.18 20250107_control2_size.jpeg
20250107 control control	97	3.95 20250107_control2_size.jpeg
20250107 control control	98	5.94 20250107_control2_size.jpeg
20250107 control control	99	5.06 20250107_control2_size.jpeg
20250107 control control	100	5.19 20250107_control2_size.jpeg
20250107 treatment treatment	1	4.78 20250107_treated4_size.jpeg
20250107 treatment treatment	2	4.1 20250107_treated4_size.jpeg
20250107 treatment treatment	3	5.48 20250107_treated4_size.jpeg
20250107 treatment treatment	4	4.79 20250107_treated4_size.jpeg
20250107 treatment treatment	5	4.3 20250107_treated4_size.jpeg
20250107 treatment treatment	6	3.91 20250107_treated4_size.jpeg
20250107 treatment treatment	7	4.24 20250107_treated4_size.jpeg
20250107 treatment treatment	8	4.46 20250107_treated4_size.jpeg
20250107 treatment treatment	9	4.05 20250107_treated4_size.jpeg
20250107 treatment treatment	10	3.27 20250107_treated4_size.jpeg
20250107 treatment treatment	11	4.18 20250107_treated4_size.jpeg
20250107 treatment treatment	12	4.37 20250107_treated4_size.jpeg
20250107 treatment treatment	13	4.64 20250107_treated4_size.jpeg
20250107 treatment treatment	14	3.66 20250107_treated4_size.jpeg
20250107 treatment treatment	15	4.67 20250107_treated4_size.jpeg
20250107 treatment treatment	16	4.89 20250107_treated4_size.jpeg
20250107 treatment treatment	17	4.64 20250107_treated4_size.jpeg
20250107 treatment treatment	18	3.65 20250107_treated4_size.jpeg
20250107 treatment treatment	19	4.1 20250107_treated4_size.jpeg
20250107 treatment treatment	20	3.85 20250107_treated4_size.jpeg
20250107 treatment treatment	21	4.49 20250107_treated4_size.jpeg

20250107	treatment	treatment	22	3.45	20250107_treated4_size.jpeg
20250107	treatment	treatment	23	3.03	20250107_treated4_size.jpeg
20250107	treatment	treatment	24	3.91	20250107_treated4_size.jpeg
20250107	treatment	treatment	25	5.15	20250107_treated4_size.jpeg
20250107	treatment	treatment	26	4.34	20250107_treated4_size.jpeg
20250107	treatment	treatment	27	3.98	20250107_treated4_size.jpeg
20250107	treatment	treatment	28	2.72	20250107_treated4_size.jpeg
20250107	treatment	treatment	29	4.46	20250107_treated4_size.jpeg
20250107	treatment	treatment	30	3.88	20250107_treated4_size.jpeg
20250107	treatment	treatment	31	4.65	20250107_treated4_size.jpeg
20250107	treatment	treatment	32	3.88	20250107_treated4_size.jpeg
20250107	treatment	treatment	33	4.3	20250107_treated4_size.jpeg
20250107	treatment	treatment	34	3.98	20250107_treated4_size.jpeg
20250107	treatment	treatment	35	5.25	20250107_treated4_size.jpeg
20250107	treatment	treatment	36	3.76	20250107_treated4_size.jpeg
20250107	treatment	treatment	37	3.9	20250107_treated4_size.jpeg
20250107	treatment	treatment	38	4.71	20250107_treated4_size.jpeg
20250107	treatment	treatment	39	4.59	20250107_treated4_size.jpeg
20250107	treatment	treatment	40	4.75	20250107_treated4_size.jpeg
20250107	treatment	treatment	41	3.91	20250107_treated4_size.jpeg
20250107	treatment	treatment	42	4.84	20250107_treated4_size.jpeg
20250107	treatment	treatment	43	5.54	20250107_treated4_size.jpeg
20250107	treatment	treatment	44	3.73	20250107_treated4_size.jpeg
20250107	treatment	treatment	45	4	20250107_treated4_size.jpeg
20250107	treatment	treatment	46	3.18	20250107_treated4_size.jpeg
20250107	treatment	treatment	47	3.23	20250107_treated4_size.jpeg
20250107	treatment	treatment	48	3.68	20250107_treated4_size.jpeg
20250107	treatment	treatment	49	4.97	20250107_treated4_size.jpeg
20250107	treatment	treatment	50	3.21	20250107_treated4_size.jpeg
20250107	treatment	treatment	51	3.98	20250107_treated4_size.jpeg
20250107	treatment	treatment	52	3.97	20250107_treated4_size.jpeg
20250107	treatment	treatment	53	4.39	20250107_treated4_size.jpeg
20250107	treatment	treatment	54	5.1	20250107_treated4_size.jpeg
20250107	treatment	treatment	55	3.88	20250107_treated4_size.jpeg
20250107	treatment	treatment	56	3.47	20250107_treated4_size.jpeg
20250107	treatment	treatment	57	4.15	20250107_treated4_size.jpeg
20250107	treatment	treatment	58	3.7	20250107_treated4_size.jpeg
20250107	treatment	treatment	59	3.88	20250107_treated4_size.jpeg
20250107	treatment	treatment	60	3.88	20250107_treated4_size.jpeg
20250107	treatment	treatment	61	4.43	20250107_treated4_size.jpeg
20250107	treatment	treatment	62	3.5	20250107_treated4_size.jpeg
20250107	treatment	treatment	63	4.03	20250107_treated4_size.jpeg
20250107	treatment	treatment	64	3.92	20250107_treated4_size.jpeg
20250107	treatment	treatment	65	3.5	20250107_treated4_size.jpeg
20250107	treatment	treatment	66	3.66	20250107_treated4_size.jpeg
20250107	treatment	treatment	67	4.69	20250107_treated4_size.jpeg
20250107	treatment	treatment	68	3.9	20250107_treated4_size.jpeg

20250107	treatment	treatment	69	3.44	20250107_treated4_size.jpeg
20250107	treatment	treatment	70	3.98	20250107_treated4_size.jpeg
20250107	treatment	treatment	71	3.19	20250107_treated4_size.jpeg
20250107	treatment	treatment	72	4.86	20250107_treated4_size.jpeg
20250107	treatment	treatment	73	4.03	20250107_treated4_size.jpeg
20250107	treatment	treatment	74	4.81	20250107_treated4_size.jpeg
20250107	treatment	treatment	75	4.79	20250107_treated4_size.jpeg
20250107	treatment	treatment	76	2.97	20250107_treated4_size.jpeg
20250107	treatment	treatment	77	4.34	20250107_treated4_size.jpeg
20250107	treatment	treatment	78	3.66	20250107_treated4_size.jpeg
20250107	treatment	treatment	79	4.12	20250107_treated4_size.jpeg
20250107	treatment	treatment	80	4.19	20250107_treated4_size.jpeg
20250107	treatment	treatment	81	4.74	20250107_treated4_size.jpeg
20250107	treatment	treatment	82	3.94	20250107_treated4_size.jpeg
20250107	treatment	treatment	83	5.02	20250107_treated4_size.jpeg
20250107	treatment	treatment	84	5.06	20250107_treated4_size.jpeg
20250107	treatment	treatment	85	4.06	20250107_treated4_size.jpeg
20250107	treatment	treatment	86	3.85	20250107_treated4_size.jpeg
20250107	treatment	treatment	87	4.04	20250107_treated4_size.jpeg
20250107	treatment	treatment	88	3.56	20250107_treated4_size.jpeg
20250107	treatment	treatment	89	3.36	20250107_treated4_size.jpeg
20250107	treatment	treatment	90	4.72	20250107_treated4_size.jpeg
20250107	treatment	treatment	91	4.63	20250107_treated4_size.jpeg
20250107	treatment	treatment	92	4.64	20250107_treated4_size.jpeg
20250107	treatment	treatment	93	4.18	20250107_treated4_size.jpeg
20250107	treatment	treatment	94	4.41	20250107_treated4_size.jpeg
20250107	treatment	treatment	95	4.48	20250107_treated4_size.jpeg
20250107	treatment	treatment	96	4.52	20250107_treated4_size.jpeg
20250107	treatment	treatment	97	4.64	20250107_treated4_size.jpeg
20250107	treatment	treatment	98	4.48	20250107_treated4_size.jpeg
20250107	treatment	treatment	99	4.65	20250107_treated4_size.jpeg
20250107	treatment	treatment	100	3.94	20250107_treated4_size.jpeg
20250107	treatment	treatment	1	2.86	20250107_treated5_size.jpeg
20250107	treatment	treatment	2	2.38	20250107_treated5_size.jpeg
20250107	treatment	treatment	3	3.2	20250107_treated5_size.jpeg
20250107	treatment	treatment	4	4.02	20250107_treated5_size.jpeg
20250107	treatment	treatment	5	3.13	20250107_treated5_size.jpeg
20250107	treatment	treatment	6	3.12	20250107_treated5_size.jpeg
20250107	treatment	treatment	7	3.55	20250107_treated5_size.jpeg
20250107	treatment	treatment	8	3.35	20250107_treated5_size.jpeg
20250107	treatment	treatment	9	3.55	20250107_treated5_size.jpeg
20250107	treatment	treatment	10	3.08	20250107_treated5_size.jpeg
20250107	treatment	treatment	11	3.26	20250107_treated5_size.jpeg
20250107	treatment	treatment	12	3.57	20250107_treated5_size.jpeg
20250107	treatment	treatment	13	3.45	20250107_treated5_size.jpeg
20250107	treatment	treatment	14	3.19	20250107_treated5_size.jpeg
20250107	treatment	treatment	15	2.35	20250107_treated5_size.jpeg

20250107	treatment	treatment	16	2.93	20250107_treated5_size.jpeg
20250107	treatment	treatment	17	2.92	20250107_treated5_size.jpeg
20250107	treatment	treatment	18	3.72	20250107_treated5_size.jpeg
20250107	treatment	treatment	19	3.6	20250107_treated5_size.jpeg
20250107	treatment	treatment	20	4.07	20250107_treated5_size.jpeg
20250107	treatment	treatment	21	3.45	20250107_treated5_size.jpeg
20250107	treatment	treatment	22	4.07	20250107_treated5_size.jpeg
20250107	treatment	treatment	23	4.46	20250107_treated5_size.jpeg
20250107	treatment	treatment	24	3.33	20250107_treated5_size.jpeg
20250107	treatment	treatment	25	3.87	20250107_treated5_size.jpeg
20250107	treatment	treatment	26	3.72	20250107_treated5_size.jpeg
20250107	treatment	treatment	27	2.97	20250107_treated5_size.jpeg
20250107	treatment	treatment	28	2.5	20250107_treated5_size.jpeg
20250107	treatment	treatment	29	3.78	20250107_treated5_size.jpeg
20250107	treatment	treatment	30	3.57	20250107_treated5_size.jpeg
20250107	treatment	treatment	31	2.92	20250107_treated5_size.jpeg
20250107	treatment	treatment	32	3.59	20250107_treated5_size.jpeg
20250107	treatment	treatment	33	2.73	20250107_treated5_size.jpeg
20250107	treatment	treatment	34	4.02	20250107_treated5_size.jpeg
20250107	treatment	treatment	35	4.35	20250107_treated5_size.jpeg
20250107	treatment	treatment	36	3.48	20250107_treated5_size.jpeg
20250107	treatment	treatment	37	3.62	20250107_treated5_size.jpeg
20250107	treatment	treatment	38	4.26	20250107_treated5_size.jpeg
20250107	treatment	treatment	39	3.02	20250107_treated5_size.jpeg
20250107	treatment	treatment	40	3.37	20250107_treated5_size.jpeg
20250107	treatment	treatment	41	3.79	20250107_treated5_size.jpeg
20250107	treatment	treatment	42	3.83	20250107_treated5_size.jpeg
20250107	treatment	treatment	43	3.98	20250107_treated5_size.jpeg
20250107	treatment	treatment	44	4.23	20250107_treated5_size.jpeg
20250107	treatment	treatment	45	3.67	20250107_treated5_size.jpeg
20250107	treatment	treatment	46	3.6	20250107_treated5_size.jpeg
20250107	treatment	treatment	47	3.46	20250107_treated5_size.jpeg
20250107	treatment	treatment	48	4.29	20250107_treated5_size.jpeg
20250107	treatment	treatment	49	3.67	20250107_treated5_size.jpeg
20250107	treatment	treatment	50	2.66	20250107_treated5_size.jpeg
20250107	treatment	treatment	51	3.51	20250107_treated5_size.jpeg
20250107	treatment	treatment	52	2.97	20250107_treated5_size.jpeg
20250107	treatment	treatment	53	3.22	20250107_treated5_size.jpeg
20250107	treatment	treatment	54	4.15	20250107_treated5_size.jpeg
20250107	treatment	treatment	55	4.12	20250107_treated5_size.jpeg
20250107	treatment	treatment	56	3.91	20250107_treated5_size.jpeg
20250107	treatment	treatment	57	3.56	20250107_treated5_size.jpeg
20250107	treatment	treatment	58	3.94	20250107_treated5_size.jpeg
20250107	treatment	treatment	59	3.37	20250107_treated5_size.jpeg
20250107	treatment	treatment	60	4.13	20250107_treated5_size.jpeg
20250107	treatment	treatment	61	3.94	20250107_treated5_size.jpeg
20250107	treatment	treatment	62	2.93	20250107_treated5_size.jpeg

20250107	treatment	treatment	63	4.31	20250107_treated5_size.jpeg
20250107	treatment	treatment	64	4.08	20250107_treated5_size.jpeg
20250107	treatment	treatment	65	3.15	20250107_treated5_size.jpeg
20250107	treatment	treatment	66	3.44	20250107_treated5_size.jpeg
20250107	treatment	treatment	67	3.44	20250107_treated5_size.jpeg
20250107	treatment	treatment	68	4.27	20250107_treated5_size.jpeg
20250107	treatment	treatment	69	3.84	20250107_treated5_size.jpeg
20250107	treatment	treatment	70	3.32	20250107_treated5_size.jpeg
20250107	treatment	treatment	71	3.93	20250107_treated5_size.jpeg
20250107	treatment	treatment	72	3.78	20250107_treated5_size.jpeg
20250107	treatment	treatment	73	3.64	20250107_treated5_size.jpeg
20250107	treatment	treatment	74	3.61	20250107_treated5_size.jpeg
20250107	treatment	treatment	75	2.99	20250107_treated5_size.jpeg
20250107	treatment	treatment	76	3.74	20250107_treated5_size.jpeg
20250107	treatment	treatment	77	4.14	20250107_treated5_size.jpeg
20250107	treatment	treatment	78	3.14	20250107_treated5_size.jpeg
20250107	treatment	treatment	79	3.17	20250107_treated5_size.jpeg
20250107	treatment	treatment	80	3.62	20250107_treated5_size.jpeg
20250107	treatment	treatment	81	3.46	20250107_treated5_size.jpeg
20250107	treatment	treatment	82	4.5	20250107_treated5_size.jpeg
20250107	treatment	treatment	83	4.03	20250107_treated5_size.jpeg
20250107	treatment	treatment	84	3.82	20250107_treated5_size.jpeg
20250107	treatment	treatment	85	3.76	20250107_treated5_size.jpeg
20250107	treatment	treatment	86	4	20250107_treated5_size.jpeg
20250107	treatment	treatment	87	4.66	20250107_treated5_size.jpeg
20250107	treatment	treatment	88	4.47	20250107_treated5_size.jpeg
20250107	treatment	treatment	89	4.04	20250107_treated5_size.jpeg
20250107	treatment	treatment	90	3.32	20250107_treated5_size.jpeg
20250107	treatment	treatment	91	2.86	20250107_treated5_size.jpeg
20250107	treatment	treatment	92	3.34	20250107_treated5_size.jpeg
20250107	treatment	treatment	93	4.3	20250107_treated5_size.jpeg
20250107	treatment	treatment	94	3.25	20250107_treated5_size.jpeg
20250107	treatment	treatment	95	4.13	20250107_treated5_size.jpeg
20250107	treatment	treatment	96	3.68	20250107_treated5_size.jpeg
20250107	treatment	treatment	97	3.63	20250107_treated5_size.jpeg
20250107	treatment	treatment	98	3.26	20250107_treated5_size.jpeg
20250107	treatment	treatment	99	3.79	20250107_treated5_size.jpeg
20250107	treatment	treatment	100	4.42	20250107_treated5_size.jpeg
20250226	control	control	1	4.89	20250206_control1_size.jpeg
20250226	control	control	2	4.42	20250206_control1_size.jpeg
20250226	control	control	3	4.84	20250206_control1_size.jpeg
20250226	control	control	4	5.82	20250206_control1_size.jpeg
20250226	control	control	5	4.96	20250206_control1_size.jpeg
20250226	control	control	6	6.78	20250206_control1_size.jpeg
20250226	control	control	7	5.08	20250206_control1_size.jpeg
20250226	control	control	8	5.57	20250206_control1_size.jpeg
20250226	control	control	9	4.26	20250206_control1_size.jpeg

20250226	control	control	10	3.57	20250206_control1_size.jpeg
20250226	control	control	11	4.79	20250206_control1_size.jpeg
20250226	control	control	12	4.72	20250206_control1_size.jpeg
20250226	control	control	13	4.94	20250206_control1_size.jpeg
20250226	control	control	14	4.94	20250206_control1_size.jpeg
20250226	control	control	15	4.19	20250206_control1_size.jpeg
20250226	control	control	16	4.94	20250206_control1_size.jpeg
20250226	control	control	17	4.82	20250206_control1_size.jpeg
20250226	control	control	18	5.06	20250206_control1_size.jpeg
20250226	control	control	19	4.74	20250206_control1_size.jpeg
20250226	control	control	20	5.98	20250206_control1_size.jpeg
20250226	control	control	21	3.97	20250206_control1_size.jpeg
20250226	control	control	22	4.78	20250206_control1_size.jpeg
20250226	control	control	23	5.24	20250206_control1_size.jpeg
20250226	control	control	24	3.96	20250206_control1_size.jpeg
20250226	control	control	25	4.25	20250206_control1_size.jpeg
20250226	control	control	26	2.83	20250206_control1_size.jpeg
20250226	control	control	27	5.5	20250206_control1_size.jpeg
20250226	control	control	28	6.23	20250206_control1_size.jpeg
20250226	control	control	29	5.37	20250206_control1_size.jpeg
20250226	control	control	30	5.74	20250206_control1_size.jpeg
20250226	control	control	31	4.5	20250206_control1_size.jpeg
20250226	control	control	32	4.31	20250206_control1_size.jpeg
20250226	control	control	33	5.33	20250206_control1_size.jpeg
20250226	control	control	34	4.35	20250206_control1_size.jpeg
20250226	control	control	35	5.44	20250206_control1_size.jpeg
20250226	control	control	36	5.65	20250206_control1_size.jpeg
20250226	control	control	37	5.65	20250206_control1_size.jpeg
20250226	control	control	38	6.38	20250206_control1_size.jpeg
20250226	control	control	39	5.41	20250206_control1_size.jpeg
20250226	control	control	40	5.48	20250206_control1_size.jpeg
20250226	control	control	41	3.6	20250206_control1_size.jpeg
20250226	control	control	42	5.98	20250206_control1_size.jpeg
20250226	control	control	43	6.66	20250206_control1_size.jpeg
20250226	control	control	44	4.31	20250206_control1_size.jpeg
20250226	control	control	45	4	20250206_control1_size.jpeg
20250226	control	control	46	4.84	20250206_control1_size.jpeg
20250226	control	control	47	5.84	20250206_control1_size.jpeg
20250226	control	control	48	4.47	20250206_control1_size.jpeg
20250226	control	control	49	5.09	20250206_control1_size.jpeg
20250226	control	control	50	7.55	20250206_control1_size.jpeg
20250226	control	control	51	3.87	20250206_control1_size.jpeg
20250226	control	control	52	4.63	20250206_control1_size.jpeg
20250226	control	control	53	5.6	20250206_control1_size.jpeg
20250226	control	control	54	6.79	20250206_control1_size.jpeg
20250226	control	control	55	4.53	20250206_control1_size.jpeg
20250226	control	control	56	4.63	20250206_control1_size.jpeg

20250226	control	control	57	4.88	20250206_control1_size.jpeg
20250226	control	control	58	4.08	20250206_control1_size.jpeg
20250226	control	control	59	5.44	20250206_control1_size.jpeg
20250226	control	control	60	4.49	20250206_control1_size.jpeg
20250226	control	control	61	5.52	20250206_control1_size.jpeg
20250226	control	control	62	3.84	20250206_control1_size.jpeg
20250226	control	control	63	4.67	20250206_control1_size.jpeg
20250226	control	control	64	5.17	20250206_control1_size.jpeg
20250226	control	control	65	3.64	20250206_control1_size.jpeg
20250226	control	control	66	5.02	20250206_control1_size.jpeg
20250226	control	control	67	4.47	20250206_control1_size.jpeg
20250226	control	control	68	5.35	20250206_control1_size.jpeg
20250226	control	control	69	4.76	20250206_control1_size.jpeg
20250226	control	control	70	4.67	20250206_control1_size.jpeg
20250226	control	control	71	7.47	20250206_control1_size.jpeg
20250226	control	control	72	5.05	20250206_control1_size.jpeg
20250226	control	control	73	5.64	20250206_control1_size.jpeg
20250226	control	control	74	6.21	20250206_control1_size.jpeg
20250226	control	control	75	4.74	20250206_control1_size.jpeg
20250226	control	control	76	5.06	20250206_control1_size.jpeg
20250226	control	control	77	5.23	20250206_control1_size.jpeg
20250226	control	control	78	4	20250206_control1_size.jpeg
20250226	control	control	79	6.34	20250206_control1_size.jpeg
20250226	control	control	80	5.65	20250206_control1_size.jpeg
20250226	control	control	81	6.8	20250206_control1_size.jpeg
20250226	control	control	82	4.95	20250206_control1_size.jpeg
20250226	control	control	83	5.22	20250206_control1_size.jpeg
20250226	control	control	84	5.45	20250206_control1_size.jpeg
20250226	control	control	85	6.58	20250206_control1_size.jpeg
20250226	control	control	86	4.63	20250206_control1_size.jpeg
20250226	control	control	87	6.27	20250206_control1_size.jpeg
20250226	control	control	88	3.86	20250206_control1_size.jpeg
20250226	control	control	89	3.72	20250206_control1_size.jpeg
20250226	control	control	90	4.91	20250206_control1_size.jpeg
20250226	control	control	91	5.13	20250206_control1_size.jpeg
20250226	control	control	92	4.31	20250206_control1_size.jpeg
20250226	control	control	93	4.21	20250206_control1_size.jpeg
20250226	control	control	94	4.52	20250206_control1_size.jpeg
20250226	control	control	95	4.97	20250206_control1_size.jpeg
20250226	control	control	96	5.27	20250206_control1_size.jpeg
20250226	control	control	97	4.32	20250206_control1_size.jpeg
20250226	control	control	98	6.35	20250206_control1_size.jpeg
20250226	control	control	99	5.92	20250206_control1_size.jpeg
20250226	control	control	100	4.32	20250206_control1_size.jpeg
20250226	control	control	1	7.42	20250206_control2_size.jpeg
20250226	control	control	2	5.67	20250206_control2_size.jpeg
20250226	control	control	3	5.03	20250206_control2_size.jpeg

20250226	control	control	4	4.17	20250206_control2_size.jpeg
20250226	control	control	5	4.91	20250206_control2_size.jpeg
20250226	control	control	6	6.16	20250206_control2_size.jpeg
20250226	control	control	7	4.2	20250206_control2_size.jpeg
20250226	control	control	8	5.18	20250206_control2_size.jpeg
20250226	control	control	9	5.76	20250206_control2_size.jpeg
20250226	control	control	10	5.32	20250206_control2_size.jpeg
20250226	control	control	11	5.95	20250206_control2_size.jpeg
20250226	control	control	12	4.35	20250206_control2_size.jpeg
20250226	control	control	13	5.92	20250206_control2_size.jpeg
20250226	control	control	14	4.52	20250206_control2_size.jpeg
20250226	control	control	15	4.35	20250206_control2_size.jpeg
20250226	control	control	16	6.45	20250206_control2_size.jpeg
20250226	control	control	17	4.58	20250206_control2_size.jpeg
20250226	control	control	18	5.89	20250206_control2_size.jpeg
20250226	control	control	19	4.61	20250206_control2_size.jpeg
20250226	control	control	20	4.52	20250206_control2_size.jpeg
20250226	control	control	21	4.04	20250206_control2_size.jpeg
20250226	control	control	22	5.47	20250206_control2_size.jpeg
20250226	control	control	23	5.62	20250206_control2_size.jpeg
20250226	control	control	24	6.06	20250206_control2_size.jpeg
20250226	control	control	25	4.52	20250206_control2_size.jpeg
20250226	control	control	26	5.25	20250206_control2_size.jpeg
20250226	control	control	27	5.25	20250206_control2_size.jpeg
20250226	control	control	28	5.61	20250206_control2_size.jpeg
20250226	control	control	29	4.06	20250206_control2_size.jpeg
20250226	control	control	30	5.52	20250206_control2_size.jpeg
20250226	control	control	31	5.91	20250206_control2_size.jpeg
20250226	control	control	32	4.37	20250206_control2_size.jpeg
20250226	control	control	33	5.2	20250206_control2_size.jpeg
20250226	control	control	34	4.35	20250206_control2_size.jpeg
20250226	control	control	35	4.45	20250206_control2_size.jpeg
20250226	control	control	36	4.16	20250206_control2_size.jpeg
20250226	control	control	37	5.32	20250206_control2_size.jpeg
20250226	control	control	38	7.06	20250206_control2_size.jpeg
20250226	control	control	39	4.8	20250206_control2_size.jpeg
20250226	control	control	40	3.96	20250206_control2_size.jpeg
20250226	control	control	41	3.48	20250206_control2_size.jpeg
20250226	control	control	42	5	20250206_control2_size.jpeg
20250226	control	control	43	4.01	20250206_control2_size.jpeg
20250226	control	control	44	4.53	20250206_control2_size.jpeg
20250226	control	control	45	4.48	20250206_control2_size.jpeg
20250226	control	control	46	4.34	20250206_control2_size.jpeg
20250226	control	control	47	5.43	20250206_control2_size.jpeg
20250226	control	control	48	6.39	20250206_control2_size.jpeg
20250226	control	control	49	4.27	20250206_control2_size.jpeg
20250226	control	control	50	6.55	20250206_control2_size.jpeg

20250226	control	control	51	5.26	20250206_control2_size.jpeg
20250226	control	control	52	6.14	20250206_control2_size.jpeg
20250226	control	control	53	5.32	20250206_control2_size.jpeg
20250226	control	control	54	5.5	20250206_control2_size.jpeg
20250226	control	control	55	5.34	20250206_control2_size.jpeg
20250226	control	control	56	2.99	20250206_control2_size.jpeg
20250226	control	control	57	3.89	20250206_control2_size.jpeg
20250226	control	control	58	4.87	20250206_control2_size.jpeg
20250226	control	control	59	5.42	20250206_control2_size.jpeg
20250226	control	control	60	6.72	20250206_control2_size.jpeg
20250226	control	control	61	5.12	20250206_control2_size.jpeg
20250226	control	control	62	5.53	20250206_control2_size.jpeg
20250226	control	control	63	3.62	20250206_control2_size.jpeg
20250226	control	control	64	4.81	20250206_control2_size.jpeg
20250226	control	control	65	5.42	20250206_control2_size.jpeg
20250226	control	control	66	5.97	20250206_control2_size.jpeg
20250226	control	control	67	5.27	20250206_control2_size.jpeg
20250226	control	control	68	5.27	20250206_control2_size.jpeg
20250226	control	control	69	5.27	20250206_control2_size.jpeg
20250226	control	control	70	4.41	20250206_control2_size.jpeg
20250226	control	control	71	5.03	20250206_control2_size.jpeg
20250226	control	control	72	6.39	20250206_control2_size.jpeg
20250226	control	control	73	5.06	20250206_control2_size.jpeg
20250226	control	control	74	4.46	20250206_control2_size.jpeg
20250226	control	control	75	4.71	20250206_control2_size.jpeg
20250226	control	control	76	4.25	20250206_control2_size.jpeg
20250226	control	control	77	5.51	20250206_control2_size.jpeg
20250226	control	control	78	5.02	20250206_control2_size.jpeg
20250226	control	control	79	5.51	20250206_control2_size.jpeg
20250226	control	control	80	4.01	20250206_control2_size.jpeg
20250226	control	control	81	4.87	20250206_control2_size.jpeg
20250226	control	control	82	4.73	20250206_control2_size.jpeg
20250226	control	control	83	5.57	20250206_control2_size.jpeg
20250226	control	control	84	3.66	20250206_control2_size.jpeg
20250226	control	control	85	3.71	20250206_control2_size.jpeg
20250226	control	control	86	4.24	20250206_control2_size.jpeg
20250226	control	control	87	5.75	20250206_control2_size.jpeg
20250226	control	control	88	7.43	20250206_control2_size.jpeg
20250226	control	control	89	6.95	20250206_control2_size.jpeg
20250226	control	control	90	5.55	20250206_control2_size.jpeg
20250226	control	control	91	6.33	20250206_control2_size.jpeg
20250226	control	control	92	5.14	20250206_control2_size.jpeg
20250226	control	control	93	6.03	20250206_control2_size.jpeg
20250226	control	control	94	4.37	20250206_control2_size.jpeg
20250226	control	control	95	6.34	20250206_control2_size.jpeg
20250226	control	control	96	7.62	20250206_control2_size.jpeg
20250226	control	control	97	6.27	20250206_control2_size.jpeg

20250226	control	control	98	6.27	20250206_control2_size.jpeg
20250226	control	control	99	8.21	20250206_control2_size.jpeg
20250226	control	control	100	3.69	20250206_control2_size.jpeg
20250226	treatment	treatment	1	4.93	20250206_treated4_size.jpeg
20250226	treatment	treatment	2	5.85	20250206_treated4_size.jpeg
20250226	treatment	treatment	3	6.09	20250206_treated4_size.jpeg
20250226	treatment	treatment	4	4.78	20250206_treated4_size.jpeg
20250226	treatment	treatment	5	4.66	20250206_treated4_size.jpeg
20250226	treatment	treatment	6	5.94	20250206_treated4_size.jpeg
20250226	treatment	treatment	7	5.34	20250206_treated4_size.jpeg
20250226	treatment	treatment	8	7.51	20250206_treated4_size.jpeg
20250226	treatment	treatment	9	4.07	20250206_treated4_size.jpeg
20250226	treatment	treatment	10	4.85	20250206_treated4_size.jpeg
20250226	treatment	treatment	11	4.68	20250206_treated4_size.jpeg
20250226	treatment	treatment	12	6.03	20250206_treated4_size.jpeg
20250226	treatment	treatment	13	3.96	20250206_treated4_size.jpeg
20250226	treatment	treatment	14	3.69	20250206_treated4_size.jpeg
20250226	treatment	treatment	15	4.02	20250206_treated4_size.jpeg
20250226	treatment	treatment	16	4.81	20250206_treated4_size.jpeg
20250226	treatment	treatment	17	5.97	20250206_treated4_size.jpeg
20250226	treatment	treatment	18	4.74	20250206_treated4_size.jpeg
20250226	treatment	treatment	19	4.97	20250206_treated4_size.jpeg
20250226	treatment	treatment	20	6.18	20250206_treated4_size.jpeg
20250226	treatment	treatment	21	4.52	20250206_treated4_size.jpeg
20250226	treatment	treatment	22	5	20250206_treated4_size.jpeg
20250226	treatment	treatment	23	4.87	20250206_treated4_size.jpeg
20250226	treatment	treatment	24	6.03	20250206_treated4_size.jpeg
20250226	treatment	treatment	25	2.93	20250206_treated4_size.jpeg
20250226	treatment	treatment	26	4.76	20250206_treated4_size.jpeg
20250226	treatment	treatment	27	4.73	20250206_treated4_size.jpeg
20250226	treatment	treatment	28	4.49	20250206_treated4_size.jpeg
20250226	treatment	treatment	29	6.83	20250206_treated4_size.jpeg
20250226	treatment	treatment	30	4.63	20250206_treated4_size.jpeg
20250226	treatment	treatment	31	4.39	20250206_treated4_size.jpeg
20250226	treatment	treatment	32	4.9	20250206_treated4_size.jpeg
20250226	treatment	treatment	33	4.03	20250206_treated4_size.jpeg
20250226	treatment	treatment	34	6.46	20250206_treated4_size.jpeg
20250226	treatment	treatment	35	5.03	20250206_treated4_size.jpeg
20250226	treatment	treatment	36	3.73	20250206_treated4_size.jpeg
20250226	treatment	treatment	37	5.95	20250206_treated4_size.jpeg
20250226	treatment	treatment	38	5	20250206_treated4_size.jpeg
20250226	treatment	treatment	39	6.05	20250206_treated4_size.jpeg
20250226	treatment	treatment	40	5.45	20250206_treated4_size.jpeg
20250226	treatment	treatment	41	6.26	20250206_treated4_size.jpeg
20250226	treatment	treatment	42	5.09	20250206_treated4_size.jpeg
20250226	treatment	treatment	43	4.51	20250206_treated4_size.jpeg
20250226	treatment	treatment	44	4.55	20250206_treated4_size.jpeg

20250226	treatment	treatment	45	4.31	20250206_treated4_size.jpeg
20250226	treatment	treatment	46	4.48	20250206_treated4_size.jpeg
20250226	treatment	treatment	47	4.59	20250206_treated4_size.jpeg
20250226	treatment	treatment	48	5.39	20250206_treated4_size.jpeg
20250226	treatment	treatment	49	7.17	20250206_treated4_size.jpeg
20250226	treatment	treatment	50	7.85	20250206_treated4_size.jpeg
20250226	treatment	treatment	51	7.07	20250206_treated4_size.jpeg
20250226	treatment	treatment	52	4.88	20250206_treated4_size.jpeg
20250226	treatment	treatment	53	6.72	20250206_treated4_size.jpeg
20250226	treatment	treatment	54	5.02	20250206_treated4_size.jpeg
20250226	treatment	treatment	55	6.4	20250206_treated4_size.jpeg
20250226	treatment	treatment	56	4.56	20250206_treated4_size.jpeg
20250226	treatment	treatment	57	6.72	20250206_treated4_size.jpeg
20250226	treatment	treatment	58	9.07	20250206_treated4_size.jpeg
20250226	treatment	treatment	59	45	20250206_treated4_size.jpeg
20250226	treatment	treatment	60	5.87	20250206_treated4_size.jpeg
20250226	treatment	treatment	61	6.37	20250206_treated4_size.jpeg
20250226	treatment	treatment	62	4.55	20250206_treated4_size.jpeg
20250226	treatment	treatment	63	3.97	20250206_treated4_size.jpeg
20250226	treatment	treatment	64	4.24	20250206_treated4_size.jpeg
20250226	treatment	treatment	65	5	20250206_treated4_size.jpeg
20250226	treatment	treatment	66	5.01	20250206_treated4_size.jpeg
20250226	treatment	treatment	67	5.34	20250206_treated4_size.jpeg
20250226	treatment	treatment	68	5.54	20250206_treated4_size.jpeg
20250226	treatment	treatment	69	4.13	20250206_treated4_size.jpeg
20250226	treatment	treatment	70	4.55	20250206_treated4_size.jpeg
20250226	treatment	treatment	71	4.96	20250206_treated4_size.jpeg
20250226	treatment	treatment	72	4.65	20250206_treated4_size.jpeg
20250226	treatment	treatment	73	4	20250206_treated4_size.jpeg
20250226	treatment	treatment	74	6.03	20250206_treated4_size.jpeg
20250226	treatment	treatment	75	3.98	20250206_treated4_size.jpeg
20250226	treatment	treatment	76	7.2	20250206_treated4_size.jpeg
20250226	treatment	treatment	77	4.65	20250206_treated4_size.jpeg
20250226	treatment	treatment	78	7.25	20250206_treated4_size.jpeg
20250226	treatment	treatment	79	4.31	20250206_treated4_size.jpeg
20250226	treatment	treatment	80	4.7	20250206_treated4_size.jpeg
20250226	treatment	treatment	81	5.56	20250206_treated4_size.jpeg
20250226	treatment	treatment	82	4.32	20250206_treated4_size.jpeg
20250226	treatment	treatment	83	4.79	20250206_treated4_size.jpeg
20250226	treatment	treatment	84	7.07	20250206_treated4_size.jpeg
20250226	treatment	treatment	85	5.5	20250206_treated4_size.jpeg
20250226	treatment	treatment	86	5.07	20250206_treated4_size.jpeg
20250226	treatment	treatment	87	5.87	20250206_treated4_size.jpeg
20250226	treatment	treatment	88	5.45	20250206_treated4_size.jpeg
20250226	treatment	treatment	89	7.41	20250206_treated4_size.jpeg
20250226	treatment	treatment	90	4.64	20250206_treated4_size.jpeg
20250226	treatment	treatment	91	5.49	20250206_treated4_size.jpeg

20250226	treatment	treatment	92	5.07	20250206_treated4_size.jpeg
20250226	treatment	treatment	93	6.66	20250206_treated4_size.jpeg
20250226	treatment	treatment	94	4.48	20250206_treated4_size.jpeg
20250226	treatment	treatment	95	5.55	20250206_treated4_size.jpeg
20250226	treatment	treatment	96	4.04	20250206_treated4_size.jpeg
20250226	treatment	treatment	97	3.94	20250206_treated4_size.jpeg
20250226	treatment	treatment	98	6.05	20250206_treated4_size.jpeg
20250226	treatment	treatment	99	5.47	20250206_treated4_size.jpeg
20250226	treatment	treatment	100	4.62	20250206_treated4_size.jpeg
20250226	treatment	treatment	1	7.37	20250206_treated5_size.jpeg
20250226	treatment	treatment	2	4.72	20250206_treated5_size.jpeg
20250226	treatment	treatment	3	4.38	20250206_treated5_size.jpeg
20250226	treatment	treatment	4	5.53	20250206_treated5_size.jpeg
20250226	treatment	treatment	5	5.73	20250206_treated5_size.jpeg
20250226	treatment	treatment	6	5.84	20250206_treated5_size.jpeg
20250226	treatment	treatment	7	5.07	20250206_treated5_size.jpeg
20250226	treatment	treatment	8	5.74	20250206_treated5_size.jpeg
20250226	treatment	treatment	9	4.47	20250206_treated5_size.jpeg
20250226	treatment	treatment	10	5.05	20250206_treated5_size.jpeg
20250226	treatment	treatment	11	4.05	20250206_treated5_size.jpeg
20250226	treatment	treatment	12	3.99	20250206_treated5_size.jpeg
20250226	treatment	treatment	13	4.99	20250206_treated5_size.jpeg
20250226	treatment	treatment	14	4.93	20250206_treated5_size.jpeg
20250226	treatment	treatment	15	4.54	20250206_treated5_size.jpeg
20250226	treatment	treatment	16	4.93	20250206_treated5_size.jpeg
20250226	treatment	treatment	17	4.37	20250206_treated5_size.jpeg
20250226	treatment	treatment	18	5.27	20250206_treated5_size.jpeg
20250226	treatment	treatment	19	4.51	20250206_treated5_size.jpeg
20250226	treatment	treatment	20	5.81	20250206_treated5_size.jpeg
20250226	treatment	treatment	21	4.47	20250206_treated5_size.jpeg
20250226	treatment	treatment	22	4.35	20250206_treated5_size.jpeg
20250226	treatment	treatment	23	4.43	20250206_treated5_size.jpeg
20250226	treatment	treatment	24	4.1	20250206_treated5_size.jpeg
20250226	treatment	treatment	25	3.85	20250206_treated5_size.jpeg
20250226	treatment	treatment	26	5.2	20250206_treated5_size.jpeg
20250226	treatment	treatment	27	3.99	20250206_treated5_size.jpeg
20250226	treatment	treatment	28	5.04	20250206_treated5_size.jpeg
20250226	treatment	treatment	29	6.43	20250206_treated5_size.jpeg
20250226	treatment	treatment	30	3.94	20250206_treated5_size.jpeg
20250226	treatment	treatment	31	5.49	20250206_treated5_size.jpeg
20250226	treatment	treatment	32	6.38	20250206_treated5_size.jpeg
20250226	treatment	treatment	33	4.62	20250206_treated5_size.jpeg
20250226	treatment	treatment	34	4.78	20250206_treated5_size.jpeg
20250226	treatment	treatment	35	3.94	20250206_treated5_size.jpeg
20250226	treatment	treatment	36	5	20250206_treated5_size.jpeg
20250226	treatment	treatment	37	5.43	20250206_treated5_size.jpeg
20250226	treatment	treatment	38	5.7	20250206_treated5_size.jpeg

20250226	treatment	treatment	39	5.32	20250206_treated5_size.jpeg
20250226	treatment	treatment	40	4.89	20250206_treated5_size.jpeg
20250226	treatment	treatment	41	5.2	20250206_treated5_size.jpeg
20250226	treatment	treatment	42	4.22	20250206_treated5_size.jpeg
20250226	treatment	treatment	43	5.02	20250206_treated5_size.jpeg
20250226	treatment	treatment	44	5.88	20250206_treated5_size.jpeg
20250226	treatment	treatment	45	4.82	20250206_treated5_size.jpeg
20250226	treatment	treatment	46	6.22	20250206_treated5_size.jpeg
20250226	treatment	treatment	47	4.93	20250206_treated5_size.jpeg
20250226	treatment	treatment	48	3.55	20250206_treated5_size.jpeg
20250226	treatment	treatment	49	3.94	20250206_treated5_size.jpeg
20250226	treatment	treatment	50	5.4	20250206_treated5_size.jpeg
20250226	treatment	treatment	51	4.59	20250206_treated5_size.jpeg
20250226	treatment	treatment	52	3.85	20250206_treated5_size.jpeg
20250226	treatment	treatment	53	4.28	20250206_treated5_size.jpeg
20250226	treatment	treatment	54	5.65	20250206_treated5_size.jpeg
20250226	treatment	treatment	55	5.39	20250206_treated5_size.jpeg
20250226	treatment	treatment	56	4.05	20250206_treated5_size.jpeg
20250226	treatment	treatment	57	4.51	20250206_treated5_size.jpeg
20250226	treatment	treatment	58	5.2	20250206_treated5_size.jpeg
20250226	treatment	treatment	59	4.86	20250206_treated5_size.jpeg
20250226	treatment	treatment	60	4.98	20250206_treated5_size.jpeg
20250226	treatment	treatment	61	3.43	20250206_treated5_size.jpeg
20250226	treatment	treatment	62	4.2	20250206_treated5_size.jpeg
20250226	treatment	treatment	63	5.28	20250206_treated5_size.jpeg
20250226	treatment	treatment	64	4.99	20250206_treated5_size.jpeg
20250226	treatment	treatment	65	4.31	20250206_treated5_size.jpeg
20250226	treatment	treatment	66	3.67	20250206_treated5_size.jpeg
20250226	treatment	treatment	67	4.7	20250206_treated5_size.jpeg
20250226	treatment	treatment	68	4.27	20250206_treated5_size.jpeg
20250226	treatment	treatment	69	4.99	20250206_treated5_size.jpeg
20250226	treatment	treatment	70	6.08	20250206_treated5_size.jpeg
20250226	treatment	treatment	71	4.67	20250206_treated5_size.jpeg
20250226	treatment	treatment	72	4.48	20250206_treated5_size.jpeg
20250226	treatment	treatment	73	4.11	20250206_treated5_size.jpeg
20250226	treatment	treatment	74	4.76	20250206_treated5_size.jpeg
20250226	treatment	treatment	75	4.96	20250206_treated5_size.jpeg
20250226	treatment	treatment	76	4.44	20250206_treated5_size.jpeg
20250226	treatment	treatment	77	3.59	20250206_treated5_size.jpeg
20250226	treatment	treatment	78	3.94	20250206_treated5_size.jpeg
20250226	treatment	treatment	79	5.43	20250206_treated5_size.jpeg
20250226	treatment	treatment	80	5.27	20250206_treated5_size.jpeg
20250226	treatment	treatment	81	4.11	20250206_treated5_size.jpeg
20250226	treatment	treatment	82	5.84	20250206_treated5_size.jpeg
20250226	treatment	treatment	83	5.73	20250206_treated5_size.jpeg
20250226	treatment	treatment	84	3.66	20250206_treated5_size.jpeg
20250226	treatment	treatment	85	5.58	20250206_treated5_size.jpeg

20250226 treatment treatment	86	4.35 20250206_treated5_size.jpeg
20250226 treatment treatment	87	5.13 20250206_treated5_size.jpeg
20250226 treatment treatment	88	5.66 20250206_treated5_size.jpeg
20250226 treatment treatment	89	5.12 20250206_treated5_size.jpeg
20250226 treatment treatment	90	5.35 20250206_treated5_size.jpeg
20250226 treatment treatment	91	5.88 20250206_treated5_size.jpeg
20250226 treatment treatment	92	6.34 20250206_treated5_size.jpeg
20250226 treatment treatment	93	5.32 20250206_treated5_size.jpeg
20250226 treatment treatment	94	5.47 20250206_treated5_size.jpeg
20250226 treatment treatment	95	6.67 20250206_treated5_size.jpeg
20250226 treatment treatment	96	5.51 20250206_treated5_size.jpeg
20250226 treatment treatment	97	4.11 20250206_treated5_size.jpeg
20250226 treatment treatment	98	5.1 20250206_treated5_size.jpeg
20250226 treatment treatment	99	4.44 20250206_treated5_size.jpeg
20250226 treatment treatment	100	7.2 20250206_treated5_size.jpeg