Cloud Computing

LAB 05 - Kubernetes

De Bleser Dimitri, Peer Vincent, Robertson Rhyan

10.05.2022

TASK 1 - DEPLOY THE APPLICATION ON A LOCAL TEST CLUSTER

Deliverables for Task 1

> *Document any difficulties you faced and how you overcame them. Copy the object descriptions into the lab report.*

Frontend displays but cannot create task

- Front-end : Displays Todos V2 page but cannot create task
- API Pod seems to work : When tested with port forwarding 8081:8081, API returns empty array

Solution : Typo in frontend-pod.yaml

Objects

Frontend Pod:

```
Name:          frontend
Namespace:     default
Priority:      0
Node:          minikube/192.168.49.2
Start Time:    Wed, 11 May 2022 17:57:59 +0200
Labels:        app=todo
               component=frontend
Annotations:   <none>
Status:        Running
IP:            172.17.0.4
IPs:
  IP:  172.17.0.4
Containers:
  frontend:
    Container ID:
docker://b42e38f5c5970bdf138ce786275f9993d17480d36b68e555ada3ddcd97c0d61a
    Image:          icclabcna/ccp2-k8s-todo-frontend
    Image ID:       docker-pullable://icclabcna/ccp2-k8s-todo-
frontend@sha256:5892b8f75a4dd3aa9d9cf527f8796a7638dba574ea8e6beef49360a3c67bbb44
    Port:           8080/TCP
    Host Port:      0/TCP
    State:          Running
      Started:      Sun, 15 May 2022 16:51:59 +0200
    Last State:     Terminated
      Reason:       Completed
      Exit Code:    0
      Started:      Wed, 11 May 2022 17:58:02 +0200
```

```
     Finished:      Thu, 12 May 2022 13:21:37 +0200
   Ready:           True
   Restart Count:   1
   Limits:
     memory:  128Mi
   Requests:
     memory:  128Mi
   Environment:
     API_ENDPOINT_URL:  http://api-svc:8081
   Mounts:
     /var/run/secrets/kubernetes.io/serviceaccount from kube-api-access-7jnfl (ro)
Conditions:
  Type              Status
  Initialized       True
  Ready             True
  ContainersReady   True
  PodScheduled      True
Volumes:
  kube-api-access-7jnfl:
    Type:                    Projected (a volume that contains injected data from
multiple sources)
    TokenExpirationSeconds:  3607
    ConfigMapName:           kube-root-ca.crt
    ConfigMapOptional:       <nil>
    DownwardAPI:             true
QoS Class:                   Burstable
Node-Selectors:              <none>
Tolerations:                 node.kubernetes.io/not-ready:NoExecute op=Exists for
300s
                             node.kubernetes.io/unreachable:NoExecute op=Exists for
300s
Events:
  Type     Reason         Age    From     Message
  ----     ------         ----   ----     -------
  Normal   SandboxChanged 104s   kubelet  Pod sandbox changed, it will be killed and
re-created.
  Normal   Pulling        103s   kubelet  Pulling image "icclabcna/ccp2-k8s-todo-
frontend"
  Normal   Pulled         100s   kubelet  Successfully pulled image "icclabcna/ccp2-
k8s-todo-frontend" in 2.17512712s
  Normal   Created        100s   kubelet  Created container frontend
  Normal   Started        100s   kubelet  Started container frontend
```

API Service:

```
Name:              api-svc
Namespace:         default
Labels:            app=todo
                   component=api
Annotations:       <none>
Selector:          app=todo,component=api
Type:              ClusterIP
IP Family Policy:  SingleStack
IP Families:       IPv4
IP:                10.103.253.173
IPs:               10.103.253.173
Port:              api  8081/TCP
TargetPort:        8081/TCP
Endpoints:         172.17.0.7:8081
Session Affinity:  None
Events:            <none>
```

TASK 2 - DEPLOY THE APPLICATION IN KUBERNETES ENGINE

Deliverables for Task 2

> *Document any difficulties you faced and how you overcame them. Copy the object descriptions into the lab report (if they are unchanged from the previous task just say so).*

No difficulties were encountered during this task. And the objects weren't changed from the previous task expect for the creation of frontend-svc described bellow.

> *Take a screenshot of the cluster details from the GKE console. Copy the output of the kubectl describe command to describe your load balancer once completely initialized.*

✅ gke-cluster-1

DETAILS	NODES	STORAGE	LOGS

Cluster basics

Name	gke-cluster-1	🔒
Location type	Regional	🔒
Region	europe-central2	🔒
Default node zones ❓	europe-central2-c europe-central2-b europe-central2-a	✏️
Release channel	Regular channel	✏️ UPGRADE AVAILABLE
Version	1.21.10-gke.2000	
Total size	3	ⓘ
Endpoint	34.118.45.207 Show cluster certificate	🔒

Describe Load Balancer :

```
Name:                   frontend-svc
Namespace:              default
Labels:                 component=frontend
Annotations:            cloud.google.com/neg: {"ingress":true}
Selector:               app=todo,component=frontend
Type:                   LoadBalancer
IP Family Policy:       SingleStack
IP Families:            IPv4
IP:                     10.96.9.89
IPs:                    10.96.9.89
LoadBalancer Ingress:   34.116.195.249
Port:                   frontend  80/TCP
TargetPort:             8080/TCP
NodePort:               frontend  30131/TCP
Endpoints:              10.92.0.4:8080
Session Affinity:       None
External Traffic Policy: Cluster
Events:                 <none>
```

TASK 3 - ADD AND EXERCISE RESILIENCE

Deliverables for Task 3

Use only 1 instance for the Redis-Server. Why?

We want to have the same data on all frontends, so we only want one DB. If we wanted to have multiple replicas of redis, we would use a StatefullSet instead of a Deployment.

What happens if you delete a Frontend or API Pod? How long does it take for the system to react?

A new Pod is created before the original is even terminated as we can see below:

```
NAME                                 READY   STATUS          RESTARTS   AGE
api-deployment-86d8969586-bwjjp      1/1     Running   0              9m43s
api-deployment-86d8969586-wxqpv      1/1     Running   0              9m43s
frontend-deployment-785865d54b-4p5zw 1/1     Running   0              5m50s
frontend-deployment-785865d54b-tpjp2 1/1     Running   0              5m50s
redis-deployement-6fbcc669d9-mrjj4   1/1     Running   0              15m
----
frontend-deployment-785865d54b-tpjp2 1/1     Terminating   0            5m88s
frontend-deployment-785865d54b-zfp96 0/1     Pending       0            0s
frontend-deployment-785865d54b-zfp96 0/1     Pending       0            0s
frontend-deployment-785865d54b-zfp96 0/1     ContainerCreating   0      0s
frontend-deployment-785865d54b-tpjp2 0/1     Terminating   0            5m89s
frontend-deployment-785865d54b-zfp96 1/1     Running       0            3s
frontend-deployment-785865d54b-tpjp2 0/1     Terminating   0            5m93s
frontend-deployment-785865d54b-tpjp2 0/1     Terminating   0            5m93s
```

What happens when you delete the Redis Pod?

A new Pod is created but the data is lost. This is because the data is stored inside the Pod and not in a local or remote Volume, so it isn't persistent.

The API stops working because it's still trying to query the old redis Pod, we need to restart the api pods for it to work again.

How can you change the number of instances temporarily to 3?

In the "Deployment details" -> "Actions" -> "Scale" -> change 2 to 3.

> *What autoscaling features are available? Which metrics are used?*

Features :

- Minimum number of replicas
- Maximum number of replicas

Metrics :

- CPU Utilization
- Memory Utilization
- Custom metrics
- External metrics

> *How can you update a component? (see "Updating a Deployment" in the deployment documentation)*

You can use the `kubectl set` command.

```
kubectl set image deployment/redis-deployment redis=redis:7.0-alpine
```

or the `kubectl edit` command to edit the Deployment

```
kubectl edit deployment/redis-deployment
```

or the GUI via "Deplyoment details" -> "Actions" -> "Rolling update"

Then you can follow the rollout status with:

```
$ kubectl rollout status deployment/redis-deployment

NAME                READY   UP-TO-DATE   AVAILABLE   AGE
redis-deployment    1/1     1            1           22s
```

> *Document your observations in the lab report. Document any difficulties you faced and how you overcame them. Copy the object descriptions into the lab report.*

Objects

Frontend Deployment:

```
apiVersion: apps/v1
kind: Deployment
metadata:
  name: frontend-deployment
  labels:
    app: todo
    component: frontend
spec:
  replicas: 2
  selector:
    matchLabels:
      app: todo
      component: frontend
  template:
    metadata:
      labels:
        app: todo
        component: frontend
    spec:
      containers:
      - name: frontend
        image: icclabcna/ccp2-k8s-todo-frontend
        ports:
        - containerPort: 8080
        env:
        - name: API_ENDPOINT_URL
          value: http://api-svc:8081
```

Frontend Deplyoment Description:

```
Name:                 frontend-deployment
Namespace:            default
CreationTimestamp:    Mon, 16 May 2022 11:34:31 +0200
Labels:               app=todo
                      component=frontend
Annotations:          deployment.kubernetes.io/revision: 1
Selector:             app=todo,component=frontend
Replicas:             2 desired | 2 updated | 2 total | 2 available | 0
unavailable
StrategyType:         RollingUpdate
MinReadySeconds:      0
RollingUpdateStrategy: 25% max unavailable, 25% max surge
Pod Template:
  Labels:  app=todo
           component=frontend
  Containers:
   frontend:
    Image:       icclabcna/ccp2-k8s-todo-frontend
    Port:        8080/TCP
    Host Port:   0/TCP
    Requests:
      cpu:  100m
    Environment:
      API_ENDPOINT_URL:  http://api-svc:8081
    Mounts:              <none>
  Volumes:               <none>
Conditions:
  Type           Status  Reason
  ----           ------  ------
  Available      True    MinimumReplicasAvailable
  Progressing    True    NewReplicaSetAvailable
OldReplicaSets:  <none>
NewReplicaSet:   frontend-deployment-b5669674f (2/2 replicas created)
Events:
  Type    Reason           Age    From                 Message
  ----    ------           ----   ----                 -------
  Normal  ScalingReplicaSet  2m32s  deployment-controller  Scaled up replica set
frontend-deployment-b5669674f to 2
```

API deployment:

```yaml
apiVersion: apps/v1
kind: Deployment
metadata:
  name: api-deployment
  labels:
    app: todo
    component: api
spec:
  replicas: 2
  selector:
    matchLabels:
      app: todo
      component: api
  template:
    metadata:
      labels:
        app: todo
        component: api
    spec:
      containers:
      - name: api
        image: icclabcna/ccp2-k8s-todo-api
        ports:
        - containerPort: 8081
        env:
        - name: REDIS_ENDPOINT
          value: redis-svc
        - name: REDIS_PWD
          value: ccp2
```

API Deplyoment Description:

```
Name:                 api-deployment
Namespace:            default
CreationTimestamp:    Mon, 16 May 2022 11:34:24 +0200
Labels:               app=todo
                      component=api
Annotations:          deployment.kubernetes.io/revision: 1
Selector:             app=todo,component=api
Replicas:             2 desired | 2 updated | 2 total | 2 available | 0
unavailable
StrategyType:         RollingUpdate
MinReadySeconds:      0
RollingUpdateStrategy:  25% max unavailable, 25% max surge
Pod Template:
  Labels:   app=todo
            component=api
  Containers:
   api:
    Image:        icclabcna/ccp2-k8s-todo-api
    Port:         8081/TCP
    Host Port:  0/TCP
    Environment:
      REDIS_ENDPOINT:  redis-svc
      REDIS_PWD:        ccp2
    Mounts:             <none>
  Volumes:              <none>
Conditions:
  Type            Status   Reason
  ----            ------   ------
  Available       True     MinimumReplicasAvailable
  Progressing     True     NewReplicaSetAvailable
OldReplicaSets:  <none>
NewReplicaSet:   api-deployment-86d8969586 (2/2 replicas created)
Events:
  Type     Reason             Age    From                  Message
  ----     ------             ----   ----                  -------
  Normal   ScalingReplicaSet  67s    deployment-controller  Scaled up replica set api-
deployment-86d8969586 to 2
```

REDIS Deployment:

```yaml
apiVersion: apps/v1
kind: Deployment
metadata:
  name: redis-deployement
  labels:
    app: todo
    component: redis
spec:
  replicas: 1
  selector:
    matchLabels:
      app: todo
      component: redis
  template:
    metadata:
      labels:
        app: todo
        component: redis
    spec:
      containers:
      - name: redis
        image: redis
        ports:
        - containerPort: 6379
        args:
        - redis-server
        - --requirepass ccp2
        - --appendonly yes
```

REDIS Deployment Description:

```
Name:                   redis-deployement
Namespace:              default
CreationTimestamp:      Mon, 16 May 2022 11:34:18 +0200
Labels:                 app=todo
                        component=redis
Annotations:            deployment.kubernetes.io/revision: 1
Selector:               app=todo,component=redis
Replicas:               1 desired | 1 updated | 1 total | 1 available | 0
unavailable
StrategyType:           RollingUpdate
MinReadySeconds:        0
RollingUpdateStrategy:  25% max unavailable, 25% max surge
Pod Template:
  Labels:   app=todo
            component=redis
  Containers:
   redis:
    Image:      redis
    Port:       6379/TCP
    Host Port:  0/TCP
    Args:
      redis-server
      --requirepass ccp2
      --appendonly yes
    Environment:  <none>
    Mounts:       <none>
  Volumes:        <none>
Conditions:
  Type          Status  Reason
  ----          ------  ------
  Available     True    MinimumReplicasAvailable
  Progressing   True    NewReplicaSetAvailable
OldReplicaSets: <none>
NewReplicaSet:  redis-deployement-6fbcc669d9 (1/1 replicas created)
Events:
  Type    Reason           Age    From                  Message
  ----    ------           ----   ----                  -------
  Normal  ScalingReplicaSet 4m59s deployment-controller  Scaled up replica set
redis-deployement-6fbcc669d9 to 1
```

SUBTASK 3.3 (OPTIONAL) - PUT AUTOSCALING IN PLACE AND LOAD-TEST IT

Deliverables for Task 3.3

> *Document your observations in the lab report. Document any difficulties you faced and how you overcame them. Copy the object descriptions into the lab report.*

Difficulties We had 1 difficulty with the Auto Scaling :

Autoscaler

Status	⚠ Unable to read all metrics
Min/max replicas	1 / 4
Metrics	1 CPU metric

As per the official Kubernetes documentation, resource request needs to be set. And so we could go down to 1 replica, we also changed the replicas value.

```
apiVersion: apps/v1
kind: Deployment
metadata:
  name: frontend-deployment
  labels:
    app: todo
    component: frontend
spec:
  replicas: 1
  selector:
    matchLabels:
      app: todo
      component: frontend
  template:
    metadata:
      labels:
        app: todo
        component: frontend
    spec:
      containers:
      - name: frontend
        image: icclabcna/ccp2-k8s-todo-frontend
        ports:
        - containerPort: 8080
        env:
        - name: API_ENDPOINT_URL
          value: http://api-svc:8081
        resources:
```

```
        requests:
          cpu: 100m
```

Description:

```
Name:                   frontend-deployment
Namespace:              default
CreationTimestamp:      Mon, 16 May 2022 11:42:32 +0200
Labels:                 app=todo
                        component=frontend
Annotations:            deployment.kubernetes.io/revision: 1
Selector:               app=todo,component=frontend
Replicas:               1 desired | 1 updated | 1 total | 1 available | 0
unavailable
StrategyType:           RollingUpdate
MinReadySeconds:        0
RollingUpdateStrategy:  25% max unavailable, 25% max surge
Pod Template:
  Labels:   app=todo
            component=frontend
  Containers:
   frontend:
    Image:       icclabcna/ccp2-k8s-todo-frontend
    Port:        8080/TCP
    Host Port:   0/TCP
    Requests:
      cpu:   100m
    Environment:
      API_ENDPOINT_URL:   http://api-svc:8081
    Mounts:               <none>
  Volumes:                <none>
Conditions:
  Type           Status  Reason
  ----           ------  ------
  Available      True    MinimumReplicasAvailable
  Progressing    True    NewReplicaSetAvailable
OldReplicaSets:  <none>
NewReplicaSet:   frontend-deployment-b5669674f (1/1 replicas created)
Events:
  Type    Reason            Age   From                   Message
  ----    ------            ----  ----                   -------
  Normal  ScalingReplicaSet 94s   deployment-controller  Scaled up replica set
frontend-deployment-b5669674f to 1
```

Theses are the Autoscale settings :

Autoscale

Automatically increase or decrease the number of replicated pods to maintain performance and minimize cost. [Horizontal Pod Autoscaling](#)

Minimum number of replicas
1 ❓

Maximum number of replicas *
4 ❓

Autoscaling metrics

Use metrics to determine when to autoscale the deployment

Edit metric ⌃

Autoscaling metric *
CPU ▼

Target *
30 ❓

Unit
% ▼ ❓

DONE

When load tested with JMeter, we can see the creation of 3 additional Pods, then after the test (about 5min), we can see them beeing terminated

```
NAME                                    READY   STATUS    RESTARTS   AGE
api-deployment-86d8969586-5p4jx         1/1     Running   0          3h41m
api-deployment-86d8969586-m9wdb         1/1     Running   0          3h41m
frontend-deployment-b5669674f-tkkff     1/1     Running   0          3m29s
redis-deployement-6fbcc669d9-krvj9      1/1     Running   0          3h41m
frontend-deployment-b5669674f-dkkcr     0/1     Pending   0          0s
frontend-deployment-b5669674f-dkkcr     0/1     Pending   0          0s
frontend-deployment-b5669674f-dbmcl     0/1     Pending   0          0s
frontend-deployment-b5669674f-dbmcl     0/1     Pending   0          0s
frontend-deployment-b5669674f-78577     0/1     Pending   0          0s
frontend-deployment-b5669674f-dkkcr     0/1     ContainerCreating   0          0s
frontend-deployment-b5669674f-78577     0/1     Pending             0          0s
frontend-deployment-b5669674f-dbmcl     0/1     ContainerCreating   0          0s
```

```
frontend-deployment-b5669674f-78577   0/1   ContainerCreating   0   0s
frontend-deployment-b5669674f-dbmcl   1/1   Running             0   2s
frontend-deployment-b5669674f-dkkcr   1/1   Running             0   3s
frontend-deployment-b5669674f-78577   1/1   Running             0   5s
frontend-deployment-b5669674f-dbmcl   1/1   Terminating         0   6m31s
frontend-deployment-b5669674f-dkkcr   1/1   Terminating         0   6m31s
frontend-deployment-b5669674f-78577   1/1   Terminating         0   6m31s
frontend-deployment-b5669674f-dkkcr   0/1   Terminating         0   6m32s
frontend-deployment-b5669674f-78577   0/1   Terminating         0   6m32s
frontend-deployment-b5669674f-dbmcl   0/1   Terminating         0   6m32s
frontend-deployment-b5669674f-78577   0/1   Terminating         0   6m43s
frontend-deployment-b5669674f-78577   0/1   Terminating         0   6m43s
frontend-deployment-b5669674f-dkkcr   0/1   Terminating         0   6m43s
frontend-deployment-b5669674f-dkkcr   0/1   Terminating         0   6m43s
frontend-deployment-b5669674f-dbmcl   0/1   Terminating         0   6m44s
frontend-deployment-b5669674f-dbmcl   0/1   Terminating         0   6m44s
```

TASK 4 - DEPLOY ON IICT KUBERNETES CLUSTER

Deliverables for Task 4

> *Document your observations in the lab report. Document any difficulties you faced and how you overcame them. Copy the object descriptions into the lab report*

No issues were encountered, everything worked fine :

```
kubectl get all -n l6grp
NAME                                      READY    STATUS     RESTARTS    AGE
pod/api-deployment-86d8969586-4g4tr       1/1      Running    0           110m
pod/api-deployment-86d8969586-pltpb       1/1      Running    0           110m
pod/frontend-deployment-b5669674f-gxxnk   1/1      Running    0           109m
pod/frontend-deployment-b5669674f-swhpl   1/1      Running    0           109m
pod/redis-deployement-6fbcc669d9-ctgfx    1/1      Running    0           111m

NAME                  TYPE           CLUSTER-IP     EXTERNAL-IP     PORT(S)
AGE
service/api-svc       ClusterIP      10.43.118.89   <none>          8081/TCP
73m
service/frontend-svc  LoadBalancer   10.43.115.50   10.193.72.108   80:31536/TCP
111m
service/redis-svc     ClusterIP      10.43.67.70    <none>          6379/TCP
134m

NAME                                 READY    UP-TO-DATE   AVAILABLE   AGE
deployment.apps/api-deployment       2/2      2            2           110m
deployment.apps/frontend-deployment  2/2      2            2           109m
deployment.apps/redis-deployement    1/1      1            1           111m

NAME                                             DESIRED   CURRENT   READY   AGE
replicaset.apps/api-deployment-86d8969586        2         2         2       110m
replicaset.apps/frontend-deployment-b5669674f    2         2         2       109m
replicaset.apps/redis-deployement-6fbcc669d9     1         1         1       111m
```

Objects

Frontend Deployment Description :

```
Name:                  frontend-deployment
Namespace:             l6grp
CreationTimestamp:     Mon, 16 May 2022 09:59:06 +0200
Labels:                app=todo
                       component=frontend
Annotations:           deployment.kubernetes.io/revision: 1
                       field.cattle.io/publicEndpoints:
                         [{"addresses":
["10.193.72.108"],"port":80,"protocol":"TCP","serviceName":"l6grp:frontend-
svc","allNodes":false}]
Selector:              app=todo,component=frontend
Replicas:              2 desired | 2 updated | 2 total | 2 available | 0
unavailable
StrategyType:          RollingUpdate
MinReadySeconds:       0
RollingUpdateStrategy: 25% max unavailable, 25% max surge
Pod Template:
  Labels:  app=todo
           component=frontend
  Containers:
   frontend:
    Image:       icclabcna/ccp2-k8s-todo-frontend
    Port:        8080/TCP
    Host Port:   0/TCP
    Requests:
      cpu:  100m
    Environment:
      API_ENDPOINT_URL:  http://api-svc:8081
    Mounts:              <none>
  Volumes:               <none>
Conditions:
  Type           Status  Reason
  ----           ------  ------
  Available      True    MinimumReplicasAvailable
  Progressing    True    NewReplicaSetAvailable
OldReplicaSets:  <none>
NewReplicaSet:   frontend-deployment-b5669674f (2/2 replicas created)
Events:          <none>
```

API Deployment Description :

```
Name:                   api-deployment
Namespace:              l6grp
CreationTimestamp:      Mon, 16 May 2022 09:58:11 +0200
Labels:                 app=todo
                        component=api
Annotations:            deployment.kubernetes.io/revision: 1
Selector:               app=todo,component=api
Replicas:               2 desired | 2 updated | 2 total | 2 available | 0
unavailable
StrategyType:           RollingUpdate
MinReadySeconds:        0
RollingUpdateStrategy:  25% max unavailable, 25% max surge
Pod Template:
  Labels:   app=todo
            component=api
  Containers:
   api:
    Image:      icclabcna/ccp2-k8s-todo-api
    Port:       8081/TCP
    Host Port:  0/TCP
    Environment:
      REDIS_ENDPOINT:  redis-svc
      REDIS_PWD:       ccp2
    Mounts:             <none>
  Volumes:              <none>
Conditions:
  Type            Status  Reason
  ----            ------  ------
  Available       True    MinimumReplicasAvailable
  Progressing     True    NewReplicaSetAvailable
OldReplicaSets:  <none>
NewReplicaSet:   api-deployment-86d8969586 (2/2 replicas created)
Events:          <none>
```

REDIS Deployment Description :

```
Name:                   redis-deployement
Namespace:              l6grp
CreationTimestamp:      Mon, 16 May 2022 09:58:05 +0200
Labels:                 app=todo
                        component=redis
Annotations:            deployment.kubernetes.io/revision: 1
Selector:               app=todo,component=redis
Replicas:               1 desired | 1 updated | 1 total | 1 available | 0
unavailable
StrategyType:           RollingUpdate
MinReadySeconds:        0
RollingUpdateStrategy:  25% max unavailable, 25% max surge
Pod Template:
  Labels:   app=todo
            component=redis
  Containers:
   redis:
    Image:      redis
    Port:       6379/TCP
    Host Port:  0/TCP
    Args:
      redis-server
      --requirepass ccp2
      --appendonly yes
    Environment:  <none>
    Mounts:       <none>
  Volumes:        <none>
Conditions:
  Type           Status  Reason
  ----           ------  ------
  Available      True    MinimumReplicasAvailable
  Progressing    True    NewReplicaSetAvailable
OldReplicaSets:  <none>
NewReplicaSet:   redis-deployement-6fbcc669d9 (1/1 replicas created)
Events:          <none>
```