

FoodyBackend API Reference

FoodyBackend is an ASP.NET Core Web API with Swagger and a PostgreSQL database.

Item	Value
Base API path	/api
Local HTTP URL	http://localhost:5066
Local HTTPS URL	https://localhost:7270
Swagger UI	/swagger
Authentication	None
Response format	JSON

Important: the app runs EF migrations on startup, exposes no auth checks, and recipe endpoints can fall back to CSV data when the database has no matching recipes.

Root Endpoints

GET /

Returns a basic service status payload.

```
{
  "message": "FoodyBackend is running",
  "database": "PostgreSQL",
  "environment": "Production"
}
```

GET /swagger

Returns the Swagger UI page for interactive API exploration.

Health API

GET /api/Health

Confirms that the API process is running.

```
{
  "status": "ok",
  "service": "FoodyBackend"
}
```

GET /api/Health/db

Checks the database connection and reports the number of pending migrations.

```
{
  "status": "ok",
  "database": "connected",
  "pendingMigrations": 0
}
```

Models

User

```
{
  "id": 1,
  "username": "robin",
  "password": "secret"
}
```

Group

```
{
  "id": 1,
  "name": "Family dinners",
  "description": "Recipes and meals for the family"
}
```

Dinner

```
{
  "id": 1,
  "groupId": 1,
  "group": {
    "id": 1,
    "name": "Family dinners",
    "description": "Recipes and meals for the family"
  }
}
```

```
  },
  "description": "Friday pasta night",
  "date": "2026-03-22T18:00:00Z"
}
```

Recipe Response

```
{
  "recipe": "Pasta Primavera",
  "ingredients": "pasta, tomato, basil",
  "directions": "Boil pasta and mix the ingredients.",
  "link": "https://example.com/recipe",
  "source": "Database",
  "data": null
}
```

User Endpoints

Method	Route	Description
GET	/api/User	List all users
GET	/api/User/{id}	Get one user by id
POST	/api/User	Create a user
PUT	/api/User/{id}	Update a user
DELETE	/api/User/{id}	Delete a user

```
{
  "username": "robin",
  "password": "secret"
}
```

Group Endpoints

Method	Route	Description
GET	/api/Group	List all groups
GET	/api/Group/{id}	Get one group by id

POST	/api/Group	Create a group
PUT	/api/Group/{id}	Update a group
DELETE	/api/Group/{id}	Delete a group

```
{
  "name": "Family dinners",
  "description": "Recipes and meals for the family"
}
```

Dinner Endpoints

Method	Route	Description
GET	/api/Dinner	List all dinners with group details
GET	/api/Dinner/{id}	Get one dinner with group details
POST	/api/Dinner	Create a dinner
PUT	/api/Dinner/{id}	Update a dinner
DELETE	/api/Dinner/{id}	Delete a dinner

```
{
  "groupId": 1,
  "description": "Friday pasta night",
  "date": "2026-03-22T18:00:00Z"
}
```

Recipe Endpoints

Method	Route	Description
GET	/api/Recipe/random	Get a random recipe
GET	/api/Recipe/by-ingredient? ingredient=value	Get up to 50 matching recipes
GET	/api/Recipe/one-by-ingredient? ingredient=value	Get the first matching recipe

GET	/api/Recipe/by-number/{number}	Get a recipe by 1-based position
POST	/api/Recipe/import-csv?limit=100	Import recipes from CSV into the database

```
{
  "imported": 100,
  "source": "foodnetwork_recipes.csv"
}
```

Example Requests

```
curl http://localhost:5066/api/Health

curl -X POST http://localhost:5066/api/User \
  -H "Content-Type: application/json" \
  -d '{"username":"robin","password":"secret"}'

curl -X POST http://localhost:5066/api/Group \
  -H "Content-Type: application/json" \
  -d '{"name":"Family dinners","description":"Recipes and meals for the family"}'

curl -X POST http://localhost:5066/api/Dinner \
  -H "Content-Type: application/json" \
  -d '{"groupId":1,"description":"Friday pasta night","date":"2026-03-22T18:00:00Z"}'

curl "http://localhost:5066/api/Recipe/by-ingredient?ingredient=tomato"

curl -X POST "http://localhost:5066/api/Recipe/import-csv?limit=100"
```