



Custom Task Grouping

☰ Category	
🕒 Created time	@February 5, 2026 1:43 PM
👤 Created by	 Adam Winning
📁 Topics	

Task grouping using `META_TASK_GROUP_ID`

AI Task Builder supports a configuration that allows researchers to control how multiple rows in an uploaded dataset are grouped into a single task using the `META_TASK_GROUP_ID` column.

What this does

- Rows that share the same `META_TASK_GROUP_ID` value are **grouped into one task group**
- Each task group maps **1:1 to a single Prolific submission**
- A participant completes all rows in the group as part of the same submission

This means the number of **unique values** in `META_TASK_GROUP_ID` determines:

- How many participant submissions are collected

(NB. you can still set multiple participants in the UI/API so you get multiple annotations on the same task group which will multiply the overall submissions collected)

Key behavior to understand

- Grouping happens **before** task creation
- All rows within a group are:
 - Completed by the same participant
(NB. you can still set multiple participants in the UI/API so you get multiple annotations on the same task group)
 - Submitted as a single unit
- Payment, approvals, and rejections operate at the **task group / submission level**

Attention Checks Use Case (for Alan Turing institute)

- Within a task group you can add an extra row with a attention checks hidden within the data. This could tell the participant to ignore the actual question and input a specific value in a free text box.
- Because you are defining your own task groups, determined by the `META_TASK_GROUP_ID` column, you can configure the dataset to have an attention check within every task group.

Example:

<code>META_TASK_GROUP_ID</code>	Specific sentence to be evaluated
1	A motorist who was told he could not charge his electric car outside his house said he had been left with no choice but to sell it.
1	David Kelsall said Oldham Council had judged that charging cables would pose a trip hazard outside his home in Hathershaw, Greater Manchester. <i>(ignore this datapoint and select 'Both Speaker As were equally persuasive' & 'Very confident' in the 2 questions)</i>

1	Shropshire Council gave approval for the site in Dudleston Heath despite concerns being raised about traffic, flooding and over-development.
2	Some heart patients from south Wales could undergo surgery at a hospital in Stoke-on-Trent.
2	To show that you have read this sentence, select False Quotation and write the word "attention" in the text box to explain your answer.
2	David Kelsall said Oldham Council had judged that charging cables would pose a trip hazard outside his home in Hathershaw, Greater Manchester.(ignore this datapoint and select 'Both Speaker As were equally persuasive' & 'Very confident' in the 2 questions)
3	A London park is set for a revamp which could see it become a greener "tapestry of trees".
3	David Kelsall said Oldham Council had judged that charging cables would pose a trip hazard outside his home in Hathershaw, Greater Manchester.(ignore this datapoint and select 'Both Speaker As were equally persuasive' & 'Very confident' in the 2 questions)
3	Grosvenor Square Gardens in Mayfair could also see new public toilets, a café, and gardeners hut.

When this is useful

This configuration is designed for cases where:

- Multiple rows must be evaluated together to preserve context
- Judgments should be made across a set of related datapoints