

RoboCup Humanoid Soccer League (HSL) Rule Book

RoboCup Humanoid Soccer League Technical Committee

(DRAFT 2026 Working Rules Document, as of 2026-01-31)

Questions or comments on these rules should be submitted via the following channels:

- <https://github.com/RoboCup-HumanoidSoccerLeague/HSL-Rules/issues>;
- Discord server: <https://discord.gg/67upw6Nn>, channel #rule-book;
- Email to tba@tba.com.

Contents

1 Purpose and Scope of the RoboCup Humanoid Soccer League	1
2 Environment	3
3 Teams and Players	10
4 Robot Players	11
5 The Human Officials	21
6 Judgement	26
7 Robot States	28
8 Law 7 – The Duration of the Match	29
9 Law 8 – The Start and Restart of Play	31
10 Law 9 – The Ball In and Out of Play	33
11 Law 10 – The Method of Scoring	33
12 Law 11 – Offsides	34
13 Law 12 – Fouls and Misconduct	34
14 Law 13 – Free Kicks	35
15 Kick-in / Throw-in	38
16 Goal Kick	39

17 Corner Kick	41
18 Penalty Kick	41
19 Game Stuck	43
20 Timeout	44
21 Extra Time	45
22 Drop Ball	45
23 Penalty Kick Shoot-Out	46
24 Forbidden Actions and Penalties	49

1 Purpose and Scope of the RoboCup Humanoid Soccer League

This document defines the purpose, scope, and rules of the RoboCup Humanoid Soccer League for the international RoboCup competition, at the forefront of research, innovation, and education in humanoid soccer across all forms.

1.1 Vision and Mission Statement

The RoboCup Humanoid Soccer League (HSL) will drive innovative research that advances the software and hardware of autonomous robots with a particular emphasis on robots deployed in real-time, dynamic, partially observable, and multi-agent environments. The HSL is well suited to advance *research*, *development*, and *education* in:

- Multi-robot systems (5+ robots) requiring decentralized coordination with limited communication over noisy channels.
- Robots that approach or approximate Human-like capabilities.
- A league that promotes research,
- Localization and state-estimation.
- Dynamic humanoid motor control.
- Real-time and on-board robot perception.
- Software engineering for autonomous robots.
- Hardware engineering for autonomous robots.
- Across topics, robot learning in all its forms.

In addition, the HSL aims to:

- Grow the community of humanoid soccer within RoboCup.
- Further education in robotics and is designed such that both teams with a primary focus in research and teams with a primary focus in education are able to participate.
- Encourage active sharing of software and hardware designs for league-wide collaboration.
- Measure the capabilities of the league against the 2050 vision of RoboCup.
- Drive the vision and direction of the rules to encourage good quality soccer between evenly matched teams.

1.2 Core Vision and Requirements for Legal Standard Robot Platforms

The HSL encourages and welcomes the use of standard humanoid robot platforms available within the market to advance the state of humanoid robot soccer and the vision of the HSL.

With the HSL vision in mind, the core requirements for standard humanoid platforms used within the HSL are platforms:

1. Capable of dynamic motions such as fast walking, kicking a ball off the ground, and getting up from the ground;
2. Capable of running state-of-the-art AI neural network models for perception, decision-making, and control;
3. Sufficiently small and affordable that teams can fund multiple robots and travel with them to competitions;
4. Able to be programmed at a low-level of control;
5. Well-Documented.

Community comment, to be discussed: They make sense as ideals, but not as strict requirements. Reword §1.2 so that it is clear that these are ideals and not to be confused for the technical requirements of platforms as in §4. Maybe replace mentions to "requirements"

1.3 Core Vision and Requirements for Constructed Robots

The HSL equally encourages and welcomes the use of fully custom built or modified humanoid robot platforms. To create a welcoming and fair environment for all robot platforms, the HSL ensures the following:

1. Both store-bought and custom-built robots can participate in a fair competition without risking damage to their robots.
2. The tournament is designed such that games are interesting for all participating teams and match-ups are fair.
3. The tournament is designed such that all currently existing teams are able to participate.
4. Details about hardware and software of the robots is made available to teams and organizers to ensure a fair competition and encourage scientific exchange.
5. League resources are distributed such that both store-bought and custom-built robots equally benefit from them.
6. Robots are designed with the goal of RoboCup in mind, thus restricting the allowed sensors where possible to humanoid sensors. Exceptions to this rule can be made if it benefits scientific progress.

3 and 5 are also hard to enforce, since terms like "sufficiently small and affordable" and "well-documented" are too subjective.

2 Environment

2.1 The Field of Play

The competition consists of three distinct divisions, categorized specifically by the maximum physical height and weight of the robotic platforms.

To ensure a fair and proportionate competitive environment, the field dimensions, number of players and ball size will vary to align with the specific requirements of each division¹.

2.1.1 Field surface

The matches are played on artificial turf with a height between approximately 20 to 30 mm, except for the small division, which has a height between 8 and 12 mm, also approximately.

The color of artificial turf must be green. No particular shade is required, but the green must contrast well with the field markings and the ball and should not be very dark.

2.1.2 Field markings

The field of play must be rectangular and marked with continuous lines. These lines belong to the areas of which they are boundaries.

The color of field markings should be white, whether applied by tape, paint, or made from white turf.

The two longer boundary lines are called touchlines (or sidelines). The two shorter lines are called goalines.

The field of play is divided into two halves by a halfway line, which joins the midpoints of the two touchlines. A Team's Half is the half of the field that is closest to a team's own goal, where they primarily defend against opposing attacks.

The center mark is at the midpoint of the halfway line. A circle is marked around it, defining the center circle, a region used for kick-offs and other specific plays.

The goal area and penalty area are defined using lines drawn at right angles to the goal line.

All lines must be of the same width, which must be between 5 and 12 centimeters.

Figure 1 shows the field markings with the lines and its names.

¹Games are played in three divisions depending on weight and height of the robots. See 3.1 for more details.




Figure 1: A labeled diagram illustrating the standard markings and key areas of a soccer field.

2.1.3 The goal area

Two lines are drawn at right angles to the goal line; the length and distance from the midpoint of the goal line depend on the division.

These lines extend into the field of play and are joined by a line drawn parallel with the goal line. The area bounded by these lines and the goal line is the goal area.

2.1.4 The penalty area

Two lines are drawn at right angles to the goal line; the length and distance from the midpoint of the goal line depend on the division.

These lines extend into the field of play and are joined by a line drawn parallel with the goal line. The area bounded by these lines and the goal line is the penalty area.

Within each penalty area, a penalty mark is made.

The distance from the midpoint between the goalposts depends on the division.

2.1.5 The corner arc

A quarter circle from each corner is drawn inside the field of play. The radius of the arc is 0.5m for the Medium Field and 1.0m for the Large Field. The Small field does not have corner arcs.

2.1.6 Dimensions

There are three field sizes that can be used for the proposed divisions, described in Table 1.

Field	Width (meters)	Length (meters)
Small Field (S-Field)	6	9
Medium Field (M-Field)	6 to 9	9 to 14
Large Field (L-Field)	9 to 14	14 to 22

Table 1: Approximate field sizes.

Table 2 shows the dimensions of the Small, Medium and Large soccer fields and Figures 2, 3 and 4 shows the diagram of the three soccer fields. Note that the Middle division can be played on the S-Field or the M-Field, while the Large division can be played on both the M-Field and the L-Field. More detailed technical drawings are provided in Section ?? .

To be attached

Note that measurements are from the outside of the lines as the lines are part of the area they enclose (as it is in the FIFA Rules).

ID	Description (all values in meters)	S-Field (former KidSize)	M-Field (former AdultSize)	L-Field (similar to MSL)
A	Field length	9.0	14.0	22.0
B	Field width	6.0	9.0	14.0
C	Goal length (depth)	0.5 to 1.0	0.7 to 1.2	1.0 to 2.0
D	Goal width	1.8	2.4	3.0
E	Goal Area length	1.0	1.0	1.0
F	Goal Area width	3.0	4.0	5.0
G	Penalty Area length	2.0	3.0	3.5
H	Penalty Area width	4.0	6.0	7.0
I	Penalty Mark distance	1.5	2.0	2.5
J	Center Circle diameter	1.5	3.0	4.0
K	Border strip width (min.)	1.0		
L	Corner Arc radius	none	0.5 m	1.0
	Line width	0.05		0.12
	Penalty and center mark size	0.10		0.15

Table 2: Field dimensions by field type, in meters.




Figure 2: Schematic diagram of the small soccer field – S-Field (scale: 1/80)

2.1.7 Goals

A goal must be placed on the center of each goal line. A goal consists of two vertical posts equidistant from the corner flagposts and joined at the top by a horizontal crossbar.

The goalposts and crossbar must be made of wood, metal, or other approved material and must not be dangerous to the players.

The goalposts and crossbar of both goals must be of the same shape, which must be square, rectangular, round, elliptical, or a hybrid of these options.

The goalposts and crossbar must have the same width and depth, which is not less than 8 cm and does not exceed 12 cm. The goalposts and the crossbar must be white. Goal nets and any net supports may be white, gray, or black.

need a figure how goalposts must be placed on the goal line

Goals must be anchored securely to the ground.

Off-the-shelf goals may be used if they satisfy these requirements.




Figure 3: Schematic diagram of the medium soccer field – M-Field (scale: 1/100)

Division	Width (meters)	Height (meters)	Depth (meters)
Small	1.8	1.2	0.5 to 1.0
Middle	2.4	1.6	0.7 to 1.2
Large	3.0	2.0	1.0 to 2.0

Table 3: Approximate dimensions of the goals.

2.1.8 Definition of Inside and Outside

An object (such as a robot or the ball) is considered *inside* a region of the field if any part of it overlaps or touches the boundary lines that define that region, or if it is fully contained within the region, in the air or on the ground. It is considered *outside* the region only when no part of it, or its downwards projection, remains within or on the boundary lines of that region. This definition applies to any designated area of the field, except the goal area (See Figure 1).

Exception for the Goal: The ball is only considered *inside* the goal (and thus a goal is scored) when the entire ball has wholly crossed the goal-side edge of the goal line, i. e., when no part of the ball remains on or above the goal line and the ball is outside the field of play.




Figure 4: Schematic diagram of the large soccer field – L-Field (scale: 1/150)

2.1.9 Venue Setup

Fields may be located close to one another. Barriers will not necessarily be constructed between adjacent fields to block the robots from seeing other fields, goals, or balls. However, barriers will be constructed to block sight between any fields that are not located at least three meters apart. Hence, for each side of a field that is adjacent to another field, either barriers will separate the fields or at least 3 m will be between the carpet of adjacent fields.

2.1.10 Lighting Conditions

The HSL does not mandate specific or controlled lighting conditions for a match venue. It is expected that the venue provides reasonable lighting suitable for general visibility (e. g. indoor with artificial lighting, outdoor with natural lighting, or a combination of both).

The lighting conditions depend on the actual venue. Fields should be placed near or under windows where possible.

Whether window lighting is used or not, ceiling lights should be provided as necessary so that most of the field is at least 300 lx (preferably 400 lx). This lighting may include variations such as glare, brightness, shadows, or mixed lighting conditions that can change throughout the match.

To be decided: move venue setup and equipment requirement specific topics to an annex for local organizers?

finding from Ro-HOW: Barriers and Nets should be required around every field

However, the lighting must be predominantly white, and colored lighting that significantly changes the perceived color of the field or ball is not allowed.

Teams participating in the HSL are encouraged to design their robots to handle a variety of typical lighting environments that may be encountered during a match. Natural and non-natural light must be free to reach the field. The technical committee can delimit a zone near the field where humans must not stand and where any items blocking the light sources are forbidden.

2.2 The Ball

2.2.1 Qualities and measurements

All balls must be spherical, made of or resembles the weight, form, movement characteristics and appearance of leather or other suitable material.

The balls for each division are defined in table 4.

Division	Ball Type
Small	FIFA Mini Ball ²
Middle	FIFA size 3 or 4
Large	FIFA size 5

Table 4: Balls used in each division

2.2.2 Replacement of a defective ball

If the ball bursts or becomes defective during the course of a match: the match is stopped. It is restarted by dropping the replacement ball at the place where the original ball became defective.

If the ball bursts or becomes defective whilst not in play at a kick-off, goal kick, corner kick, free kick, penalty kick or throw-in: the match is restarted accordingly.

If the ball becomes defective during a penalty kick or penalties (penalty shoot-out) as it moves forward and before it touches a player, crossbar or goalposts, the penalty kick is retaken.

The ball may not be changed during the match without the referee's permission.

2.2.3 Additional balls

Additional balls which meet the requirements of 2.2 may be placed around the field of play and their use is under the referee's control.

3 Teams and Players

3.1 Divisions and Configurations

A team belongs to one division, which is one of Small, Middle and Large. Main competition matches only take place between members in the same division.

Teams in each division can choose to play in two team configurations: Foundation - with a smaller number of players; and Advanced - with a larger number of players. If in a game one of the teams chooses to play in a Foundation configuration, then both teams must play in this configuration to ensure fairness. The maximum number of players in a game for each configuration is shown in Table 3.2.

In the Middle division, starting from the quarter-finals onwards, all matches will be played in the Advanced configuration.

Both the division and the configuration of a team are defined before the competition (precise modality TBD) and cannot change during the competition itself.

Maybe move some definitions from the beginning of Comp. Structure over here?

3.2 Number of Players

A match is played by two teams, each with a **maximum** number of players determined by the division the game takes place in and the configuration level of the playing teams, as illustrated by the following table:

Division	Foundation team	Advanced teams
Small	4	7
Mid	3	5
Large	3	5

At most one player per team on the field may be designated as *goalkeeper*, the others are all *field players*.

When playing at full strength, a team must have a *goalkeeper* on the field.

Each of the players has a unique jersey number from the set $\{1, 2, 3, \dots, 20\}$.

Goalie distinguishing feature TBD: Number? Color?

3.3 Number of Substitutes

In addition, each team may prepare *substitute players* outside the field. A *substitute player* may be substituted in to become a *field player* or *goalkeeper*.

Will we have flexible numbers on the game controller? Otherwise, the numbers should be limited to the game controller numbers.

Number of allowed substitutes, needs clarity - limited, un-

3.4 Substitution Procedure

In all matches, the names and jersey numbers of the substitutes must be given to the referee prior to the start of the match. Any substitute whose name is not given to the referee at this time may not take part in the match.

To replace a player with a substitute, the following conditions must be observed:

- The referee must be informed before any proposed substitution is made.
- The substitution may only occur during a stoppage in the match.
- The player being replaced must first be removed from the field.
- The substitute only enters the field of play after the player being replaced has left and after receiving a signal from the referee.
- The substitute enters the field of play at the standard re-entry point (on the touchline at the height of the penalty mark in the robot's own half, as used for returning from a penalty).
- The substitution is completed when the substitute enters the field of play.
- From that moment, the substitute becomes a player and the player replaced becomes a substituted player.
- All substitutes are subject to the authority and jurisdiction of the referee, whether called upon to play or not.

3.4.1 Changing the Goalkeeper

Any of the other players may change places with the goalkeeper, provided that:

- The referee is informed before the change is made.
- The change is requested during a stoppage in the match.

4 Robot Players

4.1 The Design of the Robots

Robots participating in the HSL must have a human-like body shape with a torso, head, two arms, and two legs, as well as human-like symmetry and proportions regarding sizes of the body parts and weight distribution.

The robots must be able to stand upright on their feet, to walk on their legs and to be able to recover from a fall (get back to a standing position).

The only allowed modes of locomotion are bipedal walking, running, and jumping. Soccer related movements such as dribbling, kicking, or other forms of ball handling are also allowed.

The design of the robot's arms, including their length and placement, shall permit arm use and behaviors that are reasonably comparable to those of humans. Examples of permitted uses include assisting in getting up after a fall or picking up and throwing the ball (where otherwise allowed by the rules).

Arm configurations that enable behaviors significantly different from those of humans are not permitted. In particular, robots must not use their arms to provide continuous support for locomotion, such as walking on arms or using arms as additional legs.

4.1.1 Size Restrictions

All robots participating in the HSL must comply with the following restrictions:

The length of the legs H_{leg} , including the feet, satisfies $0.35 \cdot H_{top} \leq H_{leg} \leq 0.7 \cdot H_{top}$, where H_{top} is the height of the top of the robot. The length of the leg is measured from the first rotating joint where its axis lies in the plane parallel to the standing ground to the tip of the foot.

to be discussed - including height restrictions

A classic piece of human anatomy and art history, Leonardo da Vinci's "Vitruvian Man" famously depicts a man whose arm span is equal to his height, creating a 1:1 ratio. Therefore, the arm span, A_{span} , including the hands, should satisfy $0.8 \cdot H_{top} \leq A_{span} \leq 1.2 \cdot H_{top}$.

Based on H_{top} , the following size restrictions apply for each division:

- Small: $H_{top} \leq 1.1$ meters;
- Middle: $H_{top} \leq 1.25$ meters;
- Large: $H_{top} \leq 1.9$ meters.

H_{top} is defined as the height of the robot when standing upright (with fully extended knees). H_{top} is measured with the head of the robot oriented in such a way that it is tilted to either its maximum upwards tilt angle or the horizon line, whichever is lower.

The height of the head H_{head} , including the neck, satisfies $0.1 \cdot H_{top} \leq H_{head} \leq 0.3 \cdot H_{top}$. H_{head} is defined as the vertical distance from the axis of the first arm joint at the shoulder to the top of the head.

4.1.2 Weight Restrictions

The robot's Body-Mass Index (BMI) is defined as follows: $BMI = \frac{M}{H_{top}^2}$, where M is the mass of the robot in kg and H_{top} its height in meters.

The Body Mass Index (BMI) of the robot should be: $5 \leq BMI \leq 30$.

The following weight restrictions apply for each division:

- Small: Weight ≤ 15 kilograms;
- Middle: Weight ≤ 25 kilograms;
- Large: Weight ≤ 80 kilograms.

4.1.3 Safety

A player must not use equipment or wear anything that is dangerous to himself or another player.

Robots competing in the physical competition must be equipped with an emergency stop button that makes the robot immediately desist with all motions, or ideally go limp and/or cut power to the actuators. In addition to the emergency stop button, robots may only have up to two additional physical or virtual buttons: One to start the robot behaviour and one to stop the behaviour. The buttons must be clearly labeled. If the robot has more buttons that cannot be detached, they must be visibly masked during the games.

In ...tbd... size, robot handlers are allowed to carry an additional remote emergency stop button. This button must be worn either around the neck or on the belt of the robot handler and must be clearly marked. Each emergency stop button can only be connected to the robot of the robot handler that holds the button. The remote emergency button cannot perform any additional functions and does not replace the regular emergency button. Robot handlers must keep their hands clearly away from the button unless the button is being pressed. Robot handlers must not use the remote emergency button to intentionally incapacitate their robots.

4.2 Approved Standard Platforms

The following commercially available robotic platforms are approved for participation in the HSL.

The following are the list of pre-approved standard platforms that require no modifications:

From the humanoid league rules, to be discussed

to be discussed: 4.7.1 allows buttons, community also requests to allow more buttons (NAO). Usage during the game can be restricted

to be discussed, will there still be robot handlers?

to be discussed, add other safety measures from our discussion?

Manufacturer	Model	Restrictions
Aldebaran	Nao V5, and Nao V6	
Robotis	DARwIn-OP	
Booster	T1, and K1	
Fourier	GR1, GR1-Pro, and GR2	
Unitree	G1++, H1++	

Additional humanoid robot platforms can be approved upon request. Please send your request for approval to rc-spl-tc@lists.robocup.org.

Change to new mailing list when ready

4.3 Hardware

Modifications or additions to the robot hardware are allowed.

No additional hardware is permitted, including off-board sensing or processing systems. Additional sensors besides those originally installed on the robots are likewise not allowed.

to be discussed, divisions, list of permitted robots, self-built robots, etc.

to be discussed

4.4 Sensors

Teams participating in the HSL competitions are encouraged to equip their robots with sensors that have an equivalent in human senses. These sensors must be placed at a position roughly equivalent to the location of the human's biological sensors. In particular, ...

to be discussed

The sensors and their placement shall be chosen such that they allow the robot a spatial perception similar to humans. The sensors are evaluated along the following two general guidelines:

1. *Foster and encourage research and development towards human-like perception capabilities.* Sensors aiming to directly emulate human senses, like a camera or a microphone. Use of such sensors is explicitly *encouraged*.
2. *Enable research and development under the constraints of the current state of the art in technology and research, as long as this does not undermine current research efforts as declared in point 1.*
Sensors that compensate for current shortcomings in technology and state of research, like one-dimensional distance sensors with limited range, or two vertically arranged cameras in the robot NAO.

Generally, *passive sensors* are preferred to *active* sensors that actively emit signals.

4.4.1 Intrinsic Perception and Proprioception

Any sensing capability aiming at measuring the internal state of the robot is permitted. This includes temperature, current consumed by the motors, joint positions, etc.

4.4.2 Visual Perception

The visual sensors, e.g., cameras of the robot shall be arranged such that the combined visual field is *contiguous* and limited to dimensions similar to a human, which corresponds to limitations in the opening angle: horizontal $\leq 180^\circ$ and vertical $\leq 140^\circ$.

The visual sensors shall be located in the head of the robot.

The combined dynamic visual field that can be observed by the robot solely by moving its cameras (similar to human eye movements) and the head is limited to horizontal $\leq 340^\circ$ and vertical $\leq 220^\circ$.

The cameras are restricted to visual information in the range of the light visible to humans.

The cameras can provide dense visual information, such as a rasterized image, or sparse information, such as visual events (event cameras).

4.4.3 Visual (dense) Depth Perception

Passive integrated devices that provide dense depth information, such as stereo cameras, are permitted and encouraged.

Active integrated devices that provide depth information, such as cameras with an active infrared projector or time-of-flight cameras, are permitted but discouraged. Their use might be prohibited in the future.

4.4.4 Orientation

Sensors providing information regarding the robot's orientation in space with relation to the ground are permitted. This includes sensors such as gyrometer, accelerometer, as well as integrated inertial measurement units (IMU), as long as they provide only relative measurements and no measurements of the absolute direction, such as a compass.

An IMU with an integrated compass can be used as long as the compass is disabled.

The sensors can be placed in the head and/or in the torso of the robot.

4.4.5 Sound Perception

The sound sensors, e.g., microphones, shall be placed in the head of the robot. The number of microphones is limited to .

To be defined.
Suggested:
8

4.4.6 Haptic Sensing

Any passive sensor allowing haptic measurement is permitted, such as force sensors, touch sensors, buttons/bumpers, capacitative touch sensors.

Haptic sensors can be placed at any location of the robot's body and are not limited in number.

4.4.7 Distance Sensing

Active and passive sensors for one-dimensional distance sensing with a limited range are permitted if their use is limited to compensate for shortcomings in the spatial awareness of the robot in the close proximity.

The number of such distance sensors is limited to 4.

The use of distance sensors is discouraged and might be prohibited in the future.

4.4.8 Summary

The following table briefly summarizes pre-approved sensors. The use of listed sensors that are considered human-like is encouraged. The use of listed sensors that are not considered human-like is accepted, but discouraged and might be prohibited or limited in the future.

Sensor Type	Human-Like	Comments
RGB camera	yes	opening angle limit: horizontal $\leq 180^\circ$, vertical $\leq 140^\circ$
Stereo camera	yes	
Event camera	yes	
Active RGB-D based on infrared projection	no	discouraged
Active RGB-D based on time of flight (TOF)	no	discouraged
Microphone array	yes	
Gyro	yes	
Accelerometer	yes	
Compass	no	magnetic measurement sensors are not allowed
Integrated inertial measurement units (IMU)	yes	no compass or must be disabled and not used
Force sensors	yes	
Touch sensors	yes	
Buttons / Bumpers	yes	
Capacitive touch sensors	yes	
Near range infrared sensor	no	
Sonar / ultrasound sensors	no	
1D LIDAR and laser range sensor	no	with limited range
Intrinsic sensors	yes	temperature, current, joint positions, etc.

Reinaldo:
I think we forgot about compass, so I added to the table

Clarity needed for manufacturers that do not provide IMU details, just access to data

4.5 Team Markers

Robot bodies must be colored mostly with a neutral color, such as black, gray, white, or silver, and be non-reflective.

Robots must use colored jersey shirts as team markers. A jersey is a tank top-style shirt that may start at the neck and go down to the waistline, and does not cover the arms of the robots. It must cover at least 50% of the upper body of the robot.

Jerseys must have a primary color that comprises more than half of the jersey. The primary color must be recognizable from the front and back.

Jerseys should not contain distracting patterns that could be confused with other elements of the soccer field, such as field lines or the ball.

Jersey material must be non-reflecting, non-shiny, and non-glittery. Jerseys may be manufactured from fabric and fine mesh.

The two teams must wear colors that distinguish them from each other and also the referee and the assistant referees.

Each team must provide two jersey designs in distinctly different solid colors. The jersey color must clearly contrast with any uncovered parts of the robot to ensure reliable identification.

Robots must display clear identification numbers (player number): a large number on the back and a smaller number on the front.

The goal keeper robot must be marked uniquely so that it can be easily distinguished from the other robots of a team by the referees.

Sponsorship logos will be allowed on jerseys, though detailed guidelines are still being finalized.

Jersey designs must be submitted for approval prior to the competition.

to be discussed

4.6 Goalkeeper

The *goalkeeper* may use any of the allowed jersey numbers. The *goalkeeper* must wear a jersey with a primary color different from the primary colors used by the *field players* of both teams.

4.7 Communication

Robots participating in the HSL competitions must act autonomously during a game.

Any use external power supply, teleoperation, remote control, remote processing, remote sensing, or remote brain of any kind is prohibited.

Communication is only allowed among robots on the field, and between the robots and the Game-Controller.

between the robots and the referees,

4.7.1 Acoustic and Visual Communication

The robots are permitted to communicate through visual signaling (e. g., gestures) and / or acoustic signaling using the robot's built-in microphones and speakers.

Communication that causes excessive discomfort to an audience, affects the safety of an audience, or violates normal playing rules is not permitted.

4.7.2 Wireless Communications

The robots are permitted to communicate through WiFi using builtin wireless adapters.

A field is equipped with a wireless access point that must be used for any wireless communication during the game. Only the teams involved in the game are permitted to use the access point during a match.

Each team will be assigned a range of IP addresses that can be used both for their robots and their computers. The network configuration (e. g. IP addresses, channels, SSIDs, and required encryption) of the fields will be announced at the competition site.

4.7.2.1 Robot-To-Robot Communication: Wireless robot-to-robot communication between the robot players is allowed and must use the access points provided by the event organizers. Direct wireless communication between the robots (using the so-called ad-hoc mode) is prohibited.

Messages must be sent via UDP broadcast. Each message's payload size must not exceed 512 Bytes.

Each team will be allocated a single UDP port on which to send/receive their team messages. Specifically, a team's port will be 10000 plus that team's GameController number.

Unicast communication between robots is prohibited.

Each team is allowed to send in total a maximum of 12000 messages during a complete game.

For each minute of extra game time, the limit is increased by 600 packets.

Only messages sent by the robot players in the following game states count towards the communication limit: ready, set and playing. Any messages sent during other game states do not count towards the teams message budget. Limits do not apply during penalty kick shoot-out.

The number and the size of the messages sent by each team is monitored by the GameController.

A violation of the permitted maximal size of a message or the maximal number of messages is subject to penalty.

What is the penalty?

The limit of allowed packets will be lowered in future competitions to encourage a progress towards human-like communication and coordination.

4.7.2.2 GameController Communication: Robots are permitted to send status update packets to the GameController.

describe GC communication

4.7.2.3 Debug Communication: Team specific debug information may be sent to an external computer owned by the team. A robot may send debug information at most once every second in a single UDP packet with the size of at most 64kB.

5 The Human Officials

Each match is run by a number of human officials. They are distinguished in two categories: referees, neutral persons who have the duty to enforce the rules of play and ensure the game proceeds smoothly (including the GameController operator); and team officials, who belong to either of the teams and perform specific tasks for that team.

The referees are assigned before the game: example modalities are by scheduling in official games or by common agreement in friendly games.

As for team officials, each team selects their officials before the start of the game and communicates their selection to the head referee during the pre-game meeting. One person may cover multiple roles, unless otherwise specified.

5.1 The head referee

The head referee is the principal authority of the game and takes all decisions regarding the flow of the match and the enforcement of the rules.

5.1.1 Decisions of the head referee

The head referee takes decisions to the best of their ability according to the rules and the spirit of the game. Any decision of the head referee is valid.

The head referee's decision is final and can not be changed afterwards, even by video proof. There is no discussion about decisions during the game, neither between the assistant referees and the head referee, nor between the audience or the teams and the head referee.

The head referee communicates their decision via verbal calls, occasionally complemented by a whistle sound.

Calls. The head referee announces decisions by a clear loud call, and (as required) whistle sound. The whistle, or where there is no whistle the first verbal word of the referees calls, defines the point in time at which the decision is made. The referees should make efforts to use consistent and clear calls, and it is preferable for referees to use the calls as specified in these rules.³ The intention of specifying the referee calls is for clarity and consistency across games.

Whistle. Where a whistle is required, the head referee first whistles and then announces the reason for the whistle. The head referee may choose to use any normal sports whistle. Each whistle sound should be short and not too loud as to interfere with other fields and simultaneous games. The head referee must only sound the whistle in circumstances described in these rules.

³The calls specified in these rules are detailed in English. With the agreement of the teams, the referees may use suitable calls in any language. The exception to this are technical challenges that depend on the calls as specified.

5.1.2 Powers and duties

The head referee enforces the rules of the game and controls the match in cooperation with the assistant referees and the GameController operator.

The head referee adjudicates all infringements of the rules, and stops, suspends, or abandons the match accordingly. They indicate the restart of play after it has been stopped.

The head referee may allow play to continue when the team against which an offence has been committed will benefit from such an advantage, and penalises the original offence if the anticipated advantage does not actually ensue.

This is the "advantage rule", decide if we want it or not

When a robot commits multiple offenses at the same time, only the most serious one is called.

The head referee should act on the advice of the assistant referee regarding incidents that they has not seen.

The head referee has the right to take action against team officials who fail to conduct themselves in a responsible manner and may, at their discretion, expel them from the field of play and its immediate surrounds.

The head referee must stop the game if a human is seriously injured during play until that person has left the field.

The head referee can stop, suspend, or abandon the match because of outside interference of any kind, such as but not limited to: poor lighting or network conditions, or extraneous objects, animals or people entering the field.

The head referee can request any robot be stopped if it becomes a threat to the safety of objects, participants or spectators.

The head referee ensures that no unauthorised persons enter the field of play.

The head referee should avoid handling the ball (except for placing a ball for kick-off), and avoid handling the robots. Their duty is to monitor and adjudicate the game. The head referee should only handle robots and the ball if absolutely necessary to expedite gameplay, where the robot handlers are otherwise occupied or too far away, and only if it doesn't compromise their own safety.

The head referee may decide at any point before or during a game to relocate any objects around the field, or direct persons to another position around the field.

5.2 The Assistant Referees

The assistant referees assist the head referee with offenses and other events when they have a clearer view. For example, they indicate when the ball has completely crossed over the line of the field, and which team is awarded the resulting goal or free kick. They can also point out rule violations that occurred outside of the head referee's view.

The assistant referees assist the head referee in officiating the match. They help monitor play, track the ball going out of bounds, and communicate with the head referee about incidents they observe.

Assistant referees may replace the ball when it goes off the field or becomes stuck between a player's feet. Robot handling is performed by the designated robot handlers (see ??), not by assistant referees, unless otherwise discussed with teams beforehand.

Assistant referees should only enter the field to execute a decision made by the head referee. They should not prevent robots from falling during the game.

A game normally has one or two assistant referees. The exact number is decided by the organizers of the competition.

5.3 The GameController Operator

The operator of the GameController is a referee who sits at a PC in the technical area. As with the head referee, the operator should make efforts to use consistent and clear calls.

They will signal any change in the game state or penalties to the robots via the wireless as they are announced by the head referee. Note that for both kick-offs and goals, the moment of whistling is determining, not the verbal announcement of the head referee. They should repeat the call of the head referee as they do so, to confirm it was heard correctly.

The operator will also inform the robot handlers when a timed penalty is over and a robot has to be placed back on the field. They should announce events that occur automatically in the GameController due to elapsed time, such as the ball coming into play after a kick-off, penalty kick or free kick, or the state changing from `ready` to `set`.

They are also responsible for keeping the time of each half. They should count aloud the remaining seconds in a half once the time remaining is 5 s or less.

5.4 Equipment of the referees

All referees should wear a suitable referee jersey, and black or dark-blue socks, and they must avoid reserved colors (white and green) in their clothing.

The head referee must also be equipped with a whistle, a coin, and yellow and red cards.

The referees may also have equipment to communicate with each other, such as a headset or flags, if available.

5.5 Referee List for Friendly Games

During a competition, especially (but not only) during the setup days, several teams may want to participate in friendly games with each other if a field is available to play in. People willing to volunteer for judging these games as head referee, assistant referee or GameController operator may submit their name to a list managed by the Organizing Committee, so that the teams organizing the friendly game are aware of their availability. This is especially recommended for those who wish to gain referee experience.

Ultimately, the teams organizing the friendly game are still free to decide whether to call volunteers from the list or otherwise choose their referees.

The Organizing Committee is in charge of maintaining the referee list and should be approached at the competition site if one should want to volunteer.

5.6 The Team Captain

The captain is a team official. They are the representative of the team for the game. They do not have to be the team leader.

The team captain represents the team during the pre-game meeting.

The team captain is the only person allowed to communicate with the referees. This includes making requests for pickup (Section 24.15).

5.7 The Robot Handlers

The robot handlers are team officials. They are the only people allowed to touch robots of their own teams (except for those that are picked up). Each team must provide one or two handlers.

During the game, the robot handlers stay in a designated area and must receive permission from the head referee before entering the field.

The robot handlers are tasked with removing their robots from the field when they are penalized, picked up, or otherwise removed from play. They must do so as swiftly as possible when instructed by the head referee, and with minimum interference with the game.

When play is stopped, the robot handlers inform the head referee when their robots are ready to resume.

Robot handlers should only enter the field to execute a decision made by the head referee. They should not prevent robots from falling during an official game.

A robot handler may not touch a robot from a different team.

Put either here or in forbidden actions: refusing to follow head ref's instructions is considered unsporting conduct

5.8 Humans allowed on the field

During the game, starting at the Ready state, only the following people are allowed on the carpeted area (i.e. on the field and the surrounding border area):

- The referees;
- The robot handlers;
- And no one else.

In addition, only the team captains and at most two more people per team are allowed next to the GameController tables. The remaining humans locate themselves around the other sides of the field if they want to watch the match. This allows the referees easier communication with the team and the GameController operator gets less disturbed.

The exact name of this area depends on how the tables are laid out

6 Judgement

6.1 Pre-game Referee Meeting and Task Delegation

At least 15 min before the start of the game, the people who are going to serve as referees meet up to discuss the upcoming game. At least, they must assign among themselves the roles of head referee and GameController operator, with the remaining people acting as assistant referees.

The head referee should also communicate whether they are going to delegate any duties to the assistants. Other topics that ensure a smooth cooperation among the referees can also be discussed.

The head referee should talk to the assistants to determine what tasks or lesser decisions, if any, they wish to delegate to them to ensure that the game is arbitrated as smoothly as possible. This is left to the discretion of the head referee, based on their expertise in the role and their ability to focus on multiple events happening in the game at the same time and apply the corresponding rules.

The head referee must clearly communicate what tasks are delegated to which person, so that everyone understands their duties during the game.

If no agreement can be found, the default is that the responsibility for most calls and decisions falls upon the head referee, as determined by the rules.

Common examples of tasks that can be delegated are:

- Indicating when the ball leaves the field
- Determining which team is to be given a free kick when the ball goes out of the field (Section 15) and communicating this to the head referee
- Indicating violations requiring a penalty, especially if they happened out of the view of the head referee
- _____

More ex-
amples
can be
added

Note that the final decision is still made by the head referee.

The above list is not prescriptive: the head referee can always choose to delegate zero, one, some, or all of these tasks. It is also not exhaustive: through discussion among the head referee, the assistants, and the GameController operator, other tasks not listed here may be identified and delegated.

Care should be taken to not overburden any one person and not to blur the roles of head and assistant referees. Conflicts in the authority of the referees should be avoided, but if any do occur, the head referee's decision is final.

6.2 Pre-game Team Meeting

Both teams send a representative called team captain to the field 10 min before their match starts. This time should be used to welcome each other, assign team colors, choose side and kick-off, and discuss any other topics related to the match.

6.3 Referee–Team Communication

During the match, only the team captains are allowed to communicate with the head referee.

After the match the teams thank the referees for their duty.

During all phases of the match teams and referees are communicating with respect to each other.

6.4 Referees during the Match

The head referee and the assistant referees usually oversee the game from outside the field. Robot handlers enter the field to remove or place robots when penalties are applied (see ??). Referees should avoid interfering with the robots as much as possible.

6.5 Referees after the match

At the end of the game, the head referee must provide the Technical and Organizing Committees (or other relevant authorities) with a match report, which includes the final score and any relevant information on incidents that occurred before, during or after the match.

7 Robot States

Throughout a match, robots transition through several defined states controlled by the GameController. Robots must respond appropriately to each state transition.

7.1 Initial

The `initial` state is active before the game begins. Robots should be placed in their starting positions by robot handlers. Robots are permitted to move their heads and perform calibration routines but must not locomote (move their legs or walk).

7.2 Ready

The `ready` state begins when signaled by the GameController. During this state, robots may autonomously move to their designated positions for kick-off or other set plays. Robots must reach legal positions before the `set` state begins.

7.3 Set

The `set` state indicates that robots must be stationary in their positions. No locomotion is permitted during this state. Movement of the robot's head is allowed. Any robot that moves its legs or locomotes during the `set` state will be penalized for Forbidden Motion (see Section 24.5.1).

The head referee signals the transition from `set` to `playing` by blowing the whistle. The whistle is sounded only for kick-off and drop ball situations. After the whistle, the GameController sends the `playing` signal with a delay of 10s to encourage teams to implement whistle detection.

7.4 Playing

The `playing` state is the main game state where robots actively participate in the match. All normal game rules apply during this state.

7.5 Penalized

A robot in the `penalized` state has been removed from play due to an infringement. The robot must remain stationary outside the field until its penalty time expires. After the penalty expires, the robot autonomously re-enters the field from the designated re-entry point (see Section 24.2).

7.6 Finished

The `finished` state indicates the end of a game half or the match. Robots should cease all game-related activity.

7.7 Emergency Stop

The referee may call an emergency stop at any time for safety reasons. When an emergency stop is called, all robots must immediately cease all motion and behave as if in the `set` state. No locomotion is permitted. Robots must respond to this signal immediately.

The head referee signals an emergency stop by calling “Stop Play” loudly and clearly. The GameController will also send the emergency stop signal. Play resumes when the referee determines it is safe to continue.

8 Law 7 – The Duration of the Match

The match consists of three parts: the first play period (first half), a half-time break, and a second play period (second half).

8.1 Periods of Play

Each game period has a duration of 10 minutes.

8.2 Half-Time Break

The half-time break must be at least 10 minutes, unless otherwise agreed by the teams. When multiple games are played on adjacent fields, the half-time break can extend to allow Match Officials to move between fields, and any other time taken for such logistical considerations.

During the half-time break both teams may perform any modifications on the hardware or software of the robots, change robots, or do anything else that can be done within the time allotted.

8.3 Signals

The head referee signals the beginning of each half with a single whistle blow. The head referee signals the end of the first half with two short whistle blows, and the end of the second half with two short plus one long whistle blow. The head referee should make all whistle sounds from the T-junction of the halfway line.

8.4 Penalty Kick Extension

If a penalty kick has to be taken or retaken, the duration of either half is extended until the penalty kick is completed.

8.5 Set and Ready States

During the Set and Ready states, the game clock should not be stopped in both knock-out and round-robin games.

8.6 Allowance for Time Lost

Allowance is made in either period for all time lost through:

- substitutions
- assessment of injury to players
- removal of injured players from the field of play for treatment
- wasting time
- any other cause

The allowance for time lost is at the discretion of the referee.

9 Law 8 – The Start and Restart of Play

A kick-off starts both halves of a match, both halves of extra time and restarts play after a goal has been scored. Free kicks (direct or indirect), penalty kicks, throw-ins, a goal kicks and corner kicks are other restarts (see Laws 13–17). A dropped ball is the restart when the referee stops play and the Law does not require one of the above restarts.

If an offence occurs when the ball is not in play, this does not change how play is restarted.

9.1 Kick-off

9.1.1 Procedure

- The referee tosses a coin and the team that wins the toss decides which goal to attack in the first half or to take the kick-off.
- Depending on the above, their opponents take the kick-off or decide which goal to attack in the first half.
- The team that decided which goal to attack in the first half takes the kick-off to start the second half.
- For the second half, the teams change ends and attack the opposite goals. The kick-off at the beginning of the second half has to be taken by the team which did not take the kick-off in the beginning of the first half.
- After a team scores a goal, a kick-off has to be taken by their opponents.

For every kick-off:

- all players must be in their own half of the field of play,
- the opponents of the team taking the kick-off must be outside from the center circle until ball is in play,
- the ball must be stationary on the center mark,
- the referee gives a signal,
- the ball is in play when it is kicked and clearly moves,
- if the ball does not move 10 s after the referee has given the signal then the ball is in play and the opponents of the team taking the kick-off may enter into the center circle. The GameController and head referee will indicate this by the call “Ball Free”,

-
- a goal may not be scored directly against the opponents from the kick-off,
 - if the team taking the kick-off has three or more robots on the field then two different robots need to touch the ball before scoring a goal. If a team taking the kick-off has only two or less robots on the field, the robot taking the kick-off has to touch the ball at least one time outside the center circle before scoring a goal.

Offences and sanctions

In the event of any kick-off procedure offence, the kick-off is retaken.

9.2 Dropped Ball

9.2.1 Definition of Dropped Ball

A dropped ball is a method of restarting play when, while the ball is still in play, the referee is required to stop play temporarily for any reason not mentioned elsewhere in the Laws of the Game. In the virtual competition, the only reason for a dropped ball to be called is that the ball has moved less than 5 centimeters in the last 2 minutes of play.

9.2.2 Procedure

The game is continued at the center mark. A goal can be scored directly from a dropped ball. The procedure for dropped ball is the same as for kick-off, except that the players of both teams must be outside the center circle. The ball is in play immediately after the referee gives the signal.

9.2.3 Offences and Sanctions

- If a player moves too close to the ball before the referee gives the signal, a kick-off is awarded to the opponent team.
- The ball is dropped again:
 - if it is touched by a player before it makes contact with the ground,
 - if the ball leaves the field of play after it makes contact with the ground, without a player touching it.

10 Law 9 – The Ball In and Out of Play

10.1 Ball Out of Play

The ball is out of play when:

- it has wholly crossed the goal line or touch line whether on the ground or in the air
- play has been stopped by the referee

10.2 Ball In Play

The ball is in play at all other times, including when:

- it rebounds off a match official, goalpost, crossbar or corner flagpost and remains in the field of play

11 Law 10 – The Method of Scoring

11.1 Goal Scored

A goal is scored when the entire ball (not only the center of the ball) passes over the goal line, between the goalposts and under the crossbar, provided that no infringement of the Laws of the Game has been committed previously by the team scoring the goal.

The restart of the play will be a goal kick for the opponents team.

11.2 Winning Team

The team scoring the greater number of goals during a match is the winner. If both teams score an equal number of goals, or if no goals are scored, the match is drawn.

11.3 Competition Rules

When competition rules require there to be a winning team after a match or home-and-away tie, the only permitted procedures for determining the winning team are those approved by the International F.A. Board, namely:

- extra time
- kicks from the penalty mark

11.4 Mercy Rule

A game will conclude once the game score shows a goal difference of 10. Ending the game is mandatory once a goal difference of 10 is reached.

11.5 Ball Stop Rule

If the time for a half ends while the ball is still in motion, the half is extended until any of the following events happens:

- The ball comes to a complete stop, or
- The ball leaves the field of play. If this causes a valid goal to be scored, the goal is counted.

This extension should last a few seconds at most.

12 Law 11 – Offsides

Offsides are not used in the RoboCup Humanoid Soccer League.

13 Law 12 – Fouls and Misconduct

For all rules regarding fouls, misconduct, forbidden actions, and penalties, refer to the Forbidden Actions and Penalties section (see Section 24).

14 Law 13 – Free Kicks

A free kick is a method of restarting play after various stoppages.

A free kick is initiated in the following situations:

- When the ball goes over the touchlines, termed *Kick-in* or *Throw-in* (see Section 15).
- When the ball goes over the goal line having last touched a player of the defending team, termed *Corner Kick* (see Section 17).
- When the ball goes over the goal line having last touched a player of the attacking team, termed *Goal Kick* (see Section 16).
- When a pushing foul or other infringement is awarded (see Section 24.10), termed a *Pushing Free Kick*.

The head referee will announce a free kick by calling one of:

1. “Kick-in <color>” / “Throw-in <color>” for the team awarded the kick-in.
2. “Corner Kick <color>” for the team awarded the corner kick.
3. “Goal Kick <color>” for the team awarded the goal kick.
4. “Foul <offending color><offending number>” for pushing free kicks.

The GameController will then activate the sub-state for the respective free kick. The team awarded the free kick (termed the *attacking team*) has 30 s to complete the kick. Free kicks are classified as either **direct** or **indirect** (see Sections 14.1 and 14.2).

14.1 Direct Free Kick

A direct free kick allows the attacking team to score a goal directly from the kick:

- If a direct free kick is kicked directly into the opponent’s goal by the attacking team, a goal is awarded.
- If a direct free kick is kicked directly into the team’s own goal, a corner kick is awarded to the opposing team.

The following set plays are direct free kicks: *Corner Kick*, *Goal Kick*, and *Pushing Free Kick*.

Note: If the attacking team fails to execute the free kick within the time limit, the defending team may also score directly (see Failed Free Kick in Section 14.3).

14.2 Indirect Free Kick

An indirect free kick requires the ball to be touched by another player before the attacking team can score a goal:

- A goal can only be scored by the attacking team if the ball has been touched by another player (of either team) after the kick, before being kicked again into the goal.
- If an indirect free kick is kicked directly into the opponent's goal by the attacking team without touching another player, a goal kick is awarded to the opposing team.
- If an indirect free kick is kicked directly into the team's own goal, a corner kick is awarded to the opposing team.

The following set plays are indirect free kicks: *Kick-in / Throw-in*.

Note: If the attacking team fails to execute the free kick within the time limit, the defending team may score directly without the indirect requirement (see Failed Free Kick in Section 14.3).

14.3 Execution

The referee places the ball according to the type of free kick (see Sections 15 to 17 for specific ball placement rules). For a *Pushing Free Kick*, the ball is left in place, repositioned only if required by the pushing rules (see Section 24.10).

14.3.1 Ball Position and Placement

All free kicks are taken from the place where the offence occurred, except:

- Indirect free kicks to the attacking team for an offence inside the opponents' penalty area are taken from the nearest point on the penalty area line which runs parallel to the goal line.
- Free kicks to the defending team in their goal area may be taken from anywhere in that area.

The ball must be stationary and is in play when it is kicked and clearly moves as determined by the referee, except for a free kick to the defending team in their penalty area where the ball is in play when it is kicked directly out of the penalty area. The ball is also considered in play 10 seconds after the referee gave the signal.

14.3.2 Avoidance Region and Distance Requirements

During a free kick, only the attacking team may approach within the avoidance region of the ball. For all free kicks, the avoidance region is the center circle radius for the respective field size (see Table 2). This means the same exclusion zone as during kick-off applies to all free kicks, an opponent robot must remain outside this radius from the ball until it is in play.

Until the ball is in play, all opponents must remain outside of this avoidance region, unless they are on their own goal line between the goalposts, and outside the penalty area for free kicks inside the opponents' penalty area.

All robots of the defensive team must immediately move away from the ball to outside the avoidance region when the free kick is awarded. Defensive robots that violate these restrictions are penalized with “Illegal Positioning” (see Section 24.4), which results in a standard removal penalty (see Section 24.2). Additional penalties against any further robots during the free kick, including pushing, do not result in an additional free kick but still incur the appropriate removal penalty.

14.3.3 Sanctions and Retakes

If, when a free kick is taken, an opponent is closer to the ball than the required distance, the opponent receives a removal penalty and the kick is retaken.

14.3.4 Completion

A free kick is deemed completed and play returns to normal when:

- The attacking team moves the ball clearly (except for a robot getting up, which is exempt from this rule), or
- The 30 s time period expires (or game time expires).

The head referee announces completion by calling “Ball Free”, and the GameController resumes the `playing` state.

14.3.5 Failed Free Kick

If the attacking team fails to execute the free kick within the allotted 30 s, the free kick expires and play resumes normally. In this situation:

-
- The defending team may play the ball immediately after the free kick expires.
 - If the defending team plays the ball first (before the originally attacking team), they may score a direct goal regardless of whether the original free kick was direct or indirect.

Example: The blue team is awarded a kick-in (indirect free kick) but does not play the ball within 30 s. The referee calls “Ball Free”. A red robot immediately kicks the ball directly into the blue goal. The goal counts, as the failed-free-kick exception allows the defending team to score directly.

15 Kick-in / Throw-in

A kick-in (or throw-in) is an **indirect free kick** (see Section 14.2). A kick-in is awarded to the opponents of the player who last touched the ball when the whole of the ball leaves the field of play by crossing the touchline, either on the ground or in the air. Balls are deemed to be out based on the team that last touched the ball, irrespective of who actually kicked the ball.

15.1 Ball Placement

The ball is placed on the touchline at the point where it left the field.

15.2 Throw-in Option

Robots may also perform a throw-in with their hands instead of kicking. When performing a throw-in with hands, the robot must:

- Face the field of play.
- Have part of each foot either on the touchline or on the ground outside the touchline.
- Hold the ball with at least one hand.
- Deliver the ball from behind and over its head.
- Release the ball within 10 seconds.

If a robot attempts to perform a throw-in with hands and fails to respect these rules, a free kick is awarded to the opposing team.

15.3 Examples

Example 1: A blue robot at midfield kicks the ball over the left touchline 2 m into the red half of the field. The referee calls “Kick-in red” and the ball is replaced on the left touchline where it went out.

Example 2: A blue robot kicks the ball but the ball touches a red robot at midfield before leaving the field near the halfway line. The ball is regarded as out by red; the referee calls “Kick-in blue” and the ball is replaced on the touchline where it went out.

15.4 Procedural Requirements

All opponents must stand at least the center circle radius (see Table 2) from the point at which the kick-in is taken. The ball is in play when it enters the field of play. After delivering the ball, the kicking robot must not touch the ball again until it has touched another player.

15.5 Offences and Sanctions

If, after the ball is in play, the kicker touches the ball again before it has touched another player:

- An indirect free kick is awarded to the opposing team, to be taken from the place where the infringement occurred.

If, after the ball is in play, the kicker deliberately handles the ball before it has touched another player:

- A direct free kick is awarded to the opposing team, to be taken from the place where the infringement occurred.
- A penalty kick is awarded if the infringement occurred inside the kicker’s penalty area.

If an opponent unfairly distracts or impedes the kicker, they are cautioned for unsporting behaviour.

For any other infringement of this rule, the kick-in is taken by a player of the opposing team.

16 Goal Kick

A goal kick is a **direct free kick** (see Section 14.1) awarded when the whole of the ball passes over the goal line, either on the ground or in the air, having last touched a player of the attacking team, and a goal is not scored.

16.1 Ball Placement

The ball is placed on the corner of the goal area on the same side of the field that the ball went out. That is, the corner inside the field where the goal area line meets the goal line (not the T-junction on the goal line itself).

16.2 Avoidance Region

For a goal kick, the avoidance region is the entire penalty area. All robots of the opposing team must remain outside the penalty area until the ball is in play (see Section 14.3).

16.3 Example

Example: A blue robot kicks the ball out the end of the field to the right of the goal the red team is defending. The referee calls “Goal Kick red” and the ball is placed on the right corner of the goal area.

16.4 Procedural Requirements

The ball must be kicked directly out of the penalty area to be considered in play. If the ball is not kicked directly out of the penalty area from a goal kick, the kick is retaken.

16.5 Offences and Sanctions

If, after the ball is in play, the kicker touches the ball again before it has touched another player:

- An indirect free kick is awarded to the opposing team, to be taken from the place where the infringement occurred.

If, after the ball is in play, the kicker deliberately handles the ball before it has touched another player:

- A direct free kick is awarded to the opposing team, to be taken from the place where the infringement occurred.
- A penalty kick is awarded if the infringement occurred inside the kicker’s penalty area.

In the event of any other infringement, the kick is retaken.

17 Corner Kick

A corner kick is a **direct free kick** (see Section 14.1) awarded when the whole of the ball passes over the goal line, either on the ground or in the air, having last touched a player of the defending team, and a goal is not scored.

17.1 Ball Placement

The ball is placed on the corner of the field on the same side that the ball went out.

17.2 Example

Example: The red goalkeeper kicks the ball out the end of the field to the right of the goal. The referee calls “Corner Kick blue”, the ball is placed on the corner to the right of the goal, and a free kick is started.

17.3 Offences and Sanctions

If, after the ball is in play, the kicker touches the ball again before it has touched another player:

- An indirect free kick is awarded to the opposing team, to be taken from the place where the infringement occurred.

If, after the ball is in play, the kicker deliberately handles the ball before it has touched another player:

- A direct free kick is awarded to the opposing team, to be taken from the place where the infringement occurred.
- A penalty kick is awarded if the infringement occurred inside the kicker’s penalty area.

In the event of any other infringement, the kick is retaken.

18 Penalty Kick

A penalty kick is awarded against a team that commits an offence for which a **direct free kick** (see Section 14.1) is awarded, inside its own penalty area and while the ball is in play. A goal may be scored directly from a penalty kick.

18.1 Position of the Ball and the Players

The ball must be placed on the penalty mark.

The defending goalkeeper:

- Must remain on the goal line, facing the kicker, and positioned between the goalposts until the ball has been kicked.
- Must remain on their feet until the attacking robot has touched the ball (the goalkeeper may “dive” only after the striker has made contact with the ball).

The kicker:

- Must be placed inside the field of play.
- Must be placed behind the penalty mark.

The players other than the kicker and goalkeeper must be:

- Inside the field of play.
- Behind the penalty mark.
- Outside the penalty area.
- At least the center circle radius (see Table 2) from the penalty mark.

18.2 Procedure

During normal play, if a penalty kick is awarded, the head referee calls “Penalty Kick <color>” for the attacking team — the team with the kick. The GameController activates the penalty kick state. Referees place the ball on the penalty mark. The striker robot is positioned at the edge of the penalty area, facing the ball and the goal. The goalkeeper is placed with its feet on the goal line and in the center of the goal.

Neither robot is permitted to locomote during the `set` state. Movement of the robot’s head is allowed.

The head referee commences the penalty kick by blowing the whistle once and calling “Playing”. The GameController activates the `playing` state after the standard delay (see Section 7.3).

The time limit for the penalty kick is 60 s after play begins. The penalty kick ends when:

-
- The ball comes to a complete stop after the first contact by the striker robot.
 - The striker robot touches the ball a second time after the ball has clearly moved.
 - The ball leaves the field of play.
 - The time limit expires.
 - A goal is scored.

A goal is awarded to the attacking team if the ball completely crosses the goal line between the goalposts and under the crossbar before the penalty kick ends, provided no infringement has occurred.

18.3 Infringements and Sanctions

If the goalkeeper violates the positioning rules (leaves the goal line early or dives before the striker touches the ball), the penalty kick ends immediately and a goal is awarded to the attacking team.

If the striker violates the rules (touches the ball a second time after it has moved), the penalty kick ends immediately with no goal awarded.

All standard rules such as Ball Holding and Pushing are applied during the penalty kick. A goalkeeper will not be penalized for inactivity during a penalty kick, provided it is actively attempting to defend the goal.

19 Game Stuck

Game stuck situations occur when play has stalled and intervention is required to resume normal game flow.

19.1 Local Game Stuck

Local game stuck is called when the ball has not moved significantly for 10 s while robots are in proximity to the ball. This typically occurs when robots are clustered around the ball but unable to make progress.

When local game stuck is called:

- The robot nearest to the ball is penalized and removed for 45 s.

-
- The ball remains in its current position.
 - Play continues immediately after the robot is removed.

The head referee calls “Game Stuck <robot color><robot number>”.

Local game stuck penalties do not follow the standard removal procedure and do not count towards the incremental penalty count.

19.2 Global Game Stuck

Global game stuck is called when no robot has been within 1 m of the ball for 30 s. This typically occurs when all robots have lost track of the ball or are unable to approach it.

When global game stuck is called:

- Play is stopped.
- The game is restarted with a drop ball (see Section 22).

The head referee calls “Global Game Stuck”.

20 Timeout

20.1 Team Timeout

Each team can call a **maximum of 1 timeout per game** with a total time of no more than **5 minutes**. During this time, both teams may change robots, change programs, or anything else that can be done within the time allotted. During normal game time, a team may call a timeout at any stoppage of play (after a goal, stuck game, before a half, etc.). Alternatively, a team may call a timeout before a penalty shootout if they have not used their timeout yet (see Section 23).

The timeout ends when the team that called the timeout says they are finished, at which time they must be ready to play. The other team must be ready to play at the time the timeout runs out, or **2 minutes** after a prematurely called end of the timeout, whichever is earlier. If the other team is not ready to play in time, it must call a timeout of its own.

The clock stops during timeouts and is reset to the time when the current stoppage of play began.

After the completion of the timeout, the game resumes with a kick-off for the team which did not call the timeout.

If a team is not ready to play at the assigned time for a game, the referee will call the timeout for that team. After the expiration of such a timeout, if the team is still not ready to play then the referee shall start the game with only one team on the field. The team that was not ready can return its robots to the field as per the rules for “Request for Pick-up” (see Section 24.15). If both teams are not ready, the referee will call timeouts for both teams. This “double timeout” expires after 5 minutes.

20.2 Referee Timeout

The head referee may call a timeout at any time if deemed necessary. A referee timeout should only be called in exceptional circumstances—one example might be when the wireless network is down or no robot responds to the GameController.

Referees may call multiple timeouts during a game if needed. Teams may do anything during these timeouts, but they must be ready to play **2 minutes** after the referee ends a timeout. The referee should end the timeout once the circumstance for which the timeout was called has been resolved. In cases where the circumstance is not resolved within 10 minutes, the Technical Committee should be consulted regarding when or if play should continue.

If a team was going to have kick-off at the time the referee timeout was called (e.g., during most stoppages of play), that team shall kick-off when the game resumes. Otherwise, the drop ball rule (see Section 22) applies instead.

21 Extra Time

The head referee may decide to add time to the clock if a substantial delay (such as network issues) causes excessive game time to be lost. The decision to add time to the clock should be made immediately after the incident. The GameController operator should execute this addition of time using the GameController interface.

22 Drop Ball

In the event that play needs to resume after a stoppage in which neither team has a particular right to kick off the ball, the drop ball rule shall apply. For example, this may happen if there has been a referee error, a pause in game during the `playing` state that has been acknowledged by the head referee, or in the case of a global game stuck (see Section 19.2).

A drop ball is conducted like a kick-off variant. As in an ordinary kick-off, it is preceded by a `ready` phase to allow the robots to reach their positions and a `set` phase where the referee places the ball in the middle of the field. The main difference is that neither team is given kick-off, and no team is allowed in the center circle until the `playing` state, as there is no team designated to take the kick-off. The head referee signals the start of play by blowing the whistle, and with the transition into `playing` the ball is immediately in play.

The head referee calls “Drop Ball” before the `ready` phase begins.

23 Penalty Kick Shoot-Out

A penalty kick shoot-out is used to determine the outcome of a tied game when an outcome is required (for example, during knockout rounds, quarterfinals, semifinals, third place match, or final).

All penalty kicks are taken against the same goal.⁴

The team listed first on the competition schedule will have the striker robot for the first penalty kick. Subsequently, both teams take kicks alternately. The penalty kick shoot-out will consist of three penalty kicks per team. A team that has scored the most goals at the conclusion of these will be declared the winner. A winner can also be declared before the conclusion of the penalty shoot-out if a team can no longer win mathematically. If the two teams remain tied after three penalty kicks, then a sudden death shoot-out will follow until a definite winner is found.

The penalty kick shoot-out starts immediately without changing any code after the second half ended. No timeouts may be called during the penalty shoot-out. However, a team may request a timeout before the penalty shoot-out starts if they have a timeout remaining for this game. During the timeout, code changes are allowed.

Before the penalty shoot-out begins, each team must hand over to referees up to 6 prepared robots that may participate in the penalty shoot-out. No robots may be added once the penalty shoot-out starts. Robots that will not participate in the shoot-out must not be on the wireless network and must stay outside of the field. All participating robots must be wearing the correct jersey for their player number and no duplicate numbers are permitted.

During the entire penalty kick shoot-out, the robots are controlled by the `GameController` and the referee’s whistle. A team cannot request the referees to press buttons on their robots, except for initially leaving the `initial` state.

⁴Which goal to use for the shoot-out is decided in agreement with the teams, or otherwise by a coin toss.

23.1 Penalty Kick Procedure

A penalty kick is carried out with one striker robot and one opposing goalkeeper. Before each penalty kick, both teams must select the robot to participate (as goalkeeper or striker). The team leader communicates the selection to the head referee by privately handing the referee a card with their chosen number. After both teams have selected their player, the GameController operator selects the requested striker and goalkeeper robots and the GameController communicates that all non-selected robots are substitutes and should remain inactive. The GameController indicates which team has the striker robot in the current penalty kick.

Referees place the ball, the striker, and goalkeeper robots. The ball is placed on the penalty mark closest to the goal being defended. The striker robot is positioned on the edge of the penalty area, facing the ball and the goal. The goalkeeper is placed with its feet on the goal line and in the center of the goal. Neither robot is permitted to locomote during the `set` state.

The head referee commences the penalty kick by blowing the whistle once and calling “Playing”. The GameController activates the `playing` state after the standard delay.

The time limit for the striker is 60s after the penalty kick starts. A penalty kick is over when the ball has come to a full stop after the first contact by the striker robot. The striker robot is not allowed to play the ball a second time after the ball has clearly moved, otherwise the penalty kick ends immediately. A goal is awarded to the attacking team if a goal has been scored (the ball has completely crossed the goal line) before the penalty kick is over. Otherwise, the score is unchanged.

The goalkeeper robot must always be in contact with the goal line and must remain on its feet until the striker robot touches the ball. The goalkeeper is only permitted to “dive” and be off its feet after the attacking robot has touched the ball. If the goalkeeper violates these rules, the penalty kick ends immediately and a goal is awarded to the attacking team.

All rules such as Ball Holding and Pushing are applied during the penalty kick. A goalkeeper will not be penalized for inactivity during a penalty kick, provided it is actively attempting to defend.

23.2 Sudden Death Shoot-Out

If teams remain tied after the initial three penalty kicks each, sudden death begins. Teams take one additional penalty kick each, and the game decision is made as follows:

Each kick is ranked in one of the following categories (from best to worst):

1. Goal scored
2. Kick at the goal that is blocked by the goalkeeper
3. Kick that hits a goalpost

-
4. Kick that crosses the goal line next to the goalposts
 5. Any other kick
 6. No kick

If both teams' kicks rank in different categories, the team with the higher ranked kick wins. Otherwise, the sudden death is repeated. If after 3 sudden death penalty kicks there is still no winner, the referee will toss a coin to decide the game.

24 Forbidden Actions and Penalties

The following actions are forbidden. In general, when a penalty applies, the robot shall be removed, not the ball.

24.1 Penalty Procedure

When a robot commits an infraction, the head referee shall call out the **infraction** committed, the **team color** of the robot, and the **jersey number** of the robot. The penalty for the infraction will be applied immediately. The robot handlers should perform the actual movement of the robots for the penalty so that the head referee can continue focusing on the game. The operator of the GameController will send the appropriate signal to the robots indicating the infraction committed.

If a robot commits an offense in the vicinity of the ball (within the free kick avoidance radius, which is the center circle radius for the respective field size—see Table 2), the game is interrupted and the offending player is removed according to the standard removal penalty. After the offending robot is removed, the opposing team restarts play with a free kick (see Section 14). If the offense occurred away from the ball, the offending robot is penalized and removed, but play is not interrupted.

For penalties that are timed, the penalty time is considered to be over at the end of each half.

24.2 Standard Removal Penalty

Unless otherwise stated, all infractions result in the removal of the infringing robot from the field of play for a particular amount of time, after which it will be returned to the field of play. This process is called the *standard removal penalty*.

When the head referee indicates an infraction has been committed that results in the standard removal penalty, the robot handler for that team will remove the robot immediately from the field of play. The robot should be removed in such a way as to minimize the movement of the other robots and the ball. If the ball is inadvertently moved when removing the robot, the ball should be replaced to the position it was in when the robot was removed.

The GameController will send the appropriate penalty signal to the robot indicating the infraction committed. After a penalty is signaled to the robot, it is not allowed to move in any fashion (except for standing up).

The initial duration of the standard removal penalty time is 30 s. Unless otherwise specified, the penalty time increases by 15 s each time a team commits any infraction. During the `set` state the penalty time counter will not decrease. The GameController will keep track of the time of the penalty.

The removed robot will be placed outside the field at a distance of approximately 50 cm away from the nearest touchline, facing **towards** the field of play. It should be placed close to the position where the penalty mark projects onto the touchline in the robot's own half. If there is another robot already in this position, the robot should be placed at a nearby location along the touchline. When finding a nearby location, it **must** still be in the robot's own half, so that the symmetry of the field can be resolved by the robot's localization system.

After the penalty time elapses, the GameController operator will remove the penalty from the penalized robot, enabling it to autonomously re-enter the game without requiring additional intervention from the referees.

24.3 Forbidden Actions

The following actions are forbidden but may not result in removal penalties. Each forbidden action specifies the actions to be taken by the referees.

24.3.1 Manual Interaction by Team Members

Manual interaction with the robots, either directly or via some communications mechanism, is not permitted. Team members (that are not robot handlers) can only touch one of their robots when a robot handler hands it over to them after a "Request for Pick-up" (see Section 24.15).

24.3.2 Damage to the Field

A robot that damages the field, or poses a threat to spectator safety, will be removed from the field for the remainder of the game.

24.4 Illegal Positioning

A robot penalized under illegal positioning has the "Illegal Position" penalty applied. Illegally positioned robots are subject to the standard removal penalty (see Section 24.2). The head referee will call "Illegal Position <robot color><robot number>". Referees may use "Illegal Defender" interchangeably to help with clarity.

For simplicity, Illegal Positioning penalties during the `set` state (for kick-off or a penalty kick) do not count towards the incremental penalty count.

24.4.1 Before and During Kick-off

If a robot violates the positioning restrictions for kick-off (see Section 9.1) at the time the `set` state starts, it will be penalized and removed for 15 s. If a robot enters the areas restricted to the other team before the ball is in play, it will be penalized and removed according to the standard removal penalty. A robot making reasonable effort to return to the field from a standard penalty must not be penalized for illegal position.

24.4.2 Own Goal Area

During the `set` and `playing` states, at most *three* players can be within their own goal area at the same time.

A robot is within the goal area if any part of its body is touching the ground inside the goal area or touching one of its lines. The penalty is applied when any additional players enter the area in `playing`, or to the excessive players closest to the border of the goal area in `set`. Note that if a player is pushed into the goal area by an opponent, this robot will not be subject to removal, unless it fails to exit the area within 5 s (or 5 s after getting up if the pushing led to falling).

If an illegal defender kicks an own goal, the goal is scored for the opponent. If there is any doubt about whether a goal should count (e.g., the illegal defender infraction is called, but the robot scores the own goal immediately afterwards, before it is removed), then the decision shall be against the infringing robot.

24.4.3 Defender Encroachment During Free Kick

If a robot of the defensive team enters or does not attempt to leave the circular avoidance area around the ball after a free kick (see Section 14) is called, “Illegal Position” is called. The avoidance radius is defined as the center circle radius for the respective field size (see Table 2). Note that the referee should not look for exact distances and rather penalize only those robots who clearly violate this rule. As a guideline, the robots of the defensive team should clear the ball within 10 s.

24.4.4 Penalty Area During Penalty Kick

If a robot enters the relevant penalty area during a penalty kick, except for the goalkeeper (defending team) and one robot of the attacking team, “Illegal Position” is called.

24.5 Forbidden Motion

Robots that begin moving their legs or locomote in any fashion before reaching the specified state in the following subsections will be penalized *in place* on the field. “Forbidden Motion” penalties do not follow the standard removal procedure, and hence do not count towards the incremental penalty count. A robot will be moved back to its original position if it has moved significantly before being penalized.

24.5.1 Motion in Set

If a robot begins moving during the `set` state (i.e., before the head referee blows the whistle), it will be penalized for 15 s in the `playing` state. The head referee will call “Forbidden Motion in Set <robot color><robot number>”. Note that falsely responding to a whistle on another field will result in this penalty.

24.6 Fallen or Inactive Robot

24.6.1 Fallen Robot

If a robot falls during the game, it should start executing a get-up action within 20 s. If it does not commence a get-up action within this time, it will be penalized and removed for 45 s.

A fallen robot which is unable to autonomously stand up within 3 attempts, or 4 attempts if disturbed externally during the first attempts, will be penalized and removed for 45 s. The head referee will call “Fallen Robot <robot color><robot number>”.

The goalkeeper, inside its own penalty area, is the only robot permitted to “dive” (deliberately fall in a way that might cause its torso, arms, or hands to intercept the ball). In all other cases, robots should remain upright—that is, supported by their feet.

Fallen Robot penalties do not follow the standard removal procedure and do not count towards the incremental penalty count.

24.6.2 Inactive Robot

A robot that has ceased activity for 10 s or has turned off will be removed and penalized for 45 s. The head referee will call “Inactive Robot <robot color><robot number>”.

A robot is considered active if it performs at least one of the following:

-
1. The robot walks in any direction, or turns.
 2. The robot searches for the ball, or is tracking the ball.

Inactive Robot penalties do not follow the standard removal procedure and do not count towards the incremental penalty count.

24.6.2.1 Note: The intention of this rule is not to penalize robots simply for being stationary—provided they are not “asleep” and have not “crashed”.

24.7 Local Game Stuck Penalty

When Local Game Stuck is called (see Section 19.1), the nearest robot to the ball will be penalized and removed for 45 s. Local Game Stuck penalties do not follow the standard removal procedure and do not count towards the incremental penalty count.

24.8 Ball Holding

The goalkeeper is allowed to hold the ball for up to 10 s as long as it has at least one foot inside its own penalty area. In all other cases (except those noted in Section 24.8.1), robots are allowed to hold the ball for up to 5 s. Holding the ball for longer than this is not allowed. The head referee will call “Ball Holding <robot color><robot number>”, and the robot is removed under the standard removal penalty.

The ball should be removed from the possession of the robot and placed where the penalty occurred. If the robot that held the ball has moved the ball before the robot can be removed, the ball shall be replaced where the penalty occurred. This applies to accidental goals.

Example: A robot holds the ball, and before the referees can remove the robot, it shoots the ball into the goal. The goal will not be counted, and the ball will be replaced where the penalty occurred.

A robot must leave enough open space around the ball. The occupation of the ball is judged using the convex hull of the projection of the robot’s body onto the ground. “Enough open space” means that at least half of the ball is not covered by the convex hull. It is not important whether the robot actually touches the ball.

Intentional continual holding is prohibited even if each individual holding time does not exceed the time limit. In general, robots should release the ball for approximately as long as they were holding it to reset the clock. Without a sufficient release, the continual holding is regarded as a continuous hold from the very beginning and the holding rule is strictly applied.

24.8.1 Exceptions to Ball Holding

The following situations are exceptions where ball holding does not apply:

1. Ball holding may not be called when the ball becomes stuck between a robot's legs. In such a situation, the head referee should call "Clear Ball" and a robot handler or assistant referee should remove the ball and place it approximately where it was before it became stuck.
2. Ball holding may not be called when a robot falls on a ball. The robot will either get up and hence free the ball, or the robot should be removed under the Fallen Robot rule.

24.9 Player Stance

Robots must not maintain a stance wider than a reasonable proportion of their body width for longer than 10 s. As a guideline, the stance should not exceed approximately 1.5 times the robot's shoulder width. Staying in an excessively wide stance for longer than 10 s will result in the standard removal penalty.

This rule applies to upright robots only, i.e., robots that are supported by their feet. Other cases are handled by the Fallen Robot rule (see Section 24.6).

Review
call phrase
here,
should
this be an
existing
call in GC
for sim-
plicity?

24.10 Player Pushing

Pushing is a direct or indirect forceful contact with any opponent robot, sufficient to destabilize it, and is not allowed. The head referee will call "Pushing <robot color><robot number>".

If the ball moves significantly as a result of pushing, then it should be replaced to where it was at the time of the infraction.

A **Pushing Free Kick** (see Section 14) is awarded against the robot penalized for pushing:

- if the robot is in an approximately 0.5 m radius around the ball, and
- if the pushed robot was **not** inside the penalty area of the pushing robot.

A **Penalty Kick** (see Section 18) is awarded against the robot penalized for pushing:

- if the robot is in an approximately 0.5 m radius around the ball, and
- if the pushed robot was inside the penalty area of the pushing robot.

The following exceptions define situations where pushing does not apply:

- Pushing may occur **only** between players of different teams.
- A stationary robot cannot be penalized for pushing, including a robot that is kicking, provided that the ball was close enough where a kick could have succeeded at the start of the kick motion.
- A robot currently getting up cannot be penalized for pushing.
- The goalkeeper cannot be penalized for pushing while looking at or chasing the ball in its own penalty area.
- Front-to-front contact between robots with the ball between them does not constitute pushing, unless one robot is moving with significantly more force or speed than the other can reasonably withstand given the size and weight differences between the robots.
- Any robot proceeding to the ball whose side (arm, shoulder, etc.) makes contact with another robot cannot be called for pushing, even if the second robot is not proceeding to the ball.
- A robot pushed by another robot cannot simultaneously be called for pushing itself. Only the robot who initially pushed the other robot will be called for pushing.

24.11 Playing with Arms/Hands

Playing with arms/hands occurs when a field player or a goalkeeper outside its own penalty area moves its arms/hands to touch the ball (except during a fall or get-up). The goalkeeper is allowed to touch the ball with its arms/hands while it is within its own penalty area.

A robot playing with arms/hands will be subject to the standard removal penalty and the ball will be replaced at the point where it contacted the arms/hands of the offending robot. If an own goal is scored as a result of playing with arms/hands, the goal should count and the player should not be penalized.

Accidental playing with arms/hands when a robot falls or executes a get-up routine will not be penalized. If the ball goes out of play in this case, normal kick-in rules will apply (see Section 15). However, goals (except for own goals) resulting from a ball contact with the arms/hands during a fall or get-up do not count and result in a Goal Kick (see Section 16) as if the ball went over the goal line next to the goal.

24.12 Leaving the Field

A robot that intentionally leaves the carpeted playing area will be subject to the standard removal penalty (see Section 24.2). The head referee will call “Leaving the Field <robot color><robot number>”.

Additionally, a robot will also be subject to the standard removal penalty when:

- The robot walks into the goalposts or goal net for more than 5 s, including robots that are stuck on the goalposts and unable to free themselves.
- The robot’s fingers or other appendages become entangled in the net (without any time constraint).

24.13 Jamming

During a match, robots shall not jam the communication and sensor systems of the opponents:

Wireless communication. Each team is allowed to send a maximum of 12000 UDP packets of up to 512 B per game, in addition to 1 packet per second per robot to a single team device on the wired network for debugging purposes (no size constraint for debug packets, but must be within the maximum single UDP packet size). Any team that exceeds the team communication limits, as tracked by the GameController, will have all goals automatically nullified for the game. The GameController will communicate at 1 packet(s) per second. If a team violates these limits, penalties will apply. If a team violates this rule in multiple games, disqualification from the tournament (including all technical challenges and side competitions) will be a potential consequence. Except for the wireless equipment and access points provided by the organizers of the competition, nobody close to the field is allowed to use 2.4 GHz or 5 GHz radio equipment (including cellular phones and/or Bluetooth devices).

Whistle interference. Both teams and the audience shall avoid intentionally confusing the robots by producing sounds similar to the game whistle.

Acoustic communication. If acoustic communication is used by both teams, they shall negotiate before the match how they can reduce interference. If only one team uses acoustic communication, the robots of the other team shall avoid producing any sound. In addition, both teams and the audience shall avoid intentionally confusing the robots by producing similar sounds to those used for communication.

Visual perception. The use of flashlights or other bright light sources is not allowed during games. However, flash photography from the audience is allowable as long as the head referee believes the purpose is not to jam any of the robots.

24.14 Aborting a Penalty

If a penalty was incorrectly applied to a robot and acknowledged by the referee to be incorrect, the robot should first be removed and placed outside the field, following the same process as for the Standard Removal Penalty (see Section 24.2). Once placed, the robot should then be allowed to continue play immediately after being placed and the GameController removes its penalty.

The aborted penalty will not be added to the total team penalty count and will not contribute to the incremental penalty increase.

24.15 Request for Pick-up

A robot handler may request to pick up a robot if and only if a robot is in a dangerous situation that is likely to lead to physical injuries. The head referee must approve this request prior to the robot handler touching the robot. If a team member touches a robot without the permission of the referee, the respective robot and the person touching it each receive an official warning.

The referee may deny a request for pick-up. A pick-up is not granted for reasons such as being incorrectly configured or being unable to see the ball.

24.16 Untangling

If entangled robots fail to untangle themselves, the referee may ask designated robot handlers of both teams to untangle the robots. Untangling must not make significant changes to robot positions or heading directions. Untangled robots must be placed on the ground not closer than 50 cm to the ball and in a way that does not give either team an advantage. Being entangled does not incur a penalty.

24.17 Serious Foul Play

A player who commits serious foul play must be removed from the game for the remainder of the match. Serious foul play includes:

- Endangering any human
- Repeated deliberate violations of the rules
- Actions that could cause significant damage to other robots

A player removed for serious foul play may not be substituted. As a result, the team must play the remainder of the match with one fewer player.

24.18 Substituting a Penalized Player

Teams may substitute a player who has received official warnings as usual. However, all warnings issued to the substituted player are transferred to the player entering the field.

24.19 Penalties against Teams or Humans

The referee can issue yellow and red cards against humans or teams at their discretion. Cards can be issued for offenses such as:

- Offensive or abusive behavior
- Repeatedly ignoring referee instructions
- Repeatedly entering the field without permission
- Breaking the game rules to gain an advantage

Cards that are issued against humans or teams must be reported to the Technical Committee immediately after the game. Cards against humans or teams persist between games. A human who receives multiple cards may be prohibited from entering the field or team area during games for the remainder of the competition. A team that commits serious or repeated violations may be disqualified from the competition.