


Open Dashboard

Open Dashboard is not a block that can be used for block coding, but it allows you to open a dashboard where you can check how the model used in the extension module is applied.

Dashboard Screen

When you click Open Dashboard, you can see the following screen.



Detailed Features

Power

Turns the selected camera on or off.

Load Model

Loads a trained body model. This step is required to use the 'Body Detection' extension module.

Detect

Starts or stops body detection.

You can choose whether to run it once with the Once button or continuously with the Continuous button.

You can also stop detection using the Stop button.

Show Result

Displays the body detection result on the camera screen.

Sensory Data

Outputs data values corresponding to the selected body part.


Dropdown Options and Input Values

Name	Type	Description	Range / Type
parts	Dropdown Option	Body part	eye, ear, nose, mouth, neck, shoulder, elbow, wrist, hand, hip, knee, ankle, foot

Blocks

Select Camera

Selects the camera to be used for the body detection module.



Dropdown Options and Input Values

Name	Type	Description	Range / Type
camera	Dropdown Option	Camera to use	List of connected cameras

JavaScript Code

```
// Set a specific camera as the camera for body detection (id is an example)
$('BodyDetection*0:camera.deviceId').d =
'035658da47183882a695a82c45b8f3e9ae50cef47945ccdc3f31e1ae1fbca9cb';
```

Python Code

```
# Set a specific camera as the camera for body detection (id is an example)
__('BodyDetection*0:camera.deviceId').d =
'035658da47183882a695a82c45b8f3e9ae50cef47945ccdc3f31e1ae1fbca9cb'
```

Load Body Model

Loads a trained body model. This step is required to use the functions of the 'Body Detection' module.

If wait is checked, it waits until model loading is completed.

However, if wait is checked, it can only be used inside an async function.



Body Detection 0 : load body model | wait ☒

Load the trained body model. This task is necessary to use the functions of the 'Body Detection' module.

JavaScript Code

```
// Load body model | Wait 0
$('BodyDetection*0:load_model').d = 1;
await $('BodyDetection*0:!load_model').w();

// Load body model | Wait X
$('BodyDetection*0:load_model').d = 1;
```


Python Code

```
# Load body model | Wait 0
__('BodyDetection*0:load_model').d = 1
await __('BodyDetection*0:!load_model').w()

# Load body model | Wait X
__('BodyDetection*0:load_model').d = 1
```

Detect Body Once

Finds the body currently on the screen and displays it only once.



JavaScript Code

```
// Detect body once
$('BodyDetection*0:detect.once').d = 1;
```


Python Code

```
# Detect body once
__('BodyDetection*0:detect.once').d = 1
```

Continuous Body Detection

Starts or stops continuous body detection.

When continuous detection starts, it keeps tracking the body currently on the screen and displays it.



Continuously detect the body on the screen and display it.

Dropdown Options and Input Values

Name	Type	Description	Range / Type
toggle	Dropdown Option	Body detection	Start (1), Stop (0)

JavaScript Code

```
// Start continuous body detection
$('BodyDetection*0:detect.continuous').d = 1;

// Stop continuous body detection
$('BodyDetection*0:detect.continuous').d = 0;
```

Python Code

```
# Start continuous body detection
__('BodyDetection*0:detect.continuous').d = 1

# Stop continuous body detection
__('BodyDetection*0:detect.continuous').d = 0
```

Show Body Detection Result

Determines whether to display body detection results on the camera screen.

 **Body Detection** : **result**

- ✓ auto
- show
- hide

Decide whether to display the result of body detection on the camera screen.

Dropdown Options and Input Values

Name	Type	Description	Range / Type
toggle	Dropdown Option	Body detection result	Show (1), Hide (0)

JavaScript Code

```
// Show body detection result
$('BodyDetection*0:display').d = 1;

// Hide body detection result
$('BodyDetection*0:display').d = 0;
```

Python Code

```
# Show body detection result
__('BodyDetection*0:display').d = 1

# Hide body detection result
__('BodyDetection*0:display').d = 0
```

Body Data

Returns data of the selected body part.

 Body Detection 0 ▾ : left ankle ▾ x ▾ position

- right wrist
- left hand
- right hand
- left hip
- right hip
- left knee
- right knee
- ✓ left ankle
- right ankle
- left foot
- right foot

Selected data about body features

Dropdown Options and Input Values

Name	Type	Description	Range / Type
part	Dropdown Option	Body part	Left eye (eye.left), Right eye (eye.right), Left ear (ear.left), Right ear (ear.right), Nose (nose), Mouth (mouth), Neck (neck), Left shoulder (shoulder.left), Right shoulder (shoulder.right), Left elbow (elbow.left), Right elbow (elbow.right), Left wrist (wrist.left), Right wrist (wrist.right), Left hand (hand.left), Right hand (hand.right), Left hip (hip.left), Right hip (hip.right), Left knee (knee.left), Right knee (knee.right), Left ankle (ankle.left), Right ankle (ankle.right), Left foot (foot.left), Right foot (foot.right)
axis	Dropdown Option	Coordinate axis	x, y

JavaScript Code

```
// Left eye x coordinate
$('BodyDetection*0:eye.left.x').d;

// Right eye x coordinate
$('BodyDetection*0:eye.right.x').d;
```



```
// Left ear x coordinate
$('BodyDetection*0:ear.left.x').d;

// Right ear x coordinate
$('BodyDetection*0:ear.right.x').d;

// Nose x coordinate
$('BodyDetection*0:nose.x').d;

// Mouth x coordinate
$('BodyDetection*0:mouth.x').d;

// Neck x coordinate
$('BodyDetection*0:neck.x').d;

// Left shoulder x coordinate
$('BodyDetection*0:shoulder.left.x').d;

// Right shoulder x coordinate
$('BodyDetection*0:shoulder.right.x').d;

// Left elbow x coordinate
$('BodyDetection*0:elbow.left.x').d;

// Right elbow x coordinate
$('BodyDetection*0:elbow.right.x').d;

// Left wrist x coordinate
$('BodyDetection*0:wrist.left.x').d;

// Right wrist x coordinate
$('BodyDetection*0:wrist.right.x').d;

// Left hand x coordinate
```

```
$('BodyDetection*0:hand.left.x').d;

// Right hand x coordinate
$('BodyDetection*0:hand.right.x').d;

// Left hip y coordinate
$('BodyDetection*0:hip.left.y').d;

// Right hip y coordinate
$('BodyDetection*0:hip.right.y').d;

// Left knee y coordinate
$('BodyDetection*0:knee.left.y').d;

// Right knee y coordinate
$('BodyDetection*0:knee.right.y').d;

// Left ankle y coordinate
$('BodyDetection*0:ankle.left.y').d;

// Right ankle y coordinate
$('BodyDetection*0:ankle.right.y').d;

// Left foot y coordinate
$('BodyDetection*0:foot.left.y').d;

// Right foot y coordinate
$('BodyDetection*0:foot.right.y').d;
```

Python Code

```
# Left eye x coordinate
__( 'BodyDetection*0:eye.left.x').d
```

```
# Right eye x coordinate
__('BodyDetection*0:eye.right.x').d

# Left ear x coordinate
__('BodyDetection*0:ear.left.x').d

# Right ear x coordinate
__('BodyDetection*0:ear.right.x').d

# Nose x coordinate
__('BodyDetection*0:nose.x').d

# Mouth x coordinate
__('BodyDetection*0:mouth.x').d

# Neck x coordinate
__('BodyDetection*0:neck.x').d

# Left shoulder x coordinate
__('BodyDetection*0:shoulder.left.x').d

# Right shoulder x coordinate
__('BodyDetection*0:shoulder.right.x').d

# Left elbow x coordinate
__('BodyDetection*0:elbow.left.x').d

# Right elbow x coordinate
__('BodyDetection*0:elbow.right.x').d

# Left wrist x coordinate
__('BodyDetection*0:wrist.left.x').d

# Right wrist x coordinate
```

```
__('BodyDetection*0:wrist.right.x').d

# Left hand x coordinate
__('BodyDetection*0:hand.left.x').d

# Right hand x coordinate
__('BodyDetection*0:hand.right.x').d

# Left hip y coordinate
__('BodyDetection*0:hip.left.y').d

# Right hip y coordinate
__('BodyDetection*0:hip.right.y').d

# Left knee y coordinate
__('BodyDetection*0:knee.left.y').d

# Right knee y coordinate
__('BodyDetection*0:knee.right.y').d

# Left ankle y coordinate
__('BodyDetection*0:ankle.left.y').d

# Right ankle y coordinate
__('BodyDetection*0:ankle.right.y').d

# Left foot y coordinate
__('BodyDetection*0:foot.left.y').d

# Right foot y coordinate
__('BodyDetection*0:foot.right.y').d
```

Distance Between Two Body Parts

Returns the distance between two selected body parts.



Dropdown Options and Input Values

Name	Type	Description	Range / Type
part 1	Dropdown Option	Body part	Left eye (eye.left), Right eye (eye.right), Left ear (ear.left), Right ear (ear.right), Nose (nose), Mouth (mouth), Neck (neck), Left shoulder (shoulder.left), Right shoulder (shoulder.right), Left elbow (elbow.left), Right elbow (elbow.right), Left wrist (wrist.left), Right wrist (wrist.right), Left hand (hand.left), Right hand (hand.right), Left hip (hip.left), Right hip (hip.right), Left knee (knee.left), Right knee (knee.right), Left ankle (ankle.left), Right ankle (ankle.right), Left foot (foot.left), Right foot (foot.right)

Name	Type	Description	Range / Type
part 2	Dropdown Option	Body part	Left eye (eye.left), Right eye (eye.right), Left ear (ear.left), Right ear (ear.right), Nose (nose), Mouth (mouth), Neck (neck), Left shoulder (shoulder.left), Right shoulder (shoulder.right), Left elbow (elbow.left), Right elbow (elbow.right), Left wrist (wrist.left), Right wrist (wrist.right), Left hand (hand.left), Right hand (hand.right), Left hip (hip.left), Right hip (hip.right), Left knee (knee.left), Right knee (knee.right), Left ankle (ankle.left), Right ankle (ankle.right), Left foot (foot.left), Right foot (foot.right)
distance	Dropdown Option	Distance	Distance, Horizontal distance, Vertical distance

JavaScript Code

```
// Distance from left eye to left eye
Math.sqrt( Math.pow(($('BodyDetection*0:eye.left.x').d -
$('BodyDetection*0:eye.left.x').d), 2) +
Math.pow(($('BodyDetection*0:eye.left.y').d -
$('BodyDetection*0:eye.left.y').d), 2) );
```

```

// Distance from left eye to right eye
Math.sqrt( Math.pow(($('BodyDetection*0:eye.right.x').d -
$('BodyDetection*0:eye.left.x').d), 2) +
Math.pow(($('BodyDetection*0:eye.right.y').d -
$('BodyDetection*0:eye.left.y').d), 2) );

// Distance from left eye to left ear
Math.sqrt( Math.pow(($('BodyDetection*0:ear.left.x').d -
$('BodyDetection*0:eye.left.x').d), 2) +
Math.pow(($('BodyDetection*0:ear.left.y').d -
$('BodyDetection*0:eye.left.y').d), 2) );

// Distance from left eye to right ear
Math.sqrt( Math.pow(($('BodyDetection*0:ear.right.x').d -
$('BodyDetection*0:eye.left.x').d), 2) +
Math.pow(($('BodyDetection*0:ear.right.y').d -
$('BodyDetection*0:eye.left.y').d), 2) );

// Distance from left eye to nose
Math.sqrt( Math.pow(($('BodyDetection*0:nose.x').d -
$('BodyDetection*0:eye.left.x').d), 2) + Math.pow(($('BodyDetection*0:nose.y').d
- $('BodyDetection*0:eye.left.y').d), 2) );

// Distance from left eye to mouth
Math.sqrt( Math.pow(($('BodyDetection*0:mouth.x').d -
$('BodyDetection*0:eye.left.x').d), 2) + Math.pow(($('BodyDetection*0:mouth.y').d
- $('BodyDetection*0:eye.left.y').d), 2) );

// Distance from left eye to neck
Math.sqrt( Math.pow(($('BodyDetection*0:neck.x').d -
$('BodyDetection*0:eye.left.x').d), 2) + Math.pow(($('BodyDetection*0:neck.y').d
- $('BodyDetection*0:eye.left.y').d), 2) );

```



```

// Distance from left eye to left shoulder
Math.sqrt( Math.pow(($('BodyDetection*0:shoulder.left.x').d -
$('BodyDetection*0:eye.left.x').d), 2) +
Math.pow(($('BodyDetection*0:shoulder.left.y').d -
$('BodyDetection*0:eye.left.y').d), 2) );

// Distance from left eye to right shoulder
Math.sqrt( Math.pow(($('BodyDetection*0:shoulder.right.x').d -
$('BodyDetection*0:eye.left.x').d), 2) +
Math.pow(($('BodyDetection*0:shoulder.right.y').d -
$('BodyDetection*0:eye.left.y').d), 2) );

// Distance from left eye to left elbow
Math.sqrt( Math.pow(($('BodyDetection*0:elbow.left.x').d -
$('BodyDetection*0:eye.left.x').d), 2) +
Math.pow(($('BodyDetection*0:elbow.left.y').d -
$('BodyDetection*0:eye.left.y').d), 2) );

// Distance from left eye to right elbow
Math.sqrt( Math.pow(($('BodyDetection*0:elbow.right.x').d -
$('BodyDetection*0:eye.left.x').d), 2) +
Math.pow(($('BodyDetection*0:elbow.right.y').d -
$('BodyDetection*0:eye.left.y').d), 2) );

// Horizontal distance from left eye to left wrist
Math.abs($('BodyDetection*0:wrist.left.x').d -
$('BodyDetection*0:eye.left.x').d);

// Horizontal distance from left eye to right wrist
Math.abs($('BodyDetection*0:wrist.right.x').d -
$('BodyDetection*0:eye.left.x').d);

// Horizontal distance from left eye to left hand
Math.abs($('BodyDetection*0:hand.left.x').d -
$('BodyDetection*0:eye.left.x').d);

```

```

// Horizontal distance from left eye to right hand
Math.abs($('BodyDetection*0:hand.right.x').d -
$('BodyDetection*0:eye.left.x').d);

// Horizontal distance from left eye to left hip
Math.abs($('BodyDetection*0:hip.left.x').d - $('BodyDetection*0:eye.left.x').d);

// Horizontal distance from left eye to right hip
Math.abs($('BodyDetection*0:hip.right.x').d -
$('BodyDetection*0:eye.left.x').d);

// Vertical distance from left eye to left knee
Math.abs($('BodyDetection*0:knee.left.y').d -
$('BodyDetection*0:eye.left.y').d);

// Vertical distance from left eye to right knee
Math.abs($('BodyDetection*0:knee.right.y').d -
$('BodyDetection*0:eye.left.y').d);

// Vertical distance from left eye to left ankle
Math.abs($('BodyDetection*0:ankle.left.y').d -
$('BodyDetection*0:eye.left.y').d);

// Vertical distance from left eye to right ankle
Math.abs($('BodyDetection*0:ankle.right.y').d -
$('BodyDetection*0:eye.left.y').d);

// Vertical distance from left eye to left foot
Math.abs($('BodyDetection*0:foot.left.y').d -
$('BodyDetection*0:eye.left.y').d);

// Vertical distance from left eye to right foot
Math.abs($('BodyDetection*0:foot.right.y').d -
$('BodyDetection*0:eye.left.y').d);

```

Python Code

```
# Distance from left eye to left eye
math.sqrt( math.pow((__('BodyDetection*0:eye.left.x').d -
__('BodyDetection*0:eye.left.x').d), 2) +
math.pow((__('BodyDetection*0:eye.left.y').d -
__('BodyDetection*0:eye.left.y').d), 2) )

# Distance from left eye to right eye
math.sqrt( math.pow((__('BodyDetection*0:eye.right.x').d -
__('BodyDetection*0:eye.left.x').d), 2) +
math.pow((__('BodyDetection*0:eye.right.y').d -
__('BodyDetection*0:eye.left.y').d), 2) )

# Distance from left eye to left ear
math.sqrt( math.pow((__('BodyDetection*0:ear.left.x').d -
__('BodyDetection*0:eye.left.x').d), 2) +
math.pow((__('BodyDetection*0:ear.left.y').d -
__('BodyDetection*0:eye.left.y').d), 2) )

# Distance from left eye to right ear
math.sqrt( math.pow((__('BodyDetection*0:ear.right.x').d -
__('BodyDetection*0:eye.left.x').d), 2) +
math.pow((__('BodyDetection*0:ear.right.y').d -
__('BodyDetection*0:eye.left.y').d), 2) )

# Distance from left eye to nose
math.sqrt( math.pow((__('BodyDetection*0:nose.x').d -
__('BodyDetection*0:eye.left.x').d), 2) +
math.pow((__('BodyDetection*0:nose.y').d - __('BodyDetection*0:eye.left.y').d),
2) )

# Distance from left eye to mouth
```

```

math.sqrt( math.pow((__('BodyDetection*0:mouth.x').d -
__('BodyDetection*0:eye.left.x').d), 2) +
math.pow((__('BodyDetection*0:mouth.y').d - __('BodyDetection*0:eye.left.y').d),
2) )

```

Distance from left eye to neck

```

math.sqrt( math.pow((__('BodyDetection*0:neck.x').d -
__('BodyDetection*0:eye.left.x').d), 2) +
math.pow((__('BodyDetection*0:neck.y').d - __('BodyDetection*0:eye.left.y').d),
2) )

```

Distance from left eye to left shoulder

```

math.sqrt( math.pow((__('BodyDetection*0:shoulder.left.x').d -
__('BodyDetection*0:eye.left.x').d), 2) +
math.pow((__('BodyDetection*0:shoulder.left.y').d -
__('BodyDetection*0:eye.left.y').d), 2) )

```

Distance from left eye to right shoulder

```

math.sqrt( math.pow((__('BodyDetection*0:shoulder.right.x').d -
__('BodyDetection*0:eye.left.x').d), 2) +
math.pow((__('BodyDetection*0:shoulder.right.y').d -
__('BodyDetection*0:eye.left.y').d), 2) )

```

Distance from left eye to left elbow

```

math.sqrt( math.pow((__('BodyDetection*0:elbow.left.x').d -
__('BodyDetection*0:eye.left.x').d), 2) +
math.pow((__('BodyDetection*0:elbow.left.y').d -
__('BodyDetection*0:eye.left.y').d), 2) )

```

Distance from left eye to right elbow

```

math.sqrt( math.pow((__('BodyDetection*0:elbow.right.x').d -
__('BodyDetection*0:eye.left.x').d), 2) +
math.pow((__('BodyDetection*0:elbow.right.y').d -
__('BodyDetection*0:eye.left.y').d), 2) )

```

```

# Horizontal distance from left eye to left wrist
math.fabs(__('BodyDetection*0:wrist.left.x').d -
__('BodyDetection*0:eye.left.x').d)

# Horizontal distance from left eye to right wrist
math.fabs(__('BodyDetection*0:wrist.right.x').d -
__('BodyDetection*0:eye.left.x').d)

# Horizontal distance from left eye to left hand
math.fabs(__('BodyDetection*0:hand.left.x').d -
__('BodyDetection*0:eye.left.x').d)

# Horizontal distance from left eye to right hand
math.fabs(__('BodyDetection*0:hand.right.x').d -
__('BodyDetection*0:eye.left.x').d)

# Horizontal distance from left eye to left hip
math.fabs(__('BodyDetection*0:hip.left.x').d -
__('BodyDetection*0:eye.left.x').d)

# Horizontal distance from left eye to right hip
math.fabs(__('BodyDetection*0:hip.right.x').d -
__('BodyDetection*0:eye.left.x').d)

# Vertical distance from left eye to left knee
math.fabs(__('BodyDetection*0:knee.left.y').d -
__('BodyDetection*0:eye.left.y').d)

# Vertical distance from left eye to right knee
math.fabs(__('BodyDetection*0:knee.right.y').d -
__('BodyDetection*0:eye.left.y').d)

# Vertical distance from left eye to left ankle

```

```

math.fabs(__('BodyDetection*0:ankle.left.y').d -
__('BodyDetection*0:eye.left.y').d)

# Vertical distance from left eye to right ankle
math.fabs(__('BodyDetection*0:ankle.right.y').d -
__('BodyDetection*0:eye.left.y').d)

# Vertical distance from left eye to left foot
math.fabs(__('BodyDetection*0:foot.left.y').d -
__('BodyDetection*0:eye.left.y').d)

# Vertical distance from left eye to right foot
math.fabs(__('BodyDetection*0:foot.right.y').d -
__('BodyDetection*0:eye.left.y').d)

```

Body Model Loading State Value

Returns the body model loading state.

If not loaded yet □ returns 0

If loading □ returns 1

If loading completed □ returns 2



Returns the state of body model loading.
Returns 0 if it has not been loaded yet, 1 if it is on loading process, and 2 if the loading has completed.

JavaScript Code

```

// Body model loading state value
$('BodyDetection*0:model_state').d;

```

Python Code

```
# Body model loading state value  
__('BodyDetection*0:model_state').d
```

Was a Body Detected?

Returns whether a body was detected as **True (1)** / **False (0)**.



JavaScript Code

```
// Was a body detected?  
$('BodyDetection*0:detected').d;
```

Python Code

```
# Was a body detected?  
__('BodyDetection*0:detected').d
```