


Open Dashboard

Open Dashboard is not a block that can be used in block coding, but it allows you to open a dashboard where you can check how the model used in the extension module is applied.

Dashboard Screen

When you click Open Dashboard, you can see the following screen.



Detailed Features

Power

Turns the selected camera on or off.

Load Model

Loads the trained detailed face detection model.

This is a required step to use the "Detailed Face Detection" extension module.

Detect

Starts or stops detailed face detection.

You can choose whether to run it only once with the Once button, or continuously with the Continuous button.

You can also stop detection using the Stop button.

Show Result

Displays detailed face detection results on the camera screen.

Sensory Data

Displays face data values detected by face detection.

You can check the x,y coordinates of the selected face part.


Dropdown Options and Input Values

Name	Type	Description	Range / Type
part	Dropdown Option	Face part	face, left eye, right eye, left pupil, right pupil, nose, mouth, left lip, right lip, upper lip, lower lip

Blocks

Select Camera

Selects the camera to use for the Detailed Face Detection module.



Dropdown Options and Input Values

Name	Type	Description	Range / Type
camera	Dropdown Option	Camera to use	Connected camera list

JavaScript Code

```
// Set a specific camera for detailed face detection (id is an example)
$('DetailedFaceDetection*0:camera.deviceId').d =
'035658da47183882a695a82c45b8f3e9ae50cef47945ccdc3f31e1ae1fbca9cb';
```

Python Code

```
# Set a specific camera for detailed face detection (id is an example)
__('DetailedFaceDetection*0:camera.deviceId').d =
'035658da47183882a695a82c45b8f3e9ae50cef47945ccdc3f31e1ae1fbca9cb'
```

Load Face Model

Loads the trained face model. This step is required to use the features of the “Detailed Face Detection” module.

If wait is checked, it waits until model loading is completed.

However, if wait is checked, it can only be used inside an async function.



Load the trained face model. This task is necessary to use the functions of the 'Detailed Face Detection' module.

JavaScript Code

```
// Load face model | Wait 0
$('DetailedFaceDetection*0:load_model').d = 1;
await $('DetailedFaceDetection*0:!load_model').w();
```

```
// Load face model | Wait X
$('DetailedFaceDetection*0:load_model').d = 1;
```


Python Code

```
# Load face model | Wait 0
__('DetailedFaceDetection*0:load_model').d = 1
await __('DetailedFaceDetection*0:!load_model').w()

# Load face model | Wait X
__('DetailedFaceDetection*0:load_model').d = 1
```

Detect Face Once

Detects faces currently on the screen and displays the result only once.



JavaScript Code

```
// Detect face once
$('DetailedFaceDetection*0:detect.once').d = 1;
```

Python Code


```
# Detect face once
__('DetailedFaceDetection*0:detect.once').d = 1
```

Detect Face Continuously

Starts or stops continuous face detection.

When continuous detection starts, it keeps tracking and displaying faces on the screen.

Detailed Face Detection 0 : start continuous face detection



Continuously detect the face on the screen and display it.

Dropdown Options and Input Values

Name	Type	Description	Range / Type
toggle	Dropdown Option	Face detection	Start (1), Stop (0)

JavaScript Code

```
// Start continuous face detection
$('DetailedFaceDetection*0:detect.continuous').d = 1;

// Stop continuous face detection
$('DetailedFaceDetection*0:detect.continuous').d = 0;
```


Python Code

```
# Start continuous face detection
__('DetailedFaceDetection*0:detect.continuous').d = 1

# Stop continuous face detection
__('DetailedFaceDetection*0:detect.continuous').d = 0
```

Show Detailed Face Detection Result

Decides whether to display detailed face detection results on the camera screen.



Dropdown Options and Input Values

Name	Type	Description	Range / Type
toggle	Dropdown Option	Show results	Show (1), Hide (0)

JavaScript Code

```
// Show detailed face detection results
$('DetailedFaceDetection*0:display').d = 1;

// Hide detailed face detection results
$('DetailedFaceDetection*0:display').d = 0;
```

Python Code

```
# Show detailed face detection results
__('DetailedFaceDetection*0:display').d = 1

# Hide detailed face detection results
__('DetailedFaceDetection*0:display').d = 0
```

Face Data

Returns face data obtained from face detection.

Detailed Face Detection 0 : face y position

Detailed Face Detection 0 : face x position

- ✓ face
- left eye
- right eye
- left pupil
- right pupil
- nose
- mouth
- left lip
- right lip
- upper lip
- lower lip

Selected data about face features

Dropdown Options and Input Values

Name	Type	Description	Range / Type
part	Dropdown Option	Face part	Face (face), Left eye (eye.left), Right eye (eye.right), Left pupil (pupil.left), Right pupil (pupil.right), Nose (nose), Mouth (mouth), Left lip corner (lip.left), Right lip corner (lip.right), Upper lip (lip.up), Lower lip (lip.down)
axis	Dropdown Option	Coordinate	x, y

JavaScript Code

```
// Face x coordinate
$('DetailedFaceDetection*0:face.x').d;

// Face y coordinate
$('DetailedFaceDetection*0:face.y').d;

// Left eye x coordinate
$('DetailedFaceDetection*0:eye.left.x').d;

// Left eye y coordinate
$('DetailedFaceDetection*0:eye.left.y').d;

// Right eye x coordinate
$('DetailedFaceDetection*0:eye.right.x').d;

// Right eye y coordinate
$('DetailedFaceDetection*0:eye.right.y').d;

// Left pupil x coordinate
$('DetailedFaceDetection*0:pupil.left.x').d;

// Left pupil y coordinate
$('DetailedFaceDetection*0:pupil.left.y').d;

// Right pupil x coordinate
$('DetailedFaceDetection*0:pupil.right.x').d;

// Right pupil y coordinate
$('DetailedFaceDetection*0:pupil.right.y').d;

// Nose x coordinate
$('DetailedFaceDetection*0:nose.x').d;
```



```
// Nose y coordinate
$('DetailedFaceDetection*0:nose.y').d;

// Mouth x coordinate
$('DetailedFaceDetection*0:mouth.x').d;

// Mouth y coordinate
$('DetailedFaceDetection*0:mouth.y').d;

// Left lip corner x coordinate
$('DetailedFaceDetection*0:lip.left.x').d;

// Left lip corner y coordinate
$('DetailedFaceDetection*0:lip.left.y').d;

// Right lip corner x coordinate
$('DetailedFaceDetection*0:lip.right.x').d;

// Right lip corner y coordinate
$('DetailedFaceDetection*0:lip.right.y').d;

// Upper lip x coordinate
$('DetailedFaceDetection*0:lip.up.x').d;

// Upper lip y coordinate
$('DetailedFaceDetection*0:lip.up.y').d;

// Lower lip x coordinate
$('DetailedFaceDetection*0:lip.down.x').d;

// Lower lip y coordinate
$('DetailedFaceDetection*0:lip.down.y').d;
```

Python Code

```
# Face x coordinate
__( 'DetailedFaceDetection*0:face.x').d

# Face y coordinate
__( 'DetailedFaceDetection*0:face.y').d

# Left eye x coordinate
__( 'DetailedFaceDetection*0:eye.left.x').d

# Left eye y coordinate
__( 'DetailedFaceDetection*0:eye.left.y').d

# Right eye x coordinate
__( 'DetailedFaceDetection*0:eye.right.x').d

# Right eye y coordinate
__( 'DetailedFaceDetection*0:eye.right.y').d

# Left pupil x coordinate
__( 'DetailedFaceDetection*0:pupil.left.x').d

# Left pupil y coordinate
__( 'DetailedFaceDetection*0:pupil.left.y').d

# Right pupil x coordinate
__( 'DetailedFaceDetection*0:pupil.right.x').d

# Right pupil y coordinate
__( 'DetailedFaceDetection*0:pupil.right.y').d

# Nose x coordinate
__( 'DetailedFaceDetection*0:nose.x').d
```

```
# Nose y coordinate
__('DetailedFaceDetection*0:nose.y').d

# Mouth x coordinate
__('DetailedFaceDetection*0:mouth.x').d

# Mouth y coordinate
__('DetailedFaceDetection*0:mouth.y').d

# Left lip corner x coordinate
__('DetailedFaceDetection*0:lip.left.x').d

# Left lip corner y coordinate
__('DetailedFaceDetection*0:lip.left.y').d

# Right lip corner x coordinate
__('DetailedFaceDetection*0:lip.right.x').d

# Right lip corner y coordinate
__('DetailedFaceDetection*0:lip.right.y').d

# Upper lip x coordinate
__('DetailedFaceDetection*0:lip.up.x').d


# Upper lip y coordinate
__('DetailedFaceDetection*0:lip.up.y').d

# Lower lip x coordinate
__('DetailedFaceDetection*0:lip.down.x').d

# Lower lip y coordinate
__('DetailedFaceDetection*0:lip.down.y').d
```

Bounding Box Data Around Face

Defines the detected face area as a rectangle and returns rectangle data.



Dropdown Options and Input Values

Name	Type	Description	Range / Type
part	Dropdown Option	Face part	Face (face), Left eye (eye.left), Right eye (eye.right), Mouth (mouth)
data	Dropdown Option	Bounding box data	min_x, max_x, min_y, max_y, width, height, area

JavaScript Code

```
// Face bounding box min x
$('DetailedFaceDetection*0:face.min_x').d;

// Face bounding box max x
$('DetailedFaceDetection*0:face.max_x').d;

// Face bounding box min y
$('DetailedFaceDetection*0:face.min_y').d;
```

```
// Face bounding box max y
$('DetailedFaceDetection*0:face.max_y').d;

// Face bounding box width
$('DetailedFaceDetection*0:face.width').d;

// Face bounding box height
$('DetailedFaceDetection*0:face.height').d;

// Face bounding box area
$('DetailedFaceDetection*0:face.area').d;

// Left eye bounding box min x
$('DetailedFaceDetection*0:eye.left.min_x').d;

// Right eye bounding box min x
$('DetailedFaceDetection*0:eye.right.min_x').d;

// Mouth bounding box min x
$('DetailedFaceDetection*0:mouth.min_x').d;
```

Python Code

```
# Face bounding box min x
__('DetailedFaceDetection*0:face.min_x').d

# Face bounding box max x
__('DetailedFaceDetection*0:face.max_x').d

# Face bounding box min y
__('DetailedFaceDetection*0:face.min_y').d

# Face bounding box max y
```

```
__('DetailedFaceDetection*0:face.max_y').d

# Face bounding box width
__('DetailedFaceDetection*0:face.width').d

# Face bounding box height
__('DetailedFaceDetection*0:face.height').d

# Face bounding box area
__('DetailedFaceDetection*0:face.area').d

# Left eye bounding box min x
__('DetailedFaceDetection*0:eye.left.min_x').d

# Right eye bounding box min x
__('DetailedFaceDetection*0:eye.right.min_x').d

# Mouth bounding box min x
__('DetailedFaceDetection*0:mouth.min_x').d
```

Distance Between Face Elements

Returns the distance between two face elements using face data detected by face detection.


Detailed Face Detection
0
:
distance
from
left eye
to
left eye

- ✓
left eye

right eye

left pupil

right pupil

nose

mouth

left lip

right lip

upper lip

lower lip

Distance between two face features

Dropdown Options and Input Values

Name	Type	Description	Range / Type
part 1	Dropdown Option	Face part	Face (face), Left eye (eye.left), Right eye (eye.right), Left pupil (pupil.left), Right pupil (pupil.right), Nose (nose), Mouth (mouth), Left lip corner (lip.left), Right lip corner (lip.right), Upper lip (lip.up), Lower lip (lip.down)

Name	Type	Description	Range / Type
part 2	Dropdown Option	Face part	Face (face), Left eye (eye.left), Right eye (eye.right), Left pupil (pupil.left), Right pupil (pupil.right), Nose (nose), Mouth (mouth), Left lip corner (lip.left), Right lip corner (lip.right), Upper lip (lip.up), Lower lip (lip.down)
distance	Dropdown Option	Distance type	distance, horizontal distance, vertical distance

JavaScript Code

```
// Distance from left eye to left eye
Math.sqrt( Math.pow(($('DetailedFaceDetection*0:eye.left.x').d -
$('DetailedFaceDetection*0:eye.left.x').d), 2) +
Math.pow(($('DetailedFaceDetection*0:eye.left.y').d -
$('DetailedFaceDetection*0:eye.left.y').d), 2) );

// Distance from left eye to right eye
Math.sqrt( Math.pow(($('DetailedFaceDetection*0:eye.right.x').d -
$('DetailedFaceDetection*0:eye.left.x').d), 2) +
Math.pow(($('DetailedFaceDetection*0:eye.right.y').d -
$('DetailedFaceDetection*0:eye.left.y').d), 2) );

// Horizontal distance from left eye to left pupil
Math.abs($('DetailedFaceDetection*0:pupil.left.x').d -
$('DetailedFaceDetection*0:eye.left.x').d);
```



```

// Horizontal distance from left eye to right pupil
Math.abs($('DetailedFaceDetection*0:pupil.right.x').d -
$('DetailedFaceDetection*0:eye.left.x').d);

// Vertical distance from left eye to nose
Math.abs($('DetailedFaceDetection*0:nose.y').d -
$('DetailedFaceDetection*0:eye.left.y').d);

// Vertical distance from left eye to mouth
Math.abs($('DetailedFaceDetection*0:mouth.y').d -
$('DetailedFaceDetection*0:eye.left.y').d);

// Distance from left eye to left lip corner
Math.sqrt( Math.pow(($('DetailedFaceDetection*0:lip.left.x').d -
$('DetailedFaceDetection*0:eye.left.x').d), 2) +
Math.pow(($('DetailedFaceDetection*0:lip.left.y').d -
$('DetailedFaceDetection*0:eye.left.y').d), 2) );

// Distance from left eye to right lip corner
Math.sqrt( Math.pow(($('DetailedFaceDetection*0:lip.right.x').d -
$('DetailedFaceDetection*0:eye.left.x').d), 2) +
Math.pow(($('DetailedFaceDetection*0:lip.right.y').d -
$('DetailedFaceDetection*0:eye.left.y').d), 2) );

// Distance from left eye to upper lip
Math.sqrt( Math.pow(($('DetailedFaceDetection*0:lip.up.x').d -
$('DetailedFaceDetection*0:eye.left.x').d), 2) +
Math.pow(($('DetailedFaceDetection*0:lip.up.y').d -
$('DetailedFaceDetection*0:eye.left.y').d), 2) );

// Distance from left eye to lower lip
Math.sqrt( Math.pow(($('DetailedFaceDetection*0:lip.down.x').d -
$('DetailedFaceDetection*0:eye.left.x').d), 2) +
Math.pow(($('DetailedFaceDetection*0:lip.down.y').d -
$('DetailedFaceDetection*0:eye.left.y').d), 2) );

```

Python Code

```
# Distance from left eye to left eye
math.sqrt( math.pow((__('DetailedFaceDetection*0:eye.left.x').d -
__('DetailedFaceDetection*0:eye.left.x').d), 2) +
math.pow((__('DetailedFaceDetection*0:eye.left.y').d -
__('DetailedFaceDetection*0:eye.left.y').d), 2) )

# Distance from left eye to right eye
math.sqrt( math.pow((__('DetailedFaceDetection*0:eye.right.x').d -
__('DetailedFaceDetection*0:eye.left.x').d), 2) +
math.pow((__('DetailedFaceDetection*0:eye.right.y').d -
__('DetailedFaceDetection*0:eye.left.y').d), 2) )

# Horizontal distance from left eye to left pupil
math.fabs((__('DetailedFaceDetection*0:pupil.left.x').d -
__('DetailedFaceDetection*0:eye.left.x').d)

# Horizontal distance from left eye to right pupil
math.fabs((__('DetailedFaceDetection*0:pupil.right.x').d -
__('DetailedFaceDetection*0:eye.left.x').d)

# Vertical distance from left eye to nose
math.fabs((__('DetailedFaceDetection*0:nose.y').d -
__('DetailedFaceDetection*0:eye.left.y').d)

# Vertical distance from left eye to mouth
math.fabs((__('DetailedFaceDetection*0:mouth.y').d -
__('DetailedFaceDetection*0:eye.left.y').d)

# Distance from left eye to left lip corner
math.sqrt( math.pow((__('DetailedFaceDetection*0:lip.left.x').d -
__('DetailedFaceDetection*0:eye.left.x').d), 2) +
math.pow((__('DetailedFaceDetection*0:lip.left.y').d -
__('DetailedFaceDetection*0:eye.left.y').d), 2) )
```

```

# Distance from left eye to right lip corner
math.sqrt( math.pow((__('DetailedFaceDetection*0:lip.right.x').d -
__('DetailedFaceDetection*0:eye.left.x').d), 2) +
math.pow((__('DetailedFaceDetection*0:lip.right.y').d -
__('DetailedFaceDetection*0:eye.left.y').d), 2) )

# Distance from left eye to upper lip
math.sqrt( math.pow((__('DetailedFaceDetection*0:lip.up.x').d -
__('DetailedFaceDetection*0:eye.left.x').d), 2) +
math.pow((__('DetailedFaceDetection*0:lip.up.y').d -
__('DetailedFaceDetection*0:eye.left.y').d), 2) )

# Distance from left eye to lower lip
math.sqrt( math.pow((__('DetailedFaceDetection*0:lip.down.x').d -
__('DetailedFaceDetection*0:eye.left.x').d), 2) +
math.pow((__('DetailedFaceDetection*0:lip.down.y').d -
__('DetailedFaceDetection*0:eye.left.y').d), 2) )

```

Model Loading State

Returns the face model loading state.

Returns 0 if not loaded yet, 1 if loading, and 2 if loading is complete.

 Detailed Face Detection **0** : face model loading state

Returns the state of face model loading.
Returns 0 if it has not been loaded yet, 1 if it is on
loading process, and 2 if the loading has completed.

JavaScript Code

```

// Face model loading state value
$('#DetailedFaceDetection*0:model_state').d;


```

Python Code

```
# Face model loading state value
__('DetailedFaceDetection*0:model_state').d
```

Was a Face Detected?

Returns whether a face was detected as **True (1)** / **False (0)**.



JavaScript Code

```
// Was a face detected?
$('DetailedFaceDetection*0:detected').d;
```

Python Code

```
# Was a face detected?
__('DetailedFaceDetection*0:detected').d
```