



Universal Ikea Lack Enclosure - Prusa Remix




VIEW IN BROWSER

updated 12. 4. 2022 | published 1. 2. 2020

Summary

Remix of Prusa Lack enclosure to provide more height and allow for double doors.



Remix of Prusa Lack enclosure to provide more height and allow for double doors. If you want doors, cut the glass/plexi to 220mm x 500mm. If you want a wall, use glass/plexi 440mm x 500mm.

I used the original door holders, but provided them as individual files for ease. I recreated the base catch to ensure my remixed bottom holders matched correctly.

I provided the Fusion 360 file with a height parameter to adjustments can be made if needed.

Cat shown for scale. :) MK3 is printer on the left. MK2 waiting for the 2.5 upgrade to be installed is on the right. Printers are installed on top of a lkea Bekant Sit Stand desk.

Print instructions Category: 3D Printer Accessories Print Settings

Printer Brand: Prusa

Printer: i3 MK3

Rafts: No

Supports: No

Resolution: .2

Infill: 20%

Model files



bottom door.stl



bottom_catch_cable.stl



prusa_lack_remix_corrected-1229.f3d



bottom_holder_cable.stl



bottom_holder.stl



top_holder.stl



top_door.stl



bottom_catch.stl



prusa_lack-remix.3mf

Print files



prusa_lack-remix_03mm_pla_mk3s_20h35m.gcode

Find source .stl files on Thingiverse.com

License **G**



This work is licensed under a Creative Commons (4.0 International License)

Attribution—Noncommercial—Share Alike

- **≭** | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- **≭** | Commercial Use

- **≭** | Free Cultural Works
- **★** | Meets Open Definition