#### EECE5554 Lab4

Name: Zuchen Zhang NUID: 001302761

### Image naming explanation:

Images whose names start with gray are gray scale images after resizing in .bmp format. Images whose names end with rect are corresponding gray scale images after rectification in .bmp format.

.mat file naming explanation lab4\_2\_final.m is the script for Part 2. cinder\_block.m is the script for cinder block wall mosaicking of Part 3. graffito.m is the script for graffiti art mosaicking of Part 3.

## Part1 - Camera Calibration

#### First time of calibration:

```
Aspect ratio optimized (est_aspect_ratio = 1) -> both components of fc are estimated (DEFAULT).
 Principal point optimized (center_optim=1) - (DEFAULT). To reject principal point, set center_optim=0
 Skew not optimized (est_alpha=0) - (DEFAULT)
 Distortion not fully estimated (defined by the variable est_dist):
              Sixth order distortion not estimated (est_dist(5)=0) - (DEFAULT) .
  Initialization of the principal point at the center of the image.
  Initialization of the intrinsic parameters using the vanishing points of planar patterns.
  Initialization of the intrinsic parameters - Number of images: 20
Calibration parameters after initialization:
                                      fc = [ 1167.16730 1167.16730 ]
Focal Length:
Principal point: cc = [ 539.50000 719.50000 ]
Main calibration optimization procedure - Number of images: 20
 \text{Gradient descent iterations: } 1 \ldots 2 \ldots 3 \ldots 4 \ldots 5 \ldots 6 \ldots 7 \ldots 8 \ldots 9 \ldots 10 \ldots 11 \ldots 12 \ldots 13 \ldots 14 \ldots 15 \ldots 16 \ldots 17 \ldots 18 \ldots 19 \ldots \\ \text{done of the proposition of the proposit
Estimation of uncertainties...done
Calibration results after optimization (with uncertainties):
Skew: alpha_c = [ 0.00000 ] +/- [ 0.00000 ] => angle of pixel axes = 90.00000 +/- 0.00000 degrees
```




Figure. Reprojection Error

#### Calibration based on output of first-time calibration

```
Re-extraction of the grid corners on the images (after first calibration)
Window size for corner finder (wintx and winty):
wintx ([] = 5) = 1
winty ([] = 5) = 1
Window size = 3x3
Number(s) of image(s) to process ([] = all images) =
Use the projection of 3D grid or manual click ([]=auto, other=manual):
Processing image 1...2...3...4...5...6...7...8...9...10...11...12...13...14...15...16...17...18...19...20...
 \mbox{Aspect ratio optimized (est\_aspect\_ratio = 1) $\rightarrow$ both components of fc are estimated (DEFAULT). } 
Principal point optimized (center_optim=1) - (DEFAULT). To reject principal point, set center_optim=0
Skew not optimized (est_alpha=0) - (DEFAULT)
Distortion not fully estimated (defined by the variable est_dist):
    Sixth order distortion not estimated (est_dist(5)=0) - (DEFAULT) .
Main calibration optimization procedure - Number of images: 20
 \text{Gradient descent iterations: } 1 \dots 2 \dots 3 \dots 4 \dots 5 \dots 6 \dots 7 \dots 8 \dots 9 \dots 10 \dots 11 \dots 12 \dots 13 \dots 14 \dots 15 \dots 16 \dots 17 \dots \\ \text{done} 
Estimation of uncertainties...done
Calibration results after optimization (with uncertainties):
                     Focal Length:
                     cc = [ 526.11943     718.75647 ] +/- [ 1.30965     1.69679 ]
Principal point:
                 alpha_c = [ 0.00000 ] +/- [ 0.00000 ] => angle of pixel axes = 90.00000 +/- 0.00000 degrees
                     Distortion:
                    Pixel error:
```




Figure. Reprojection Error

### After adding 5 new images and calibration with default window size:

```
Aspect ratio optimized (est_aspect_ratio = 1) -> both components of fc are estimated (DEFAULT).
Principal point optimized (center_optim=1) - (DEFAULT). To reject principal point, set center_optim=0
Skew not optimized (est_alpha=0) - (DEFAULT)
Distortion not fully estimated (defined by the variable est_dist):
    Sixth order distortion not estimated (est_dist(5)=0) - (DEFAULT) .
Main calibration optimization procedure - Number of images: 25
 \text{Gradient descent iterations: } 1...2...3...4...5...6...7...8...9...10...11...12...13...14...15...16...17...done \\
Estimation of uncertainties...done
Calibration results after optimization (with uncertainties):
                     fc = [ 1184.88603 1175.90945 ] +/- [ 2.22319 2.17148 ]
                    cc = [ 526.57926    718.14805 ] +/- [ 1.42076    1.79700 ]
Principal point:
Skew:
                alpha\_c = [ \ 0.00000 \ ] \ \ +/- \ [ \ 0.00000 \ ] \ \ \ => \ angle \ of \ pixel \ axes = 90.00000 \ \ +/- \ 0.00000 \ degrees
                    Distortion:
                    err = [ 0.33744    0.36274 ]
Pixel error:
```




Figure. Reprojection Error

### Calibration with different window sizes for last four images:

```
Aspect ratio optimized (est_aspect_ratio = 1) -> both components of fc are estimated (DEFAULT).
Principal point optimized (center_optim=1) - (DEFAULT). To reject principal point, set center_optim=0
Skew not optimized (est_alpha=0) - (DEFAULT)
Distortion not fully estimated (defined by the variable est_dist):
     Sixth order distortion not estimated (est_dist(5)=0) - (DEFAULT) .
Main calibration optimization procedure - Number of images: 25
Gradient descent iterations: 1...2...3...4...5...6...7...8...9...10...11...12...13...14...15...16...17...done
Estimation of uncertainties...done
{\tt Calibration\ results\ after\ optimization\ (with\ uncertainties):}
                        fc = [ 1185.36104 1176.12764 ] +/- [ 2.09397 2.04465 ]
                        cc = [ 526.07011 718.50325 ] +/- [ 1.33879 1.69366 ]
Principal point:
                   alpha_c = [ 0.00000 ] +/- [ 0.00000 ] => angle of pixel axes = 90.00000 +/- 0.00000 degrees
Skew:
Distortion:
                        kc = [ \ 0.02448 \quad \  -0.07941 \quad \  0.00056 \quad \  \  -0.00146 \quad 0.00000 \ ] \ \ +/- \ [ \  \  0.00521 \quad \  \  0.01734 \quad \  \  0.00052 \quad \  \  0.00039 \quad 0.00000 \ ]
                       err = [ 0.31804    0.34127 ]
Pixel error:
```




Figure. Reprojection Error

## Calibration including the skew factor alpha c

```
>> est_dist = [1;1;1;1;1];
>> est_alpha = 1;
Aspect ratio optimized (est_aspect_ratio = 1) -> both components of fc are estimated (DEFAULT).
Principal point optimized (center_optim=1) - (DEFAULT). To reject principal point, set center_optim=0
Skew optimized (est_alpha=1). To disable skew estimation, set est_alpha=0.
Main calibration optimization procedure - Number of images: 25
Gradient descent iterations: 1...2...3...4...5...6...7...8...9...10...11...12...13...14...15...16...done
Estimation of uncertainties...done
Calibration results after optimization (with uncertainties):
Skew: alpha_c = [ -0.00004 ] +/- [ 0.00021 ] => angle of pixel axes = 90.00237 +/- 0.01186 degrees
Distortion: kc = [0.02896 -0.11371 0.00056 -0.00146 0.07534] +/-[0.01301 0.09272 0.00052 0.00039 0.19972]
Pixel error: err = [0.31812 0.34099]
Note: The numerical errors are approximately three times the standard deviations (for reference).
Recommendation: The skew coefficient alpha_c is found to be equal to zero (within its uncertainty).
               You may want to reject it from the optimization by setting \operatorname{est}_{-}\operatorname{alpha=0} and \operatorname{run} Calibration
Recommendation: Some distortion coefficients are found equal to zero (within their uncertainties).
               To reject them from the optimization set est_dist=[1;1;1;1;0] and run Calibration
```

The uncertainty on the 6th order radial distortion coefficient is very large (the uncertainty is much larger than the absolute value of the coefficient), so I disabled its estimation, and did calibration:




Figure. Final Reprojection Error




Figure. Complete Distortion Model




Figure. Tangential Component of the Distortion Model




Figure. Radial Component of the Distortion Model

#### Part2 - Photo Mosaicking:

I think for both part2 and part3, fine-tuning of function parameters is necessary because of the properties of objects I took photos for and varying overlapping ratio.

Undistort images: I can't see much compensation after doing anti-distortion, and I even feel the image is a little bit more distorted after compensation. It will be more obvious if you compare before/after compensation images of cinder block wall.



Figure. A sample before / after image showing the distortion correction

Although I used the same set of parameters, the mosaicking outcome varies between runs. I think this is because of some underlying random process of the Matlab functions. As a result, the script doesn't work well every single time. Results of some runs are as follow:



Figure. Panoramic mosaic 1 of Latino Students Center building



Figure. Panoramic mosaic 2 of Latino Students Center building



Figure. Panoramic mosaic 3 of Latino Students Center building



Figure. Panoramic mosaic 4 of Latino Students Center building

Assuming for every photo, the location of camera with respect to this image is [imageSize(jj,2)/2, imageSize(jj,1)/2, 200], i.e. at the center of that photo but 200 units away from the photo plane. Then I did same homogeneous transformations for camera coordinated as for photos, and the results were coordinates of cameras with respect to panoramic mosaic.




Figure. Camera position estimation with respect to panoramic mosaic




Figure. Camera position estimation with respect to panoramic mosaic

# Part3 - Mosaicking with varying overlap

1. For cinder block wall with 50% overlapping between 2 consecutive photos:

In this case, if the whole picture is viewed as 1 region, most corner features will be located at windows and burglar meshes, so I divided each picture into 20\*20 regions to ensure there are adequate number of corner features on walls for matching. The theory of camera position estimation is the same as that of part2.



Figure. Panoramic mosaic of cinder block wall




Figure. Camera position estimation with respect to panoramic mosaic




Figure. Camera position estimation with respect to panoramic mosaic

2. For graffiti art with 15% percent overlapping between 2 consecutive photos: It still works, but with an overlapping of 15% between 2 consecutive images, I divide the image into more regions and increased the maximum number of corners detected by Harris corner detector to ensure there are enough feature points within overlapping regions, for matching purpose. The theory of camera position estimation is the same as that of part2.



Figure. Panoramic mosaic of graffiti art near Boston Symphony Hall




Figure. Camera position estimation with respect to panoramic mosaic




Figure. Camera position estimation with respect to panoramic mosaic