

T#	Entity	Combo / Action	Fill / Verify	✓
ENTITY 1 — PERSON (42 tests: render → combos → any[] → negative)				
1	Person	Render form	CARD_PER_OPT: titled "SEARCH OPTIONS". State dropdown=TX, Image dropdown=Y, Reason Code=C, Email Address. CARD_PER_DL: titled "DRIVER LICENSE". License Number, Date of Birth, Sex dropdown (no default). Last Name, First Name, Middle Name, Suffix. Race dropdown (no default), Expanded DOB, Region ID. CARD_PER_DH: titled "DRIVER HISTORY". License Number (DH), Purpose (DH)=C, Attention (DH). Last Name (DH), First Name (DH), Middle Name (DH), Suffix (DH). DOB (DH), Sex (DH) dropdown (no default). CARD_PER_CCH_OPT: titled "CCH OPTIONS (RESTRICTED -- Criminal History)". Attention (CCH), Inquiry Reason (CCH), Purpose Code (CCH). CARD_PER_CCH_PERSON: titled "CCH PERSON / CRIMINAL HISTORY (RESTRICTED)". Last Name (CCH), First Name (CCH), Middle Name (CCH), Suffix (CCH). DOB (CCH), Sex (CCH) dropdown (no default), Race (CCH) dropdown (no default), State (CCH) dropdown (no default). SSN (CCH), Misc Number (CCH), FBI Number (CCH), State ID / SID (CCH). Operator (CCH), Requestor (CCH), Expanded DOB (CCH), Expanded Name (CCH). Image (CCH) dropdown (no default), Related Hit Search (CCH) dropdown (no default). CARD_PER_CCH_RECORD: titled "CCH RECORD REQUEST / ADMIN (RESTRICTED)". Address Street (CCH), City/State (CCH), Zip (CCH). Building (CCH), Department (CCH). Nlets Dest (CCH), Nlets Dest 2 (CCH), Nlets Dest 3 (CCH). Nlets Dest 4 (CCH), Nlets Dest 5 (CCH), Free Text / Admin Message (CCH).	☐
2	Person	DQ+Name	s=TEST b=TEST nameLast=DOE nameFirst=JOHN → DQName	☐
3	Person	DQ+Name + any[]	Fire: s=TEST b=TEST nameLast=DOE nameFirst=JOHN + add: nameMiddle, nameSuffix, registrationState → DQNameImg	☐
4	Person	DQ+Name	s=TEST b=TEST nameLast=DOE nameFirst=JOHN → DQNameImg	☐
5	Person	DQ+Name + any[]	Fire: s=TEST b=TEST nameLast=DOE nameFirst=JOHN + add: emailAddress, imageIndicator, nameMiddle, nameSuffix → DQNameImg	☐
6	Person	QW+Name	b=TEST nameLast=DOE nameFirst=JOHN → QWName	☐
7	Person	QW+Name + any[]	Fire: b=TEST nameLast=DOE nameFirst=JOHN + add: expandedBirthDateSearchCode, nameMiddle, nameSuffix, raceCode → QWName	☐
8	Person	DQ+OLN	o=TEST → DQOLN	☐
9	Person	DQ+OLN + any[]	Fire: o=TEST + add: registrationState → DQOLN	☐
10	Person	DQ+OLNImg	o=TEST → DQOLNImg	☐
11	Person	DQ+OLNImg + any[]	Fire: o=TEST + add: emailAddress, imageIndicator, reasonCode, registrationState → DQOLNImg	☐
12	Person	CPLNam+CPL Name	nameLast=DOE nameFirst=JOHN → CPLName	☐
13	Person	CPLNam+CPL Name + any[]	Fire: nameLast=DOE nameFirst=JOHN + add: nameMiddle, nameSuffix, registrationState → CPLName	☐
14	Person	CPLNam+CPL NameImg	nameLast=DOE nameFirst=JOHN → CPLNameImg	☐

T#	Entity	Combo / Action	Fill / Verify	✓
15	Person	CPLNam+CPL NameImg + any[]	Fire: nameLast=DOE nameFirst=JOHN + add: emailAddress, imageIndicator, nameMiddle, nameSuffix → CPLNameImg	☐
16	Person	AQ+AQ	attentionCCH=TEST freeTextCCH=TEST inquiryReasonCCH=TEST nletsDestinationCCH=TEST purposeCodeCCH=C → AQ	☐
17	Person	AR+AR	attentionCCH=TEST freeTextCCH=TEST inquiryReasonCCH=TEST nletsDestinationCCH=TEST purposeCodeCCH=C → AR	☐
18	Person	FQ+FQ	attentionCCH=TEST inquiryReasonCCH=TEST purposeCodeCCH=C stateldNumberCCH=TEST → FQ	☐
19	Person	IQ+IQ	attentionCCH=TEST birthDateCCH=01/15/1990 inquiryReasonCCH=TEST nameLastCCH=DOE nameFirstCCH=JOHN purposeCodeCCH=C sexCodeCCH=M → IQ	☐
20	Person	QH.BDO+QH.B DOB	QH.BDO+QH.BDOB requestorCCH=TEST, operatorCCH=TEST, ...	☐
21	Person	QH.NAM+QH.N AME.SSN	QH.NAM+QH.NAME.SSN requestorCCH=TEST, operatorCCH=TEST, ...	☐
22	Person	QH.NAM+QH.N AME.MISC	QH.NAM+QH.NAME.MISC requestorCCH=TEST, operatorCCH=TEST, ...	☐
23	Person	QH.SID+QH.SI D	QH.SID+QH.SID inquiryReasonCCH=TEST, requestorCCH=T...	☐
24	Person	QH.FBI+QH.FB I	QH.FBI+QH.FBI inquiryReasonCCH=TEST, requestorCCH=T...	☐
25	Person	QR.FBI+QR.FB I	QR.FBI+QR.FBI attentionCCH=SMITH J, fbiNumberCCH=TE...	☐
26	Person	QR.SID+QR.SI D	QR.SID+QR.SID attentionCCH=SMITH J, inquiryReasonCC...	☐
27	Person	QW+I.DOB	?QW → QW	☐
28	Person	QW+I.MISC	?QW → QW	☐
29	Person	QW+I.SSN	?QW → QW	☐
30	Person	ZR.FBI+ZR.FBI	ZR.FBI+ZR.FBI fbiNumberCCH=TEST, inquiryReasonCCH=TEST	☐
31	Person	ZR.SID+ZR.SI D	ZR.SID+ZR.SID stateldNumberCCH=TEST, inquiryReasonC...	☐
32	Person	KQ+Name	sexCodeDH=M birthDateDH=01/15/1990 nameLastDH=DOE nameFirstDH=JOHN → KQName	☐
33	Person	KQ+Name + any[]	Fire: sexCodeDH=M birthDateDH=01/15/1990 nameLastDH=DOE nameFirstDH=JOHN + add: attentionDH, nameMiddleDH, nameSuffixDH, purposeCodeDH → KQNameImg	☐
34	Person	KQ+Name	sexCodeDH=M birthDateDH=01/15/1990 nameLastDH=DOE nameFirstDH=JOHN → KQNameImg	☐
35	Person	KQ+Name + any[]	Fire: sexCodeDH=M birthDateDH=01/15/1990 nameLastDH=DOE nameFirstDH=JOHN + add: attentionDH, emailAddress, imageIndicator, nameMiddleDH → KQNameImg	☐
36	Person	KQ+OLN	operatorLicenseNumberDH=D999888777 → KQOLN	☐
37	Person	KQ+OLN + any[]	Fire: operatorLicenseNumberDH=D999888777 + add: attentionDH, purposeCodeDH, registrationState → KQOLN	☐
38	Person	KQ+OLNImg	operatorLicenseNumberDH=D999888777 → KQOLNImg	☐

T#	Entity	Combo / Action	Fill / Verify	✓
39	Person	KQ+OLNImg + any[]	Fire: operatorLicenseNumberDH=D999888777 + add: attentionDH, emailAddress, imageIndicator, purposeCodeDH → KQOLNImg	☐
40	Person	DH deselects DL.	Fill fields for both queries. Submit. Verify DH fires and DL is deselected.	☐
41	Person	Priority	Priority routing: verify more-specific combo wins.	☐
42	Person	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 2 — VEHICLE (16 tests: render → combos → any[] → negative)				
43	Vehicle	Render form	CARD_VEH: titled "VEHICLE QUERY". Plate Number, Plate Type dropdown=PC, Plate Year=2026. VIN, Sticker Number, Fin. Resp. Type. Vehicle Make dropdown (no default), Vehicle Year, State dropdown=TX, Region ID.	☐
44	Vehicle	RQ+Plate	I=TEST I=TEST I=TEST → RQLicensePlateNumber	☐
45	Vehicle	RQ+Plate + any[]	Fire: I=TEST I=TEST I=TEST + add: registrationState → RQLicensePlateNumber	☐
46	Vehicle	QV+Plate	I=TEST → QVLicensePlateNumber	☐
47	Vehicle	QV+Plate + any[]	Fire: I=TEST + add: regionId, registrationState → QVLicensePlateNumber	☐
48	Vehicle	REG+Plate	I=TEST I=TEST f=TEST → REGLicensePlateNumber	☐
49	Vehicle	REG+Plate + any[]	Fire: I=TEST I=TEST f=TEST + add: registrationState → REGLicensePlateNumber	☐
50	Vehicle	RQ+VIN	v=TEST → RQVehicleIdentificationNumber	☐
51	Vehicle	RQ+VIN + any[]	Fire: v=TEST + add: registrationState, vehicleMakeCode, vehicleYear → RQVehicleIdentificationNumber	☐
52	Vehicle	QV+VIN	v=TEST → QVVehicleIdentificationNumber	☐
53	Vehicle	QV+VIN + any[]	Fire: v=TEST + add: regionId → QVVehicleIdentificationNumber	☐
54	Vehicle	VIN+VIN	v=TEST f=TEST → VINVehicleIdentificationNumber	☐
55	Vehicle	VIN+VIN + any[]	Fire: v=TEST f=TEST + add: registrationState → VINVehicleIdentificationNumber	☐
56	Vehicle	DPSI+StickerN umber	s=TEST → DPSIStickerNumber	☐
57	Vehicle	DPSI+StickerN umber + any[]	Fire: s=TEST + add: registrationState → DPSIStickerNumber	☐
58	Vehicle	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 3 — BOAT (12 tests: render → combos → any[] → negative)				
59	Boat	Render form	CARD_BOA: titled "BOAT QUERY". Registration Number, Hull ID Number. NCIC Number, State dropdown (no default), Image dropdown=N, Related Hit Search dropdown=Y.	☐
60	Boat	BQ+Hull+State	b=TEST registrationState=TX → BQBoatHullIdNumber	☐

T#	Entity	Combo / Action	Fill / Verify	✓
61	Boat	BQ+Hull+State + any[]	Fire: b=TEST registrationState=TX + add: imageIndicator, relatedHitSearchIndicator → BQBoatHullIdNumber	☐
62	Boat	QB+Hull	b=TEST → QBBoatHullIdNumber	☐
63	Boat	QB+Hull + any[]	Fire: b=TEST + add: imageIndicator, relatedHitSearchIndicator → QBBoatHullIdNumber	☐
64	Boat	BQ+Reg+State	r=TEST registrationState=TX → BQRegistrationNumber	☐
65	Boat	BQ+Reg+State + any[]	Fire: r=TEST registrationState=TX + add: imageIndicator, relatedHitSearchIndicator → BQRegistrationNumber	☐
66	Boat	QB+Reg	r=TEST → QBRegistrationNumber	☐
67	Boat	QB+Reg + any[]	Fire: r=TEST + add: imageIndicator, relatedHitSearchIndicator → QBRegistrationNumber	☐
68	Boat	QB+NCIC	n=TEST → QBNCICNumber	☐
69	Boat	QB+NCIC + any[]	Fire: n=TEST + add: imageIndicator, relatedHitSearchIndicator → QBNCICNumber	☐
70	Boat	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 4 — FIREARM (6 tests: render → combos → any[] → negative)				
71	Firearm	Render form	CARD_GUN: titled "FIREARM QUERY". Serial Number, Make dropdown (no default). Caliber dropdown (no default), NCIC Number, Image dropdown=N, Related Hit Search dropdown=Y.	☐
72	Firearm	QG+Serial	g=TEST → QGGunSerialNumber	☐
73	Firearm	QG+Serial + any[]	Fire: g=TEST + add: gunCaliber, gunMake, imageIndicator, relatedHitSearchIndicator → QGGunSerialNumber	☐
74	Firearm	QG+NCIC	n=TEST → QGNCICNumber	☐
75	Firearm	QG+NCIC + any[]	Fire: n=TEST + add: imageIndicator, relatedHitSearchIndicator → QGNCICNumber	☐
76	Firearm	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 5 — ARTICLE (6 tests: render → combos → any[] → negative)				
77	Article	Render form	CARD_ART: titled "ARTICLE QUERY". Serial Number, Article Type dropdown (no default). NCIC Number, Image dropdown=N, Related Hit Search dropdown=Y.	☐
78	Article	QA+Serial	a=TEST a=TEST → QAArticleSerialNumber	☐
79	Article	QA+Serial + any[]	Fire: a=TEST a=TEST + add: imageIndicator, relatedHitSearchIndicator → QAArticleSerialNumber	☐
80	Article	QA+NCIC	n=TEST → QANCICNumber	☐
81	Article	QA+NCIC + any[]	Fire: n=TEST + add: imageIndicator, relatedHitSearchIndicator → QANCICNumber	☐
82	Article	Empty form	Clear all fields. Verify no Send button appears.	☐