

T#	Entity	Combo / Action	Fill / Verify	✓
ENTITY 1 — VEHICLE (20 tests: render → combos → any[] → negative)				
1	Vehicle	Render form	CARD_VEH_OPT: titled "Search Options". State (leave blank for FL) dropdown (no default), Image (optional) dropdown=N. CARD_VEH_SEARCH: titled "Vehicle Search". Plate Number (or search by VIN/Decal), Plate Type (out-of-state plates) dropdown=PC, Plate Year (out-of-state plates)=2026. VIN (or search by Plate), Vehicle Make (optional) dropdown (no default), Vehicle Year (optional). Decal Number, Title/Lien Info.	☐
2	Vehicle	FRQ+Plate	L=TEST [leave blank: RegistrationState] → FRQLicensePlateNumber	☐
3	Vehicle	FRQ+Plate + any[]	Fire: L=TEST [leave blank: RegistrationState] + add: VehicleMakeCode, vehicleYear, ImageIndicator → FRQLicensePlateNumber	☐
4	Vehicle	FRQ+VIN	V=TEST [leave blank: RegistrationState, L] → FRQVehicleIdentificationNumber	☐
5	Vehicle	FRQ+VIN + any[]	Fire: V=TEST [leave blank: RegistrationState, L] + add: VehicleMakeCode, vehicleYear, ImageIndicator → FRQVehicleIdentificationNumber	☐
6	Vehicle	FRQ+Decal	d=TEST L=TEST [leave blank: RegistrationState] → FRQDecalNumber	☐
7	Vehicle	FRQ+Decal + any[]	Fire: d=TEST L=TEST [leave blank: RegistrationState] + add: ImageIndicator → FRQDecalNumber	☐
8	Vehicle	FRQ+TitleLien	t=TEST [leave blank: RegistrationState] → FRQTitleLienInformation	☐
9	Vehicle	FRQ+TitleLien + any[]	Fire: t=TEST [leave blank: RegistrationState] + add: ImageIndicator → FRQTitleLienInformation	☐
10	Vehicle	RQ+Plate+State	L=TEST L=TEST L=TEST RegistrationState=TX → RQLicensePlateNumber	☐
11	Vehicle	RQ+Plate+State + any[]	Fire: L=TEST L=TEST L=TEST RegistrationState=TX + add: ImageIndicator → RQLicensePlateNumber	☐
12	Vehicle	RQ+VIN+State	V=TEST RegistrationState=TX [leave blank: L] → RQVehicleIdentificationNumber	☐
13	Vehicle	RQ+VIN+State + any[]	Fire: V=TEST RegistrationState=TX [leave blank: L] + add: VehicleMakeCode, vehicleYear, ImageIndicator → RQVehicleIdentificationNumber	☐
14	Vehicle	Guardrail:	L=TEST L=TEST L=TEST RegistrationState=TX → RQLicensePlateNumber	☐
15	Vehicle	Guardrail:	L=TEST L=TEST L=TEST RegistrationState=TX → RQLicensePlateNumber	☐
16	Vehicle	Guardrail:	L=TEST L=TEST L=TEST RegistrationState=TX → RQLicensePlateNumber	☐
17	Vehicle	Guardrail:	L=TEST L=TEST L=TEST RegistrationState=TX → RQLicensePlateNumber	☐
18	Vehicle	Guardrail:	L=TEST [leave blank: RegistrationState] → FRQLicensePlateNumber	☐
19	Vehicle	Guardrail:	L=TEST [leave blank: RegistrationState] → FRQLicensePlateNumber	☐
20	Vehicle	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 2 — BOAT (30 tests: render → combos → any[] → negative)				

T#	Entity	Combo / Action	Fill / Verify	✓
21	Boat	Render form	CARD_BOA_OPT: titled "Search Options". Destination State (blank for FL, required for name/DOB) dropdown (no default), Stolen Search (Y for NCIC stolen-boat check) dropdown (no default), Image (optional) dropdown=N. CARD_BOA_SEARCH: titled "Boat Search". Hull ID Number, Registration Number (or use Hull ID), Coast Guard Doc #. Decal Number, Title/Lien Info, NCIC Number, PCN. Owner Last Name (out-of-state), Owner First Name (out-of-state), Owner DOB (out-of-state).	☐
22	Boat	FBQ+Hull	B=TEST [leave blank: RegistrationState, r] → FBQBoatHullIdNumber	☐
23	Boat	FBQ+Hull + any[]	Fire: B=TEST [leave blank: RegistrationState, r] + add: ImageIndicator → FBQBoatHullIdNumber	☐
24	Boat	FBQ+Reg	R=TEST [leave blank: RegistrationState, r, B] → FBQRegistrationNumber	☐
25	Boat	FBQ+Reg + any[]	Fire: R=TEST [leave blank: RegistrationState, r, B] + add: ImageIndicator → FBQRegistrationNumber	☐
26	Boat	FBQ+Decal	d=TEST [leave blank: RegistrationState] → FBQDecalNumber	☐
27	Boat	FBQ+Decal + any[]	Fire: d=TEST [leave blank: RegistrationState] + add: ImageIndicator → FBQDecalNumber	☐
28	Boat	FBQ+TitleLien	t=TEST [leave blank: RegistrationState] → FBQTitleLienInformation	☐
29	Boat	FBQ+TitleLien + any[]	Fire: t=TEST [leave blank: RegistrationState] + add: ImageIndicator → FBQTitleLienInformation	☐
30	Boat	BQ+Hull+State	B=TEST RegistrationState=TX → BQBoatHullIdNumber	☐
31	Boat	BQ+Reg+State	R=TEST RegistrationState=TX → BQRegistrationNumber	☐
32	Boat	BQ+Name+State	B=TEST NameLast=DOE NameFirst=JOHN RegistrationState=TX → BQName	☐
33	Boat	QB+Hull+Stolen	B=TEST r=TEST → QBBoatHullIdNumber	☐
34	Boat	QB+Hull+Stolen + any[]	Fire: B=TEST r=TEST + add: ImageIndicator → QBBoatHullIdNumber	☐
35	Boat	QB+Reg+Stolen	R=TEST r=TEST → QBRegistrationNumber	☐
36	Boat	QB+Reg+Stolen + any[]	Fire: R=TEST r=TEST + add: ImageIndicator → QBRegistrationNumber	☐
37	Boat	QB+CG	c=TEST → QBCoastGuardDocumentNumber	☐
38	Boat	QB+CG + any[]	Fire: c=TEST + add: ImageIndicator → QBCoastGuardDocumentNumber	☐
39	Boat	QB+NCIC	N=TEST → QBNCICNumber	☐
40	Boat	QB+NCIC + any[]	Fire: N=TEST + add: ImageIndicator → QBNCICNumber	☐
41	Boat	QB+PCN	p=TEST → QBProcessControlNumber	☐
42	Boat	QB+PCN + any[]	Fire: p=TEST + add: ImageIndicator → QBProcessControlNumber	☐

T#	Entity	Combo / Action	Fill / Verify	✓
43	Boat	Guardrail:	B=TEST NameLast=DOE NameFirst=JOHN RegistrationState=TX → BQName	☐
44	Boat	Guardrail:	B=TEST r=TEST → QBBoatHullIdNumber	☐
45	Boat	Guardrail:	B=TEST NameLast=DOE NameFirst=JOHN RegistrationState=TX → BQName	☐
46	Boat	Guardrail:	B=TEST NameLast=DOE NameFirst=JOHN RegistrationState=TX → BQName	☐
47	Boat	Guardrail:	B=TEST r=TEST → QBBoatHullIdNumber	☐
48	Boat	Guardrail:	B=TEST [leave blank: RegistrationState, r] → FBQBoatHullIdNumber	☐
49	Boat	Guardrail:	B=TEST NameLast=DOE NameFirst=JOHN RegistrationState=TX → BQName	☐
50	Boat	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 3 — PERSON (20 tests: render → combos → any[] → negative)				
51	Person	Render form	CARD_DL: titled "Driver License". License Number (or search by Name + DOB), State (leave blank for FL) dropdown (no default), Image (optional) dropdown=Y. Last Name, First Name, Middle Name. Date of Birth (required with Name), Sex (required with Name) dropdown (no default), Suffix. CARD_DH: titled "Driver History (Out-of-State Only)". License Number (DH) - or Name + DOB + Sex, Destination State (DH, not FL) dropdown (no default), Purpose Code (DH, optional). Last Name (DH), First Name (DH), DOB (DH, required with Name), Sex (DH) - required with Name dropdown (no default). Attention (auto-populated from officer profile)=X.	☐
52	Person	FDQ+OLN	O=TEST [leave blank: RegistrationState] → FDQOperatorLicenseNumber	☐
53	Person	FDQ+OLN + any[]	Fire: O=TEST [leave blank: RegistrationState] + add: ImageIndicator → FDQOperatorLicenseNumber	☐
54	Person	DQ+OLN+State	O=TEST RegistrationState=TX → DQOperatorLicenseNumber	☐
55	Person	DQ+OLN+State + any[]	Fire: O=TEST RegistrationState=TX + add: ImageIndicator → DQOperatorLicenseNumber	☐
56	Person	FDQ+Name	B=TEST NameLast=DOE NameFirst=JOHN S=TEST [leave blank: RegistrationState, O] → FDQName	☐
57	Person	FDQ+Name + any[]	Fire: B=TEST NameLast=DOE NameFirst=JOHN S=TEST [leave blank: RegistrationState, O] + add: ImageIndicator → FDQName	☐
58	Person	DQ+Name+State	B=TEST NameLast=DOE NameFirst=JOHN S=TEST RegistrationState=TX [leave blank: O] → DQName	☐
59	Person	DQ+Name+State + any[]	Fire: B=TEST NameLast=DOE NameFirst=JOHN S=TEST RegistrationState=TX [leave blank: O] + add: ImageIndicator → DQName	☐
60	Person	KQ+OLN	O=TEST RegistrationStateDH=TX → KQOperatorLicenseNumber	☐
61	Person	KQ+OLN + any[]	Fire: O=TEST RegistrationStateDH=TX + add: purposeCodeDH, Attention → KQOperatorLicenseNumber	☐
62	Person	KQ+Name	BirthDateDH=01/15/1990 NameLastDH=DOE NameFirstDH=JOHN SexCodeDH=M RegistrationStateDH=TX [leave blank: O] → KQName	☐
63	Person	KQ+Name + any[]	Fire: BirthDateDH=01/15/1990 NameLastDH=DOE NameFirstDH=JOHN SexCodeDH=M RegistrationStateDH=TX [leave blank: O] + add: purposeCodeDH, Attention → KQName	☐

T#	Entity	Combo / Action	Fill / Verify	✓
64	Person	Guardrail:	B=TEST NameLast=DOE NameFirst=JOHN S=TEST RegistrationState=TX [leave blank: O] → DQName	☐
65	Person	Guardrail:	O=TEST [leave blank: RegistrationState] → FDQOperatorLicenseNumber	☐
66	Person	Guardrail:	B=TEST NameLast=DOE NameFirst=JOHN S=TEST RegistrationState=TX [leave blank: O] → DQName	☐
67	Person	Guardrail:	O=TEST [leave blank: RegistrationState] → FDQOperatorLicenseNumber	☐
68	Person	Guardrail:	O=TEST RegistrationStateDH=TX → KQOperatorLicenseNumber	☐
69	Person	DH deselects DL.	Fill fields for both queries. Submit. Verify DH fires and DL is deselected.	☐
70	Person	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 4 — FIREARM (8 tests: render → combos → any[] → negative)				
71	Firearm	Render form	CARD_GUN: titled "FIREARM QUERY". Serial Number (or use NCIC#/PCN), Gun Make (optional) dropdown (no default). NCIC Number, PCN, Image (optional) dropdown=N.	☐
72	Firearm	QG+Serial	G=TEST → QGGunSerialNumber	☐
73	Firearm	QG+Serial + any[]	Fire: G=TEST + add: GunMake, ImageIndicator → QGGunSerialNumber	☐
74	Firearm	QG+NCIC	N=TEST → QGNCICNumber	☐
75	Firearm	QG+NCIC + any[]	Fire: N=TEST + add: GunMake, ImageIndicator → QGNCICNumber	☐
76	Firearm	QG+PCN	p=TEST → QGProcessControlNumber	☐
77	Firearm	QG+PCN + any[]	Fire: p=TEST + add: GunMake, ImageIndicator → QGProcessControlNumber	☐
78	Firearm	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 5 — ARTICLE (10 tests: render → combos → any[] → negative)				
79	Article	Render form	CARD_ART: titled "ARTICLE QUERY". Serial Number (with Article Type), Article Type (required) dropdown (no default), Owner Applied Number (with Article Type), Image (optional) dropdown=N. NCIC Number, PCN.	☐
80	Article	QA+Serial	A=TEST A=TEST → QAArticleSerialNumber	☐
81	Article	QA+Serial + any[]	Fire: A=TEST A=TEST + add: ImageIndicator → QAArticleSerialNumber	☐
82	Article	QA+OAN	A=TEST o=TEST → QAOwnerAppliedNumber	☐
83	Article	QA+OAN + any[]	Fire: A=TEST o=TEST + add: ImageIndicator → QAOwnerAppliedNumber	☐
84	Article	QA+NCIC	N=TEST → QANCICNumber	☐
85	Article	QA+NCIC + any[]	Fire: N=TEST + add: ImageIndicator → QANCICNumber	☐

T#	Entity	Combo / Action	Fill / Verify	✓
86	Article	QA+PCN	p=TEST → QAProcessControlNumber	☐
87	Article	QA+PCN + any[]	Fire: p=TEST + add: ImageIndicator → QAProcessControlNumber	☐
88	Article	Empty form	Clear all fields. Verify no Send button appears.	☐