

T#	Entity	Combo / Action	Fill / Verify	✓
ENTITY 1 — PERSON (24 tests: render → combos → any[] → negative)				
1	Person	Render form	CARD_PER_OPT: titled "Search Options". State (leave blank for CA) dropdown (no default), Purpose Code=C. CARD_PER_DL: titled "DRIVER LICENSE SEARCH". License Number, Criminal ID (CII), SSN. First Name, Last Name, Date of Birth. Sex dropdown (no default), Age, Height, County, Race dropdown (no default). CARD_PER_DH: titled "DRIVER HISTORY SEARCH". License Number (DH), Purpose Code (DH)=C. First Name (DH), Last Name (DH), DOB (DH), Sex (DH) dropdown (no default).	☐
2	Person	IR.QVC+IR.QV C.C	IR.QVC+IR.QVC.C purposeCode=C, criminalIdNumber=TEST	☐
3	Person	IR.QVC+IR.QV C.C + any[]	Add: age	☐
4	Person	IR.QVC+IR.QV C.O	IR.QVC+IR.QVC.O purposeCode=C, OperatorLicenseNumber=...	☐
5	Person	IR.QVC+IR.QV C.O + any[]	Add: age	☐
6	Person	ID.L1+ID.L1	ID.L1+ID.L1 purposeCode=C, OperatorLicenseNumber=...	☐
7	Person	ID.L1+ID.L1 + any[]	Add: age	☐
8	Person	IR.QVC+IR.QV C.S	IR.QVC+IR.QVC.S purposeCode=C, socialSecurityNumber=TEST	☐
9	Person	IR.QVC+IR.QV C.S + any[]	Add: age	☐
10	Person	NLTS+.DQ+Sta te	NLTS+.DQ+State purposeCode=C, OperatorLicenseNumber=...	☐
11	Person	NLTS+.DQ.N+S tate	NLTS+.DQ.N+State purposeCode=C, NameLast=DOE, NameFirs...	☐
12	Person	NLTS+.DQ.N+S tate + any[]	Add: BirthDate	☐
13	Person	IR.QVC+IR.QV C.N	IR.QVC+IR.QVC.N purposeCode=C, NameLast=DOE, NameFirs...	☐
14	Person	IR.QVC+IR.QV C.N + any[]	Add: BirthDate, age, addressCounty, height	☐
15	Person	IN+.L1	IN+.L1 purposeCode=C, NameLast=DOE, NameFirs...	☐
16	Person	IN+.L1 + any[]	Add: BirthDate	☐
17	Person	NLTS+.KQ.O	NLTS+.KQ.O purposeCodeDH=C, OperatorLicenseNumbe...	☐
18	Person	NLTS+.KQ.N	NLTS+.KQ.N purposeCodeDH=C, BirthDateDH=01/15/19...	☐
19	Person	Guardrail:	Guardrail: NLTS.DQ>NLTS.DQ.N OperatorLicenseNumber=D999888777, pur...	☐
20	Person	Guardrail:	Guardrail: NLTS.DQ>IR.QVC.N OperatorLicenseNumber=D999888777, pur...	☐

T#	Entity	Combo / Action	Fill / Verify	✓
21	Person	Guardrail:	Guardrail: NLTS.DQ>IN.L1 OperatorLicenseNumber=D999888777, pur...	☐
22	Person	Guardrail:	Guardrail: NLTS.KQ.O>NLTS.KQ.N OperatorLicenseNumberDH=D999888777, p...	☐
23	Person	DH deselects DL.	Fill fields for both queries. Submit. Verify DH fires and DL is deselected.	☐
24	Person	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 2 — VEHICLE (14 tests: render → combos → any[] → negative)				
25	Vehicle	Render form	CARD_VEH_OPT: titled "Search Options". State (leave blank for CA) dropdown (no default), Purpose Code=C. CARD_VEH_SEARCH: titled "VEHICLE SEARCH". Plate Number, Plate Type dropdown=PC, Plate Year=2026. VIN, Vehicle Make dropdown (no default), Vehicle Year. First Name, Last Name, City, Street Number.	☐
26	Vehicle	IN+.VP	IN+.VP purposeCode=C, NameLast=DOE, NameFirs...	☐
27	Vehicle	IN+.VP + any[]	Add: addressCity, addressStreetNumber	☐
28	Vehicle	IA.QV+IA.QV	IA.QV+IA.QV purposeCode=C, LicensePlateNumber=TES...	☐
29	Vehicle	IA.QV+IA.QV + any[]	Add: VehicleMakeCode, vehicleYear	☐
30	Vehicle	NLTS+.RQ.P+S tate	NLTS+.RQ.P+State purposeCode=C, LicensePlateNumber=TES...	☐
31	Vehicle	NLTS+.RQ.P+S tate + any[]	Add: VehicleMakeCode, vehicleYear	☐
32	Vehicle	NLTS+.RQ.V+S tate	NLTS+.RQ.V+State purposeCode=C, VehicleIdentificationN...	☐
33	Vehicle	NLTS+.RQ.V+S tate + any[]	Add: VehicleMakeCode, vehicleYear	☐
34	Vehicle	IA.QVK+IA.QV K	IA.QVK+IA.QVK purposeCode=C, VehicleIdentificationN...	☐
35	Vehicle	IA.QVK+IA.QV K + any[]	Add: VehicleMakeCode	☐
36	Vehicle	Guardrail:	Guardrail: NLTS.RQ.P>NLTS.RQ.V LicensePlateNumber=TEST123, purposeCo...	☐
37	Vehicle	Guardrail:	Guardrail: NLTS.RQ.P>IA.QVK LicensePlateNumber=TEST123, purposeCo...	☐
38	Vehicle	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 3 — BOAT (10 tests: render → combos → any[] → negative)				
39	Boat	Render form	CARD_BOA_SEARCH: titled "BOAT SEARCH". Hull ID Number, Registration Number, Owner Applied Number. First Name, Last Name, Date of Birth. State (leave blank for CA) dropdown (no default), Purpose Code=C.	☐
40	Boat	IA.QB.+IA.QB. O	IA.QB.+IA.QB.O purposeCode=C, ownerAppliedNumber=OAN999	☐
41	Boat	IA.QB.+IA.QB. H	IA.QB.+IA.QB.H purposeCode=C, BoatHullIdNumber=FL123...	☐

T#	Entity	Combo / Action	Fill / Verify	✓
42	Boat	NLTS+.BQ.N+State	NLTS+.BQ.N+State purposeCode=C, NameLast=DOE, NameFirs...	☐
43	Boat	NLTS+.BQ.H+State	NLTS+.BQ.H+State purposeCode=C, BoatHullIdNumber=FL123...	☐
44	Boat	IA.QB.+IA.QB.R	IA.QB.+IA.QB.R purposeCode=C, RegistrationNumber=FL1...	☐
45	Boat	NLTS+.BQ.R+State	NLTS+.BQ.R+State purposeCode=C, RegistrationNumber=FL1...	☐
46	Boat	Guardrail:	Guardrail: NLTS.BQ.H>NLTS.BQ.R BoatHullIdNumber=FL1234AB56H7, purpos...	☐
47	Boat	Guardrail:	Guardrail: NLTS.BQ.H>IA.QB.R BoatHullIdNumber=FL1234AB56H7, purpos...	☐
48	Boat	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 4 — FIREARM (5 tests: render → combos → any[] → negative)				
49	Firearm	Render form	CARD_GUN_SEARCH: titled "FIREARM SEARCH". Serial Number, Make dropdown (no default), Caliber dropdown (no default), Type dropdown (no default). First Name, Last Name, Purpose Code=C.	☐
50	Firearm	IG+.QGB	IG+.QGB purposeCode=C, GunSerialNumber=GUN12345	☐
51	Firearm	IG+.QGB + any[]	Add: gunCaliber, GunMake, gunTypeCode	☐
52	Firearm	IG+.QGH	IG+.QGH purposeCode=C, NameLast=DOE, NameFirs...	☐
53	Firearm	Empty form	Clear all fields. Verify no Send button appears.	☐
ENTITY 5 — ARTICLE (6 tests: render → combos → any[] → negative)				
54	Article	Render form	CARD_ART_SEARCH: titled "ARTICLE SEARCH". Serial Number, Owner Applied Number, Purpose Code=C. Article Type dropdown (no default), Brand.	☐
55	Article	IP.QA.+IP.QA.O	IP.QA.+IP.QA.O purposeCode=C, ownerAppliedNumber=OAN999	☐
56	Article	IP.QA.+IP.QA.O + any[]	Add: articleBrand, ArticleTypeCode	☐
57	Article	IP.QA.+IP.QA.S	IP.QA.+IP.QA.S purposeCode=C, ArticleSerialNumber=AR...	☐
58	Article	IP.QA.+IP.QA.S + any[]	Add: articleBrand, ArticleTypeCode	☐
59	Article	Empty form	Clear all fields. Verify no Send button appears.	☐