

Vehicle

[VEHICLE QUERY]						
Resp. Type	Vehicle Make	Vehicle Year	State=TX	Region ID	Plate Number	Plate Type=PC Plate Year=2026 VIN Sticker Number Fin.

```

Plate Number (licensePlateNumber)    TEST123 [set]
Plate Year (licensePlateYear)        TEST [set]
Fin. Resp. Type (financialResponsibilityType) TEST [set]
Expected: VehicleInsuranceRegistrationQuery | keyRef=REGLicensePlateNumber | wire: licensePlateNumber,
licensePlateYear, financialResponsibilityType

```

```

Plate Number (licensePlateNumber)    TEST123 [set]
Plate Year (licensePlateYear)        TEST [set]
Plate Type (licensePlateTypeCode)    TEST [set]
Expected: VehicleInsuranceRegistrationQuery | keyRef=RQLicensePlateNumber | wire: licensePlateNumber,
licensePlateYear, licensePlateTypeCode

```

```
VIN (vehicleIdentificationNumber) 1HGCM82633A123456 [set]
Fin. Resp. Type (financialResponsibilityType) TEST [set]
Expected: VehicleInsuranceRegistrationQuery | keyRef=VINVehicleIdentificationNumber | wire:
vehicleIdentificationNumber, financialResponsibilityType
```

```
Sticker Number (stickerNumber)      TEST [set]
Expected: VehicleInsuranceRegistrationQuery | keyRef=DPSISStickerNumber | wire: stickerNumber
```

```
Plate Number (licensePlateNumber)      TEST123 [set]
Expected: VehicleInsuranceRegistrationQuery | keyRef=QVLicensePlateNumber | wire: licensePlateNumber
```

```
VIN (vehicleIdentificationNumber)      1HGCM82633A123456 [set]
Expected: VehicleInsuranceRegistrationQuery | keyRef=RQVehicleIdentificationNumber | wire:
vehicleIdentificationNumber
```

```
VIN (vehicleIdentificationNumber) 1HGCM82633A123456 [set]
Expected: VehicleInsuranceRegistrationQuery | keyRef=QVVehicleIdentificationNumber | wire:
vehicleIdentificationNumber
```

Plate Number (licensePlateNumber) **TEST123** [winning set – fill this]
 Plate Year (licensePlateYear) **TEST** [winning set – fill this]
 Fin. Resp. Type (financialResponsibilityType) **TEST** [winning set – fill this]
 VIN (vehicleIdentificationNumber) **1HGCM82633A123456** [also fill – must be ABSENT in wire]
 Fin. Resp. Type (financialResponsibilityType) **TEST** [also fill – must be ABSENT in wire]
 Expected: keyRef=REGLicensePlateNumber | wire: licensePlateNumber, licensePlateYear, financialResponsibilityType |
 ABSENT: vehicleIdentificationNumber, financialResponsibilityType

Plate Number (licensePlateNumber) **TEST123** [winning set – fill this]
 Plate Year (licensePlateYear) **TEST** [winning set – fill this]
 Fin. Resp. Type (financialResponsibilityType) **TEST** [winning set – fill this]
 VIN (vehicleIdentificationNumber) **1HGCM82633A123456** [also fill – must be ABSENT in wire]
 Expected: keyRef=REGLicensePlateNumber | wire: licensePlateNumber, licensePlateYear, financialResponsibilityType |
 ABSENT: vehicleIdentificationNumber

T11 – GUARDRAIL: REGLicensePlateNumber wins over QVVehicleIdentificationNumber (licensePlateNumber NOT_EXISTS)

Plate Number (licensePlateNumber) **TEST123** [winning set – fill this]
Plate Year (licensePlateYear) **TEST** [winning set – fill this]
Fin. Resp. Type (financialResponsibilityType) **TEST** [winning set – fill this]
VIN (vehicleIdentificationNumber) **1HGCM82633A123456** [also fill – must be ABSENT in wire]
Expected: keyRef=REGLicensePlateNumber | wire: licensePlateNumber, licensePlateYear, financialResponsibilityType |
ABSENT: vehicleIdentificationNumber

T12 – VehicleInsuranceRegistrationQuery + any[] – keyRef=REGLicensePlateNumber

Plate Number (licensePlateNumber) **TEST123** [set]
Plate Year (licensePlateYear) **TEST** [set]
Fin. Resp. Type (financialResponsibilityType) **TEST** [set]
State (registrationState) **TX** [any – verify serializes]
Verify in wire: registrationState

T13 – NEGATIVE – Vehicle empty form

Clear all fields. No Send button.

Person**T14 – RENDER**

[SEARCH OPTIONS] State=TX | Image=Y | Reason Code=C | Email Address
 [DRIVER LICENSE] License Number | Date of Birth | Sex | Last Name | First Name | Middle Name |
 Suffix | Race | Expanded DOB | Region ID
 [DRIVER HISTORY] Attention (auto-populated from officer profile)=X | License Number (DH) |
 Purpose (DH)=C | Last Name (DH) | First Name (DH) | Middle Name (DH) | Suffix (DH) | DOB (DH) | Sex (DH)

T15 – DriverLicenseQuery – keyRef=DQName

Sex (sexCode) M [set]
 Date of Birth (birthDate) 01/15/1990 [set]
 Last Name (nameLast) DOE [set]
 First Name (nameFirst) JOHN [set]
 Expected: DriverLicenseQuery | keyRef=DQName | wire: sexCode, birthDate, nameLast, nameFirst

T16 – DriverLicenseQuery – keyRef=QWName

Date of Birth (birthDate) 01/15/1990 [set]
 Last Name (nameLast) DOE [set]
 First Name (nameFirst) JOHN [set]
 Expected: DriverLicenseQuery | keyRef=QWName | wire: birthDate, nameLast, nameFirst

T17 – DriverLicenseQuery – keyRef=CPLName

Last Name (nameLast) DOE [set]
 First Name (nameFirst) JOHN [set]
 Expected: DriverLicenseQuery | keyRef=CPLName | wire: nameLast, nameFirst

T18 – DriverLicenseQuery – keyRef=DQOLN

License Number (operatorLicenseNumber) D999888777 [set]
 Expected: DriverLicenseQuery | keyRef=DQOLN | wire: operatorLicenseNumber

T19 – GUARDRAIL: DQOLN wins over DQName (operatorLicenseNumber NOT_EXISTS)

License Number (operatorLicenseNumber) D999888777 [winning set – fill this]
 Sex (sexCode) M [also fill – must be ABSENT in wire]
 Date of Birth (birthDate) 01/15/1990 [also fill – must be ABSENT in wire]
 Last Name (nameLast) DOE [also fill – must be ABSENT in wire]
 First Name (nameFirst) JOHN [also fill – must be ABSENT in wire]
 Expected: keyRef=DQOLN | wire: operatorLicenseNumber | ABSENT: sexCode, birthDate, nameLast, nameFirst

T20 – GUARDRAIL: DQOLN wins over QWName (operatorLicenseNumber NOT_EXISTS)

License Number (operatorLicenseNumber) D999888777 [winning set – fill this]
 Date of Birth (birthDate) 01/15/1990 [also fill – must be ABSENT in wire]
 Last Name (nameLast) DOE [also fill – must be ABSENT in wire]
 First Name (nameFirst) JOHN [also fill – must be ABSENT in wire]
 Expected: keyRef=DQOLN | wire: operatorLicenseNumber | ABSENT: birthDate, nameLast, nameFirst

T21 – GUARDRAIL: DQOLN wins over CPLName (operatorLicenseNumber NOT_EXISTS)

License Number (operatorLicenseNumber) D999888777 [winning set – fill this]
 Last Name (nameLast) DOE [also fill – must be ABSENT in wire]
 First Name (nameFirst) JOHN [also fill – must be ABSENT in wire]
 Expected: keyRef=DQOLN | wire: operatorLicenseNumber | ABSENT: nameLast, nameFirst

T22 – DriverLicenseQuery + any[] – keyRef=DQOLN

License Number (operatorLicenseNumber) D999888777 [set]
 State (registrationState) TX [any – verify serializes]
 Image (imageIndicator) Y [any – verify serializes]
 Reason Code (reasonCode) C [any – verify serializes]
 Email Address (emailAddress) TEST [any – verify serializes]
 Verify in wire: registrationState, imageIndicator, reasonCode, emailAddress

T23 – DriverHistoryQuery – keyRef=KQNameImg

Sex (DH) (sexCodeDH) M [set]
 DOB (DH) (birthDateDH) 01/15/1990 [set]
 Last Name (DH) (nameLastDH) DOE [set]
 First Name (DH) (nameFirstDH) JOHN [set]
 Email Address (emailAddress) TEST [set]
 Expected: DriverHistoryQuery | keyRef=KQNameImg | wire: sexCodeDH, birthDateDH, nameLastDH, nameFirstDH, emailAddress

T24 – DriverHistoryQuery – keyRef=KQName

Sex (DH) (sexCodeDH) M [set]
 DOB (DH) (birthDateDH) 01/15/1990 [set]
 Last Name (DH) (nameLastDH) DOE [set]
 First Name (DH) (nameFirstDH) JOHN [set]
 Expected: DriverHistoryQuery | keyRef=KQName | wire: sexCodeDH, birthDateDH, nameLastDH, nameFirstDH

T25 – DriverHistoryQuery – keyRef=KQOLNImg

License Number (DH) (operatorLicenseNumberDH) D999888777 [set]
 Email Address (emailAddress) TEST [set]
 Expected: DriverHistoryQuery | keyRef=KQOLNImg | wire: operatorLicenseNumberDH, emailAddress

T26 – DriverHistoryQuery – keyRef=KQOLN

License Number (DH) (operatorLicenseNumberDH) D999888777 [set]
 Expected: DriverHistoryQuery | keyRef=KQOLN | wire: operatorLicenseNumberDH

T27 – GUARDRAIL: KQOLNImg wins over KQNameImg (operatorLicenseNumberDH NOT_EXISTS)

License Number (DH) (operatorLicenseNumberDH) D999888777 [winning set – fill this]
 Email Address (emailAddress) TEST [winning set – fill this]
 Sex (DH) (sexCodeDH) M [also fill – must be ABSENT in wire]
 DOB (DH) (birthDateDH) 01/15/1990 [also fill – must be ABSENT in wire]
 Last Name (DH) (nameLastDH) DOE [also fill – must be ABSENT in wire]
 First Name (DH) (nameFirstDH) JOHN [also fill – must be ABSENT in wire]
 Email Address (emailAddress) TEST [also fill – must be ABSENT in wire]
 Expected: keyRef=KQOLNImg | wire: operatorLicenseNumberDH, emailAddress | ABSENT: sexCodeDH, birthDateDH, nameLastDH, nameFirstDH, emailAddress

T28 – GUARDRAIL: KQOLNImg wins over KQName (operatorLicenseNumberDH NOT_EXISTS)

License Number (DH) (operatorLicenseNumberDH) D999888777 [winning set – fill this]
 Email Address (emailAddress) TEST [winning set – fill this]
 Sex (DH) (sexCodeDH) M [also fill – must be ABSENT in wire]
 DOB (DH) (birthDateDH) 01/15/1990 [also fill – must be ABSENT in wire]
 Last Name (DH) (nameLastDH) DOE [also fill – must be ABSENT in wire]
 First Name (DH) (nameFirstDH) JOHN [also fill – must be ABSENT in wire]
 Expected: keyRef=KQOLNImg | wire: operatorLicenseNumberDH, emailAddress | ABSENT: sexCodeDH, birthDateDH, nameLastDH, nameFirstDH

T29 – DriverHistoryQuery + any[] – keyRef=KQOLNImg

License Number (DH) (operatorLicenseNumberDH) D999888777 [set]
 Email Address (emailAddress) TEST [set]
 State (registrationState) TX [any – verify serializes]
 Image (imageIndicator) Y [any – verify serializes]
 Reason Code (reasonCode) C [any – verify serializes]
 Attention (auto-populated from officer profile) (Attention) X [any – verify serializes]
 Purpose (DH) (purposeCodeDH) C [any – verify serializes]
 Verify in wire: registrationState, imageIndicator, reasonCode, Attention, purposeCodeDH

T30 – NEGATIVE – Person empty form

Clear all fields. No Send button.

Boat**T31 – RENDER**

[BOAT QUERY]
Hit Search=Y

Registration Number | Hull ID Number | NCIC Number | State | Image=N | Related

T32 – BoatQuery – keyRef=BQRegistrationNumber

Registration Number (registrationNumber) FL1234AB [set]

State (registrationState) TEST [set]

Expected: BoatQuery | keyRef=BQRegistrationNumber | wire: registrationNumber, registrationState

T33 – BoatQuery – keyRef=BQBoatHullIdNumber

Hull ID Number (boatHullIdNumber) FL1234AB56H7 [set]

State (registrationState) TEST [set]

Expected: BoatQuery | keyRef=BQBoatHullIdNumber | wire: boatHullIdNumber, registrationState

T34 – BoatQuery – keyRef=QBRegistrationNumber

Registration Number (registrationNumber) FL1234AB [set]

Expected: BoatQuery | keyRef=QBRegistrationNumber | wire: registrationNumber

T35 – BoatQuery – keyRef=QBBoatHullIdNumber

Hull ID Number (boatHullIdNumber) FL1234AB56H7 [set]

Expected: BoatQuery | keyRef=QBBoatHullIdNumber | wire: boatHullIdNumber

T36 – BoatQuery – keyRef=QBNCICNumber

NCIC Number (ncicNumber) X123456789 [set]

Expected: BoatQuery | keyRef=QBNCICNumber | wire: ncicNumber

T37 – GUARDRAIL: BQBoatHullIdNumber wins over BQRegistrationNumber (boatHullIdNumber NOT_EXISTS)

Hull ID Number (boatHullIdNumber) FL1234AB56H7 [winning set – fill this]

State (registrationState) TEST [winning set – fill this]

Registration Number (registrationNumber) FL1234AB [also fill – must be ABSENT in wire]

State (registrationState) TEST [also fill – must be ABSENT in wire]

Expected: keyRef=BQBoatHullIdNumber | wire: boatHullIdNumber, registrationState | ABSENT: registrationNumber, registrationState

T38 – GUARDRAIL: BQBoatHullIdNumber wins over QBRegistrationNumber (boatHullIdNumber NOT_EXISTS)

Hull ID Number (boatHullIdNumber) FL1234AB56H7 [winning set – fill this]

State (registrationState) TEST [winning set – fill this]

Registration Number (registrationNumber) FL1234AB [also fill – must be ABSENT in wire]

Expected: keyRef=BQBoatHullIdNumber | wire: boatHullIdNumber, registrationState | ABSENT: registrationNumber

T39 – BoatQuery + any[] – keyRef=BQBoatHullIdNumber

Hull ID Number (boatHullIdNumber) FL1234AB56H7 [set]

State (registrationState) TEST [set]

Image (imageIndicator) N [any – verify serializes]

Related Hit Search (relatedHitSearchIndicator) Y [any – verify serializes]

Verify in wire: imageIndicator, relatedHitSearchIndicator

T40 – RENDER

T41 - GunQuery - keyRef=QGGunSerialNumber

T42 - GunQuery - keyRef=QGNCICNumber

T43 - GunQuery + any[] - keyRef=QGGunSerialNumber

6/7

T44 – RENDER

T45 - ArticleSingleQuery - keyRef=QAArticleSerialNumber

```
Expected: ArticleSingleQuery | keyRef=QAArticleSerialNumber | wire: articleSerialNumber, articleTypeCode
```

Expected: ArticleSingleQuery | keyRef=QANCICNumber | wire: ncicNumber

Verify in wire: imageIndicator, relatedHitSearchIndicator