

Alaska (AK) APSIN

[Disclaimer Statement](#)

Transport:

TCP/IP, with dual listener/originator configuration.

Routing and Configuration Information:

Mnemonic (Primary)

Save Byte Routing (Secondary)

- The AK DPS assigned ORI for a device (or for the site) should be placed in the <**Authentication**>/<**ORI**> field in the ConnectCIC header.
- The Agency assigned Mnemonic for a device should be placed in the <**Authentication**>/<**Mnemonic**> field in the ConnectCIC header.
- The AK DPS assigned User ID should be placed in the <**Authentication**>/<**UserName**> field in the ConnectCIC header.
- The AK DPS assigned Operator ID should be placed in the <**Authentication**>/<**OperatorID**> field in the ConnectCIC header.
- The Agency assigned UnitCode should be placed in the <**Authentication**>/<**UnitID**> field in the ConnectCIC header.

Security Requirements:

Security processing is as follows:

- The transmission header for messages sent over The TCP/IP line contains a queue code that identifies the remote agency system. This is obtained from AK DPS, and is set in the <QueueCode> configuration option for ConnectCIC.
- It is assumed that the remote agency system has performed security validation before allowing any transactions to be sent to the APSIN Interface.
- The PAT software validates the TCP/IP address from which each TCP/IP message is sent. Messages sent from TCP/IP addresses not listed in a PAT module on the mainframe are rejected.
- The transmission header for the TCP/IP messages contains the employee's APSIN user ID. The PAT software validates this ID against APSIN user security data. The user must have security capability within APSIN to perform the specific action, including updating APSIN and sending NCIC messages. The user's NCIC security must be evaluated by each Interface program that builds a message to send to NCIC.

Logon Requirements:

None known at this time

Certification Requirements:

- Vendors must have a sponsor agency.
- Vendors must coordinate with the agency and state to conduct transaction testing on the APSIN test system.
- When the transactions have been tested to the satisfaction of the vendor and the agency, then they may coordinate with AK DPS to conduct supervised transaction testing.
- Once transaction testing has been done, then the ability of the connection to recover from connection failure must be tested under PAT supervision.
- Once “recovery” testing is complete, the site can be transitioned to production service.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Transaction Combination Usage Groupings:

() indicates one or more fields must included

{ } identifies field sets

Example: {LicensePlateNumber, State} must be included together

[] define optional fields relevant to the combination

Example: [EnhancedNameSearchIndicator] would indicate option specifically relevant to this combination.

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	21	
ArticleTypeCode	ArticleTypeCode	M	7	

Possible Combinations

1. (In) ArticleSerialNumber, ArticleTypeCode

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	21	
RegistrationNumber	RegistrationNumber	C	8	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In\Out) BoatHullIdNumber
2. (In\Out) RegistrationNumber
3. (Out) BoatHullIdNumber, State [State2, State3, State4, State5]
4. (Out) RegistrationNumber, State [State2, State3, State4, State5]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AccessExplanationCode	AccessExplanationCode	O	2	Required if the located person record is one that must be monitored by the APSIN Security Officer. Valid values are RT, AC, CR and OT.
AccessDescription	AccessDescription	O	120	Required when the AccessExplanationCode value is OT. It is optional for the other three codes.
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	59	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) BirthDate, Name, [RaceCode, SexCode, AccessExplanationCode, AccessDescription]
2. (In) OperatorLicenseNumber [AccessExplanationCode, AccessDescription]
3. (Out) BirthDate, Name, SexCode, State [Attention, ImageIndicator, PurposeCode, RaceCode , State2, State3, State4, State5]
4. (Out) OperatorLicenseNumber, State [Attention, ImageIndicator, PurposeCode, State2, State3, State4, State5]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AccessExplanationCode	AccessExplanationCode	O	2	Required if the located person record is one that must be monitored by the APSIN Security Officer. Valid values are RT, AC, CR and OT.
AccessDescription	AccessDescription	O	120	Required when the AccessExplanationCode value is OT. It is optional for the other three codes.
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	59	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	

SexCode	SexCode	C	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) BirthDate, Name, [RaceCode, SexCode, AccessExplanationCode, AccessDescription]
2. (In) OperatorLicenseNumber [AccessExplanationCode, AccessDescription]
3. (Out) BirthDate, Name, SexCode, State [ImageIndicator, State2, State3, State4, State5]
4. (Out) OperatorLicenseNumber, State [ImageIndicator, State2, State3, State4, State5]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	
GunSerialNumber	GunSerialNumber	M	21	

Possible Combinations

1. (In) GunSerialNumber, [GunCaliber, GunMake]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	21	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) LicensePlateNumber
2. (In) VehicleIdentificationNumber, [VehicleMakeCode, VehicleModelCode]
3. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State, [State2, State3, State4, State5]
4. (Out) VehicleIdentificationNumber, State [State2, State3, State4, State5, VehicleMakeCode, VehicleYear]

Transactions Supported:

Agency Operations and Support (AOS)

AOSAircraftRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AircraftSightedDate	AircraftSightedDate	O	10	
AircraftSightedIndicator	AircraftSightedIndicator	O	5	
Attention	Attention	M	30	
Name	Name	C	40	
SerialNumber	SerialNumber	C	16	
RegistrationNumber	RegistrationNumber	C	6	

Possible Combinations

1. (In/Out) Attention, Name [AircraftSightedDate, AircraftSightedIndicator, TestIndicator]
2. (In/Out) Attention, RegistrationNumber [AircraftSightedDate, AircraftSightedIndicator, TestIndicator]
3. (In/Out) Attention, SerialNumber, [AircraftSightedDate, AircraftSightedIndicator, TestIndicator]

AOSHazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
UnitedNationsNumber	UnitedNationsNumber	C	6	
ChemicalName	ChemicalName	O	50	% wild card allowed

Possible Combinations

1. (In/Out) UnitedNationsNumber

Basic Entry Package (BEP)

BEPStolenArticleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CancellationDate	CancellationDate	M	8	
CasItemNumber	CasItemNumber	C	4	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
StatIdNumber	StatIdNumber	O	7	

Possible Combinations

1. (In/Out) AgencyId, CancellationDate, OriginatingAgencyCaseNumber, PropertyStatusCode, (CasItemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, StatIdNumber]

BEPStolenArticleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	

CasItemNumber	CasItemNumber	C	4	
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	9	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
StateIdNumber	StateIdNumber	O	7	

Possible Combinations

1. (In/Out) AgencyId ClearDate,, OriginatingAgencyCaseNumber, PropertyStatusCode, (CasItemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, RecoveringAgencyCaseNumber, RecoveringAgencyORI, StateIdNumber]

BEPStolenArticleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	C	7	
APSCode	APSCode	O	1	
ArrowFletchDescription	ArrowFletchDescription	O	15	
ArrowheadDescription	ArrowheadDescription	O	15	
ArticleColorCode	ArticleColorCode	O	3	
ArticleColorCode2	ArticleColorCode2	O	3	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	O	7	
BrandName	BrandName	O	6	
CasItemNumber	CasItemNumber	M	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropertyStatusCode	PropertyStatusCode	M	1	
StateIdNumber	StateIdNumber	O	7	
StorageBinNumber	StorageBinNumber	O	3	
StorageLocation	StorageLocation	O	30	
StorageLocationCity	StorageLocationCity	O	20	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) AgencyId, CasItemNumber, OriginatingAgencyCaseNumber, PropertyStatusCode, TheftDate, (AlaskaDriverLicenseNumber, StateIdNumber), [APSCode, ArrowFletchDescription, ArrowheadDescription, ArticleColorCode, ArticleColorCode2, ArticleModel, ArticleSerialNumber, ArticleTypeCode, BrandName, MiscellaneousDescriptiveText, OwnerAppliedNumber, StorageBinNumber, StorageLocation, StorageLocationCity]

BEPStolenArticleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	C	7	
APSCode	APSCode	O	1	
CasItemNumber	CasItemNumber	C	4	
NCICNumber	NCICNumber	C	10	

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	9	
RecoveryDate	RecoveryDate	M	8	
StateIdNumber	StateIdNumber	C	7	

Possible Combinations

1. (In/Out) AgencyId, OriginatingAgencyCaseNumber, RecoveryDate, PropertyStatusCode, (CaseItemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, RecoveringAgencyCaseNumber, StateIdNumber]

BEPStolenArticleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	MO	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
ArrowFletchDescription	ArrowFletchDescription	O	15	
ArrowheadDescription	ArrowheadDescription	O	15	
ArticleColorCode	ArticleColorCode	O	3	
ArticleColorCode2	ArticleColorCode2	O	3	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	O	7	
BrandName	BrandName	O	6	
CaseItemNumber	CaseItemNumber	C	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropertyStatusCode	PropertyStatusCode	M	1	
StateIdNumber	StateIdNumber	O	7	
StatusDate	StatusDate	M	8	
StorageBinNumber	StorageBinNumber	O	3	
StorageLocation	StorageLocation	O	30	
StorageLocationCity	StorageLocationCity	O	20	

Possible Combinations

1. (In/Out) AgencyId, OriginatingAgencyCaseNumber, PropertyStatusCode, StatusDate, (CaseItemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, ArrowFletchDescription, ArrowheadDescription, ArticleColorCode, ArticleColorCode2, ArticleModel, ArticleSerialNumber, ArticleTypeCode, BrandName, MiscellaneousDescriptiveText, OwnerAppliedNumber, StateIdNumber, StorageBinNumber, StorageLocation, StorageLocationCity]

BEPStolenBoatCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CancellationDate	CancellationDate	M	8	

CasItemNumber	CasItemNumber	C	4	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
StateIdNumber	StateIdNumber	O	7	

Possible Combinations

1. (In/Out) AgencyId, CancellationDate, OriginatingAgencyCaseNumber, PropertyStatusCode, (CasItemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, StateIdNumber]

BEPStolenBoatClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CasItemNumber	CasItemNumber	C	4	
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	9	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
StateIdNumber	StateIdNumber	O	7	

Possible Combinations

1. (In/Out) AgencyId, ClearDate, OriginatingAgencyCaseNumber, PropertyStatusCode, (CasItemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, RecoveringAgencyCaseNumber, RecoveringAgencyORI, StateIdNumber]

BEPStolenBoatEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	C	7	
APSCode	APSCode	O	1	
BoatColorCode	BoatColorCode	O	3	
BoatColorCode2	BoatColorCode2	O	3	
BoatHullIdNumber	BoatHullIdNumber	C	21	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMake	BoatMake	M	24	
BoatModel	BoatModel	M	20	
BoatName	BoatName	O	30	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatStyleCode	BoatStyleCode	M	3	
BoatYear	BoatYear	M	4	
CasItemNumber	CasItemNumber	M	4	
EnginePowerCode	EnginePowerCode	O	5	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
RegistrationExpirationYear	RegistrationExpirationYear	O	4	

RegistrationNumber	RegistrationNumber	O	10	
RegistrationStateCode	RegistrationStateCode	O	2	
StateIdNumber	StateIdNumber	C	7	
StorageLocation	StorageLocation	O	30	
StorageLocationCity	StorageLocationCity	O	20	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) AgencyId, BoatMake, BoatModel, BoatStyleCode, BoatYear, OriginatingAgencyCaseNumber, CaseltemNumber, MiscellaneousDescriptiveText, PropertyStatusCode, TheftDate, (AlaskaDriverLicenseNumber or StateIdNumber), [APSCode, BoatColorCode, BoatColorCode2, BoatHullIdNumber, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatName, BoatPropulsionCode, EnginePowerCode, RegistrationExpirationYear, RegistrationNumber, RegistrationStateCode, StorageLocation, StorageLocationCity]

BEPStolenBoatLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CaseltemNumber	CaseltemNumber	C	4	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	9	
RecoveryDate	RecoveryDate	M	8	
StateIdNumber	StateIdNumber	O	7	

Possible Combinations

1. (In/Out) AgencyId, RecoveryDate, OriginatingAgencyCaseNumber, PropertyStatusCode, (CaseltemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, RecoveringAgencyCaseNumber, StateIdNumber]

BEPStolenBoatModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
BoatColorCode	BoatColorCode	O	3	
BoatColorCode2	BoatColorCode2	O	3	
BoatHullIdNumber	BoatHullIdNumber	O	21	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMake	BoatMake	O	24	
BoatModel	BoatModel	O	20	
BoatName	BoatName	O	30	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatStyleCode	BoatStyleCode	O	3	
BoatYear	BoatYear	O	4	
CaseltemNumber	CaseltemNumber	M	4	

EnginePowerCode	EnginePowerCode	O	5	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
RegistrationExpirationYear	RegistrationExpirationYear	O	4	
RegistrationNumber	RegistrationNumber	O	10	
RegistrationStateCode	RegistrationStateCode	O	2	
StateIdNumber	StateIdNumber	O	7	
StatusDate	StatusDate	M	8	
StorageLocation	StorageLocation	O	30	
StorageLocationCity	StorageLocationCity	O	20	

Possible Combinations

1. (In/Out) AgencyId, StatusDate, OriginatingAgencyCaseNumber, PropertyStatusCode, (CaseltemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, BoatColorCode, BoatColorCode2, BoatHullIdNumber, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatMake, BoatModel, BoatName, BoatPropulsionCode, BoatStyleCode, BoatYear, EnginePowerCode, MiscellaneousDescriptiveText, RegistrationExpirationYear, RegistrationNumber, RegistrationStateCode, StateIdNumber, StorageLocation, StorageLocationCity]

BEPStolenGunCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CancellationDate	CancellationDate	M	8	
CaseltemNumber	CaseltemNumber	C	4	
GunSerialNumber	GunSerialNumber	O	20	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
StateIdNumber	StateIdNumber	O	7	

Possible Combinations

1. (In/Out) AgencyId, CancellationDate, OriginatingAgencyCaseNumber, PropertyStatusCode, (CaseltemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, GunSerialNumber, StateIdNumber]

BEPStolenGunClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CaseltemNumber	CaseltemNumber	C	4	
ClearDate	ClearDate	M	8	
GunSerialNumber	GunSerialNumber	O	20	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	9	

RecoveringAgencyORI	RecoveringAgencyORI	O	9	
StateIdNumber	StateIdNumber	O	7	

Possible Combinations

1. (In/Out) AgencyId, CancellationDate, OriginatingAgencyCaseNumber, PropertyStatusCode, (CaseItemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, GunSerialNumber, RecoveringAgencyCaseNumber, RecoveringAgencyORI, StateIdNumber]

BEPStolenGunEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	C	7	
APSCode	APSCode	O	1	
CaseItemNumber	CaseItemNumber	C	4	
GunBarrelLength	GunBarrelLength	O	5	
GunCaliber	GunCaliber	M	15	
GunColorCode	GunColorCode	O	3	
GunColorCode2	GunColorCode2	O	3	
GunMakeCode	GunMakeCode	M	3	
GunModel	GunModel	O	9	
GunSerialNumber	GunSerialNumber	O	20	
GunTypeCode	GunTypeCode	M	2	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
StateIdNumber	StateIdNumber	O	7	
StorageBinNumber	StorageBinNumber	O	3	
StorageLocation	StorageLocation	O	30	
StorageLocationCity	StorageLocationCity	O	20	
TheftDate	TheftDate	M	8	
WeaponSightDescription	WeaponSightDescription	O	15	

Possible Combinations

1. (In/Out) AgencyId, CaseItemNumber, GunCaliber, GunMakeCode, GunTypeCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, PropertyStatusCode, TheftDate, (AlaskaDriverLicenseNumber or StateIdNumber) , [APSCode, GunBarrelLength, GunColorCode, GunColorCode2, GunModel, GunSerialNumber, StorageBinNumber, StorageLocation, StorageLocationCity, WeaponSightDescription]

BEPStolenGunLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CaseItemNumber	CaseItemNumber	C	4	
GunSerialNumber	GunSerialNumber	O	20	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	9	
RecoveryDate	RecoveryDate	M	8	

StateldNumber	StateldNumber	O	7	
---------------	---------------	---	---	--

Possible Combinations

(In/Out) AgencyId, OriginatingAgencyCaseNumber, PropertyStatusCode, RecoveryDate, (CaseItemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, GunSerialNumber, RecoveringAgencyCaseNumber, StateldNumber]

BEPStolenGunModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CaseItemNumber	CaseItemNumber	C	4	
GunBarrelLength	GunBarrelLength	O	5	
GunCaliber	GunCaliber	O	15	
GunColorCode	GunColorCode	O	3	
GunColorCode2	GunColorCode2	O	3	
GunMakeCode	GunMakeCode	O	3	
GunModel	GunModel	O	9	
GunSerialNumber	GunSerialNumber	O	20	
GunTypeCode	GunTypeCode	O	2	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
StateldNumber	StateldNumber	O	7	
StatusDate	StatusDate	M	8	
StorageBinNumber	StorageBinNumber	O	3	
StorageLocation	StorageLocation	O	30	
StorageLocationCity	StorageLocationCity	O	20	
WeaponSightDescription	WeaponSightDescription	O	15	

Possible Combinations

1. (In/Out) AgencyId, OriginatingAgencyCaseNumber, PropertyStatusCode, StatusDate, (CaseItemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, GunBarrelLength, GunCaliber, GunColorCode, GunColorCode2, GunMakeCode, GunModel, GunSerialNumber, GunTypeCode, MiscellaneousDescriptiveText, StateldNumber, StorageBinNumber, StorageLocation, StorageLocationCity, WeaponSightDescription]

BEPStolenPlateCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CancellationDate	CancellationDate	M	8	
CaseItemNumber	CaseItemNumber	C	4	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
StateldNumber	StateldNumber	O	7	

Possible Combinations

1. (In/Out) AgencyId, CancellationDate, OriginatingAgencyCaseNumber, PropertyStatusCode, (CaseltemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, StateIdNumber]

BEPStolenPlateClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CaseltemNumber	CaseltemNumber	C	4	
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	9	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
StateIdNumber	StateIdNumber	O	7	

Possible Combinations

1. (In/Out) AgencyId, ClearDate,, OriginatingAgencyCaseNumber, PropertyStatusCode, (CaseltemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, RecoveringAgencyCaseNumber, RecoveringAgencyORI, StateIdNumber]

BEPStolenPlateEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	C	7	
APSCode	APSCode	O	1	
CaseltemNumber	CaseltemNumber	M	4	
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateStateCode	LicensePlateStateCode	M	2	
LicensePlateTypeCode	LicensePlateTypeCode	M	2	
LicensePlateYear	LicensePlateYear	M	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
StateIdNumber	StateIdNumber	C	7	
StorageLocation	StorageLocation	O	30	
StorageLocationCity	StorageLocationCity	O	20	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) AgencyId, CaseltemNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, OriginatingAgencyCaseNumber, PropertyStatusCode, TheftDate, (AlaskaDriverLicenseNumber or StateIdNumbe), [APSCode, MiscellaneousDescriptiveText, StorageLocation, StorageLocationCity]

BEPStolenPlateLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	

CasItemNumber	CasItemNumber	C	4	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	9	
RecoveryDate	RecoveryDate	M	8	
StateIdNumber	StateIdNumber	O	7	

Possible Combinations

1. (In/Out) AgencyId, OriginatingAgencyCaseNumber, PropertyStatusCode, RecoveryDate, (CasItemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, RecoveringAgencyCaseNumber, StateIdNumber]

BEPStolenPlateModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CasItemNumber	CasItemNumber	M	4	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
StateIdNumber	StateIdNumber	O	7	
StatusDate	StatusDate	M	8	
StorageLocation	StorageLocation	O	30	
StorageLocationCity	StorageLocationCity	O	20	

Possible Combinations

1. (In/Out) AgencyId, CasItemNumber, OriginatingAgencyCaseNumber, PropertyStatusCode, StatusDate, [AlaskaDriverLicenseNumber, APSCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, NCICNumber, StateIdNumber, StorageLocation, StorageLocationCity]

BEPStolenVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CancellationDate	CancellationDate	M	8	
CasItemNumber	CasItemNumber	C	4	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
StateIdNumber	StateIdNumber	O	7	

Possible Combinations

1. (In/Out) AgencyId, CancellationDate, OriginatingAgencyCaseNumber, PropertyStatusCode, (CaseItemNumber or- NCICNumber), [AlaskaDriverLicenseNumber, APSCode, StateIdNumber]

BEPStolenVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CaseItemNumber	CaseItemNumber	C	4	
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	9	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
StateIdNumber	StateIdNumber	O	7	

Possible Combinations

1. (In/Out) AgencyId, ClearDate, OriginatingAgencyCaseNumber, PropertyStatusCode, (CaseItemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, RecoveringAgencyCaseNumber, RecoveringAgencyORI, StateIdNumber]

BEPStolenVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CaseItemNumber	CaseItemNumber	M	4	
EnginePowerCode	EnginePowerCode	O	5	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyStatusCode	PropertyStatusCode	M	1	
StateIdNumber	StateIdNumber	O	7	
StatusExpirationDate	StatusExpirationDate	O	8	
StorageLocation	StorageLocation	O	30	
StorageLocationCity	StorageLocationCity	O	20	
TheftDate	TheftDate	M	8	
VehicleColorCode	VehicleColorCode	O	3	
VehicleColorCode2	VehicleColorCode2	O	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	21	
VehicleMake	VehicleMake	M	24	
VehicleModel	VehicleModel	O	20	
VehicleOwnerDataCode	VehicleOwnerDataCode	O	1	
VehicleStyleCode	VehicleStyleCode	M	3	

VehicleYear	VehicleYear	M	4	
-------------	-------------	---	---	--

Possible Combinations

- (In/Out) AgencyId, CaseltemNumber, OriginatingAgencyCaseNumber, MiscellaneousDescriptiveText, PropertyStatusCode, VehicleMake, VehicleStyleCode, VehicleYear, [AlaskaDriverLicenseNumber, APSCode, EnginePowerCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, OwnerAppliedNumber, StateIdNumber, StatusExpirationDate, StorageLocation, StorageLocationCity, TheftDate, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleModel, VehicleOwnerDataCode]

BEPStolenVehicleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CaseltemNumber	CaseltemNumber	C	4	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyStatusCode	PropertyStatusCode	M	1	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	9	
RecoveryDate	RecoveryDate	M	8	
StateIdNumber	StateIdNumber	O	7	

Possible Combinations

- (In/Out) AgencyId, OriginatingAgencyCaseNumber, PropertyStatusCode, RecoveryDate, (CaseltemNumber or NCICNumber), [AlaskaDriverLicenseNumber, APSCode, RecoveringAgencyCaseNumber, StateIdNumber]

BEPStolenVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	M	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	O	1	
CaseltemNumber	CaseltemNumber	M	4	
EnginePowerCode	EnginePowerCode	O	5	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyStatusCode	PropertyStatusCode	M	1	
StateIdNumber	StateIdNumber	O	7	
StatusDate	StatusDate	M	8	
StatusExpirationDate	StatusExpirationDate	O	8	
StorageLocation	StorageLocation	O	30	
StorageLocationCity	StorageLocationCity	O	20	
VehicleColorCode	VehicleColorCode	O	3	
VehicleColorCode2	VehicleColorCode2	O	3	

VehicleIdentificationNumber	VehicleIdentificationNumber	O	21	
VehicleMake	VehicleMake	O	24	
VehicleModel	VehicleModel	O	20	
VehicleOwnerDataCode	VehicleOwnerDataCode	O	1	
VehicleStyleCode	VehicleStyleCode	O	3	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) AgencyId, CaseItemNumber, OriginatingAgencyCaseNumber, PropertyStatusCode, StatusDate, [AlaskaDriverLicenseNumber, APSCode, EnginePowerCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, NCICNumber, OwnerAppliedNumber, StateIdNumber, StatusExpirationDate, StorageLocation, StorageLocationCity, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleMake, VehicleModel, VehicleOwnerDataCode, VehicleStyleCode, VehicleYear]

Canadian Basic Inquiries (CBI)

CBIArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	23	
ArticleTypeCode	ArticleTypeCode	M	2	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	O	1	
ReasonCode	ReasonCode	O	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [PersonPropertyInSiteIndicator, ReasonCode]

CBIBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	12	
BoatName	BoatName	C	13	
BoatSerialNumber	BoatSerialNumber	C	18	
BoatTypeCode	BoatTypeCode	C	5	
LicensePlateNumber	LicensePlateNumber	C	10	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	O	1	
ReasonCode	ReasonCode	O	1	
RegistrationNumber	RegistrationNumber	O	10	

Possible Combinations

1. (In/Out) BoatHullIdNumber, [PersonPropertyInSiteIndicator, ReasonCode]
2. (In/Out) BoatName, [PersonPropertyInSiteIndicator, ReasonCode]
3. (In/Out) BoatSerialNumber, BoatTypeCode, [PersonPropertyInSiteIndicator, ReasonCode]
4. (In/Out) LicensePlateNumber, [PersonPropertyInSiteIndicator, ReasonCode]
5. (In/Out) RegistrationNumber, [PersonPropertyInSiteIndicator, ReasonCode]

CBIDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	M	20	

PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	O	1	
ReasonCode	ReasonCode	O	1	
SexCode	SexCode	M	1	

Possible Combinations

1. (In/Out) BirthDate, Name, OperatorLicenseNumber, SexCode, [PersonPropertyInSiteIndicator, ReasonCode]

CBIGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	M	23	
GunTypeCode	GunTypeCode	M	2	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	O	1	
ReasonCode	ReasonCode	O	1	

Possible Combinations

1. (In/Out) GunSerialNumber, GunTypeCode, [PersonPropertyInSiteIndicator, ReasonCode]

CBIVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	O	1	
ReasonCode	ReasonCode	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	

Possible Combinations

1. (In/Out) LicensePlateNumber, [PersonPropertyInSiteIndicator, ReasonCode]
2. (In/Out) VehicleIdentificationNumber, [PersonPropertyInSiteIndicator, ReasonCode]

Computerized Criminal History (CCH)

CCHCriminalHistoryAQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
FreeText	FreeText	M	14400	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	O	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) FreeText, [Attention, OriginatingAgencyORI, PurposeCode, State, State2, State3, State4, State5]

CCHCriminalHistoryFQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreet	AddressStreet	O	30	

AddressZipCode	AddressZipCode	O	9	
Attention	Attention	M	30	
BuildingName	BuildingName	O	30	
DepartmentName	DepartmentName	O	30	
ImageIndicator	ImageIndicator	O	1	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	M	1	
State	State	M	2	
StateIdNumber	StateIdNumber	M	7	

Possible Combinations

1. (In/Out) StateIdNumber, Attention, OriginatingAgencyORI, PurposeCode, State, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, ImageIndicator]

CCHCriminalHistoryIQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	10	
ImageIndicator	ImageIndicator	O	1	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	O	1	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) Name, BirthDate, SexCode, [Attention, ImageIndicator, MiscellaneousNumber, OriginatingAgencyORI, PurposeCode, RaceCode, SocialSecurityNumber, State, State2, State3, State4, State5]
2. \ (In/Out) Name, SocialSecurityNumber, [Attention, ImageIndicator, OriginatingAgencyORI, PurposeCode, State, State2, State3, State4, State5]
3. (In/Out) Name, MiscellaneousNumber, [Attention, ImageIndicator, OriginatingAgencyORI, PurposeCode, State, State2, State3, State4, State5]

CCHCriminalHistoryQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	10	
FBINumber	FBINumber	C	9	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	C	1	

SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Name, SexCode, RaceCode, BirthDate, PurposeCode, [Attention, MiscellaneousNumber, OriginatingAgencyORI, SocialSecurityNumber]
2. (In/Out) Name, PurposeCode, [Attention, MiscellaneousNumber, OriginatingAgencyORI, SocialSecurityNumber]
3. (In/Out) FBINumber, PurposeCode, [Attention, Name, OriginatingAgencyORI]
(In/Out) StateIdNumber, PurposeCode, [Attention, Name, OriginatingAgencyORI]

CCHCriminalHistoryQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
Attention	Attention	M	30	
BuildingName	BuildingName	O	30	
DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	9	
Name	Name	O	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	M	1	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) FBINumber, Attention, PurposeCode, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, Name, OriginatingAgencyORI]
2. (In/Out) StateIdNumber, Attention, PurposeCode, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, Name, OriginatingAgencyORI]

CCHCriminalHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
APSystemsQueryCode	APSystemsQueryCode	O	1	
ArrestTrackingNumber	ArrestTrackingNumber	C	9	
BirthDate	BirthDate	C	10	
FullCriminalHistoryIndicator	FullCriminalHistoryIndicator	O	1	
MaxReturns	MaxReturns	O	4	
MiscellaneousNumberType	MiscellaneousNumberType	C	3	
MiscellaneousNumberValue	MiscellaneousNumberValue	C	25	
Name	Name	C	49	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	7	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	7	

Possible Combinations

1. (In/Out) StateIdNumber, [APSystemsQueryCode, FullCriminalHistoryIndicator, MaxReturns]
2. (In/Out) OperatorLicenseNumber, [APSystemsQueryCode, FullCriminalHistoryIndicator, MaxReturns]

3. (In/Out) ArrestTrackingNumber, [APSystemsQueryCode, FullCriminalHistoryIndicator, MaxReturns]
4. (In/Out) NCICNumber, [APSystemsQueryCode, FullCriminalHistoryIndicator, MaxReturns]
5. (In/Out) SocialSecurityNumber, [APSystemsQueryCode, FullCriminalHistoryIndicator, MaxReturns]
6. (In/Out) Name, SocialSecurityNumber, [APSystemsQueryCode, FullCriminalHistoryIndicator, MaxReturns, RaceCode, SexCode]
7. (In/Out) Name, BirthDate, [APSystemsQueryCode, FullCriminalHistoryIndicator, MaxReturns, RaceCode, SexCode]
8. (In/Out) MiscellaneousNumberType, MiscellaneousNumberValue, [APSystemsQueryCode, FullCriminalHistoryIndicator, MaxReturns]

CCHCriminalHistoryZRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FBINumber	FBINumber	C	9	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	M	1	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) FBINumber, [PurposeCode, OriginatingAgencyORI]
2. (In/Out) StateIdNumber, [PurposeCode, OriginatingAgencyORI]

Wanted Missing Person Entry (WMPE)

WMPEMissingPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	O	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	C	7	
APSCode	APSCode	C	1	A or Blenk =: APSIN B = APSIN & NCIC N = NCIC
ArrestTrackingNumber	ArrestTrackingNumber	O	9	
BirthDate	BirthDate	C	10	
CancellationDate	CancellationDate	M	10	
CourtDocumentNumber	CourtDocumentNumber	C	14	
DocumentStatusCode	DocumentStatusCode	C	2	CA,CL,PR,RT,SR
MessageKey	MessageKey	C	3	APSCode = Blank, A, B MD,MDC,ME,MEC,MI,MIC, MJ,MJC,MO,MOC,MV,MVC
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
RequestingAgencyId	RequestingAgencyId	C	4	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	7	

Possible Combinations

1. (In/Out) APSCode, CancellationDate, Name, NCICNumber, [PersonRecordRemovalReason]
2. (In/Out) APSCode, CancellationDate, Name, OriginatingAgencyCaseNumber, [PersonRecordRemovalReason]

3. (In/Out) APSCode, CancellationDate, [NCICNumber, OriginatingAgencyCaseNumber, [PersonRecordRemovalReason]
4. (In/Out) CancellationDate, CourtDocumentNumber, MessageKey, Name, BirthDate, SexCode, (AlaskaDriverLicenseNumber or StatelIdNumber), [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, NCICNumber, RequestingAgencyId]
5. (In/Out) CancellationDate, CourtDocumentNumber, MessageKey, Name, BirthDate, SocialSecurityNumber, (AlaskaDriverLicenseNumber or StatelIdNumber), [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, NCICNumber, RequestingAgencyId]
6. (In/Out) CancellationDate, CourtDocumentNumber, MessageKey, Name, (AlaskaDriverLicenseNumber or StatelIdNumber) , SexCode, SocialSecurityNumber, [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, NCICNumber, RequestingAgencyId]

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	O	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	C	1	A or Blenk =: APSIN B = APSIN & NCIC N = NCIC
ArrestTrackingNumber	ArrestTrackingNumber	O	9	
BirthDate	BirthDate	O	10	
ClearDate	ClearDate	M	10	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
CourtDocumentNumber	CourtDocumentNumber	O	14	
DocumentStatusCode	DocumentStatusCode	O	2	
MessageKey	MessageKey	O	3	
MissingPersonHitResultCode	MissingPersonHitResultCode	O	2	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
RequestingAgencyId	RequestingAgencyId	O	4	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StatelIdNumber	StatelIdNumber	O	7	

Possible Combinations

1. (In) Name, NCICNumber, ClearDate, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
2. (In) Name, OriginatingAgencyCaseNumber, ClearDate, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended,

- OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
3. (In) NCICNumber, OriginatingAgencyCaseNumber, ClearDate, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
 4. (In/Out) MessageKey, ClearDate, CourtDocumentNumber, Name, RequestingAgencyId,(AlaskaDriverLicenseNumber or StateIdNumber), BirthDate, SexCode, [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, NCICNumber]
 5. (In/Out) MessageKey, ClearDate, CourtDocumentNumber, Name, RequestingAgencyId,(AlaskaDriverLicenseNumber or StateIdNumber), BirthDate, SocialSecurityNumber, [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, NCICNumber]
 6. (In/Out) MessageKey, ClearDate, CourtDocumentNumber, Name, RequestingAgencyId,(AlaskaDriverLicenseNumber or StateIdNumber) , SexCode, SocialSecurityNumber, [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, NCICNumber]

WMPEMissingPersonEntry

AgencyId	AgencyId	O	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	C	7	
APSCode	APSCode	C	1	A or Blenk =: APSIN B = APSIN & NCIC N = NCIC
ArrestTrackingNumber	ArrestTrackingNumber	O	9	
BirthDate	BirthDate	C	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode10	CautionMedicalConditionsCode10	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
CautionMedicalConditionsCode7	CautionMedicalConditionsCode7	O	2	
CautionMedicalConditionsCode8	CautionMedicalConditionsCode8	O	2	
CautionMedicalConditionsCode9	CautionMedicalConditionsCode9	O	2	
CircumcisionCode	CircumcisionCode	O	1	
CitizenshipCode	CitizenshipCode	O	2	
Comment	Comment	O	60	
Comment10	Comment10	O	60	
Comment11	Comment11	O	60	
Comment12	Comment12	O	60	
Comment13	Comment13	O	60	
Comment14	Comment14	O	60	
Comment15	Comment15	O	60	
Comment2	Comment2	O	60	
Comment3	Comment3	O	60	
Comment4	Comment4	O	60	
Comment5	Comment5	O	60	
Comment6	Comment6	O	60	
Comment7	Comment7	O	60	

Comment8	Comment8	O	60
Comment9	Comment9	O	60
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40
CourtDocumentNumber	CourtDocumentNumber	C	14
DNAIndicator	DNAIndicator	O	1
DNALocation	DNALocation	O	250
DocumentStatusCode	DocumentStatusCode	C	2
EmancipationDate	EmancipationDate	C	10
EthnicityCode	EthnicityCode	O	1
EyeColorCode	EyeColorCode	C	3
FBINumber	FBINumber	O	9
FingerprintClassificationCode	FingerprintClassificationCode	O	20
FootprintIndicator	FootprintIndicator	O	1
HairColorCode	HairColorCode	C	3
Height	Height	C	3
JewelryTypeCode	JewelryTypeCode	O	50
LastContactDate	LastContactDate	C	10
LicensePlateNumber	LicensePlateNumber	O	10
LicensePlateStateCode	LicensePlateStateCode	O	2
LicensePlateTypeCode	LicensePlateTypeCode	O	2
LicensePlateYear	LicensePlateYear	O	4
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9
LinkageCaseNumber	LinkageCaseNumber	O	20
MessageKey	MessageKey	M	4
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500
MiscellaneousNumber	MiscellaneousNumber	O	15
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1
MissingPersonCode	MissingPersonCode	M	3
Name	Name	C	30
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1
OperatorLicenseNumber	OperatorLicenseNumber	O	20
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2
OperatorLicenseYear	OperatorLicenseYear	O	4
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20
PropertyDescriptionText	PropertyDescriptionText	O	100
RaceCode	RaceCode	C	1
RequestingAgencyId	RequestingAgencyId	C	4
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10
SexCode	SexCode	C	1
SkinToneCode	SkinToneCode	O	3
SocialSecurityNumber	SocialSecurityNumber	C	9
StateIdNumber	StateIdNumber	C	10
IncidentDate	IncidentDate	C	10
IncidentTime	IncidentTime	O	4
VehicleColorCode	VehicleColorCode	O	7
VehicleColorCode2	VehicleColorCode2	O	3
VehicleIdentificationNumber	VehicleIdentificationNumber	O	21
VehicleMakeCode	VehicleMakeCode	O	24
VehicleModelCode	VehicleModelCode	O	20
VehicleStyleCode	VehicleStyleCode	O	2
VehicleYear	VehicleYear	O	4

Weight	Weight	C	3	
--------	--------	---	---	--

Possible Combinations

1. (In/Out) MessageKey, Name, RaceCode, SexCode, Height, Weight, EyeColorCode, HairColorCode, MissingPersonCode, LastContactDate, OriginatingAgencyCaseNumber, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRAYCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPrescriptionCode, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, JewelryTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, PropertyDescriptionText, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
2. (In/Out) MessageKey, IncidentDate, CourtDocumentNumber, Name, RequestingAgencyId, BirthDate, SexCode, (AlaskaDriverLicenseNumber or StateIdNumber), [AgencyId, APSCode, ArrestTrackingNumber, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, Comment, Comment10, Comment11, Comment12, Comment13, Comment14, Comment15, Comment2, Comment3, Comment4, Comment5, Comment6, Comment7, Comment8, Comment9, DocumentStatusCode, EmancipationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MissingPersonCircumstanceCode, MissingPersonCode, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, IncidentTime, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
3. (In/Out) MessageKey, IncidentDate, CourtDocumentNumber, Name, RequestingAgencyId, BirthDate, SocialSecurityNumber, (AlaskaDriverLicenseNumber or StateIdNumber), [AgencyId, APSCode, ArrestTrackingNumber, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, Comment, Comment10, Comment11, Comment12, Comment13, Comment14, Comment15, Comment2, Comment3, Comment4, Comment5, Comment6, Comment7, Comment8, Comment9, DocumentStatusCode, EmancipationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MissingPersonCircumstanceCode, MissingPersonCode, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, IncidentTime, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
4. (In/Out) MessageKey, IncidentDate, CourtDocumentNumber, Name, RequestingAgencyId,(AlaskaDriverLicenseNumber or StateIdNumber), SexCode, SocialSecurityNumber, [AgencyId, APSCode, ArrestTrackingNumber, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, Comment, Comment10, Comment11, Comment12, Comment13, Comment14, Comment15, Comment2, Comment3, Comment4, Comment5, Comment6, Comment7, Comment8, Comment9, DocumentStatusCode, EmancipationDate,

LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MissingPersonCircumstanceCode, MissingPersonCode, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, IncidentTime, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	O	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	C	7	
APSCode	APSCode	C	1	A or Blenk =: APSIN B = APSIN & NCIC N = NCIC
ArrestTrackingNumber	ArrestTrackingNumber	O	9	
BirthDate	BirthDate	C	10	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
CourtDocumentNumber	CourtDocumentNumber	O	14	
DispositionCode	DispositionCode	C	4	
DocumentStatusCode	DocumentStatusCode	O	2	
LocateReason	LocateReason	C	60	
LocateReason10	LocateReason10	O	60	
LocateReason11	LocateReason11	O	60	
LocateReason12	LocateReason12	O	60	
LocateReason13	LocateReason13	O	60	
LocateReason14	LocateReason14	O	60	
LocateReason15	LocateReason15	O	60	
LocateReason2	LocateReason2	O	60	
LocateReason3	LocateReason3	O	60	
LocateReason4	LocateReason4	O	60	
LocateReason5	LocateReason5	O	60	
LocateReason6	LocateReason6	O	60	
LocateReason7	LocateReason7	O	60	
LocateReason8	LocateReason8	O	60	
LocateReason9	LocateReason9	O	60	
MessageKey	MessageKey	C	3	
MissingPersonHitResultCode	MissingPersonHitResultCode	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	10	
RequestingAgencyId	RequestingAgencyId	C	4	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateldNumber	StateldNumber	C	7	

Possible Combinations

1. (In/Out) Name, NCICNumber, DispositionCode, RecoveryDate, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
2. (In/Out) Name, OriginatingAgencyCaseNumber, DispositionCode, RecoveryDate, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, DispositionCode, RecoveryDate, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
4. (In/Out) RecoveryDate, CourtDocumentNumber, LocateReason, MessageKey, Name, RequestingAgencyId, BirthDate, SexCode, (AlaskaDriverLicenseNumber or StateldNumber), [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, LocateReason10, LocateReason11, LocateReason12, LocateReason13, LocateReason14, LocateReason15, LocateReason2, LocateReason3, LocateReason4, LocateReason5, LocateReason6, LocateReason7, LocateReason8, LocateReason9, NCICNumber]
5. (In/Out) RecoveryDate, CourtDocumentNumber, LocateReason, MessageKey, Name, RequestingAgencyId, BirthDate, SocialSecurityNumber, (AlaskaDriverLicenseNumber or StateldNumber), [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, LocateReason10, LocateReason11, LocateReason12, LocateReason13, LocateReason14, LocateReason15, LocateReason2, LocateReason3, LocateReason4, LocateReason5, LocateReason6, LocateReason7, LocateReason8, LocateReason9, NCICNumber]
(In/Out) RecoveryDate, CourtDocumentNumber, LocateReason, MessageKey, Name, RequestingAgencyId, SexCode, SocialSecurityNumber, (AlaskaDriverLicenseNumber or StateldNumber), [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, LocateReason10, LocateReason11, LocateReason12, LocateReason13, LocateReason14, LocateReason15, LocateReason2, LocateReason3, LocateReason4, LocateReason5, LocateReason6, LocateReason7, LocateReason8, LocateReason9, NCICNumber]

WMPEMissingPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	O	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	C	7	
APSCode	APSCode	C	1	A or Blenk =: APSIN B = APSIN & NCIC N = NCIC
ArrestTrackingNumber	ArrestTrackingNumber	O	9	
BirthDate	BirthDate	C	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode10	CautionMedicalConditionsCode10	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
CautionMedicalConditionsCode7	CautionMedicalConditionsCode7	O	2	
CautionMedicalConditionsCode8	CautionMedicalConditionsCode8	O	2	
CautionMedicalConditionsCode9	CautionMedicalConditionsCode9	O	2	

CircumcisionCode	CircumcisionCode	O	1	
CitizenshipCode	CitizenshipCode	O	2	
Comment	Comment	O	60	
Comment10	Comment10	O	60	
Comment11	Comment11	O	60	
Comment12	Comment12	O	60	
Comment13	Comment13	O	60	
Comment14	Comment14	O	60	
Comment15	Comment15	O	60	
Comment2	Comment2	O	60	
Comment3	Comment3	O	60	
Comment4	Comment4	O	60	
Comment5	Comment5	O	60	
Comment6	Comment6	O	60	
Comment7	Comment7	O	60	
Comment8	Comment8	O	60	
Comment9	Comment9	O	60	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
CourtDocumentNumber	CourtDocumentNumber	C	14	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
DocumentStatusCode	DocumentStatusCode	O	2	
EmancipationDate	EmancipationDate	O	10	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintIndicator	FootprintIndicator	O	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
JewelryTypeCode	JewelryTypeCode	O	50	
LastContactDate	LastContactDate	O	10	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	C	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	
MissingPersonCode	MissingPersonCode	O	3	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewMKE	NewMKE	O	4	
NewName	NewName	O	30	
NewOCA	NewOCA	O	20	
NewORI	NewORI	O	9	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	

OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PropertyDescriptionText	PropertyDescriptionText	O	100	
RaceCode	RaceCode	O	1	
RequestingAgencyId	RequestingAgencyId	C	4	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	C	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	
StatusDate	StatusDate	C	10	
StatusTime	StatusTime	O	4	
VehicleColorCode	VehicleColorCode	O	7	
VehicleColorCode2	VehicleColorCode2	O	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	21	
VehicleMakeCode	VehicleMakeCode	O	6	
VehicleModelCode	VehicleModelCode	O	20	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, NCICNumber, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, JewelryTypeCode, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, NewMKE, NewName, NewOCA, NewORI, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, PropertyDescriptionText, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, JewelryTypeCode, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, NewMKE, NewName, NewOCA, NewORI, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, PropertyDescriptionText, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, JewelryTypeCode, LastContactDate, LicensePlateNumber,

- LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, NewMKE, NewName, NewOCA, NewORI, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, PropertyDescriptionText, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
4. (In/Out) MessageKey, CourtDocumentNumber, StatusDate, Name, RequestingAgencyId, BirthDate, SexCode, (AlaskaDriverLicenseNumber or StateIdNumber), [AgencyId, APSCode, ArrestTrackingNumber, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, Comment, Comment10, Comment11, Comment12, Comment13, Comment14, Comment15, Comment2, Comment3, Comment4, Comment5, Comment6, Comment7, Comment8, Comment9, DocumentStatusCode, EmancipationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MissingPersonCircumstanceCode, MissingPersonCode, NCICNumber, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, StatusTime, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
 5. (In/Out) MessageKey, CourtDocumentNumber, StatusDate, Name, RequestingAgencyId, BirthDate, SocialSecurityNumber, (AlaskaDriverLicenseNumber or StateIdNumber), [AgencyId, APSCode, ArrestTrackingNumber, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, Comment, Comment10, Comment11, Comment12, Comment13, Comment14, Comment15, Comment2, Comment3, Comment4, Comment5, Comment6, Comment7, Comment8, Comment9, DocumentStatusCode, EmancipationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MissingPersonCircumstanceCode, MissingPersonCode, NCICNumber, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, StatusTime, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
- (In/Out) MessageKey, CourtDocumentNumber, StatusDate, Name, RequestingAgencyId, SexCode, SocialSecurityNumber, (AlaskaDriverLicenseNumber or StateIdNumber), [AgencyId, APSCode, ArrestTrackingNumber, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, Comment, Comment10, Comment11, Comment12, Comment13, Comment14, Comment15, Comment2, Comment3, Comment4, Comment5, Comment6, Comment7, Comment8, Comment9, DocumentStatusCode, EmancipationDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MissingPersonCircumstanceCode, MissingPersonCode, NCICNumber, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, StatusTime, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEProtectionOrderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
MessageKey	MessageKey	O	4	DEFAULT:XPO, XTO
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
ProtectionOrderNumber	ProtectionOrderNumber	O	15	

Possible Combinations

1. (In/Out) Name, NCICNumber, CancellationDate, [MessageKey]
2. (In/Out) Name, OriginatingAgencyCaseNumber, CancellationDate, [MessageKey]
3. (In/Out) Name, ProtectionOrderNumber, CancellationDate, [MessageKey]
4. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, CancellationDate, [MessageKey]
5. (In/Out) NCICNumber, ProtectionOrderNumber, CancellationDate, [MessageKey]
6. (In/Out) OriginatingAgencyCaseNumber, ProtectionOrderNumber, CancellationDate, [MessageKey]

WMPEProtectionOrderClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
MessageKey	MessageKey	O	4	DEFAULT:CPO, CTO
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
ProtectionOrderNumber	ProtectionOrderNumber	O	15	

Possible Combinations

1. (In/Out) Name, NCICNumber, ClearDate, [MessageKey]
2. (In/Out) Name, OriginatingAgencyCaseNumber, ClearDate, [MessageKey]
3. (In/Out) Name, ProtectionOrderNumber, ClearDate, [MessageKey]
4. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, ClearDate, [MessageKey]
5. (In/Out) NCICNumber, ProtectionOrderNumber, ClearDate, [MessageKey]
6. (In/Out) OriginatingAgencyCaseNumber, ProtectionOrderNumber, ClearDate, [MessageKey]

WMPEProtectionOrderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BradyIndicator	BradyIndicator	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EthnicityCode	EthnicityCode	O	1	
ExpirationDate	ExpirationDate	M	10	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	

IssueDate	IssueDate	M	10	
LicensePlateNumber	LicensePlateNumber	O	8	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	DEFAULT:EPO, ETO
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	10	
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	M	2	
ProtectionOrderNumber	ProtectionOrderNumber	O	15	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ServiceCode	ServiceCode	O	1	
ServiceDate	ServiceDate	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, RaceCode, SexCode, IssueDate, ExpirationDate, ProtectionOrderConditionsCode, [BirthDate, BirthPlaceCode, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderNumber, ScarsMarksTattoosCode, ServiceCode, ServiceDate, SkinToneCode, SocialSecurityNumber, StateIdNumber,

VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPEProtectionOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BradyIndicator	BradyIndicator	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EthnicityCode	EthnicityCode	O	1	
ExpirationDate	ExpirationDate	O	10	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssueDate	IssueDate	O	10	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	DEFAULT:MPO, MTO
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewMKE	NewMKE	O	4	
newName	NewName	O	30	
NewOCA	NewOCA	O	20	
NewORI	NewORI	O	9	
NewProtectionOrderNumber	NewProtectionOrderNumber	O	15	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	10	
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	O	2	
ProtectionOrderNumber	ProtectionOrderNumber	C	15	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	

ServiceCode	ServiceCode	O	1	
ServiceDate	ServiceDate	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, NCICNumber, [BirthDate, BirthPlaceCode, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOCA, NewORI, NewProtectionOrderNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderConditionsCode, RaceCode, ScarsMarksTattoosCode, ServiceCode, ServiceDate, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [BirthDate, BirthPlaceCode, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOCA, NewORI, NewProtectionOrderNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderConditionsCode, RaceCode, ScarsMarksTattoosCode, ServiceCode, ServiceDate, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
3. (In/Out) Name, ProtectionOrderNumber, [BirthDate, BirthPlaceCode, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOCA, NewORI, NewProtectionOrderNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderConditionsCode, RaceCode, ScarsMarksTattoosCode, ServiceCode,

- ServiceDate, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
4. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [BirthDate, BirthPlaceCode, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOCA, NewORI, NewProtectionOrderNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderConditionsCode, RaceCode, ScarsMarksTattoosCode, ServiceCode, ServiceDate, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
 5. (In/Out) NCICNumber, ProtectionOrderNumber, [BirthDate, BirthPlaceCode, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOCA, NewORI, NewProtectionOrderNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderConditionsCode, RaceCode, ScarsMarksTattoosCode, ServiceCode, ServiceDate, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
 6. (In/Out) OriginatingAgencyCaseNumber, ProtectionOrderNumber, [BirthDate, BirthPlaceCode, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOCA, NewORI, NewProtectionOrderNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderConditionsCode, RaceCode, ScarsMarksTattoosCode, ServiceCode, ServiceDate, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPESexOffenderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

Possible Combinations

1. (In/Out) Name, NCICNumber, CancellationDate
2. (In/Out) Name, OriginatingAgencyCaseNumber CancellationDate
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber CancellationDate

WMPESexOffenderClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

Possible Combinations

1. (In/Out) Name, NCICNumber, ClearDate
2. (In/Out) Name, OriginatingAgencyCaseNumber ClearDate
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber ClearDate

WMPESexOffenderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	M	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	M	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BoatColorCode	BoatColorCode	O	7	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
ConvictionDate	ConvictionDate	M	10	
ConvictionOffenseCode	ConvictionOffenseCode	M	4	
CrimeLocationCode	CrimeLocationCode	O	2	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmailAddress	EmailAddress	O	80	
EmployerName	EmployerName	O	80	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	

FBI Number	FBI Number	O	9	
Fingerprint Classification Code	Fingerprint Classification Code	O	20	
Hair Color Code	Hair Color Code	M	3	
Height	Height	M	3	
Home Port	Home Port	O	20	
Internet ID	Internet ID	O	80	
Juvenile Offender Indicator	Juvenile Offender Indicator	O	1	
License Plate Number	License Plate Number	O	10	
License Plate State Code	License Plate State Code	O	2	
License Plate Type Code	License Plate Type Code	O	2	
License Plate Year	License Plate Year	O	4	
Linkage Agency Case Number	Linkage Agency Case Number	O	20	
Linkage Agency Identifier	Linkage Agency Identifier	O	9	
Message Key	Message Key	O	4	DEFAULT:EXS, EXSC
Miscellaneous Descriptive Text	Miscellaneous Descriptive Text	O	500	
Miscellaneous Number	Miscellaneous Number	O	15	
Name	Name	M	30	
Occupation	Occupation	O	80	
Offender Status Code	Offender Status Code	O	2	
Operator License Number	Operator License Number	O	20	
Operator License State Code	Operator License State Code	O	2	
Operator License Year	Operator License Year	O	4	
Originating Agency Case Number	Originating Agency Case Number	M	20	
Professional License Number	Professional License Number	O	30	
Professional License Number Type	Professional License Number Type	O	80	
Race Code	Race Code	M	1	
Registration End Date	Registration End Date	O	10	
Registration Expiration Year	Registration Expiration Year	O	4	
Registration Number	Registration Number	O	8	
Registration Start Date	Registration Start Date	M	10	
Registration State Code	Registration State Code	M	2	
Relationship To Victim Code	Relationship To Victim Code	O	2	
Residence Begin Date	Residence Begin Date	O	10	
Residence End Date	Residence End Date	O	10	
Scars Marks Tattoos Code	Scars Marks Tattoos Code	O	10	
School Name	School Name	O	80	
Sex Code	Sex Code	M	1	
Sex Offender Tier	Sex Offender Tier	O	1	
Sexual Predator Indicator	Sexual Predator Indicator	O	1	
Skin Tone Code	Skin Tone Code	O	3	
Social Security Number	Social Security Number	O	9	
State ID Number	State ID Number	O	10	
Telephone Number	Telephone Number	O	12	
Telephone Number Type	Telephone Number Type	O	1	
Vehicle Color Code	Vehicle Color Code	O	7	
Vehicle Identification Number	Vehicle Identification Number	O	20	
Vehicle Make Code	Vehicle Make Code	O	24	
Vehicle Model Code	Vehicle Model Code	O	3	
Vehicle Ownership Code	Vehicle Ownership Code	O	2	
Vehicle Style Code	Vehicle Style Code	O	2	
Vehicle Year	Vehicle Year	O	4	

VictimAge	VictimAge	O	2	
VictimSexCode	VictimSexCode	O	1	
Weight	Weight	M	3	

Possible Combinations

- (In/Out) Name, SexCode, RaceCode, BirthDate, RegistrationStartDate, RegistrationEndDate, Height, Weight, EyeColorCode, HairColorCode, ConvictionDate, ConvictionOffenseCode, OriginatingAgencyCaseNumber, AddressStateCode, [AddressCity, AddressCounty, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthPlaceCode, BoatColorCode, BoatHullIdNumber, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatPropulsionCode, BoatTypeCode, CautionMedicalConditionsCode, CitizenshipCode, CoastGuardDocumentNumber, CrimeLocationCode, DNAIndicator, DNALocation, EmailAddress, EmployerName, EthnicityCode, FBINumber, FingerprintClassificationCode, HomePort, InternetId, JuvenileOffenderIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyCaseNumber, LinkageAgencyIdentifier, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, Occupation, OffenderStatusCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProfessionalLicenseNumber, ProfessionalLicenseNumberType, RegistrationExpirationYear, RegistrationNumber, RegistrationStateCode, RelationshipToVictimCode, ResidenceBeginDate, ResidenceEndDate, ScarsMarksTattoosCode, SchoolName, SexOffenderTier, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, StatIdNumber, TelephoneNumber, TelephoneNumberType, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleOwnershipCode, VehicleStyleCode, VehicleYear, VictimAge, VictimSexCode]

WMPESexOffenderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BoatColorCode	BoatColorCode	O	7	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
ConvictionDate	ConvictionDate	O	8	

ConvictionOffenseCode	ConvictionOffenseCode	O	4	
CrimeLocationCode	CrimeLocationCode	O	2	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmailAddress	EmailAddress	O	80	
EmployerName	EmployerName	O	80	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
HomePort	HomePort	O	20	
InternetId	InternetId	O	80	
JuvenileOffenderIndicator	JuvenileOffenderIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewMKE	NewMKE	O	4	
NewName	NewName	O	30	
NewOCA	NewOCA	O	20	
NewORI	NewORI	O	9	
Occupation	Occupation	O	80	
OffenderStatusCode	OffenderStatusCode	O	2	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProfessionalLicenseNumber	ProfessionalLicenseNumber	O	80	
ProfessionalLicenseNumberType	ProfessionalLicenseNumberType	O	80	
RaceCode	RaceCode	O	1	
RegistrationEndDate	RegistrationEndDate	O	10	
RegistrationExpirationYear	RegistrationExpirationYear	O	4	
RegistrationNumber	RegistrationNumber	O	8	
RegistrationStartDate	RegistrationStartDate	O	10	
RegistrationStateCode	RegistrationStateCode	O	2	
RelationshipToVictimCode	RelationshipToVictimCode	O	2	
ResidenceBeginDate	ResidenceBeginDate	O	10	
ResidenceEndDate	ResidenceEndDate	O	10	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SchoolName	SchoolName	O	200	
SexCode	SexCode	O	1	
SexOffenderTier	SexOffenderTier	O	1	
SexualPredatorIndicator	SexualPredatorIndicator	O	1	

SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
TelephoneNumber	TelephoneNumber	O	12	
TelephoneNumberType	TelephoneNumberType	O	1	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleOwnershipCode	VehicleOwnershipCode	O	2	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
VictimAge	VictimAge	O	2	
VictimSexCode	VictimSexCode	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) , Name, NCICNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, BoatColorCode, BoatHullIdNumber, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatPropulsionCode, BoatTypeCode, CautionMedicalConditionsCode, CitizenshipCode, CoastGuardDocumentNumber, ConvictionDate, ConvictionOffenseCode, CrimeLocationCode, DNAIndicator, DNALocation, EmailAddress, EmployerName, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, HomePort, InternetId, JuvenileOffenderIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumberNewMKE, NewName, NewOCA, NewORI, Occupation, OffenderStatusCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProfessionalLicenseNumber, ProfessionalLicenseNumberType, RaceCode, RegistrationEndDate, RegistrationExpirationYear, RegistrationNumber, RegistrationStartDate, RegistrationStateCode, RelationshipToVictimCode, ResidenceBeginDate, ResidenceEndDate, ScarsMarksTattoosCode, SchoolName, SexCode, SexOffenderTier, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, StateIdNumber, TelephoneNumber, TelephoneNumberType, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleOwnershipCode, VehicleStyleCode, VehicleYear, VictimAge, VictimSexCode, Weight]
2. (In/Out) , Name, OriginatingAgencyCaseNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, BoatColorCode, BoatHullIdNumber, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatPropulsionCode, BoatTypeCode, CautionMedicalConditionsCode, CitizenshipCode, CoastGuardDocumentNumber, ConvictionDate, ConvictionOffenseCode, CrimeLocationCode, DNAIndicator, DNALocation, EmailAddress, EmployerName, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, HomePort, InternetId, JuvenileOffenderIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumberNewMKE, NewName, NewOCA, NewORI, Occupation, OffenderStatusCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProfessionalLicenseNumber, ProfessionalLicenseNumberType, RaceCode, RegistrationEndDate, RegistrationExpirationYear, RegistrationNumber, RegistrationStartDate,

RegistrationStateCode, RelationshipToVictimCode, ResidenceBeginDate, ResidenceEndDate, ScarsMarksTattoosCode, SchoolName, SexCode, SexOffenderTier, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, StateIdNumber, TelephoneNumber, TelephoneNumberType, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleOwnershipCode, VehicleStyleCode, VehicleYear, VictimAge, VictimSexCode, Weight]

3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, BoatColorCode, BoatHullIdNumber, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatPropulsionCode, BoatTypeCode, CautionMedicalConditionsCode, CitizenshipCode, CoastGuardDocumentNumber, ConvictionDate, ConvictionOffenseCode, CrimeLocationCode, DNAIndicator, DNALocation, EmailAddress, EmployerName, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, HomePort, InternetId, JuvenileOffenderIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumberNewMKE, NewName, NewOCA, NewORI, Occupation, OffenderStatusCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProfessionalLicenseNumber, ProfessionalLicenseNumberType, RaceCode, RegistrationEndDate, RegistrationExpirationYear, RegistrationNumber, RegistrationStartDate, RegistrationStateCode, RelationshipToVictimCode, ResidenceBeginDate, ResidenceEndDate, ScarsMarksTattoosCode, SchoolName, SexCode, SexOffenderTier, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, StateIdNumber, TelephoneNumber, TelephoneNumberType, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleOwnershipCode, VehicleStyleCode, VehicleYear, VictimAge, VictimSexCode, Weight]

WMPESupervisedReleaseCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

Possible Combinations

1. (In/Out) Name, NCICNumber, CancellationDate
2. (In/Out) Name, OriginatingAgencyCaseNumber, CancellationDate
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, CancellationDate

WMPESupervisedReleaseClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

Possible Combinations

1. (In/Out) Name, NCICNumber, ClearDate
2. (In/Out) Name, OriginatingAgencyCaseNumber, ClearDate
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, ClearDate

WMPESupervisedReleaseEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestDate	ArrestDate	O	10	
ArrestingAgencyORI	ArrestingAgencyORI	O	9	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmailAddress	EmailAddress	O	80	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FraudulentBirthDate	FraudulentBirthDate	O	10	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
IncarcerationPlace	IncarcerationPlace	O	50	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyCaseNumber	LinkageAgencyCaseNumber	O	20	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
MessageKey	MessageKey	O	4	DEFAULT:EC, EC-C
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	
ReleaseLocation	ReleaseLocation	O	50	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SentencingCourtORI	SentencingCourtORI	O	9	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateldNumber	StateldNumber	O	10	
SupervisingOfficerName	SupervisingOfficerName	M	30	
SupervisingOfficerTelephone	SupervisingOfficerTelephone	M	12	

SupervisionExpirationDate	SupervisionExpirationDate	M	10	
SupervisionReleaseDate	SupervisionReleaseDate	O	10	
SupervisionStartDate	SupervisionStartDate	M	10	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantCourtORI	WarrantCourtORI	O	9	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	M	3	

Possible Combinations

- (In/Out) Name, SexCode, RaceCode, Height, HairColorCode, Weight, OriginatingAgencyCaseNumber, SupervisionExpirationDate, SupervisionStartDate, SupervisingOfficerName, SupervisingOfficerTelephone, [ArrestDate, ArrestingAgencyORI, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, DNAIndicator, DNALocation, EmailAddress, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyCaseNumber, LinkageAgencyIdentifier, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ReleaseLocation, ScarsMarksTattoosCode, SentencingCourtORI, SkinToneCode, SocialSecurityNumber, StateIdNumber, SupervisionReleaseDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantCourtORI, WarrantNumber]

WMPESupervisedReleaseModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestDate	ArrestDate	O	10	
ArrestingAgencyORI	ArrestingAgencyORI	O	9	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmailAddress	EmailAddress	O	80	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IncarcerationPlace	IncarcerationPlace	O	50	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	

LicensePlateYear	LicensePlateYear	O	4
LinkageAgencyCaseNumber	LinkageAgencyCaseNumber	O	20
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500
MiscellaneousNumber	MiscellaneousNumber	O	15
Name	Name	C	30
NCICNumber	NCICNumber	C	10
NewName	NewName	O	30
NewOCA	NewOCA	O	20
NewORI	NewORI	O	9
OperatorLicenseNumber	OperatorLicenseNumber	O	20
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2
OperatorLicenseYear	OperatorLicenseYear	O	4
OriginalOffenseCode	OriginalOffenseCode	O	4
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20
RaceCode	RaceCode	O	1
ReleaseLocation	ReleaseLocation	O	50
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10
SentencingCourtORI	SentencingCourtORI	O	9
SexCode	SexCode	O	1
SkinToneCode	SkinToneCode	O	3
SocialSecurityNumber	SocialSecurityNumber	O	9
StateIdNumber	StateIdNumber	O	10
SupervisingOfficerName	SupervisingOfficerName	O	30
SupervisingOfficerTelephone	SupervisingOfficerTelephone	O	12
SupervisionExpirationDate	SupervisionExpirationDate	O	10
SupervisionReleaseDate	SupervisionReleaseDate	O	8
SupervisionStartDate	SupervisionStartDate	O	10
ValidatorName	ValidatorName	O	30
VehicleColorCode	VehicleColorCode	O	7
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20
VehicleMakeCode	VehicleMakeCode	O	24
VehicleModelCode	VehicleModelCode	O	3
VehicleStyleCode	VehicleStyleCode	O	2
VehicleYear	VehicleYear	O	4
WarrantCourtORI	WarrantCourtORI	O	9
WarrantNumber	WarrantNumber	O	15
Weight	Weight	O	3

Possible Combinations

1. (In/Out) Name, NCICNumber, [ArrestDate, ArrestingAgencyORI, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, DNAIndicator, DNALocation, EmailAddress, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyCaseNumber, LinkageAgencyIdentifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOCA, NewORI, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ReleaseLocation, ScarsMarksTattoosCode, SentencingCourtORI, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, SupervisingOfficerName, SupervisingOfficerTelephone, SupervisionExpirationDate, SupervisionReleaseDate, SupervisionStartDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber,

- VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantCourtORI, WarrantNumber, Weight]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [ArrestDate, ArrestingAgencyORI, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, DNAIndicator, DNALocation, EmailAddress, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyCaseNumber, LinkageAgencyIdentifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOCA, NewORI, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ReleaseLocation, ScarsMarksTattoosCode, SentencingCourtORI, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, SupervisingOfficerName, SupervisingOfficerTelephone, SupervisionExpirationDate, SupervisionReleaseDate, SupervisionStartDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantCourtORI, WarrantNumber, Weight]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [ArrestDate, ArrestingAgencyORI, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, DNAIndicator, DNALocation, EmailAddress, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyCaseNumber, LinkageAgencyIdentifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOCA, NewORI, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ReleaseLocation, ScarsMarksTattoosCode, SentencingCourtORI, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, SupervisingOfficerName, SupervisingOfficerTelephone, SupervisionExpirationDate, SupervisionReleaseDate, SupervisionStartDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantCourtORI, WarrantNumber, Weight]

WMPEUnidentifiedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, CancellationDate, [PersonRecordRemovalReason]

WMPEUnidentifiedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, ClearDate, [PersonRecordRemovalReason]

WMPEUnidentifiedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
BodyFoundDate	BodyFoundDate	M	8	
BodyPartsStatusCode	BodyPartsStatusCode	C	15	
BodyXRayCode	BodyXRayCode	M	1	
CauseOfDeath	CauseOfDeath	O	30	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EstimatedBirthYear	EstimatedBirthYear	O	9	
EstimatedDeathDate	EstimatedDeathDate	C	8	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintAvailableIndicator	FootprintAvailableIndicator	O	1	
HairColorCode	HairColorCode	M	3	
Height	Height	M	7	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MedicalExaminerAgencyAndCaseNumber	MedicalExaminerAgencyAndCaseNumber	O	50	
MedicalExaminerLocality	MedicalExaminerLocality	O	30	
MedicalExaminerTelephoneNumber	MedicalExaminerTelephoneNumber	O	12	
MessageKey	MessageKey	M	4	EUD,EUL,EUV
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyDescriptionText	PropertyDescriptionText	O	100	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
Weight	Weight	M	7	

Possible Combinations

1. (In/Out) MessageKey, SexCode, RaceCode, Height, Weight, EyeColorCode, HairColorCode, BodyFoundDate, OriginatingAgencyCaseNumber, BodyXRayCode, [BloodTypeCode, BodyPartsStatusCode, CauseOfDeath, CircumcisionCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EstimatedBirthYear, EstimatedDeathDate, EthnicityCode, FingerprintClassificationCode, FootprintAvailableIndicator, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, LinkageAgencyIdentifier, LinkageCaseNumber, MedicalExaminerAgencyAndCaseNumber, MedicalExaminerLocality, MedicalExaminerTelephoneNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, PropertyDescriptionText, ScarsMarksTattoosCode]

WMPEUnidentifiedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
BodyFoundDate	BodyFoundDate	O	10	
BodyPartsStatusCode	BodyPartsStatusCode	O	15	
BodyXRayCode	BodyXRayCode	O	1	
CauseOfDeath	CauseOfDeath	O	30	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EstimatedBirthYear	EstimatedBirthYear	O	9	
EstimatedDeathDate	EstimatedDeathDate	O	10	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FingerprintClasificationCode	FingerprintClasificationCode	O	20	
FootprintIndicator	FootprintIndicator	O	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	7	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	

MedicalExaminerAgencyAndCaseNumber	MedicalExaminerAgencyAndCaseNumber	O	50	
MedicalExaminerLocality	MedicalExaminerLocality	O	30	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
NCICNumber	NCICNumber	M	10	
NewMKE	NewMKE	O	3	
NewOCA	NewOCA	O	9	
NewORI	NewORI	O	9	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyDescriptionText	PropertyDescriptionText	O	100	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
ValidatorName	ValidatorName	O	30	
Weight	Weight	O	7	

Possible Combinations

- (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [BloodTypeCode, BodyFoundDate, BodyPartsStatusCode, BodyXRayCode, CauseOfDeath, CircumcisionCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EstimatedBirthYear, EstimatedDeathDate, EthnicityCode, EyeColorCode, FingerprintClasificationCode, FootprintIndicator, HairColorCode, Height, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, LinkageAgencyIdentifier, LinkageCaseNumber, MedicalExaminerAgencyAndCaseNumber, MedicalExaminerLocality, MiscellaneousDescriptiveText, NewMKE, NewOCA, NewORI, NotifyOriginatingAgencyIndicator, PropertyDescriptionText, RaceCode, ScarsMarksTattoosCode, SexCode, ValidatorName, Weight]

WMPEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	O	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	C	7	
APSCode	APSCode	C	1	A or Blenk =: APSIN B = APSIN & NCIC N = NCIC
ArrestTrackingNumber	ArrestTrackingNumber	O	9	
BirthDate	BirthDate	C	10	
CancellationDate	CancellationDate	M	10	
CourtDocumentNumber	CourtDocumentNumber	C	14	
DocumentStatusCode	DocumentStatusCode	O	2	
MessageKey	MessageKey	C	4	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
RequestingAgencyId	RequestingAgencyId	C	4	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	7	

Possible Combinations

1. (In/Out) Name, NCICNumber, CancellationDate, [MessageKey, PersonRecordRemovalReason]
2. (In/Out) Name, OriginatingAgencyCaseNumber, CancellationDate, [MessageKey, PersonRecordRemovalReason]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, CancellationDate, [MessageKey, PersonRecordRemovalReason]
4. (In/Out) MessageKey, CancellationDate, CourtDocumentNumber, Name, RequestingAgencyId, BirthDate, SexCode, (AlaskaDriverLicenseNumber or StateIdNumber), [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, NCICNumber]
5. (In/Out) MessageKey, CancellationDate, CourtDocumentNumber, Name, RequestingAgencyId, BirthDate, SocialSecurityNumber, (AlaskaDriverLicenseNumber or StateIdNumber), [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, NCICNumber]
6. (In/Out) MessageKey, CancellationDate, CourtDocumentNumber, Name, RequestingAgencyId, SexCode, SocialSecurityNumber, (AlaskaDriverLicenseNumber or StateIdNumber), [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, NCICNumber]

WMPEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	O	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	C	7	
APSCode	APSCode	C	1	A or Blenk =: APSIN B = APSIN & NCIC N = NCIC
ArrestTrackingNumber	ArrestTrackingNumber	O	9	
BirthDate	BirthDate	C	10	
ClearDate	ClearDate	M	10	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
CourtDocumentNumber	CourtDocumentNumber	O	14	
DocumentStatusCode	DocumentStatusCode	O	2	
MessageKey	MessageKey	O	4	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
RequestingAgencyId	RequestingAgencyId	O	4	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	7	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

1. (In) Name, NCICNumber, ClearDate, [ContrabandRecoveredValue, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue,

- PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]
2. (In) Name, OriginatingAgencyCaseNumber, ClearDate, [ContrabandRecoveredValue, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]
 3. (In) NCICNumber, OriginatingAgencyCaseNumber, ClearDate, [ContrabandRecoveredValue, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]
 4. (In/Out) MessageKey, ClearDate, CourtDocumentNumber, Name, RequestingAgencyId, BirthDate, SexCode, (AlaskaDriverLicenseNumber or StateIdNumber), [AgencyId, APSCCode, ArrestTrackingNumber, DocumentStatusCode, NCICNumber]
 5. (In/Out) MessageKey, ClearDate, CourtDocumentNumber, Name, RequestingAgencyId, BirthDate, SocialSecurityNumber, (AlaskaDriverLicenseNumber or StateIdNumber), [AgencyId, APSCCode, ArrestTrackingNumber, DocumentStatusCode, NCICNumber]
 6. (In/Out) MessageKey, ClearDate, CourtDocumentNumber, Name, RequestingAgencyId, SexCode, SocialSecurityNumber, (AlaskaDriverLicenseNumber or StateIdNumber), [AgencyId, APSCCode, ArrestTrackingNumber, DocumentStatusCode, NCICNumber]

WMPEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffenseIndicator	AdditionalOffenseIndicator	O	1	
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
AgencyId	AgencyId	O	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCCode	APSCCode	C	1	A or Blenk =: APSIN B = APSIN & NCIC N = NCIC
ArrestTrackingNumber	ArrestTrackingNumber	O	9	
AttemptedChargeIndicator	AttemptedChargeIndicator	O	1	
BailAmout	BailAmout	O	11	
BailReleaseConditions	BailReleaseConditions	O	60	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode10	CautionMedicalConditionsCode10	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
CautionMedicalConditionsCode7	CautionMedicalConditionsCode7	O	2	
CautionMedicalConditionsCode8	CautionMedicalConditionsCode8	O	2	
CautionMedicalConditionsCode9	CautionMedicalConditionsCode9	O	2	

CitationStartDate	CitationStartDate	O	10	
CitationStatute	CitationStatute	O	30	
CitizenshipCode	CitizenshipCode	O	2	
Comments	Comments	O	60	
Comments10	Comments10	O	60	
Comments11	Comments11	O	60	
Comments12	Comments12	O	60	
Comments13	Comments13	O	60	
Comments14	Comments14	O	60	
Comments15	Comments15	O	60	
Comments2	Comments2	O	60	
Comments3	Comments3	O	60	
Comments4	Comments4	O	60	
Comments5	Comments5	O	60	
Comments6	Comments6	O	60	
Comments7	Comments7	O	60	
Comments8	Comments8	O	60	
Comments9	Comments9	O	60	
ConspiracyChargeIndicator	ConspiracyChargeIndicator	O	1	
CourtCaseNumber	CourtCaseNumber	O	14	
CourtDocumentNumber	CourtDocumentNumber	O	14	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
DocumentedAddressDate	DocumentedAddressDate	O	10	
DocumentStatusCode	DocumentStatusCode	O	2	
EmancipationDate	EmancipationDate	O	10	
EthnicityCode	EthnicityCode	O	1	
ExpirationDate	ExpirationDate	O	10	
ExtraditionLimitation	ExtraditionLimitation	O	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FraudulentBirthDate	FraudulentBirthDate	O	10	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
GangChargeIndicator	GangChargeIndicator	O	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IncidentDate	IncidentDate	O	10	
IncidentTime	IncidentTime	O	4	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	

MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	O	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	O	24	
OffenseDate	OffenseDate	O	10	
OffenseEndDate	OffenseEndDate	O	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
ProsecutionAuthorityCode	ProsecutionAuthorityCode	O	1	
RaceCode	RaceCode	O	1	
ReceivingAgencyId	ReceivingAgencyId	O	4	
RequestingAgencyId	RequestingAgencyId	O	4	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SolicitedChargeIndicator	SolicitedChargeIndicator	O	1	
StateIdNumber	StateIdNumber	O	10	
TemperamentCode	TemperamentCode	O	1	
TemperamentCode10	TemperamentCode10	O	1	
TemperamentCode2	TemperamentCode2	O	1	
TemperamentCode3	TemperamentCode3	O	1	
TemperamentCode4	TemperamentCode4	O	1	
TemperamentCode5	TemperamentCode5	O	1	
TemperamentCode6	TemperamentCode6	O	1	
TemperamentCode7	TemperamentCode7	O	1	
TemperamentCode8	TemperamentCode8	O	1	
TemperamentCode9	TemperamentCode9	O	1	
VehicleColorCode	VehicleColorCode	O	7	
VehicleColorCode2	VehicleColorCode2	O	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	21	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	20	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	15	

Possible Combinations

1. (In/Out) Name, SexCode, RaceCode, OffenseCode, OriginatingAgencyCaseNumber, ExtraditionLimitation, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode,

- FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight]
2. (In/Out) MessageKey, CitationStatute, CourtCaseNumber, CourtDocumentNumber, ExpirationDate, ExtraditionLimitation, IncidentDate, Name, OffenseCode, OriginalOffenseCode, ProsecutionAuthorityCode, ReceivingAgencyId, RequestingAgencyId, (AlaskaDriverLicenseNumber or StateIdNumber), (CitationStartDate, OffenseDate), BirthDate, SexCode, [AgencyId, APSCode, ArrestTrackingNumber, AttemptedChargeIndicator, BailAmout, BailReleaseConditions, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, Comments, Comments10, Comments11, Comments12, Comments13, Comments14, Comments15, Comments2, Comments3, Comments4, Comments5, Comments6, Comments7, Comments8, Comments9, ConspiracyChargeIndicator, DocumentStatusCode, EmancipationDate, GangChargeIndicator, IncidentTime, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, NotifyOriginatingAgencyIndicator, OffenseEndDate, OriginatingAgencyCaseNumber, SolicitedChargeIndicator, TemperamentCode, TemperamentCode10, TemperamentCode2, TemperamentCode3, TemperamentCode4, TemperamentCode5, TemperamentCode6, TemperamentCode7, TemperamentCode8, TemperamentCode9, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
 3. (In/Out) MessageKey, CitationStatute, CourtCaseNumber, CourtDocumentNumber, ExpirationDate, ExtraditionLimitation, IncidentDate, Name, OffenseCode, OriginalOffenseCode, ProsecutionAuthorityCode, ReceivingAgencyId, RequestingAgencyId, (AlaskaDriverLicenseNumber or StateIdNumber), (CitationStartDate, OffenseDate), BirthDate, SocialSecurityNumber, [AgencyId, APSCode, ArrestTrackingNumber, AttemptedChargeIndicator, BailAmout, BailReleaseConditions, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, Comments, Comments10, Comments11, Comments12, Comments13, Comments14, Comments15, Comments2, Comments3, Comments4, Comments5, Comments6, Comments7, Comments8, Comments9, ConspiracyChargeIndicator, DocumentStatusCode, EmancipationDate, GangChargeIndicator, IncidentTime, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, NotifyOriginatingAgencyIndicator, OffenseEndDate, OriginatingAgencyCaseNumber, SolicitedChargeIndicator, TemperamentCode, TemperamentCode10, TemperamentCode2, TemperamentCode3, TemperamentCode4, TemperamentCode5, TemperamentCode6, TemperamentCode7, TemperamentCode8, TemperamentCode9, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
 4. (In/Out) MessageKey, CitationStatute, CourtCaseNumber, CourtDocumentNumber, ExpirationDate, ExtraditionLimitation, IncidentDate, Name, OffenseCode, OriginalOffenseCode, ProsecutionAuthorityCode, ReceivingAgencyId, RequestingAgencyId, (AlaskaDriverLicenseNumber or StateIdNumber), (CitationStartDate, OffenseDate), [AgencyId,

APSCode, ArrestTrackingNumber, AttemptedChargeIndicator, BailAmout, BailReleaseConditions, BirthDate, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, Comments, Comments10, Comments11, Comments12, Comments13, Comments14, Comments15, Comments2, Comments3, Comments4, Comments5, Comments6, Comments7, Comments8, Comments9, ConspiracyChargeIndicator, DocumentStatusCode, EmancipationDate, GangChargeIndicator, IncidentTime, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, NotifyOriginatingAgencyIndicator, OffenseEndDate, OriginatingAgencyCaseNumber, SexCode, SocialSecurityNumber, SolicitedChargeIndicator, TemperamentCode, TemperamentCode10, TemperamentCode2, TemperamentCode3, TemperamentCode4, TemperamentCode5, TemperamentCode6, TemperamentCode7, TemperamentCode8, TemperamentCode9, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyId	AgencyId	O	4	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	C	7	
APSCode	APSCode	C	1	A or Blenk =: APSIN B = APSIN & NCIC N = NCIC
ArrestTrackingNumber	ArrestTrackingNumber	C	9	
BirthDate	BirthDate	C	10	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
CourtDocumentNumber	CourtDocumentNumber	C	14	
DocumentStatusCode	DocumentStatusCode	O	2	
ExtraditionCode	ExtraditionCode	C	4	
LocateReason	LocateReason	C	60	
LocateReason10	LocateReason10	O	60	
LocateReason11	LocateReason11	O	60	
LocateReason12	LocateReason12	O	60	
LocateReason13	LocateReason13	O	60	
LocateReason14	LocateReason14	O	60	
LocateReason15	LocateReason15	O	60	
LocateReason2	LocateReason2	O	60	
LocateReason3	LocateReason3	O	60	
LocateReason4	LocateReason4	O	60	
LocateReason5	LocateReason5	O	60	
LocateReason6	LocateReason6	O	60	
LocateReason7	LocateReason7	O	60	
LocateReason8	LocateReason8	O	60	
LocateReason9	LocateReason9	O	60	
MessageKey	MessageKey	M	4	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OffenseCode	OffenseCode	C	5	

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	10	
RequestingAgencyId	RequestingAgencyId	C	4	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StatIdNumber	StatIdNumber	C	7	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

1. (In/Out) Name, NCICNumber, RecoveryDate, [ContrabandRecoveredValue, ExtraditionCode, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, WantedPersonHitResultCode]
2. (In/Out) Name, OriginatingAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, ExtraditionCode, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, WantedPersonHitResultCode]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, ExtraditionCode, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, WantedPersonHitResultCode]
4. (In/Out) CourtDocumentNumber, LocateReason, OffenseCode, RecoveryDate, (AlaskaDriverLicenseNumber or StatIdNumber), BirthDate, SexCode, RequestingAgencyId, [AgencyId, APSCode, ArrestTrackingNumber, BirthDate, DocumentStatusCode, LocateReason10, LocateReason11, LocateReason12, LocateReason13, LocateReason14, LocateReason15, LocateReason2, LocateReason3, LocateReason4, LocateReason5, LocateReason6, LocateReason7, LocateReason8, LocateReason9, MessageKey, Name, NCICNumber]
5. (In/Out) CourtDocumentNumber, LocateReason, OffenseCode, RecoveryDate, (AlaskaDriverLicenseNumber or StatIdNumber), BirthDate, SocialSecurityNumber, RequestingAgencyId, [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, LocateReason10, LocateReason11, LocateReason12, LocateReason13, LocateReason14, LocateReason15, LocateReason2, LocateReason3, LocateReason4, LocateReason5, LocateReason6, LocateReason7, LocateReason8, LocateReason9, MessageKey, Name, NCICNumber]
6. (In/Out) CourtDocumentNumber, LocateReason, OffenseCode, RecoveryDate, (AlaskaDriverLicenseNumber or StatIdNumber), SexCode, SocialSecurityNumber, RequestingAgencyId, [AgencyId, APSCode, ArrestTrackingNumber, DocumentStatusCode, LocateReason10, LocateReason11, LocateReason12, LocateReason13, LocateReason14, LocateReason15, LocateReason2, LocateReason3, LocateReason4, LocateReason5, LocateReason6, LocateReason7, LocateReason8, LocateReason9, MessageKey, Name, NCICNumber]

WMPEWantedPersonModify

Possible Combinations

1. (In/Out) Name, NCICNumber, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode,

- CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOCA, NewORI, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOCA, NewORI, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight]
 3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOCA, NewORI, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight]
 4. (In/Out) CourtDocumentNumber, LocateReason, OffenseCode, StatusDate, RequestingAgencyId, (AlaskaDriverLicenseNumber or StateIdNumber), BirthDate, SexCode, [AgencyId, APSCCode, AttemptedChargeIndicator, BailAmount, BailReleaseConditions, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, CitationStartDate, CitationStatute, Comments, Comments10, Comments11, Comments12, Comments13, Comments14, Comments15, Comments2, Comments3, Comments4, Comments5, Comments6, Comments7, Comments8, Comments9, ConspiracyChargeIndicator, CourtCaseNumber, CourtDocumentNumber, DocumentStatusCode, DocumentStatusTime, EmancipationDate, ExpirationDate, ExtraditionCode, GangChargeIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocateReason, LocateReason10,

- LocateReason11, LocateReason12, LocateReason13, LocateReason14, LocateReason15, LocateReason2, LocateReason3, LocateReason4, LocateReason5, LocateReason6, LocateReason7, LocateReason8, LocateReason9, MessageKey, Name, NCICNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OffenseDate, OffenseEndDate, OriginalOffenseCode, OriginatingAgencyCaseNumber, ProsecutionAuthority, ReceivingAgencyId, SolicitedChargeIndicator, StateIdNumber, TemperamentCode, TemperamentCode10, TemperamentCode2, TemperamentCode3, TemperamentCode4, TemperamentCode5, TemperamentCode6, TemperamentCode7, TemperamentCode8, TemperamentCode9, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
5. (In/Out) CourtDocumentNumber, LocateReason, OffenseCode, StatusDate, RequestingAgencyId, (AlaskaDriverLicenseNumber or StateIdNumber), BirthDate, SocialSecurityNumber, [AgencyId, APSCode, AttemptedChargeIndicator, BailAmount, BailReleaseConditions, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, CitationStartDate, CitationStatute, Comments, Comments10, Comments11, Comments12, Comments13, Comments14, Comments15, Comments2, Comments3, Comments4, Comments5, Comments6, Comments7, Comments8, Comments9, ConspiracyChargeIndicator, CourtCaseNumber, CourtDocumentNumber, DocumentStatusCode, DocumentStatusTime, EmancipationDate, ExpirationDate, ExtraditionCode, GangChargeIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocateReason, LocateReason10, LocateReason11, LocateReason12, LocateReason13, LocateReason14, LocateReason15, LocateReason2, LocateReason3, LocateReason4, LocateReason5, LocateReason6, LocateReason7, LocateReason8, LocateReason9, MessageKey, Name, NCICNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OffenseDate, OffenseEndDate, OriginalOffenseCode, OriginatingAgencyCaseNumber, ProsecutionAuthority, ReceivingAgencyId, SolicitedChargeIndicator, StateIdNumber, TemperamentCode, TemperamentCode10, TemperamentCode2, TemperamentCode3, TemperamentCode4, TemperamentCode5, TemperamentCode6, TemperamentCode7, TemperamentCode8, TemperamentCode9, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]
6. (In/Out) CourtDocumentNumber, LocateReason, OffenseCode, StatusDate, RequestingAgencyId, (AlaskaDriverLicenseNumber or StateIdNumber), SexCode, SocialSecurityNumber, [AgencyId, APSCode, AttemptedChargeIndicator, BailAmount, BailReleaseConditions, CautionMedicalConditionsCode, CautionMedicalConditionsCode10, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, CitationStartDate, CitationStatute, Comments, Comments10, Comments11, Comments12, Comments13, Comments14, Comments15, Comments2, Comments3, Comments4, Comments5, Comments6, Comments7, Comments8, Comments9, ConspiracyChargeIndicator, CourtCaseNumber, CourtDocumentNumber, DocumentStatusCode, DocumentStatusTime, EmancipationDate, ExpirationDate, ExtraditionCode, GangChargeIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, LocateReason, LocateReason10, LocateReason11, LocateReason12, LocateReason13, LocateReason14, LocateReason15, LocateReason2, LocateReason3, LocateReason4, LocateReason5, LocateReason6, LocateReason7, LocateReason8, LocateReason9, MessageKey, Name, NCICNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OffenseDate, OffenseEndDate, OriginalOffenseCode, OriginatingAgencyCaseNumber, ProsecutionAuthority, ReceivingAgencyId, SolicitedChargeIndicator, StateIdNumber, TemperamentCode,

TemperamentCode10, TemperamentCode2, TemperamentCode3, TemperamentCode4, TemperamentCode5, TemperamentCode6, TemperamentCode7, TemperamentCode8, TemperamentCode9, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

Wanted Missing Person Inquiries (WMP-I)

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	M	2	
AreaCode	AreaCode	O	3	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
Ethnicity	Ethnicity	O	1	
EyeColorCode	EyeColorCode	M	3	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
Name	Name	M	30	
RaceCode	RaceCode	M	1	
SexCode	SexCode	M	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) BirthDate, Name, [Age, AreaCode, EnhancedNameSearchIndicator, Ethnicity, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight]

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
State	State	C	2	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectionOrderNumber	ProtectionOrderNumber	C	15	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMake	VehicleMake	C	24	

Possible Combinations

1. (In/Out) Name, (BirthDate, FBINumber, MiscellaneousNumber, SocialSecurityNumber, OperatorLicenseNumber,) [SexCode, RaceCode, EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode]

2. (In/Out) Name, OriginatingAgencyCaseNumber, [EnhancedNameSearchIndicator]
3. (In/Out) Name, ProtectionOrderNumber, [EnhancedNameSearchIndicator]
4. (In/Out) NCICNumber
5. (In/Out) Name, VehicleIdentificationNumber, VehicleMake [EnhancedNameSearchIndicator]
6. (In/Out) Name, LicensePlateNumber, State, [EnhancedNameSearchIndicator]

WMPISexOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
BoatHullIdNumber	BoatHullIdNumber	C	20	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RegistrationNumber	RegistrationNumber	C	8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SexualOffenderStatusIndicator	SexualOffenderStatusIndicator	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	C	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMake	VehicleMake	C	24	
ZipCode	ZipCode	C	10	

Possible Combinations

1. (In/Out) Name, (BirthDate, FBINumber, BoatHullIdNumber, {LicensePlateNumber, State,} MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RegistrationNumber, SocialSecurityNumber, {VehicleIdentificationNumber, VehicleMake,} [EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode])
2. (In/Out) ZipCode, [SexualOffenderStatusIndicator]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
AreaCode	AreaCode	O	3	
BodyPartsStatusCode	BodyPartsStatusCode	C	15	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	C	1	
HairColorCode	HairColorCode	C	3	
Height	Height	C	3	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) [Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [AreaCode, EthnicityCode]
2. (In/Out) BodyPartsStatusCode, [AreaCode, RaceCode, SexCode, EthnicityCode]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AccessExplanationCode	AccessExplanationCode	O	2	RT,AC,CR,OT`
AccessExplanationDescription	AccessExplanationDescription	O	120	
AlaskaDriverLicenseNumber	AlaskaDriverLicenseNumber	O	7	
APSCode	APSCode	C	1	A or Blenk =: APSIN B = APSIN & NCIC N = NCIC
ArrestTrackingNumber	ArrestTrackingNumber	O	9	
BirthDate	BirthDate	O	10	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	Blank or Y
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
FBINumber	FBINumber	O	25	
ImageIndicator	ImageIndicator	O	1	Blank or Y
LicensePlateNumber	LicensePlateNumber	O	10	
MaxReturns	MaxReturns	O	4	
MessageKey	MessageKey	O	4	DEFAULT:QWA,QW,QWE,QWF,QWS,ZW
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	O	49	
NCICNumber	NCICNumber	O	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Blank or Y
SearchMinimumScore	SearchMinimumScore	O	2	
SearchSequenceStart	SearchSequenceStart	O	4	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
State	State	O	2	
StateldNumber	StateldNumber	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMake	VehicleMake	O	24	

Possible Combinations

1. (In) ArrestTrackingNumber, [Any]
2. (In) SocialSecurityNumber, [Name, Any]
3. (In) OperatorLicenseNumber, [Any]
4. (In) StateldNumber, [Any]
5. (In) Name, BirthDate [Any]
6. (In/Out) Name, (BirthDate, FBINumber, MiscellaneousNumber, OperatorLicenseNumber, SocialSecurityNumber) [SexCode, RaceCode, EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, ImageIndicator, MessageKey, RelatedHitSearchIndicator]
7. (In/Out) Name, OriginatingAgencyCaseNumber, [EnhancedNameSearchIndicator, RelatedHitSearchIndicator]
8. (In/Out) NCICNumber, [ImageIndicator, MessageKey, RelatedHitSearchIndicator]
9. (In/Out) LicensePlateNumber, State, [ImageIndicator, MessageKey, RelatedHitSearchIndicator]

10. (In/Out) VehicleIdentificationNumber, VehicleMake [ImageIndicator, MessageKey, RelatedHitSearchIndicator]

Expanded Transactions Supported:

ArrestUpdate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
MessageKey	MessageKey	M	3	UAR (Add or update arrest), XAR (Delete arrest)
ArrestTrackingNumber	ArrestTrackingNumber	C	9	
CourtCaseNumber	CourtCaseNumber	C	9	
OffenseCode	OffenseCode	O	5	
APSINId	APSINId	C	7	
DriversLicense	DriversLicense	C	7	
Name	Name	M	63	
SocialSecurityNumber	SocialSecurityNumber	O	9	
BirthDate	BirthDate	O	10	
SexCode	SexCode	O	1	
UniqueChargeNumber	UniqueChargeNumber	M	3	
Citation	Citation	M	30	
AttemptedChargeModifier	AttemptedChargeModifier	O	1	Y if present
SolicitedChargeModifier	SolicitedChargeModifier	O	1	Y if present
ConspiracyChargeModifier	ConspiracyChargeModifier	O	1	Y if present
GangChargeModifier	GangChargeModifier	O	1	Y if present
DomesticViolenceFlag	DomesticViolenceFlag	O	1	
ProsecutingAuthority	ProsecutingAuthority	O	1	Required for a collateral offense. Value must be one of: S (State), B (Borough), M (Municipality), C (City)
AgencyId	AgencyId	M	4	
DateOfArrest	DateOfArrest	M	10	
DateOfOffense	DateOfOffense	O*	10	Cannot be after Date of arrest (DOA).
DateEndOfOffense	DateEndOfOffense	O	10	
CitationEffectiveDate	CitationEffectiveDate	O*	10	

* Either DateOfOffense or CitationEffectiveDate is required

Possible Combinations

1. (In/Out) UAR, APSINId, PersonName, (2 of {SocialSecurityNumber, BirthDate, SexCode}), UniqueChargeNumber, Citation, [ArrestTrackingNumber (non-collateral offense) OR CourtCaseNumber (collateral offense)], [ProsecutingAuthority (collateral offense)], AgencyId, DateOfArrest, (1 of {DateOfOffense, CitationEffectiveDate})
2. (In/Out) UAR, DriversLicense, PersonName, (2 of {SocialSecurityNumber, BirthDate, SexCode}), UniqueChargeNumber, Citation, [ArrestTrackingNumber (non-collateral offense) OR CourtCaseNumber (collateral offense)], [ProsecutingAuthority (collateral offense)], AgencyId, DateOfArrest, (1 of {DateOfOffense, CitationEffectiveDate})
3. (In/Out) XAR, APSINId, PersonName, (2 of {SocialSecurityNumber, BirthDate, SexCode}), UniqueChargeNumber, Citation, [ArrestTrackingNumber (non-collateral offense) OR CourtCaseNumber (collateral offense)], [ProsecutingAuthority (collateral offense)], AgencyId, DateOfArrest, (1 of {DateOfOffense, CitationEffectiveDate})
4. (In/Out) XAR, DriversLicense, PersonName, (2 of {SocialSecurityNumber, BirthDate, SexCode}), UniqueChargeNumber, Citation, [ArrestTrackingNumber (non-collateral offense) OR CourtCaseNumber (collateral offense)], [ProsecutingAuthority (collateral offense)], AgencyId, DateOfArrest, (1 of {DateOfOffense, CitationEffectiveDate})

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- APSIN Documentation