

Arkansas (AR) ACIC

[Disclaimer Statement](#)

Transport:

TCPIP DMPP2020

Routing and Configuration Information:

Mnemonic Routing

Token Matching

- The ACIC assigned ORI for a device (or for the site) should be placed in the <Authentication>/<ORI> field in the ConnectCIC header.
- The ACIC assigned Mnemonic for a device should be placed in the <Authentication>/<Mnemonic> field in the ConnectCIC header.

The above fields need to be sent in the ConnectCIC header or configured in the Device and User Alias tables on site in which case you would send ConnectCIC the alias field information in the header. For information on the Device and User Alias tables, see the ConnectCIC Install and Config Guide.

Security Requirements:

Before system access is granted:

- All FBI CJIS Division's data transmitted over dial-up or Internet connections shall be immediately protected with encryption. All FBI CJIS Division's information passing through a public network segment must be protected with encryption, while in that segment with it sanction able by close of the federal fiscal year 2002.
- The Interface Agency shall conduct security audits for operational systems at least once every four years. The Interface Agency shall have an audit trail capable of monitoring successful and unsuccessful access attempts, file access, type of transaction, and password changes. All audit trail files must be protected to prevent unauthorized changes or destruction.
- Networks in which some terminals or access devices have CJIS access and/or internet access must be protected by firewall type devices that implement a minimum firewall profile, to provide a point of defense and a controlled and audited access to servers, both from inside and outside the CJIS networks.

Logging Requirements:

- The CTA shall ensure that all NCIC hot file transactions and III transactions originating from access devices which access NCIC through the state system be maintained on an automated log. The hot file portion of this log must be maintained for a minimum of six months, and the III portion must be maintained

for a minimum of one year. The automated log must clearly identify the operator of the III transactions as well as the agency authorizing all transactions. III logs must also clearly identify the requester and secondary recipient. The unique identification can take the form of a full name, badge number, serial number, or other unique alphanumeric identifier.

Logon Requirements:

<LogonRequest>

Field Name	XML Tag Name	M/C/O	Size	Possible Values
User ID/Authentication Name	UserName	M	7-7	
Password	Password	M	6-15	
New Password	NewPassword	O	6-15	
Retype New Password	ReTypeNewPassword	O	6-15	

Possible Combinations (*fields within the square brackets are optional*)

1. UserName, Password [NewPassword, ReTypeNewPassword]

Note: UserName and Password can be passed either as fields in the message body or in the defined header fields. If you send these fields in both the header and the body the information in the body will be used.

<LogoffRequest>

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

No fields are required. Just send us this transaction. We will then invoke the logoff transaction with the message switch.

Or you can do the following:

To Logoff, pass the word 'LOGOUT' in the Password field of the <LogonRequest> form.

Certification Requirements:

None

Need Site Sponsor

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Article Type Code	ArticleTypeCode	M	4-7	
Owner Applied Number	OwnerAppliedNumber	O	1-20	
Related Hit Search Indicator	RelatedHitSearchIndicator	O	1	
Serial Number	ArticleSerialNumber	M	1-20	

Possible Combinations (fields within the square brackets are optional)

1. ArticleSerialNumber ArticleTypeCode [OwnerAppliedNumber, RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Boat Hull Identification Number	BoatHullIdNumber	C	1-20	
Image Indicator	ImageIndicator	O	1	
NCIC Number	NCICNumber	C	10	
Related Hit Search Indicator	RelatedHitSearchIndicator	O	1	
Registration Number	RegistrationNumber	C	1-10	

Possible Combinations (fields within the square brackets are optional)

1. BoatHullIdNumber [ImageIndicator, RelatedHitSearchIndicator]
2. NCICNumber
3. RegistrationNumber [ImageIndicator, RelatedHitSearchIndicator]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Birth Date	BirthDate	C	8	
Miscellaneous Number	MiscellaneousNumber	C	15	
Name	Name	C	3-30	
NCIC Number	NCICNumber	C	10	
Driver License Number	OperatorLicenseNumber	C	1-20	
Sex Code	SexCode	O	1	
Social Security Number	SocialSecurityNumber	C	9	
State	State	O	2	

Possible Combinations (fields within the square brackets are optional)

1. Name, BirthDate [SexCode, State]
2. Name, OperatorLicenseNumber [State]
3. Name [MiscellaneousNumber]
4. Name [SocialSecurityNumber]
5. NCICNumber
6. OperatorLicenseNumber [State]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Gun Caliber	GunCaliber	O	1-4	
Gun Make	GunMake	O	2-23	
Gun Model	GunModel	O	1-11	

NCIC Number	NCICNumber	C	10	
Related Hit Search Indicator	RelatedHitSearchIndicator	O	1	
Serial Number	GunSerialNumber	C	1-11	

Possible Combinations (fields within the square brackets are optional)

1. NCICNumber
2. GunSerialNumber [GunCaliber, GunMake, GunModel, RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Decal Number	DecalNumber	C	7	
License Plate Number	LicensePlateNumber	C	10	
License Plate Type Code	LicensePlateTypeCode	O	2	
License Plate Year	LicensePlateYear	O	4	
Lien Information	LienInformation	O	1	
Owner Applied Number	OwnerAppliedNumber	C	1-20	
Title Lien Information	TitleLeinInformation	C	12	
State	State	C	2	
Vehicle Identification Number	VehicleIdentificationNumber	C	22	
Vehicle Make Code	VehicleMakeCode	O	4	
Vehicle Year	VehicleYear	O	4	

Possible Combinations (fields within the square brackets are optional)

1. (InState) VehicleIdentificationNumber
2. (OutOfState) VehicleIdentificationNumber, State [VehicleMakeCode, VehicleYear]
3. DecalNumber
4. (InState)LicensePlateNumber [LienInformation]
5. (OutState)LicensePlateNumber, State [LicensePlateTypeCode, LicensePlateYear, LienInformation]
6. OwnerAppliedNumber
7. TitleLienInformation

Transactions Supported:

None

Expanded Transactions Supported:

QueryPassThrough*

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Message Data	FreeText	M		

Possible Combinations (fields within the square brackets are optional)

1. FreeText

*This is a message key pass through and does not require the header of the message, only the body.

Example: (Header)QA.123456789.TYP/YTHING.SER/123456

Bolded text would be sent to ConnectCIC server in the FreeText tag. Note: ORI will need to be included as part of the message body.

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- ACIC Transport and Message Transaction Documentation