

Transaction Requirements

Beginning July 21, 2021 CLETS requires a “Purpose Code” field to be supplied with every CLETS transaction. The information regarding this purpose code was published by CLETS in Information Bulletin 20-03-CJIS and covers the “Purpose Code” field added to satisfy Assembly Bill (AB) 1747.

Any transaction which does not supply a valid Purpose Code value will be rejected by CLETS. ConnectCIC does not default the value of field; it must be provided by the partner implementation as a user selectable field.

The CLETS “Purpose Code” value must be supplied to ConnectCIC via the **<CaRequestPurposeCode>** element as a sibling to the transaction-specific elements covered in this document. The **<CaRequestPurposeCode>** element is mandatory for all transactions.

The element is a single character value which may be one of the following:

- C – Criminal Justice
- I – Immigration Enforcement
- U – Investigate Violations of Title 8, section 1325 of the United States Code

Basic Queries Supported:

Transactions Supported:

Agency Operations and Support (AOS)

AOSHazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ChemicalName	ChemicalName	O	50	
UnitedNationsNumber	UnitedNationsNumber	M	4	

Possible Combinations

1. (In/Out) UnitedNationsNumber, [ChemicalName]

AOSNletsAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	O	67	
Attention	Attention	O	72	
BadgeNumber	BadgeNumber	O	8	
DestinationMnemonic	DestinationMnemonic	C	4	
DestinationMnemonic2	DestinationMnemonic2	O	4	
DestinationMnemonic3	DestinationMnemonic3	O	4	
DestinationMnemonic4	DestinationMnemonic4	O	4	
DestinationMnemonic5	DestinationMnemonic5	O	4	
DestinationMnemonic6	DestinationMnemonic6	O	4	

CommSys ConnectCIC TWE Transaction Definitions

DestinationORI	DestinationORI	C	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
FreeText	FreeText	M	1120	
MessageTypeCode	MessageTypeCode	O	1	E – Emergency N – Normal
ReferTo	ReferTo	O	67	
SentDate	SentDate	O	8	
SentTime	SentTime	O	4	
SequenceNumber	SequenceNumber	O	4	

Possible Combinations

1. (In/Out) DestinationMnemonic, FreeText, [AgencyName, Attention, BadgeNumber, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DestinationMnemonic6, MessageTypeCode, ReferTo, SentDate, SentTime, SequenceNumber]
2. (In/Out) DestinationORI, FreeText, [AgencyName, Attention, BadgeNumber, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, MessageTypeCode, ReferTo, SentDate, SentTime, SequenceNumber]

AOSNletsHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	8	
BirthDate2	BirthDate2	C	8	
BirthDate3	BirthDate3	C	8	
BoatHullSerialNumber	BoatHullSerialNumber	C	20	
BoatMakeCode	BoatMakeCode	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	
Category	Category	O	2	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	O	9	
DestinationORI	DestinationORI	M	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
Extradition	Extradition	O	4	
FaxNumber	FaxNumber	O	10	
FreeText	FreeText	O	500	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	3	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	14	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateNumber2	LicensePlateNumber2	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MessageTypeCode	MessageTypeCode	O	1	E – Emergency N – Normal

CommSys ConnectCIC TWE Transaction Definitions

Name	Name	C	30	
Name2	Name2	C	30	
Name3	Name3	C	30	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PartBrandName	PartBrandName	C	4	
PartSerialNumber	PartSerialNumber	C	20	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RequestingAgencyName	RequestingAgencyName	M	30	
RequestNumber	RequestNumber	M	1	
RequestorName	RequestorName	M	30	
SecuritySerialNumber	SecuritySerialNumber	C	18	
SecurityTypeCode	SecurityTypeCode	C	2	
SequenceNumber	SequenceNumber	O	4	
SexCode	SexCode	O	1	
SexCode2	SexCode2	O	1	
SexCode3	SexCode3	O	1	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [ArticleBrand, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]
2. (In/Out) BirthDate, DestinationORI, Name, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, SexCode, WarrantNumber]
3. (In/Out) BirthDate2, DestinationORI, Name2, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, SexCode2, WarrantNumber]
4. (In/Out) BirthDate3, DestinationORI, Name3, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, SexCode3, WarrantNumber]
5. (In/Out) BoatHullSerialNumber, BoatRegistrationNumber, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [BoatMakeCode, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]
6. (In/Out) BoatHullSerialNumber, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [BoatMakeCode,

CommSys ConnectCIC TWE Transaction Definitions

- CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]
7. (In/Out) BoatRegistrationNumber, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [BoatMakeCode, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]
 8. (In/Out) DestinationORI, GunCaliber, GunMake, GunSerialNumber, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, GunModel, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]
 9. (In/Out) DestinationORI, LicensePlateNumber, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
 10. (In/Out) DestinationORI, LicensePlateNumber, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, VehicleIdentificationNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
 11. (In/Out) DestinationORI, LicensePlateNumber2, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, LicensePlateTypeCode, LicensePlateYear, MessageTypeCode, PhoneNumber, SequenceNumber, State, WarrantNumber]
 12. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PartBrandName, PartSerialNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [Category, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]
 13. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, SecuritySerialNumber, SecurityTypeCode, [CourtOrderNumber, Denomination, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]
 14. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, VehicleIdentificationNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

AOSNletsHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	8	
BirthDate2	BirthDate2	C	8	
BirthDate3	BirthDate3	C	8	
BoatHullSerialNumber	BoatHullSerialNumber	C	20	

CommSys ConnectCIC TWE Transaction Definitions

BoatMakeCode	BoatMakeCode	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	
Category	Category	O	2	
ConfirmingAgency	ConfirmingAgency	M	30	
ConfirmingName	ConfirmingName	M	30	
ConfirmStatus	ConfirmStatus	M	1	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	O	9	
DestinationORI	DestinationORI	M	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
Extradition	Extradition	O	4	
FaxNumber	FaxNumber	O	10	
FreeText	FreeText	O	500	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	3	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	14	
Hours	Hours	O	3	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateNumber2	LicensePlateNumber2	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MessageTypeCode	MessageTypeCode	O	1	E – Emergency N – Normal
Name	Name	C	30	
Name2	Name2	C	30	
Name3	Name3	C	30	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PartBrandName	PartBrandName	C	4	
PartSerialNumber	PartSerialNumber	C	20	
PhoneNumber	PhoneNumber	O	10	
SecuritySerialNumber	SecuritySerialNumber	C	18	
SecurityTypeCode	SecurityTypeCode	C	2	
SequenceNumber	SequenceNumber	O	4	
SexCode	SexCode	O	1	
SexCode2	SexCode2	O	1	
SexCode3	SexCode3	O	1	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, [ArticleBrand, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]

CommSys ConnectCIC TWE Transaction Definitions

2. (In/Out) BirthDate, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, Name, NCICNumber, OriginatingAgencyCaseNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, SexCode, WarrantNumber]
3. (In/Out) BirthDate2, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, Name2, NCICNumber, OriginatingAgencyCaseNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, SexCode2, WarrantNumber]
4. (In/Out) BirthDate3, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, Name3, NCICNumber, OriginatingAgencyCaseNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, SexCode3, WarrantNumber]
5. (In/Out) BoatHullSerialNumber, BoatRegistrationNumber, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, [BoatMakeCode, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]
6. (In/Out) BoatHullSerialNumber, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, [BoatMakeCode, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]
7. (In/Out) BoatRegistrationNumber, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, [BoatMakeCode, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]
8. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, GunCaliber, GunMake, GunSerialNumber, NCICNumber, OriginatingAgencyCaseNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, GunModel, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]
9. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, LicensePlateNumber, NCICNumber, OriginatingAgencyCaseNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
10. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, LicensePlateNumber, NCICNumber, OriginatingAgencyCaseNumber, VehicleIdentificationNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
11. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, LicensePlateNumber2, NCICNumber, OriginatingAgencyCaseNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, LicensePlateTypeCode, LicensePlateYear, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, State, WarrantNumber]
12. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, PartBrandName, PartSerialNumber, [Category, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]
13. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, SecuritySerialNumber, SecurityTypeCode, [CourtOrderNumber, Denomination, DestinationORI2, DestinationORI3, Extradition,

CommSys ConnectCIC TWE Transaction Definitions

- FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]
14. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, VehicleIdentificationNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

Basic Entry (BE)

BEArticleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	12	"CASE DROPPED" or "NOT STOLEN"

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, [PropertyRecordRemovalReason]

BEArticleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

BEArticleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleType	ArticleType	C	6	
ArticleTypeCode	ArticleTypeCode	C	7	
CategoryCode	CategoryCode	C	1	
CrossReferenceNumber	CrossReferenceNumber	O	13	
DocumentCode	DocumentCode	M	1	
EntryLevel	EntryLevel	M	1	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
Inscription	Inscription	O	15	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	

CommSys ConnectCIC TWE Transaction Definitions

LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PartialLotIndicator	PartialLotIndicator	O	1	
PropertyBrandName	PropertyBrandName	M	6	
PropertyModelName	PropertyModelName	O	15	
SerialNumber	SerialNumber	C	20	
TheftDate	TheftDate	M	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) ArticleType, CategoryCode, DocumentCode, EntryLevel, OriginatingAgencyCaseNumber, OriginatingAgencyORI, OwnerAppliedNumber, PropertyBrandName, TheftDate, [CrossReferenceNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, PartialLotIndicator, PropertyModelName, UnitedNationsNumber]
2. (In/Out) ArticleType, CategoryCode, DocumentCode, EntryLevel, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, SerialNumber, TheftDate, [CrossReferenceNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, PartialLotIndicator, PropertyModelName, UnitedNationsNumber]
3. (In/Out) ArticleTypeCode, DocumentCode, EntryLevel, OriginatingAgencyCaseNumber, OriginatingAgencyORI, OwnerAppliedNumber, PropertyBrandName, TheftDate, [CrossReferenceNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, PartialLotIndicator, PropertyModelName, UnitedNationsNumber]
4. (In/Out) ArticleTypeCode, DocumentCode, EntryLevel, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, SerialNumber, TheftDate, [CrossReferenceNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, PartialLotIndicator, PropertyModelName, UnitedNationsNumber]

BEArticleGroupCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
SerialNumber	SerialNumber	M	20	
SerialNumber2	SerialNumber2	M	20	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, SerialNumber, SerialNumber2

BEArticleGroupClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

CommSys ConnectCIC TWE Transaction Definitions

ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleSerialNumber2	ArticleSerialNumber2	M	20	
ClearDate	ClearDate	M	8	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleSerialNumber2, ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, [RecoveringAgencyCaseNumber, RecoveringAgencyORI]

BEArticleGroupEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleType	ArticleType	C	6	
ArticleTypeCode	ArticleTypeCode	C	7	
CategoryCode	CategoryCode	C	1	
CrossReferenceNumber	CrossReferenceNumber	O	13	
DocumentCode	DocumentCode	M	1	
EntryLevel	EntryLevel	M	1	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
Inscription	Inscription	O	15	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PartialLotIndicator	PartialLotIndicator	O	1	
PropertyBrandName	PropertyBrandName	M	6	
PropertyModelName	PropertyModelName	O	15	
SerialNumber	SerialNumber	M	20	
SerialNumber2	SerialNumber2	M	20	
TheftDate	TheftDate	M	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) ArticleType, CategoryCode, DocumentCode, EntryLevel, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, SerialNumber, SerialNumber2, TheftDate, [CrossReferenceNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, PartialLotIndicator, PropertyModelName, UnitedNationsNumber]
2. (In/Out) ArticleTypeCode, DocumentCode, EntryLevel, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, SerialNumber, SerialNumber2, TheftDate, [CrossReferenceNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, PartialLotIndicator, PropertyModelName, UnitedNationsNumber]

BEArticleGroupLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

CommSys ConnectCIC TWE Transaction Definitions

FileControlNumber	FileControlNumber	M	13	
NCICNumber	NCICNumber	C	10	
NCICOnlyIndicator	NCICOnlyIndicator	O	1	Y, N, Blank
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
SerialNumber	SerialNumber	C	20	
SerialNumber2	SerialNumber2	C	20	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, SerialNumber, SerialNumber2
2. (In/Out) NCICOnlyIndicator, NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate, RecoveringAgencyCaseNumber
3. (In/Out) NCICOnlyIndicator, NCICNumber, SerialNumber, SerialNumber2, RecoveryDate, RecoveringAgencyCaseNumber

BEArticleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
NCICOnlyIndicator	NCICOnlyIndicator	C	1	Y, N, Blank
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]
2. (In/Out) NCICOnlyIndicator, NCICNumber, ArticleSerialNumber, RecoveryDate, RecoveringAgencyCaseNumber, [Other optional fields]
3. (In/Out) NCICOnlyIndicator, NCICNumber, OwnerAppliedNumber, RecoveryDate, RecoveringAgencyCaseNumber, [Other optional fields]
4. (In/Out) NCICOnlyIndicator, NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate, RecoveringAgencyCaseNumber, [Other optional fields]

BEArticleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleType	ArticleType	O	6	

CommSys ConnectCIC TWE Transaction Definitions

ArticleTypeCode	ArticleTypeCode	O	7	
CategoryCode	CategoryCode	O	1	
EntryLevel	EntryLevel	O	1	
EstablishmentNumber	EstablishmentNumber	O	4	
FileControlNumber	FileControlNumber	M	13	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
Inscription	Inscription	O	15	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
MiscellaneousNumber	MiscellaneousNumber	O	15	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
PartialLotIndicator	PartialLotIndicator	O	1	
PropertyBrandName	PropertyBrandName	O	6	
PropertyModelName	PropertyModelName	O	15	
PropertyRecoveredValue	PropertyRecoveredValue	O	5	
TheftDate	TheftDate	O	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [ArticleType, CategoryCode, EntryLevel, EstablishmentNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, PartialLotIndicator, PropertyBrandName, PropertyModelName, PropertyRecoveredValue, TheftDate, UnitedNationsNumber, ValidatorName]
2. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [ArticleTypeCode, EntryLevel, EstablishmentNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, PartialLotIndicator, PropertyBrandName, PropertyModelName, PropertyRecoveredValue, TheftDate, UnitedNationsNumber, ValidatorName]

BEBoatCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
ReasonCode	ReasonCode	M	9	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonCode, [PropertyRecordRemovalReason]

BEBoatClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	50	
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	
StatusCode	StatusCode	C	3	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber
2. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyORI, StatusCode, [Attention, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

BEBoatEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColorCode	BoatColorCode	O	7	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullSerialNumber	BoatHullSerialNumber	C	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	M	24	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	M	2	
BoatTypeCode	BoatTypeCode	O	3	
CautionEntryIndicator	CautionEntryIndicator	O	2	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EngineNumber	EngineNumber	C	20	
EntryLevel	EntryLevel	O	1	
HomePort	HomePort	O	20	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	2	If blank, then Stolen. "R" – Repossessed "S" – Stored/Impound
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropertyModelName	PropertyModelName	O	20	

CommSys ConnectCIC TWE Transaction Definitions

PropertyYearDate	PropertyYearDate	M	4	
RegistrationExpirationYear	RegistrationExpirationYear	C	4	
RegistrationJurisdictionName	RegistrationJurisdictionName	C	2	
RegistrationNumber	RegistrationNumber	C	8	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddress	VictimAddress	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) BoatHullSerialNumber, BoatMakeCode, BoatPropulsionCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyYearDate, TheftDate, [BoatColorCode, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatName, BoatTypeCode, CautionEntryIndicator, CoastGuardDocumentNumber, CrossReferenceNumber, EntryLevel, HomePort, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, NotifiedOriginatingAgency, PropertyModelName, SupplementalCaseNumber, VictimAddressCity, VictimAddressState, VictimAddress, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]
2. (In/Out) BoatMakeCode, BoatPropulsionCode, EngineNumber, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyYearDate, TheftDate, [BoatColorCode, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatName, BoatTypeCode, CautionEntryIndicator, CoastGuardDocumentNumber, CrossReferenceNumber, EntryLevel, HomePort, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, NotifiedOriginatingAgency, PropertyModelName, SupplementalCaseNumber, VictimAddressCity, VictimAddressState, VictimAddress, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]
3. (In/Out) BoatMakeCode, BoatPropulsionCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OriginatingAgencyORI, OwnerAppliedNumber, PropertyYearDate, TheftDate, [BoatColorCode, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatName, BoatTypeCode, CautionEntryIndicator, CoastGuardDocumentNumber, CrossReferenceNumber, EntryLevel, HomePort, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, NotifiedOriginatingAgency, PropertyModelName, SupplementalCaseNumber, VictimAddressCity, VictimAddressState, VictimAddress, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]
4. (In/Out) BoatMakeCode, BoatPropulsionCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyYearDate, RegistrationExpirationYear, RegistrationJurisdictionName, RegistrationNumber, TheftDate, [BoatColorCode, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatName, BoatTypeCode, CautionEntryIndicator, CoastGuardDocumentNumber, CrossReferenceNumber, EntryLevel, HomePort, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, NotifiedOriginatingAgency, PropertyModelName, SupplementalCaseNumber, VictimAddressCity, VictimAddressState, VictimAddress, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEBoatLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	50	

CommSys ConnectCIC TWE Transaction Definitions

BoatHullIdNumber	BoatHullIdNumber	C	20	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
MessageKeyModifier	MessageKeyModifier	O	1	
NCICOnlyIndicator	NCICOnlyIndicator	O	1	Y, N, Blank
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
RegistrationNumber	RegistrationNumber	C	8	
StatusCode	StatusCode	C	3	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, StatusCode, [Attention, ContrabandRecoveredValue, MessageKeyModifier, NCICOnlyIndicator, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]
2. (In/Out) NCICOnlyIndicator, NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate, RecoveringAgencyCaseNumber, [Any optional fields]
3. (In/Out) NCICOnlyIndicator, RegistrationNumber, OriginatingAgencyCaseNumber, RecoveryDate, RecoveringAgencyCaseNumber, [Any optional fields]
4. (In/Out) NCICOnlyIndicator, BoatHullIdNumber, OriginatingAgencyCaseNumber, RecoveryDate, RecoveringAgencyCaseNumber, [Any optional fields]

BEBoatModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColorCode	BoatColorCode	O	7	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullSerialNumber	BoatHullSerialNumber	C	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
Category	Category	O	2	
CautionEntryIndicator	CautionEntryIndicator	O	1	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
EngineNumber	EngineNumber	C	20	
EnginePowerCode	EnginePowerCode	O	5	
EntryLevel	EntryLevel	O	1	
FileControlNumber	FileControlNumber	M	13	
HomePort	HomePort	O	20	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	

CommSys ConnectCIC TWE Transaction Definitions

LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropertyBrandName	PropertyBrandName	O	4	
PropertyModelName	PropertyModelName	O	20	
PropertyYearDate	PropertyYearDate	O	4	
RegistrationExpirationYear	RegistrationExpirationYear	C	4	
RegistrationJurisdictionName	RegistrationJurisdictionName	C	2	
RegistrationNumber	RegistrationNumber	C	8	
SerialNumber	SerialNumber	C	20	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddress	VictimAddress	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, RegistrationNumber, RegistrationJurisdictionName, RegistrationExpirationYear, [optional fields are listed above]
2. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, BoatHullSerialNumber, [optional fields are listed above]
3. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, EngineNumber, [optional fields are listed above]
4. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, OwnerAppliedNumber, [optional fields are listed above]
5. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, SerialNumber, [optional fields are listed above]

BEGunCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	"Case Dropped" or "Not Stolen."
SerialNumber	SerialNumber	M	20	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, SerialNumber, [PropertyRecordRemovalReason]

BEGunClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	

CommSys ConnectCIC TWE Transaction Definitions

GunSerialNumber	GunSerialNumber	M	20	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, GunSerialNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

BEGunEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalFirearmMarkingsText	AdditionalFirearmMarkingsText	O	70	
AddressCity	AddressCity	O	20	
AssociatesPossessorAddressApartmentNumber	AssociatesPossessorAddressApartmentNumber	O	6	
AssociatesPossessorAddressCity	AssociatesPossessorAddressCity	O	20	
AssociatesPossessorAddressCountry	AssociatesPossessorAddressCountry	O	2	
AssociatesPossessorAddressCounty	AssociatesPossessorAddressCounty	O	2	
AssociatesPossessorAddressDirection	AssociatesPossessorAddressDirection	O	2	
AssociatesPossessorAddressRouteNumber	AssociatesPossessorAddressRouteNumber	O	6	
AssociatesPossessorAddressState	AssociatesPossessorAddressState	O	2	
AssociatesPossessorAddressStreet	AssociatesPossessorAddressStreet	O	30	
AssociatesPossessorAddressStreetNumber	AssociatesPossessorAddressStreetNumber	O	6	
AssociatesPossessorAddressZipCode	AssociatesPossessorAddressZipCode	O	9	
AssociatesPossessorAlias	AssociatesPossessorAlias	O	22	
AssociatesPossessorAliasBirthDate	AssociatesPossessorAliasBirthDate	O	8	
AssociatesPossessorBirthDate	AssociatesPossessorBirthDate	O	8	
AssociatesPossessorBirthPlace	AssociatesPossessorBirthPlace	O	20	
AssociatesPossessorCriminalHistoryIndicator	AssociatesPossessorCriminalHistoryIndicator	O	1	
AssociatesPossessorHeight	AssociatesPossessorHeight	O	2	
AssociatesPossessorIDNumber	AssociatesPossessorIDNumber	O	20	
AssociatesPossessorIDTypeOrState	AssociatesPossessorIDTypeOrState	O	3	
AssociatesPossessorName	AssociatesPossessorName	O	22	
AssociatesPossessorRaceCode	AssociatesPossessorRaceCode	O	1	
AssociatesPossessorSexCode	AssociatesPossessorSexCode	O	1	
AssociatesPossessorWeight	AssociatesPossessorWeight	O	3	
BarrelLength	BarrelLength	O	6	
BirthDate	BirthDate	O	8	
CACrimeGunIndicator	CACrimeGunIndicator	O	1	
CAIllegallyPossessedIndicator	CAIllegallyPossessedIndicator	O	1	
CARepportedStolenIndicator	CARepportedStolenIndicator	O	1	
CategoryCode	CategoryCode	C	1	
CrossReferenceNumber	CrossReferenceNumber	O	14	
DealerBusinessIDNumber	DealerBusinessIDNumber	O	5	
DocumentCode	DocumentCode	M	2	
EntryLevel	EntryLevel	M	1	

CommSys ConnectCIC TWE Transaction Definitions

FirearmReferenceFlag	FirearmReferenceFlag	O	1	
Firearm Transfer Address	FirearmTransferAddressStreet	O	30	
Firearm Transfer Address City	FirearmTransferAddressCity	O	30	
Firearm Transfer Business Name	FirearmTransferName	O	30	
Firearm Transfer Address State	FirearmTransferAddressStateCode	O	2	
Firearm Transfer Telephone Number	FirearmTransferTelephoneNumber	O	10	
Firearm Transfer Address Zip Code	FirearmTransferAddressZipCode	O	9	
GunCaliber	GunCaliber	M	4	
GunMake	GunMake	M	3	
GunType	GunType	C	1	
GunTypeCode	GunTypeCode	C	2	
Importer	Importer	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
MiscellaneousNumber	MiscellaneousNumber	O	16	
Name	Name	O	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OccurrenceCounty	OccurrenceCounty	O	2	
OffenseCode	OffenseCode	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	8	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PossessorAlias	PossessorAlias	O	30	
PossessorBirthDate	PossessorBirthDate	O	8	
PossessorCriminalHistoryIndicator	PossessorCriminalHistoryIndicator	O	1	
PossessorHeight	PossessorHeight	O	2	
PossessorRaceCode	PossessorRaceCode	O	1	
PossessorSexCode	PossessorSexCode	O	1	
PossessorWeight	PossessorWeight	O	3	
PropertyModelName	PropertyModelName	M	20	
RecoveryAddressApartmentNumber	RecoveryAddressApartmentNumber	O	6	
RecoveryAddressRouteNumber	RecoveryAddressRouteNumber	O	6	
RecoveryAddressStreetDirection	RecoveryAddressStreetDirection	O	2	
RecoveryAddressStreetName	RecoveryAddressStreetName	O	30	
RecoveryAddressStreetNumber	RecoveryAddressStreetNumber	O	6	
RecoveryAddressStreetSuffix	RecoveryAddressStreetSuffix	O	2	
RecoveryAddressZip	RecoveryAddressZip	O	9	
RecoveryOfficerName	RecoveryOfficerName	O	22	
RequestingAgencyMailingAddress	RequestingAgencyMailingAddress	O	30	
RequestingOfficerBadgeNumber	RequestingOfficerBadgeNumber	O	10	
SerialNumber	SerialNumber	M	20	
SpecialInstructionsText	SpecialInstructionsText	O	250	
SuspectAddressApartmentNumber	SuspectAddressApartmentNumber	O	6	
SuspectAddressCity	SuspectAddressCity	O	20	
SuspectAddressRouteNumber	SuspectAddressRouteNumber	O	6	
SuspectAddressStateCode	SuspectAddressStateCode	O	2	
SuspectAddressStreetDirection	SuspectAddressStreetDirection	O	2	
SuspectAddressStreetName	SuspectAddressStreetName	O	30	
SuspectAddressStreetNumber	SuspectAddressStreetNumber	O	6	
SuspectAddressStreetSuffix	SuspectAddressStreetSuffix	O	2	

CommSys ConnectCIC TWE Transaction Definitions

SuspectAddressZip	SuspectAddressZip	O	9	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) CategoryCode, DocumentCode, EntryLevel, GunCaliber, GunMake, GunType, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyModelName, SerialNumber, TheftDate, [AdditionalFirearmMarkingsText, AddressCity, AssociatesPossessorAddressApartmentNumber, AssociatesPossessorAddressCity, AssociatesPossessorAddressCountry, AssociatesPossessorAddressCounty, AssociatesPossessorAddressDirection, AssociatesPossessorAddressRouteNumber, AssociatesPossessorAddressState, AssociatesPossessorAddressStreet, AssociatesPossessorAddressStreetNumber, AssociatesPossessorAddressZipCode, AssociatesPossessorAlias, AssociatesPossessorAliasBirthDate, AssociatesPossessorBirthDate, AssociatesPossessorBirthPlace, AssociatesPossessorCriminalHistoryIndicator, AssociatesPossessorHeight, AssociatesPossessorIDNumber, AssociatesPossessorIDTypeOrState, AssociatesPossessorName, AssociatesPossessorRaceCode, AssociatesPossessorSexCode, AssociatesPossessorWeight, BarrelLength, BirthDate, CACrimeGunIndicator, CAIllegallyPossessedIndicator, CAReportedStolenIndicator, CrossReferenceNumber, DealerBusinessIDNumber, FirearmReferenceFlag, FirearmTransferAddressCity, FirearmTransferAddressStateCode, FirearmTransferAddressStreet, FirearmTransferAddressZipCode, FirearmTransferName, FirearmTransferTelephoneNumberImporter, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, Name, NotifiedOriginatingAgency, OccurrenceCounty, OffenseCode, OperatorLicenseNumber, PossessorAlias, PossessorBirthDate, PossessorCriminalHistoryIndicator, PossessorHeight, PossessorRaceCode, PossessorSexCode, PossessorWeight, RecoveryAddressApartmentNumber, RecoveryAddressRouteNumber, RecoveryAddressStreetDirection, RecoveryAddressStreetName, RecoveryAddressStreetNumber, RecoveryAddressStreetSuffix, RecoveryAddressZip, RecoveryOfficerName, RequestingAgencyMailingAddress, RequestingOfficerBadgeNumber, SpecialInstructionsText, SuspectAddressApartmentNumber, SuspectAddressCity, SuspectAddressRouteNumber, SuspectAddressStateCode, SuspectAddressStreetDirection, SuspectAddressStreetName, SuspectAddressStreetNumber, SuspectAddressStreetSuffix, SuspectAddressZip]
2. (In/Out) DocumentCode, EntryLevel, GunCaliber, GunMake, GunTypeCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyModelName, SerialNumber, TheftDate, [AdditionalFirearmMarkingsText, AddressCity, AssociatesPossessorAddressApartmentNumber, AssociatesPossessorAddressCity, AssociatesPossessorAddressCountry, AssociatesPossessorAddressCounty, AssociatesPossessorAddressDirection, AssociatesPossessorAddressRouteNumber, AssociatesPossessorAddressState, AssociatesPossessorAddressStreet, AssociatesPossessorAddressStreetNumber, AssociatesPossessorAddressZipCode, AssociatesPossessorAlias, AssociatesPossessorAliasBirthDate, AssociatesPossessorBirthDate, AssociatesPossessorBirthPlace, AssociatesPossessorCriminalHistoryIndicator, AssociatesPossessorHeight, AssociatesPossessorIDNumber, AssociatesPossessorIDTypeOrState, AssociatesPossessorName, AssociatesPossessorRaceCode, AssociatesPossessorSexCode, AssociatesPossessorWeight, BarrelLength, BirthDate, CACrimeGunIndicator, CAIllegallyPossessedIndicator, CAReportedStolenIndicator, CrossReferenceNumber, DealerBusinessIDNumber, FirearmReferenceFlag, FirearmTransferAddressCity, FirearmTransferAddressStateCode, FirearmTransferAddressStreet, FirearmTransferAddressZipCode, FirearmTransferName, FirearmTransferTelephoneNumberImporter, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, Name, NotifiedOriginatingAgency, OccurrenceCounty, OffenseCode, OperatorLicenseNumber, PossessorAlias,

CommSys ConnectCIC TWE Transaction Definitions

PossessorBirthDate, PossessorCriminalHistoryIndicator, PossessorHeight, PossessorRaceCode, PossessorSexCode, PossessorWeight, RecoveryAddressApartmentNumber, RecoveryAddressRouteNumber, RecoveryAddressStreetDirection, RecoveryAddressStreetName, RecoveryAddressStreetNumber, RecoveryAddressStreetSuffix, RecoveryAddressZip, RecoveryOfficerName, RequestingAgencyMailingAddress, RequestingOfficerBadgeNumber, SpecialInstructionsText, SuspectAddressApartmentNumber, SuspectAddressCity, SuspectAddressRouteNumber, SuspectAddressStateCode, SuspectAddressStreetDirection, SuspectAddressStreetName, SuspectAddressStreetNumber, SuspectAddressStreetSuffix, SuspectAddressZip]

BEGunLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
NCICOnlyIndicator	NCICOnlyIndicator	O	1	Y, N, Blank
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginationAgencyCaseNumber	OriginationAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
SerialNumber	SerialNumber	M	20	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, SerialNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]
2. (In/Out) NCICOnlyIndicator, SerialNumber, OriginatingAgencyCaseNumber, RecoveryDate, RecoveringAgencyCaseNumber
3. (In/Out) NCICOnlyIndicator, NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate, RecoveringAgencyCaseNumber

BEGunModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalFirearmMarkingsText	AdditionalFirearmMarkingsText	O	70	
AddressCity	AddressCity	O	30	
AssociatesPossessorAddressApartmentNumber	AssociatesPossessorAddressApartmentNumber	O	6	
AssociatesPossessorAddressCity	AssociatesPossessorAddressCity	O	20	
AssociatesPossessorAddressCountry	AssociatesPossessorAddressCountry	O	2	
AssociatesPossessorAddressCounty	AssociatesPossessorAddressCounty	O	2	
AssociatesPossessorAddressDirection	AssociatesPossessorAddressDirection	O	2	
AssociatesPossessorAddressRouteNumber	AssociatesPossessorAddressRouteNumber	O	6	
AssociatesPossessorAddressState	AssociatesPossessorAddressState	O	2	
AssociatesPossessorAddressStreet	AssociatesPossessorAddressStreet	O	30	

CommSys ConnectCIC TWE Transaction Definitions

AssociatesPossessorAddressStreetNumber	AssociatesPossessorAddressStreetNumber	O	6	
AssociatesPossessorAddressZipCode	AssociatesPossessorAddressZipCode	O	9	
AssociatesPossessorAlias	AssociatesPossessorAlias	O	22	
AssociatesPossessorAliasBirthDate	AssociatesPossessorAliasBirthDate	O	8	
AssociatesPossessorBirthDate	AssociatesPossessorBirthDate	O	8	
AssociatesPossessorBirthPlace	AssociatesPossessorBirthPlace	O	20	
AssociatesPossessorCriminalHistoryIndicator	AssociatesPossessorCriminalHistoryIndicator	O	1	
AssociatesPossessorHeight	AssociatesPossessorHeight	O	2	
AssociatesPossessorIDNumber	AssociatesPossessorIDNumber	O	20	
AssociatesPossessorIDTypeOrState	AssociatesPossessorIDTypeOrState	O	3	
AssociatesPossessorName	AssociatesPossessorName	O	22	
AssociatesPossessorRaceCode	AssociatesPossessorRaceCode	O	1	
AssociatesPossessorSexCode	AssociatesPossessorSexCode	O	1	
AssociatesPossessorWeight	AssociatesPossessorWeight	O	3	
BarrelLength	BarrelLength	O	6	
BirthDate	BirthDate	O	8	
CAIllegallyPossessedIndicator	CAIllegallyPossessedIndicator	O	1	
CAResportedStolenIndicator	CAResportedStolenIndicator	O	1	
CategoryCode	CategoryCode	O	1	
CrossReferenceNumber	CrossReferenceNumber	O	14	
DealerBusinessIDNumber	DealerBusinessIDNumber	O	5	
EntryLevel	EntryLevel	O	1	
FileControlNumber	FileControlNumber	M	13	
Firearm Transfer Address City	FirearmTransferAddressCity	O	30	
Firearm Transfer Address State	FirearmTransferAddressStateCode	O	2	
Firearm Transfer Address	FirearmTransferAddressStreet	O	30	
Firearm Transfer Address Zip Code	FirearmTransferAddressZipCode	O	9	
Firearm Transfer Business Name	FirearmTransferName	O	30	
Firearm Transfer Telephone Number	FirearmTransferTelephoneNumber	O	10	
FirearmReferenceFlag	FirearmReferenceFlag	O	1	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunType	GunType	O	1	
GunTypeCode	GunTypeCode	O	2	
Importer	Importer	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
MiscellaneousNumber	MiscellaneousNumber	O	16	
Name	Name	O	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OccurrenceCounty	OccurrenceCounty	O	2	
OffenseCode	OffenseCode	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	8	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
PossessorAlias	PossessorAlias	O	30	
PossessorBirthDate	PossessorBirthDate	O	8	
PossessorCriminalHistoryIndicator	PossessorCriminalHistoryIndicator	O	1	
PossessorHeight	PossessorHeight	O	2	
PossessorRaceCode	PossessorRaceCode	O	1	
PossessorSexCode	PossessorSexCode	O	1	

CommSys ConnectCIC TWE Transaction Definitions

PossessorWeight	PossessorWeight	O	3	
PropertyModelName	PropertyModelName	O	20	
RecoveryAddressStreetName	RecoveryAddressStreetName	O	30	
RecoveryAddressApartmentNumber	RecoveryAddressApartmentNumber	O	6	
RecoveryAddressRouteNumber	RecoveryAddressRouteNumber	O	6	
RecoveryAddressStreetDirection	RecoveryAddressStreetDirection	O	2	
RecoveryAddressStreetNumber	RecoveryAddressStreetNumber	O	6	
RecoveryAddressStreetSuffix	RecoveryAddressStreetSuffix	O	2	
RecoveryAddressZip	RecoveryAddressZip	O	9	
RecoveryOfficerName	RecoveryOfficerName	O	22	
RequestingAgencyMailingAddress	RequestingAgencyMailingAddress	O	30	
RequestingOfficerBadgeNumber	RequestingOfficerBadgeNumber	O	10	
SerialNumber	SerialNumber	M	20	
SerialNumber2	SerialNumber2	O	20	
SpecialInstructionsText	SpecialInstructionsText	O	250	
SuspectAddressApartmentNumber	SuspectAddressApartmentNumber	O	6	
SuspectAddressCity	SuspectAddressCity	O	20	
SuspectAddressRouteNumber	SuspectAddressRouteNumber	O	6	
SuspectAddressStateCode	SuspectAddressStateCode	O	2	
SuspectAddressStreetDirection	SuspectAddressStreetDirection	O	2	
SuspectAddressStreetName	SuspectAddressStreetName	O	30	
SuspectAddressStreetNumber	SuspectAddressStreetNumber	O	6	
SuspectAddressStreetSuffix	SuspectAddressStreetSuffix	O	2	
SuspectAddressZip	SuspectAddressZip	O	9	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	20	

Possible Combinations

1. (In/Out) FileControlNumber, SerialNumber, [AdditionalFirearmMarkingsText, AddressCity, AssociatesPossessorAddressApartmentNumber, AssociatesPossessorAddressCity, AssociatesPossessorAddressCountry, AssociatesPossessorAddressCounty, AssociatesPossessorAddressDirection, AssociatesPossessorAddressRouteNumber, AssociatesPossessorAddressState, AssociatesPossessorAddressStreet, AssociatesPossessorAddressStreetNumber, AssociatesPossessorAddressZipCode, AssociatesPossessorAlias, AssociatesPossessorAliasBirthDate, AssociatesPossessorBirthDate, AssociatesPossessorBirthPlace, AssociatesPossessorCriminalHistoryIndicator, AssociatesPossessorHeight, AssociatesPossessorIDNumber, AssociatesPossessorIDTypeOrState, AssociatesPossessorName, AssociatesPossessorRaceCode, AssociatesPossessorSexCode, AssociatesPossessorWeight, BarrelLength, BirthDate, CAIllegallyPossessedIndicator, CAReportedStolenIndicator, CategoryCode, CrossReferenceNumber, DealerBusinessIDNumber, EntryLevel, FirearmReferenceFlag, FirearmTransferAddressCity, FirearmTransferAddressStateCode, FirearmTransferAddressStreet, FirearmTransferAddressZipCode, FirearmTransferName, FirearmTransferTelephoneNumber GunCaliber, GunMake, GunType, GunTypeCode, Importer, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, Name, NotifiedOriginatingAgency, OccurrenceCounty, OffenseCode, OperatorLicenseNumber, OriginatingAgencyCaseNumber, PossessorAlias, PossessorBirthDate, PossessorCriminalHistoryIndicator, PossessorHeight, PossessorRaceCode, PossessorSexCode, PossessorWeight, PropertyModelName, RecoveryAddressStreetName, RecoveryAddressApartmentNumber, RecoveryAddressRouteNumber, RecoveryAddressStreetDirection, RecoveryAddressStreetNumber, RecoveryAddressStreetSuffix, RecoveryAddressZip, RecoveryOfficerName, RequestingAgencyMailingAddress, RequestingOfficerBadgeNumber,

CommSys ConnectCIC TWE Transaction Definitions

SerialNumber2, SpecialInstructionsText, SuspectAddressApartmentNumber, SuspectAddressCity, SuspectAddressRouteNumber, SuspectAddressStateCode, SuspectAddressStreetDirection, SuspectAddressStreetName, SuspectAddressStreetNumber, SuspectAddressStreetSuffix, SuspectAddressZip, TheftDate, ValidatorName]

BELicensePlateEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CautionEntryIndicator	CautionEntryIndicator	O	2	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EntryLevel	EntryLevel	O	1	
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateTypeCode	LicensePlateTypeCode	M	2	
LicensePlateYear	LicensePlateYear	M	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	M	2	"L1" – One LicensePlateNumber "L2" – Two LicensePlateNumber "FL" – Felony "LE" – Found/Evidence
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
State	State	M	2	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddressStateCode	VictimAddressStateCode	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, MessageKeyModifier, OriginatingAgencyCaseNumber, OriginatingAgencyORI, State, TheftDate, [CautionEntryIndicator, CrossReferenceNumber, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, SupplementalCaseNumber, VictimAddressCity, VictimAddressState, VictimAddressStateCode, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
MessageKeyModifier	MessageKeyModifier	O	1	"A" – Associate Record
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	"Case Dropped" or "Not Stolen."

CommSys ConnectCIC TWE Transaction Definitions

ReasonCode	ReasonCode	M	9	
------------	------------	---	---	--

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonCode, [AssociateRecordIdentifier, MessageKeyModifier, PropertyRecordRemovalReason]

BEVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
MessageKeyModifier	MessageKeyModifier	O	1	"A" – Associate Record
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	"Case Dropped" or "Not Stolen."
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	
Reference	Reference	O	50	
StatusCode	StatusCode	C	3	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, [AssociateRecordIdentifier, MessageKeyModifier]
2. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyORI, StatusCode, [AssociateRecordIdentifier, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, Reference]

BEVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CautionEntryIndicator	CautionEntryIndicator	O	2	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EngineNumber	EngineNumber	O	20	
EntryLevel	EntryLevel	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	2	If Blank, then Stolen "F" – Felony "P" – Pawned "R" – Repossessed "RL" – Reported Lost "S" – Stored "SH" – Impounded Vehicle (Stored Vehicle Police Hold)
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	

CommSys ConnectCIC TWE Transaction Definitions

NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
Reference	Reference	O	50	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	M	3	
VehicleStyleCode	VehicleStyleCode	M	2	
VehicleYear	VehicleYear	M	4	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddress	VictimAddress	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

*** at least one of the following must be entered: LIC, LIS, LIY, LIT or VIN or ENG or OAN**

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [CautionEntryIndicator, CrossReferenceNumber, EngineNumber, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OwnerAppliedNumber, Reference, SupplementalCaseNumber, VehicleColorCode, VehicleIdentificationNumber, VictimAddressCity, VictimAddressState, VictimAddress, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEVehicleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
LicensePlateNumber	LicensePlateNumber	C	10	
MessageKeyModifier	MessageKeyModifier	O	1	"A" – Associate Record
NCICOnlyIndicator	NCICOnlyIndicator	O	1	Y, N, Blank
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	

CommSys ConnectCIC TWE Transaction Definitions

Reference	Reference	O	50	
StatusCode	StatusCode	C	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	10	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, StatusCode, [AssociateRecordIdentifier, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, Reference]
2. (NCIC) (In/Out) NCICOnlyIndicator, LicensePlateNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]
3. (NCIC) (In/Out) NCICOnlyIndicator, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]
4. (NCIC) (In/Out) NCICOnlyIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, VehicleIdentificationNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]

BEVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
Category	Category	O	2	
CautionEntryIndicator	CautionEntryIndicator	O	1	
EngineNumber	EngineNumber	O	20	
EnginePowerCode	EnginePowerCode	O	5	
EntryLevel	EntryLevel	O	1	
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	"A" – Associate Record
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyBrandName	PropertyBrandName	O	4	
Reference	Reference	O	50	
SerialNumber	SerialNumber	O	20	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	

CommSys ConnectCIC TWE Transaction Definitions

VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddress	VictimAddress	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [AssociateRecordIdentifier, Category, CautionEntryIndicator, EngineNumber, EnginePowerCode, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, OwnerAppliedNumber, PropertyBrandName, Reference, SerialNumber, TheftDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, VictimAddressCity, VictimAddressState, VictimAddress, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEVehiclePartLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	O	8	
SerialNumber	SerialNumber	O	20	

Possible Combinations

1. (In/Out) NCICOnlyIndicator, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyORI, OtherRecoveredPropertyValue, PropertyRecordRemovalReason,]
2. (In/Out) NCICOnlyIndicator, SerialNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason]

BEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	

CommSys ConnectCIC TWE Transaction Definitions

Name	Name	M	30	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, [PersonalRecordRemovalReason]

BEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
IsPersonArmed	IsPersonArmed	O	1	
Name	Name	M	30	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, Name, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

BEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalBirthDate	AdditionalBirthDate	O	8	
AdditionalBirthDate2	AdditionalBirthDate2	O	8	
AdditionalBirthDate3	AdditionalBirthDate3	O	8	
AdditionalBirthDate4	AdditionalBirthDate4	O	8	
AdditionalBirthDate5	AdditionalBirthDate5	O	8	
AdditionalBirthDate6	AdditionalBirthDate6	O	8	
AdditionalBirthDate7	AdditionalBirthDate7	O	8	
AdditionalBirthDate8	AdditionalBirthDate8	O	8	
AdditionalBirthDate9	AdditionalBirthDate9	O	8	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
Bail	Bail	M	11	
BirthDate	BirthDate	M	8	
BirthPlace	BirthPlace	O	2	
CautionMedicalCode	CautionMedicalCode	O	2	

CommSys ConnectCIC TWE Transaction Definitions

CautionMedicalCode2	CautionMedicalCode2	O	2
CautionMedicalCode3	CautionMedicalCode3	O	2
CautionMedicalCode4	CautionMedicalCode4	O	2
CautionMedicalCode5	CautionMedicalCode5	O	2
CautionMedicalCode6	CautionMedicalCode6	O	2
CautionMedicalCode7	CautionMedicalCode7	O	2
CautionMedicalCode8	CautionMedicalCode8	O	2
CautionMedicalCode9	CautionMedicalCode9	O	2
CourtORI	CourtORI	O	9
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9
EntryLevel	EntryLevel	M	1
ExtraditionLimitations	ExtraditionLimitations	O	1
EyeColorCode	EyeColorCode	O	3
FBI Number	FBI Number	O	9
FingerprintClassificationCode	FingerprintClassificationCode	O	20
HairColorCode	HairColorCode	O	3
Height	Height	M	3
LicensePlateNumber	LicensePlateNumber	O	10
LicensePlateStateCode	LicensePlateStateCode	O	2
LicensePlateTypeCode	LicensePlateTypeCode	O	2
LicensePlateYear	LicensePlateYear	O	4
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9
LinkageCaseNumber	LinkageCaseNumber	O	20
MessageKeyModifier	MessageKeyModifier	M	1
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500
MiscellaneousNumber	MiscellaneousNumber	O	15
MiscellaneousNumber2	MiscellaneousNumber2	O	15
MiscellaneousNumber3	MiscellaneousNumber3	O	15
MiscellaneousNumber4	MiscellaneousNumber4	O	15
MiscellaneousNumber5	MiscellaneousNumber5	O	15
MiscellaneousNumber6	MiscellaneousNumber6	O	15
MiscellaneousNumber7	MiscellaneousNumber7	O	15
MiscellaneousNumber8	MiscellaneousNumber8	O	15
MiscellaneousNumber9	MiscellaneousNumber9	O	15
Name	Name	M	30
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1
OffenseCode	OffenseCode	M	4
OffenseCodeDescription	OffenseCodeDescription	O	20
OperatorLicenseNumber	OperatorLicenseNumber	O	20
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2
OperatorLicenseYear	OperatorLicenseYear	O	4
OriginalOffenseCode	OriginalOffenseCode	O	4
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20
RaceCode	RaceCode	M	1
Reference	Reference	O	20
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10

CommSys ConnectCIC TWE Transaction Definitions

ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SocialSecurityNumber6	SocialSecurityNumber6	O	9	
SocialSecurityNumber7	SocialSecurityNumber7	O	9	
SocialSecurityNumber8	SocialSecurityNumber8	O	9	
SocialSecurityNumber9	SocialSecurityNumber9	O	9	
StolenBirthDate	StolenBirthDate	O	8	
StolenBirthDate2	StolenBirthDate2	O	8	
StolenBirthDate3	StolenBirthDate3	O	8	
StolenBirthDate4	StolenBirthDate4	O	8	
StolenBirthDate5	StolenBirthDate5	O	8	
StolenBirthDate6	StolenBirthDate6	O	8	
StolenBirthDate7	StolenBirthDate7	O	8	
StolenBirthDate8	StolenBirthDate8	O	8	
StolenBirthDate9	StolenBirthDate9	O	8	
StolenMiscellaneousNumber	StolenMiscellaneousNumber	O	15	
StolenMiscellaneousNumber2	StolenMiscellaneousNumber2	O	15	
StolenMiscellaneousNumber3	StolenMiscellaneousNumber3	O	15	
StolenMiscellaneousNumber4	StolenMiscellaneousNumber4	O	15	
StolenMiscellaneousNumber5	StolenMiscellaneousNumber5	O	15	
StolenMiscellaneousNumber6	StolenMiscellaneousNumber6	O	15	
StolenMiscellaneousNumber7	StolenMiscellaneousNumber7	O	15	
StolenMiscellaneousNumber8	StolenMiscellaneousNumber8	O	15	
StolenMiscellaneousNumber9	StolenMiscellaneousNumber9	O	15	
StolenName	StolenName	O	30	
StolenName2	StolenName2	O	30	
StolenName3	StolenName3	O	30	
StolenName4	StolenName4	O	30	
StolenName5	StolenName5	O	30	
StolenName6	StolenName6	O	30	
StolenName7	StolenName7	O	30	
StolenName8	StolenName8	O	30	
StolenName9	StolenName9	O	30	
StolenOperatorLicenseNumber	StolenOperatorLicenseNumber	O	20	
StolenOperatorLicenseYear	StolenOperatorLicenseYear	O	4	
StolenOperatorStateCode	StolenOperatorStateCode	O	2	
StolenSocialSecurityNumber	StolenSocialSecurityNumber	O	9	
StolenSocialSecurityNumber2	StolenSocialSecurityNumber2	O	9	
StolenSocialSecurityNumber3	StolenSocialSecurityNumber3	O	9	
StolenSocialSecurityNumber4	StolenSocialSecurityNumber4	O	9	
StolenSocialSecurityNumber5	StolenSocialSecurityNumber5	O	9	
StolenSocialSecurityNumber6	StolenSocialSecurityNumber6	O	9	
StolenSocialSecurityNumber7	StolenSocialSecurityNumber7	O	9	

CommSys ConnectCIC TWE Transaction Definitions

StolenSocialSecurityNumber8	StolenSocialSecurityNumber8	O	9	
StolenSocialSecurityNumber9	StolenSocialSecurityNumber9	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	M	8	
WarrantNumber	WarrantNumber	M	15	
WarrantType	WarrantType	M	1	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) Bail, BirthDate, EntryLevel, Height, MessageKeyModifier, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, WarrantNumber, WarrantType, [AdditionalBirthDate, AdditionalBirthDate2, AdditionalBirthDate3, AdditionalBirthDate4, AdditionalBirthDate5, AdditionalBirthDate6, AdditionalBirthDate7, AdditionalBirthDate8, AdditionalBirthDate9, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlace, CautionMedicalCode, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CourtORI, CriminalIdentificationNumber, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NotifiedOriginatingAgency, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, Reference, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6, SocialSecurityNumber7, SocialSecurityNumber8, SocialSecurityNumber9, StolenBirthDate, StolenBirthDate2, StolenBirthDate3, StolenBirthDate4, StolenBirthDate5, StolenBirthDate6, StolenBirthDate7, StolenBirthDate8, StolenBirthDate9, StolenMiscellaneousNumber, StolenMiscellaneousNumber2, StolenMiscellaneousNumber3, StolenMiscellaneousNumber4, StolenMiscellaneousNumber5, StolenMiscellaneousNumber6, StolenMiscellaneousNumber7, StolenMiscellaneousNumber8, StolenMiscellaneousNumber9, StolenName, StolenName2, StolenName3, StolenName4, StolenName5, StolenName6, StolenName7, StolenName8, StolenName9, StolenOperatorLicenseNumber, StolenOperatorLicenseYear, StolenOperatorStateCode, StolenSocialSecurityNumber, StolenSocialSecurityNumber2, StolenSocialSecurityNumber3, StolenSocialSecurityNumber4, StolenSocialSecurityNumber5, StolenSocialSecurityNumber6, StolenSocialSecurityNumber7, StolenSocialSecurityNumber8, StolenSocialSecurityNumber9, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight, OffenseCodeDescription, ExtraditionLimitations]

BEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	

CommSys ConnectCIC TWE Transaction Definitions

Extradition	Extradition	C	4	
FileControlNumber	FileControlNumber	C	13	
IsPersonArmed	IsPersonArmed	O	1	
Name	Name	M	30	
NCICOnlyIndicator	NCICOnlyIndicator	O	1	Y, N, Blank
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	C	20	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

- (In/Out) Extradition, Name, NCICNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue]
- (In/Out) FileControlNumber, Name, OriginatingAgencyORI, RecoveryDate, [ContrabandRecoveredValue, Extradition, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
- (In/Out) NCICOnlyIndicator, NCICNumber, Name, RecoveryDate, RecoveringAgencyCaseNumber, Extradition

BEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Bail	Bail	O	9	
BirthDate	BirthDate	O	8	
BirthPlace	BirthPlace	O	2	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryLevel	EntryLevel	O	1	
EyeColorCode	EyeColorCode	O	3	
FBI Number	FBI Number	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	M	30	
Name2	Name2	O	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OffenseCode	OffenseCode	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	

CommSys ConnectCIC TWE Transaction Definitions

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
RaceCode	RaceCode	O	1	
Reference	Reference	O	20	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
ValidatorName	ValidatorName	O	30	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
WarrantType	WarrantType	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [Bail, BirthDate, BirthPlace, CourtORI, CriminalIdentificationNumber, EntryLevel, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, Name2, NotifiedOriginatingAgency, OffenseCode, OriginalOffenseCode, OriginatingAgencyCaseNumber, RaceCode, Reference, SexCode, SkinToneCode, ValidatorName, WarrantDate, WarrantNumber, WarrantType, Weight]

BEWantedPersonSupplementalModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalBirthDate	AdditionalBirthDate	O	8	
AdditionalBirthDate2	AdditionalBirthDate2	O	8	
AdditionalBirthDate3	AdditionalBirthDate3	O	8	
AdditionalBirthDate4	AdditionalBirthDate4	O	8	
AdditionalBirthDate5	AdditionalBirthDate5	O	8	
AdditionalBirthDate6	AdditionalBirthDate6	O	8	
AdditionalBirthDate7	AdditionalBirthDate7	O	8	
AdditionalBirthDate8	AdditionalBirthDate8	O	8	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateNumber2	LicensePlateNumber2	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateStateCode2	LicensePlateStateCode2	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	

CommSys ConnectCIC TWE Transaction Definitions

LicensePlateTypeCode2	LicensePlateTypeCode2	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LicensePlateYear2	LicensePlateYear2	O	4	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorLicenseYear2	OperatorLicenseYear2	O	4	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SocialSecurityNumber6	SocialSecurityNumber6	O	9	
SocialSecurityNumber7	SocialSecurityNumber7	O	9	
SocialSecurityNumber8	SocialSecurityNumber8	O	9	
StolenBirthDate	StolenBirthDate	O	8	
StolenBirthDate2	StolenBirthDate2	O	8	
StolenBirthDate3	StolenBirthDate3	O	8	
StolenBirthDate4	StolenBirthDate4	O	8	
StolenBirthDate5	StolenBirthDate5	O	8	
StolenBirthDate6	StolenBirthDate6	O	8	
StolenBirthDate7	StolenBirthDate7	O	8	
StolenBirthDate8	StolenBirthDate8	O	8	
StolenMiscellaneousNumber	StolenMiscellaneousNumber	O	15	
StolenMiscellaneousNumber2	StolenMiscellaneousNumber2	O	15	
StolenMiscellaneousNumber3	StolenMiscellaneousNumber3	O	15	
StolenMiscellaneousNumber4	StolenMiscellaneousNumber4	O	15	
StolenMiscellaneousNumber5	StolenMiscellaneousNumber5	O	15	
StolenMiscellaneousNumber6	StolenMiscellaneousNumber6	O	15	
StolenMiscellaneousNumber7	StolenMiscellaneousNumber7	O	15	
StolenMiscellaneousNumber8	StolenMiscellaneousNumber8	O	15	
StolenName	StolenName	O	30	

CommSys ConnectCIC TWE Transaction Definitions

StolenName2	StolenName2	O	30	
StolenName3	StolenName3	O	30	
StolenName4	StolenName4	O	30	
StolenName5	StolenName5	O	30	
StolenName6	StolenName6	O	30	
StolenName7	StolenName7	O	30	
StolenName8	StolenName8	O	30	
StolenOperatorLicenseNumber	StolenOperatorLicenseNumber	O	20	
StolenOperatorLicenseNumber2	StolenOperatorLicenseNumber2	O	20	
StolenOperatorLicenseYear	StolenOperatorLicenseYear	O	4	
StolenOperatorLicenseYear2	StolenOperatorLicenseYear2	O	4	
StolenOperatorStateCode	StolenOperatorStateCode	O	2	
StolenOperatorStateCode2	StolenOperatorStateCode2	O	2	
StolenSocialSecurityNumber	StolenSocialSecurityNumber	O	9	
StolenSocialSecurityNumber2	StolenSocialSecurityNumber2	O	9	
StolenSocialSecurityNumber3	StolenSocialSecurityNumber3	O	9	
StolenSocialSecurityNumber4	StolenSocialSecurityNumber4	O	9	
StolenSocialSecurityNumber5	StolenSocialSecurityNumber5	O	9	
StolenSocialSecurityNumber6	StolenSocialSecurityNumber6	O	9	
StolenSocialSecurityNumber7	StolenSocialSecurityNumber7	O	9	
StolenSocialSecurityNumber8	StolenSocialSecurityNumber8	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleColorCode2	VehicleColorCode2	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleIdentificationNumber2	VehicleIdentificationNumber2	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleMakeCode2	VehicleMakeCode2	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleModelCode2	VehicleModelCode2	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleStyleCode2	VehicleStyleCode2	O	2	
VehicleYear	VehicleYear	O	4	
VehicleYear2	VehicleYear2	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AdditionalBirthDate, AdditionalBirthDate2, AdditionalBirthDate3, AdditionalBirthDate4, AdditionalBirthDate5, AdditionalBirthDate6, AdditionalBirthDate7, AdditionalBirthDate8, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, CautionMedicalCode, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, LicensePlateNumber, LicensePlateNumber2, LicensePlateStateCode, LicensePlateStateCode2, LicensePlateTypeCode, LicensePlateTypeCode2, LicensePlateYear, LicensePlateYear2, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseYear, OperatorLicenseYear2, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6, SocialSecurityNumber7, SocialSecurityNumber8, StolenBirthDate,

StolenBirthDate2, StolenBirthDate3, StolenBirthDate4, StolenBirthDate5, StolenBirthDate6, StolenBirthDate7, StolenBirthDate8, StolenMiscellaneousNumber, StolenMiscellaneousNumber2, StolenMiscellaneousNumber3, StolenMiscellaneousNumber4, StolenMiscellaneousNumber5, StolenMiscellaneousNumber6, StolenMiscellaneousNumber7, StolenMiscellaneousNumber8, StolenName, StolenName2, StolenName3, StolenName4, StolenName5, StolenName6, StolenName7, StolenName8, StolenOperatorLicenseNumber, StolenOperatorLicenseNumber2, StolenOperatorLicenseYear, StolenOperatorLicenseYear2, StolenOperatorStateCode, StolenOperatorStateCode2, StolenSocialSecurityNumber, StolenSocialSecurityNumber2, StolenSocialSecurityNumber3, StolenSocialSecurityNumber4, StolenSocialSecurityNumber5, StolenSocialSecurityNumber6, StolenSocialSecurityNumber7, StolenSocialSecurityNumber8, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleIdentificationNumber2, VehicleMakeCode, VehicleMakeCode2, VehicleModelCode, VehicleModelCode2, VehicleStyleCode, VehicleStyleCode2, VehicleYear, VehicleYear2]

Canadian Basic Inquiries (CBI)

CBIArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	23	
ArticleTypeCode	ArticleTypeCode	M	2	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	M	1	
ReasonCode	ReasonCode	M	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, PersonPropertyInSiteIndicator, ReasonCode

CBIBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullNumber	BoatHullNumber	C	12	
BoatName	BoatName	C	13	
BoatSerialNumber	BoatSerialNumber	C	18	
BoatTypeCode	BoatTypeCode	C	5	
LicensePlateNumber	LicensePlateNumber	C	10	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	M	1	
ReasonCode	ReasonCode	M	1	
RegistrationNumber	RegistrationNumber	C	7	

Possible Combinations

1. (In/Out) BoatHullNumber, PersonPropertyInSiteIndicator, ReasonCode
2. (In/Out) BoatName, PersonPropertyInSiteIndicator, ReasonCode
3. (In/Out) BoatSerialNumber, BoatTypeCode, PersonPropertyInSiteIndicator, ReasonCode
4. (In/Out) LicensePlateNumber, PersonPropertyInSiteIndicator, ReasonCode
5. (In/Out) PersonPropertyInSiteIndicator, ReasonCode, RegistrationNumber

CBIDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
NletsDestination	NletsDestination	C	2	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	C	1	

CommSys ConnectCIC TWE Transaction Definitions

ReasonCode	ReasonCode	C	1	
SexCode	SexCode	C	1	

Possible Combinations

1. (In/Out) BirthDate, Name, NletsDestination, PersonPropertyInSiteIndicator, ReasonCode, SexCode, [OperatorLicenseNumber]
2. (In/Out) BirthDate, Name, PersonPropertyInSiteIndicator, ReasonCode, SexCode

CBIGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	M	23	
GunTypeCode	GunTypeCode	M	2	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	M	1	
ReasonCode	ReasonCode	M	1	

Possible Combinations

1. (In/Out) GunSerialNumber, GunTypeCode, PersonPropertyInSiteIndicator, ReasonCode

CBISecuritiesStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Issuer	Issuer	C	30	
Name	Name	C	14	
Owner	Owner	C	30	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	C	1	
ReasonCode	ReasonCode	C	1	
SecuritySerialNumber	SecuritySerialNumber	C	23	
SecurityTypeCode	SecurityTypeCode	C	2	

Possible Combinations

1. (In/Out) Issuer, PersonPropertyInSiteIndicator, ReasonCode
2. (In/Out) Name, PersonPropertyInSiteIndicator, ReasonCode, SecurityTypeCode
3. (In/Out) Owner, PersonPropertyInSiteIndicator, ReasonCode
4. (In/Out) PersonPropertyInSiteIndicator, ReasonCode, SecuritySerialNumber

CBIVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	M	10	
NletsDestination	NletsDestination	M	2	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	M	1	
ReasonCode	ReasonCode	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	M	17	

Possible Combinations

1. (In/Out) LicensePlateNumber, NletsDestination, PersonPropertyInSiteIndicator, ReasonCode, VehicleIdentificationNumber

Computerized Criminal History (CCH)***CCHCaliforniaOnlyCriminalHistoryQuery***

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CriminalIdentificationNumber	CriminalIdentificationNumber	C	8	
DispositionRecordNumber	DispositionRecordNumber	C	9	
RequestorName	RequestorName	M	30	

Possible Combinations

1. (In/Out) CriminalIdentificationNumber, RequestorName
2. (In/Out) DispositionRecordNumber, RequestorName

CCHCriminalHistoryAQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	32	
FreeText	FreeText	M	14400	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
NletsDestination4	NletsDestination4	O	9	
NletsDestination5	NletsDestination5	O	9	
PurposeCode	PurposeCode	M	1	

Possible Combinations

1. (In/Out) FreeText, Attention, NletsDestination, PurposeCode, [NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

CCHCriminalHistoryEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
ORI	ORI	O	9	
RequestorName	RequestorName	O	30	

Possible Combinations

1. (In/Out) [CriminalIdentificationNumber, ORI, RequestorName]

CCHCriminalHistoryFQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityAndState	AddressCityAndState	O	30	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
Attention	Attention	M	30	
Building	Building	O	30	
DepartmentName	DepartmentName	O	30	
ImageIndicator	ImageIndicator	O	1	
PurposeCode	PurposeCode	M	1	
State	State	M	2	
StateIdNumber	StateIdNumber	M	10	

Possible Combinations

1. (In/Out) Attention, PurposeCode, State, StateIdNumber, [AddressCityAndState, AddressStreet, AddressZipCode, Building, DepartmentName, ImageIndicator]

CCHCriminalHistoryIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	10	
ImageIndicator	ImageIndicator	O	1	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
PurposeCode	PurposeCode	O	1	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	

CommSys ConnectCIC TWE Transaction Definitions

SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	M	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, State, [Attention, ImageIndicator, MiscellaneousNumber, PurposeCode, RaceCode, SocialSecurityNumber, State2, State3, State4, State5]
2. (In/Out) MiscellaneousNumber, State, [Attention, ImageIndicator, PurposeCode, State2, State3, State4, State5]
3. (Out) SocialSecurityNumber, State, [Attention, ImageIndicator, PurposeCode, State2, State3, State4, State5]

CCHCriminalHistoryQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
Attention	Attention	C	30	
BirthDate	BirthDate	C	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	20	
DispositionRecordNumber	DispositionRecordNumber	C	20	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	C	9	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
InstitutionNumber	InstitutionNumber	O	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
RequestorInformation	RequestorInformation	C	30	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In) Age, Name, RequestorInformation, SexCode, [EyeColorCode, HairColorCode, Height, RaceCode]
2. (In) BirthDate, Name, RequestorInformation, SexCode, [EyeColorCode, HairColorCode, Height, RaceCode]
3. (In) CriminalIdentificationNumber, RequestorInformation
4. (In) CriminalIdentificationNumber, RequestorInformation, [OriginatingAgencyORI]
5. (In) DispositionRecordNumber, RequestorInformation
6. (In) RequestorInformation, [FBINumber, InstitutionNumber, OperatorLicenseNumber, SocialSecurityNumber]
7. (In/Out) BirthDate, Name, PurposeCode, RaceCode, SexCode, Attention, [MiscellaneousNumber, SocialSecurityNumber]
8. (In/Out) FBINumber, PurposeCode, Attention
9. (In/Out) MiscellaneousNumber, Name, PurposeCode, Attention
10. (In/Out) Name, PurposeCode, SocialSecurityNumber, Attention

11. (In/Out) PurposeCode, StateIdNumber, Attention

CCHCriminalHistoryQHTQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CriminalIdentificationNumber	CriminalIdentificationNumber	C	20	
DispositionRecordNumber	DispositionRecordNumber	C	20	
RequestingAgencyORI	RequestingAgencyORI	O	12	
RequestorInformation	RequestorInformation	M	30	

Possible Combinations

1. (In) CriminalIdentificationNumber, RequestorInformation, [RequestingAgencyORI]
2. (In) DispositionRecordNumber, RequestorInformation, [RequestingAgencyORI]

CCHCriminalHistoryQHYQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CriminalIdentificationNumber	CriminalIdentificationNumber	C	9	
DispositionRecordNumber	DispositionRecordNumber	C	20	
RequestorInformation	RequestorInformation	M	30	

Possible Combinations

1. (In) CriminalIdentificationNumber, RequestorInformation
2. (In) DispositionRecordNumber, RequestorInformation

CCHCriminalHistoryQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
Attention	Attention	C	30	
BuildingName	BuildingName	O	30	
DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	10	
Name	Name	O	30	
PurposeCode	PurposeCode	C	1	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, Name]
2. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, Name]

CCHCriminalHistoryZRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FBINumber	FBINumber	C	9	
PurposeCode	PurposeCode	M	1	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) FBINumber, PurposeCode
2. (In/Out) PurposeCode, StateIdNumber

CCHMentalHealthFirearmProhibitQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
PersonAge	PersonAge	C	2	
RecordNumber	RecordNumber	C	10	
Requestor	Requestor	C	30	

Possible Combinations

1. (In/Out) BirthDate, Name, Requestor
2. (In/Out) Name, PersonAge, Requestor
3. (In/Out) RecordNumber, Requestor

CCHCriminalHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressBuilding	AddressBuilding	C	30	
AddressCityState	AddressCityState	O	30	
AddressStreet	AddressStreet	C	30	
AddressZipCode	AddressZipCode	C	9	
Age	Age	O	2	
Attention	Attention	C	32	
BirthDate	BirthDate	C	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	8	
DepartmentName	DepartmentName	C	30	
DestinationORI	DestinationORI	C	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
DispositionRecordNumber	DispositionRecordNumber	C	9	
EyeColorCode	EyeColorCode	O	3	
FBI Number	FBI Number	C	9	
FBI Number2	FBI Number2	O	9	
FBI Number3	FBI Number3	O	9	
FBI Number4	FBI Number4	O	9	
FBI Number5	FBI Number5	O	9	
FBI Number6	FBI Number6	O	9	
FreeText	FreeText	C	1938	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
InstitutionNumber	InstitutionNumber	C	7	
InstitutionNumber2	InstitutionNumber2	O	7	
InstitutionNumber3	InstitutionNumber3	O	7	
InstitutionNumber4	InstitutionNumber4	O	7	
InstitutionNumber5	InstitutionNumber5	O	7	
InstitutionNumber6	InstitutionNumber6	O	7	
MessageKeyModifier	MessageKeyModifier	C	1	T – Transcript, mailed Y – Transcript P – Retrieve Person Description
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	

CommSys ConnectCIC TWE Transaction Definitions

OperatorLicenseNumber	OperatorLicenseNumber	C	8	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	8	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	8	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	8	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	8	
OperatorLicenseNumber6	OperatorLicenseNumber6	O	8	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
RequestorName	RequestorName	C	30	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SocialSecurityNumber6	SocialSecurityNumber6	O	9	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In) Attention, DestinationORI, FreeText, PurposeCode, [DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5]
2. (In/Out) Age, Name, RequestorName, SexCode, [EyeColorCode, HairColorCode, Height, RaceCode]
3. (In/Out) Attention, BirthDate, Name, PurposeCode, RaceCode, SexCode
4. (In/Out) Attention, FBINumber, PurposeCode
5. (In/Out) Attention, StateIdNumber, PurposeCode
6. (In/Out) BirthDate, Name, RequestorName, SexCode, [EyeColorCode, HairColorCode, Height, RaceCode]
7. (In/Out) CriminalIdentificationNumber, MessageKeyModifier, RequestorName
8. (In/Out) CriminalIdentificationNumber, RequestorName
9. (In/Out) DispositionRecordNumber, MessageKeyModifier, RequestorName
10. (In/Out) RequestorName, *at least one of* FBINumber, InstitutionNumber, OperatorLicenseNumber, *or* SocialSecurityNumber, [FBINumber, FBINumber2, FBINumber3, FBINumber4, FBINumber5, FBINumber6, InstitutionNumber, InstitutionNumber2, InstitutionNumber3, InstitutionNumber4, InstitutionNumber5, InstitutionNumber6, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseNumber6, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6]
11. (In/Out) Attention, BirthDate, Name, PurposeCode, SexCode, [MiscellaneousNumber, RaceCode, State, State2, State3, State4, State5]
12. (Out) AddressBuilding, AddressStreet, AddressZipCode, Attention, DepartmentName, PurposeCode, StateIdNumber, [AddressCityState, State]
13. (Out) Attention, FreeText, PurposeCode, [State, State2, State3, State4, State5]
14. (Out) Attention, PurposeCode, StateIdNumber, [State]

Wanted Missing Person Entry (WMPE)***WMPEMissingPersonCancel***

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
CancellationReasonCode	CancellationReasonCode	M	1	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
MissingPersonHitResultCode	MissingPersonHitResultCode	O	2	
Name	Name	M	30	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) CancellationDate, CancellationReasonCode, FileControlNumber, Name, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
MissingPersonHitResultCode	MissingPersonHitResultCode	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
2. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator,

CommSys ConnectCIC TWE Transaction Definitions

- PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
3. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEMissingPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
AppearanceAge	AppearanceAge	O	3	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
CategoryCode	CategoryCode	O	1	
CategoryCode2	CategoryCode2	O	1	
CategoryCode3	CategoryCode3	O	1	
CategoryCode4	CategoryCode4	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
CautionMedicalConditionsCode7	CautionMedicalConditionsCode7	O	2	
CautionMedicalConditionsCode8	CautionMedicalConditionsCode8	O	2	
CautionMedicalConditionsCode9	CautionMedicalConditionsCode9	O	2	
DentalXraysAvailableIndicator	DentalXraysAvailableIndicator	O	1	
EmancipationDate	EmancipationDate	O	8	
EyeColorCode	EyeColorCode	M	3	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
InvestigatorName	InvestigatorName	O	30	
LastContactDate	LastContactDate	O	8	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	
RecoveryDate	RecoveryDate	O	8	
ReportingAgency	ReportingAgency	O	30	
ReportingAgencyPhoneNumber	ReportingAgencyPhoneNumber	O	10	
ReportTypeCode	ReportTypeCode	M	1	
SexCode	SexCode	M	1	

CommSys ConnectCIC TWE Transaction Definitions

Weight	Weight	M	3	
--------	--------	---	---	--

Possible Combinations

- (In/Out) EyeColorCode, HairColorCode, Height, Name, OriginatingAgencyCaseNumber, RaceCode, ReportTypeCode, SexCode, Weight, [Age, AppearanceAge, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, CategoryCode, CategoryCode2, CategoryCode3, CategoryCode4, CautionMedicalConditionsCode, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, DentalXraysAvailableIndicator, EmancipationDate, InvestigatorName, LastContactDate, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, RecoveryDate, ReportingAgency, ReportingAgencyPhoneNumber]

WMPERMissingPersonIdentifiersEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CaFacialHairDescriptionCode	CaFacialHairDescriptionCode	O	2	
CaFacialHairDescriptionCode2	CaFacialHairDescriptionCode2	O	2	
CaFacialHairDescriptionCode3	CaFacialHairDescriptionCode3	O	2	
CaGlassesContactsCode	CaGlassesContactsCode	O	1	
CaHairDescriptionCode	CaHairDescriptionCode	O	2	
CaHairDescriptionCode2	CaHairDescriptionCode2	O	2	
CaHairDescriptionCode3	CaHairDescriptionCode3	O	2	
CaHairDescriptionCode4	CaHairDescriptionCode4	O	2	
CaLastKnownLocationCode	CaLastKnownLocationCode	O	2	
CaLastKnownLocationCode2	CaLastKnownLocationCode2	O	2	
CaLastKnownLocationCode3	CaLastKnownLocationCode3	O	2	
CaLastKnownLocationCode4	CaLastKnownLocationCode4	O	2	
CaLifeStyleCode	CaLifeStyleCode	O	2	
CaLifeStyleCode2	CaLifeStyleCode2	O	2	
CaLifeStyleCode3	CaLifeStyleCode3	O	2	
CaProbableDestination	CaProbableDestination	O	30	
CaTeethDescriptionCode	CaTeethDescriptionCode	O	2	
CaTeethDescriptionCode2	CaTeethDescriptionCode2	O	2	

CommSys ConnectCIC TWE Transaction Definitions

CaTeethDescriptionCode3	CaTeethDescriptionCode3	O	2	
CaWeaponPossessionCode	CaWeaponPossessionCode	O	2	
CaWeaponPossessionCode2	CaWeaponPossessionCode2	O	2	
CaWeaponPossessionCode3	CaWeaponPossessionCode3	O	2	
CaWeaponPossessionCode4	CaWeaponPossessionCode4	O	2	
CircumcisionCode	CircumcisionCode	O	1	
ClothingDescription	ClothingDescription	O	100	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FingerprintsAvailableIndicator	FingerprintsAvailableIndicator	O	1	
FootprintIndicator	FootprintIndicator	O	1	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
KnownAssociates	KnownAssociates	O	30	
KnownAssociates2	KnownAssociates2	O	30	
KnownAssociates3	KnownAssociates3	O	30	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Name	Name	M	30	
Nickname	Nickname	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	

CommSys ConnectCIC TWE Transaction Definitions

OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorLicenseYear2	OperatorLicenseYear2	O	4	
OperatorLicenseYear3	OperatorLicenseYear3	O	4	
OperatorLicenseYear4	OperatorLicenseYear4	O	4	
OperatorLicenseYear5	OperatorLicenseYear5	O	4	
PropertyDescriptionText	PropertyDescriptionText	O	100	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ScarsMarksTattoosDescription	ScarsMarksTattoosDescription	O	20	
ScarsMarksTattoosDescription10	ScarsMarksTattoosDescription10	O	20	
ScarsMarksTattoosDescription11	ScarsMarksTattoosDescription11	O	20	
ScarsMarksTattoosDescription12	ScarsMarksTattoosDescription12	O	20	
ScarsMarksTattoosDescription13	ScarsMarksTattoosDescription13	O	20	
ScarsMarksTattoosDescription14	ScarsMarksTattoosDescription14	O	20	
ScarsMarksTattoosDescription15	ScarsMarksTattoosDescription15	O	20	
ScarsMarksTattoosDescription2	ScarsMarksTattoosDescription2	O	20	
ScarsMarksTattoosDescription3	ScarsMarksTattoosDescription3	O	20	
ScarsMarksTattoosDescription4	ScarsMarksTattoosDescription4	O	20	
ScarsMarksTattoosDescription5	ScarsMarksTattoosDescription5	O	20	
ScarsMarksTattoosDescription6	ScarsMarksTattoosDescription6	O	20	
ScarsMarksTattoosDescription7	ScarsMarksTattoosDescription7	O	20	
ScarsMarksTattoosDescription8	ScarsMarksTattoosDescription8	O	20	
ScarsMarksTattoosDescription9	ScarsMarksTattoosDescription9	O	20	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AddressStateCode, AddressStreet, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CaFacialHairDescriptionCode,

CaFacialHairDescriptionCode2, CaFacialHairDescriptionCode3, CaGlassesContactsCode, CaHairDescriptionCode, CaHairDescriptionCode2, CaHairDescriptionCode3, CaHairDescriptionCode4, CaLastKnownLocationCode, CaLastKnownLocationCode2, CaLastKnownLocationCode3, CaLastKnownLocationCode4, CaLifeStyleCode, CaLifeStyleCode2, CaLifeStyleCode3, CaProbableDestination, CaTeethDescriptionCode, CaTeethDescriptionCode2, CaTeethDescriptionCode3, CaWeaponPossessionCode, CaWeaponPossessionCode2, CaWeaponPossessionCode3, CaWeaponPossessionCode4, CircumcisionCode, ClothingDescription, CorrectiveVisionPerscriptionCode, CriminalIdentificationNumber, FBI Number, FingerprintClassificationCode, FingerprintsAvailableIndicator, FootprintIndicator, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, KnownAssociates, KnownAssociates2, KnownAssociates3, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, Nickname, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, OperatorLicenseYear, OperatorLicenseYear2, OperatorLicenseYear3, OperatorLicenseYear4, OperatorLicenseYear5, PropertyDescriptionText, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ScarsMarksTattoosDescription, ScarsMarksTattoosDescription10, ScarsMarksTattoosDescription11, ScarsMarksTattoosDescription12, ScarsMarksTattoosDescription13, ScarsMarksTattoosDescription14, ScarsMarksTattoosDescription15, ScarsMarksTattoosDescription2, ScarsMarksTattoosDescription3, ScarsMarksTattoosDescription4, ScarsMarksTattoosDescription5, ScarsMarksTattoosDescription6, ScarsMarksTattoosDescription7, ScarsMarksTattoosDescription8, ScarsMarksTattoosDescription9, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5]

WMPEMissingPersonIdentifiersModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CaFacialHairDescriptionCode	CaFacialHairDescriptionCode	O	2	
CaGlassesContactsCode	CaGlassesContactsCode	O	1	
CaHairDescriptionCode	CaHairDescriptionCode	O	2	
CaLastKnownLocation	CaLastKnownLocation	O	2	
CaLifeStyleCode	CaLifeStyleCode	O	2	
CaProbableDestination	CaProbableDestination	O	30	

CommSys ConnectCIC TWE Transaction Definitions

CaTeethDescriptionCode	CaTeethDescriptionCode	O	2	
CaWeaponPossessionCode	CaWeaponPossessionCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
ClothingDescription	ClothingDescription	O	100	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
FBI Number	FBI Number	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FingerprintsAvailableIndicator	FingerprintsAvailableIndicator	O	1	
FootprintIndicator	FootprintIndicator	O	1	
JewelryTypeCode	JewelryTypeCode	O	2	
KnownAssociates	KnownAssociates	O	30	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NewCaFacialHairDescriptionCode	NewCaFacialHairDescriptionCode	O	2	
NewCaHairDescriptionCode	NewCaHairDescriptionCode	O	2	
NewCaLastKnownLocation	NewCaLastKnownLocation	O	2	
NewCaLifeStyleCode	NewCaLifeStyleCode	O	2	
NewCaTeethDescriptionCode	NewCaTeethDescriptionCode	O	2	
NewCaWeaponPossessionCode	NewCaWeaponPossessionCode	O	2	
NewJewelryTypeCode	NewJewelryTypeCode	O	2	
NewKnownAssociates	NewKnownAssociates	O	30	
NewMiscellaneousNumber	NewMiscellaneousNumber	O	15	
NewSocialSecurityNumber	NewSocialSecurityNumber	O	9	
Nickname	Nickname	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorLicenseYear2	OperatorLicenseYear2	O	4	
OperatorLicenseYear3	OperatorLicenseYear3	O	4	
OperatorLicenseYear4	OperatorLicenseYear4	O	4	
OperatorLicenseYear5	OperatorLicenseYear5	O	4	
PropertyDescriptionText	PropertyDescriptionText	O	100	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AddressStateCode, AddressStreet, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CaFacialHairDescriptionCode, CaGlassesContactsCode, CaHairDescriptionCode, CaLastKnownLocation, CaLifeStyleCode, CaProbableDestination, CaTeethDescriptionCode, CaWeaponPossessionCode, CircumcisionCode, ClothingDescription, CorrectiveVisionPerscriptionCode, CriminalIdentificationNumber, FBI Number,

FingerprintClassificationCode, FingerprintsAvailableIndicator, FootprintIndicator, JewelryTypeCode, KnownAssociates, MiscellaneousNumber, NewCaFacialHairDescriptionCode, NewCaHairDescriptionCode, NewCaLastKnownLocation, NewCaLifeStyleCode, NewCaTeethDescriptionCode, NewCaWeaponPossessionCode, NewJewelryTypeCode, NewKnownAssociates, NewMiscellaneousNumber, NewSocialSecurityNumber, Nickname, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, OperatorLicenseYear, OperatorLicenseYear2, OperatorLicenseYear3, OperatorLicenseYear4, OperatorLicenseYear5, PropertyDescriptionText, SkinToneCode, SocialSecurityNumber]

WMPEMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CalnactivatedReasonCode	CalnactivatedReasonCode	M	1	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
MissingPersonHitResultCode	MissingPersonHitResultCode	O	2	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

1. (In/Out) CalnactivatedReasonCode, FileControlNumber, Name, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue]
2. (In/Out) CalnactivatedReasonCode, Name, NCICNumber, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue]

WMPEMissingPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
AppearanceAge	AppearanceAge	O	3	
CategoryCode	CategoryCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
DentalXraysAvailableIndicator	DentalXraysAvailableIndicator	O	1	
EmancipationDate	EmancipationDate	O	8	
FileControlNumber	FileControlNumber	M	13	
InvestigatorName	InvestigatorName	O	30	

CommSys ConnectCIC TWE Transaction Definitions

LastContactDate	LastContactDate	O	8	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	M	30	
NewCategoryCode	NewCategoryCode	O	1	
NewCautionMedicalConditionsCode	NewCautionMedicalConditionsCode	O	2	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
ReportDate	ReportDate	O	8	
ReportingAgency	ReportingAgency	O	30	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AgencyPhoneNumber, AppearanceAge, CategoryCode, CautionMedicalConditionsCode, DentalXraysAvailableIndicator, EmancipationDate, InvestigatorName, LastContactDate, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NewCategoryCode, NewCautionMedicalConditionsCode, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, ReportDate, ReportingAgency, ValidatorName]

WMPERMissingPersonSuspectDescriptionModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
AlsoKnownAs	AlsoKnownAs	O	30	
BirthDate	BirthDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	M	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Height2	Height2	O	3	
Name	Name	M	30	
NewAge	NewAge	O	3	
NewAlsoKnownAs	NewAlsoKnownAs	O	30	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	

CommSys ConnectCIC TWE Transaction Definitions

ScarsMarksTattoosDescription	ScarsMarksTattoosDescription	O	20	
ScarsMarksTattoosDescription10	ScarsMarksTattoosDescription10	O	20	
ScarsMarksTattoosDescription11	ScarsMarksTattoosDescription11	O	20	
ScarsMarksTattoosDescription12	ScarsMarksTattoosDescription12	O	20	
ScarsMarksTattoosDescription13	ScarsMarksTattoosDescription13	O	20	
ScarsMarksTattoosDescription14	ScarsMarksTattoosDescription14	O	20	
ScarsMarksTattoosDescription15	ScarsMarksTattoosDescription15	O	20	
ScarsMarksTattoosDescription2	ScarsMarksTattoosDescription2	O	20	
ScarsMarksTattoosDescription3	ScarsMarksTattoosDescription3	O	20	
ScarsMarksTattoosDescription4	ScarsMarksTattoosDescription4	O	20	
ScarsMarksTattoosDescription5	ScarsMarksTattoosDescription5	O	20	
ScarsMarksTattoosDescription6	ScarsMarksTattoosDescription6	O	20	
ScarsMarksTattoosDescription7	ScarsMarksTattoosDescription7	O	20	
ScarsMarksTattoosDescription8	ScarsMarksTattoosDescription8	O	20	
ScarsMarksTattoosDescription9	ScarsMarksTattoosDescription9	O	20	
SexCode	SexCode	O	1	
SuspectName	SuspectName	O	30	
SuspectNumber	SuspectNumber	M	1	
Weight	Weight	O	3	
Weight2	Weight2	O	3	

Possible Combinations

- (In/Out) FileControlNumber, Name, SuspectNumber, [Age, AlsoKnownAs, BirthDate, EyeColorCode, HairColorCode, Height, Height2, NewAge, NewAlsoKnownAs, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ScarsMarksTattoosDescription, ScarsMarksTattoosDescription10, ScarsMarksTattoosDescription11, ScarsMarksTattoosDescription12, ScarsMarksTattoosDescription13, ScarsMarksTattoosDescription14, ScarsMarksTattoosDescription15, ScarsMarksTattoosDescription2, ScarsMarksTattoosDescription3, ScarsMarksTattoosDescription4, ScarsMarksTattoosDescription5, ScarsMarksTattoosDescription6, ScarsMarksTattoosDescription7, ScarsMarksTattoosDescription8, ScarsMarksTattoosDescription9, SexCode, SuspectName, Weight, Weight2]

WMPEMissingPersonSuspectEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
Age2	Age2	O	3	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	O	8	

CommSys ConnectCIC TWE Transaction Definitions

BirthDate2	BirthDate2	O	8
BirthDate3	BirthDate3	O	8
BirthDate4	BirthDate4	O	8
BirthDate5	BirthDate5	O	8
CaFacialHairDescriptionCode	CaFacialHairDescriptionCode	O	2
CaFacialHairDescriptionCode2	CaFacialHairDescriptionCode2	O	2
CaFacialHairDescriptionCode3	CaFacialHairDescriptionCode3	O	2
CaGlassesContactsCode	CaGlassesContactsCode	O	1
CaHairDescriptionCode	CaHairDescriptionCode	O	2
CaHairDescriptionCode2	CaHairDescriptionCode2	O	2
CaHairDescriptionCode3	CaHairDescriptionCode3	O	2
CaHairDescriptionCode4	CaHairDescriptionCode4	O	2
CaStatusCode	CaStatusCode	O	2
CaSuspectBuildCode	CaSuspectBuildCode	O	2
CaTeethDescriptionCode	CaTeethDescriptionCode	O	2
CaTeethDescriptionCode2	CaTeethDescriptionCode2	O	2
CaTeethDescriptionCode3	CaTeethDescriptionCode3	O	2
CaWeaponPossessionCode	CaWeaponPossessionCode	O	2
CaWeaponPossessionCode2	CaWeaponPossessionCode2	O	2
CaWeaponPossessionCode3	CaWeaponPossessionCode3	O	2
CaWeaponPossessionCode4	CaWeaponPossessionCode4	O	2
ClothingDescription	ClothingDescription	O	100
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8
EyeColorCode	EyeColorCode	O	3
FBINumber	FBINumber	O	9
FileControlNumber	FileControlNumber	M	13
HairColorCode	HairColorCode	O	3
Height	Height	M	3
Height2	Height2	O	3
MiscellaneousNumber	MiscellaneousNumber	O	15
MiscellaneousNumber2	MiscellaneousNumber2	O	15
MiscellaneousNumber3	MiscellaneousNumber3	O	15
MiscellaneousNumber4	MiscellaneousNumber4	O	15
MiscellaneousNumber5	MiscellaneousNumber5	O	15
MiscellaneousNumber6	MiscellaneousNumber6	O	15
MiscellaneousNumber7	MiscellaneousNumber7	O	15
MiscellaneousNumber8	MiscellaneousNumber8	O	15
MiscellaneousNumber9	MiscellaneousNumber9	O	15
Name	Name	M	30
Nickname	Nickname	O	20
OperatorLicenseNumber	OperatorLicenseNumber	O	20
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2
OperatorLicenseYear	OperatorLicenseYear	O	2

CommSys ConnectCIC TWE Transaction Definitions

OperatorLicenseYear2	OperatorLicenseYear2	O	2	
OperatorLicenseYear3	OperatorLicenseYear3	O	2	
OperatorLicenseYear4	OperatorLicenseYear4	O	2	
OperatorLicenseYear5	OperatorLicenseYear5	O	2	
PropertyDescriptionText	PropertyDescriptionText	O	100	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ScarsMarksTattoosDescription	ScarsMarksTattoosDescription	O	20	
ScarsMarksTattoosDescription10	ScarsMarksTattoosDescription10	O	20	
ScarsMarksTattoosDescription11	ScarsMarksTattoosDescription11	O	20	
ScarsMarksTattoosDescription12	ScarsMarksTattoosDescription12	O	20	
ScarsMarksTattoosDescription13	ScarsMarksTattoosDescription13	O	20	
ScarsMarksTattoosDescription14	ScarsMarksTattoosDescription14	O	20	
ScarsMarksTattoosDescription15	ScarsMarksTattoosDescription15	O	20	
ScarsMarksTattoosDescription2	ScarsMarksTattoosDescription2	O	20	
ScarsMarksTattoosDescription3	ScarsMarksTattoosDescription3	O	20	
ScarsMarksTattoosDescription4	ScarsMarksTattoosDescription4	O	20	
ScarsMarksTattoosDescription5	ScarsMarksTattoosDescription5	O	20	
ScarsMarksTattoosDescription6	ScarsMarksTattoosDescription6	O	20	
ScarsMarksTattoosDescription7	ScarsMarksTattoosDescription7	O	20	
ScarsMarksTattoosDescription8	ScarsMarksTattoosDescription8	O	20	
ScarsMarksTattoosDescription9	ScarsMarksTattoosDescription9	O	20	
SexCode	SexCode	M	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SuspectName	SuspectName	M	30	
SuspectRelationship	SuspectRelationship	O	15	
Weight	Weight	O	3	
Weight2	Weight2	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Height, Name, RaceCode, SexCode, SuspectName, [Age, Age2, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, CaFacialHairDescriptionCode,

CommSys ConnectCIC TWE Transaction Definitions

CaFacialHairDescriptionCode2, CaFacialHairDescriptionCode3, CaGlassesContactsCode, CaHairDescriptionCode, CaHairDescriptionCode2, CaHairDescriptionCode3, CaHairDescriptionCode4, CaStatusCode, CaSuspectBuildCode, CaTeethDescriptionCode, CaTeethDescriptionCode2, CaTeethDescriptionCode3, CaWeaponPossessionCode, CaWeaponPossessionCode2, CaWeaponPossessionCode3, CaWeaponPossessionCode4, ClothingDescription, CriminalIdentificationNumber, EyeColorCode, FBINumber, HairColorCode, Height2, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, Nickname, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, OperatorLicenseYear, OperatorLicenseYear2, OperatorLicenseYear3, OperatorLicenseYear4, OperatorLicenseYear5, PropertyDescriptionText, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ScarsMarksTattoosDescription, ScarsMarksTattoosDescription10, ScarsMarksTattoosDescription11, ScarsMarksTattoosDescription12, ScarsMarksTattoosDescription13, ScarsMarksTattoosDescription14, ScarsMarksTattoosDescription15, ScarsMarksTattoosDescription2, ScarsMarksTattoosDescription3, ScarsMarksTattoosDescription4, ScarsMarksTattoosDescription5, ScarsMarksTattoosDescription6, ScarsMarksTattoosDescription7, ScarsMarksTattoosDescription8, ScarsMarksTattoosDescription9, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SuspectRelationship, Weight, Weight2]

WMPERMissingPersonSuspectModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CaFacialHairDescriptionCode	CaFacialHairDescriptionCode	O	2	
CaGlassesContactsCode	CaGlassesContactsCode	O	1	
CaHairDescriptionCode	CaHairDescriptionCode	O	2	
CaStatusCode	CaStatusCode	O	2	
CaSuspectBuildCode	CaSuspectBuildCode	O	2	
CaTeethDescriptionCode	CaTeethDescriptionCode	O	2	
CaWeaponPossessionCode	CaWeaponPossessionCode	O	2	
ClothingDescription	ClothingDescription	O	100	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NewCaFacialHairDescriptionCode	NewCaFacialHairDescriptionCode	O	2	
NewCaHairDescriptionCode	NewCaHairDescriptionCode	O	2	
NewCaTeethDescriptionCode	NewCaTeethDescriptionCode	O	2	
NewCaWeaponPossessionCode	NewCaWeaponPossessionCode	O	2	
NewMiscellaneousNumber	NewMiscellaneousNumber	O	15	
NewSocialSecurityNumber	NewSocialSecurityNumber	O	9	
Nickname	Nickname	O	20	

CommSys ConnectCIC TWE Transaction Definitions

OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	2	
OperatorLicenseYear2	OperatorLicenseYear2	O	2	
OperatorLicenseYear3	OperatorLicenseYear3	O	2	
OperatorLicenseYear4	OperatorLicenseYear4	O	2	
OperatorLicenseYear5	OperatorLicenseYear5	O	2	
PropertyDescriptionText	PropertyDescriptionText	O	100	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SuspectNumber	SuspectNumber	M	1	
SuspectRelationship	SuspectRelationship	O	15	

Possible Combinations

- (In/Out) FileControlNumber, Name, SuspectNumber, [CaFacialHairDescriptionCode, CaGlassesContactsCode, CaHairDescriptionCode, CaStatusCode, CaSuspectBuildCode, CaTeethDescriptionCode, CaWeaponPossessionCode, ClothingDescription, CriminalIdentificationNumber, FBI Number, MiscellaneousNumber, NewCaFacialHairDescriptionCode, NewCaHairDescriptionCode, NewCaTeethDescriptionCode, NewCaWeaponPossessionCode, NewMiscellaneousNumber, NewSocialSecurityNumber, Nickname, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, OperatorLicenseYear, OperatorLicenseYear2, OperatorLicenseYear3, OperatorLicenseYear4, OperatorLicenseYear5, PropertyDescriptionText, SocialSecurityNumber, SuspectRelationship]

WMPEMissingPersonVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FileControlNumber	FileControlNumber	M	13	
VehicleColorCode	VehicleColorCode	M	7	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleNumber	VehicleNumber	M	1	

Possible Combinations

- (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber

WMPEMissingPersonVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CaVehicleOwnerCode	CaVehicleOwnerCode	M	2	
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	

CommSys ConnectCIC TWE Transaction Definitions

LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	2	
Name	Name	M	30	
VehicleColorCode	VehicleColorCode	M	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	2	

Possible Combinations

1. (In/Out) CaVehicleOwnerCode, FileControlNumber, Name, VehicleColorCode, VehicleMakeCode, [LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, VehicleIdentificationNumber, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEMissingPersonVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CaVehicleOwnerCode	CaVehicleOwnerCode	O	2	
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
NewVehicleColorCode	NewVehicleColorCode	O	7	
NewVehicleMakeCode	NewVehicleMakeCode	O	25	
VehicleColorCode	VehicleColorCode	M	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleNumber	VehicleNumber	M	1	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber, [CaVehicleOwnerCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, NewVehicleColorCode, NewVehicleMakeCode, VehicleIdentificationNumber, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEProtectionOrderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
AgencyName	AgencyName	O	30	
AgentIdNumber	AgentIdNumber	O	5	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	

CommSys ConnectCIC TWE Transaction Definitions

AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CaCustodyCode	CaCustodyCode	O	2	
CaStayAwayCode	CaStayAwayCode	O	4	
CaStayAwayYards	CaStayAwayYards	O	4	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
CautionMedicalConditionsCode7	CautionMedicalConditionsCode7	O	2	
CautionMedicalConditionsCode8	CautionMedicalConditionsCode8	O	2	
CautionMedicalConditionsCode9	CautionMedicalConditionsCode9	O	2	
CaVisitationCode	CaVisitationCode	O	1	
ContactAllowedIndicator	ContactAllowedIndicator	M	1	
CourtCaseNumber	CourtCaseNumber	M	20	
CourtPresentIndicator	CourtPresentIndicator	M	1	
CourtTableCode	CourtTableCode	M	5	
ExpirationDate	ExpirationDate	M	8	
EyeColorCode	EyeColorCode	O	3	
FBI Number	FBI Number	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FirearmsProvisionCode	FirearmsProvisionCode	M	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssuanceState	IssuanceState	O	2	
IssueDate	IssueDate	M	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousProofOfServiceInformation	MiscellaneousProofOfServiceInformation	O	500	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	

CommSys ConnectCIC TWE Transaction Definitions

OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherOrders	OtherOrders	O	500	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonBirthDate10	ProtectedPersonBirthDate10	O	8	
ProtectedPersonBirthDate2	ProtectedPersonBirthDate2	O	8	
ProtectedPersonBirthDate3	ProtectedPersonBirthDate3	O	8	
ProtectedPersonBirthDate4	ProtectedPersonBirthDate4	O	8	
ProtectedPersonBirthDate5	ProtectedPersonBirthDate5	O	8	
ProtectedPersonBirthDate6	ProtectedPersonBirthDate6	O	8	
ProtectedPersonBirthDate7	ProtectedPersonBirthDate7	O	8	
ProtectedPersonBirthDate8	ProtectedPersonBirthDate8	O	8	
ProtectedPersonBirthDate9	ProtectedPersonBirthDate9	O	8	
ProtectedPersonName	ProtectedPersonName	M	30	
ProtectedPersonName10	ProtectedPersonName10	O	30	
ProtectedPersonName2	ProtectedPersonName2	O	30	
ProtectedPersonName3	ProtectedPersonName3	O	30	
ProtectedPersonName4	ProtectedPersonName4	O	30	
ProtectedPersonName5	ProtectedPersonName5	O	30	
ProtectedPersonName6	ProtectedPersonName6	O	30	
ProtectedPersonName7	ProtectedPersonName7	O	30	
ProtectedPersonName8	ProtectedPersonName8	O	30	
ProtectedPersonName9	ProtectedPersonName9	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonRaceCode10	ProtectedPersonRaceCode10	O	1	
ProtectedPersonRaceCode2	ProtectedPersonRaceCode2	O	1	
ProtectedPersonRaceCode3	ProtectedPersonRaceCode3	O	1	
ProtectedPersonRaceCode4	ProtectedPersonRaceCode4	O	1	
ProtectedPersonRaceCode5	ProtectedPersonRaceCode5	O	1	
ProtectedPersonRaceCode6	ProtectedPersonRaceCode6	O	1	
ProtectedPersonRaceCode7	ProtectedPersonRaceCode7	O	1	
ProtectedPersonRaceCode8	ProtectedPersonRaceCode8	O	1	
ProtectedPersonRaceCode9	ProtectedPersonRaceCode9	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	M	1	
ProtectedPersonSexCode10	ProtectedPersonSexCode10	O	1	
ProtectedPersonSexCode2	ProtectedPersonSexCode2	O	1	
ProtectedPersonSexCode3	ProtectedPersonSexCode3	O	1	
ProtectedPersonSexCode4	ProtectedPersonSexCode4	O	1	
ProtectedPersonSexCode5	ProtectedPersonSexCode5	O	1	
ProtectedPersonSexCode6	ProtectedPersonSexCode6	O	1	
ProtectedPersonSexCode7	ProtectedPersonSexCode7	O	1	
ProtectedPersonSexCode8	ProtectedPersonSexCode8	O	1	
ProtectedPersonSexCode9	ProtectedPersonSexCode9	O	1	
ProtectiveOrderTypeCode	ProtectiveOrderTypeCode	M	3	
RaceCode	RaceCode	O	1	
RecordCommunicationIndicator	RecordCommunicationIndicator	O	1	Yes or blank
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	

CommSys ConnectCIC TWE Transaction Definitions

ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ServedBy	ServedBy	O	30	
ServedDate	ServedDate	O	8	
ServedTime	ServedTime	O	4	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VacateAddress	VacateAddress	O	60	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) BirthDate, ContactAllowedIndicator, CourtCaseNumber, CourtPresentIndicator, CourtTableCode, ExpirationDate, FirearmsProvisionCode, IssueDate, Name, OriginatingAgencyCaseNumber, ProtectedPersonName, ProtectedPersonSexCode, ProtectiveOrderTypeCode, SexCode, [AddressCity, AddressStateCode, AddressStreet, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlaceCode, CaCustodyCode, CaStayAwayCode, CaStayAwayYards, CautionMedicalConditionsCode, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, CaVisitationCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousProofOfServiceInformation, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OtherOrders, ProtectedPersonBirthDate, ProtectedPersonBirthDate10, ProtectedPersonBirthDate2, ProtectedPersonBirthDate3, ProtectedPersonBirthDate4, ProtectedPersonBirthDate5, ProtectedPersonBirthDate6, ProtectedPersonBirthDate7, ProtectedPersonBirthDate8, ProtectedPersonBirthDate9, ProtectedPersonName10, ProtectedPersonName2, ProtectedPersonName3, ProtectedPersonName4, ProtectedPersonName5, ProtectedPersonName6, ProtectedPersonName7, ProtectedPersonName8, ProtectedPersonName9, ProtectedPersonRaceCode, ProtectedPersonRaceCode10, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode10, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, RaceCode,

CommSys ConnectCIC TWE Transaction Definitions

RecordCommunicationIndicator, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, ServedDate, ServedTime, SkinToneCode, SocialSecurityNumber, VacateAddress, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

MPEProtectionOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
AgencyName	AgencyName	O	30	
AgentIdNumber	AgentIdNumber	O	5	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CaCustodyCode	CaCustodyCode	O	2	
CaStayAwayCode	CaStayAwayCode	O	4	
CaStayAwayYards	CaStayAwayYards	O	4	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
CautionMedicalConditionsCode7	CautionMedicalConditionsCode7	O	2	
CautionMedicalConditionsCode8	CautionMedicalConditionsCode8	O	2	
CautionMedicalConditionsCode9	CautionMedicalConditionsCode9	O	2	
CaVisitationCode	CaVisitationCode	O	1	
ContactAllowedIndicator	ContactAllowedIndicator	O	1	
CourtCaseNumber	CourtCaseNumber	O	20	
CourtPresentIndicator	CourtPresentIndicator	O	1	
CourtTableCode	CourtTableCode	O	5	
ExpirationDate	ExpirationDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FBI Number	FBI Number	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FirearmsProvisionCode	FirearmsProvisionCode	O	1	
HairColorCode	HairColorCode	O	3	

CommSys ConnectCIC TWE Transaction Definitions

Height	Height	O	3	
IssuanceState	IssuanceState	O	2	
IssueDate	IssueDate	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousProofOfServiceInformation	MiscellaneousProofOfServiceInformation	O	500	
Name	Name	M	30	
NewAlsoKnownAs	NewAlsoKnownAs	O	30	
NewAlsoKnownAs2	NewAlsoKnownAs2	O	30	
NewAlsoKnownAs3	NewAlsoKnownAs3	O	30	
NewAlsoKnownAs5	NewAlsoKnownAs5	O	30	
NewAlsoKnownAs6	NewAlsoKnownAs6	O	30	
NewAlsoKnownAs7	NewAlsoKnownAs7	O	30	
NewAlsoKnownAs8	NewAlsoKnownAs8	O	30	
NewAlsoKnownAs9	NewAlsoKnownAs9	O	30	
NewCautionMedicalConditionsCode	NewCautionMedicalConditionsCode	O	2	
NewCautionMedicalConditionsCode2	NewCautionMedicalConditionsCode2	O	2	
NewCautionMedicalConditionsCode3	NewCautionMedicalConditionsCode3	O	2	
NewCautionMedicalConditionsCode4	NewCautionMedicalConditionsCode4	O	2	
NewCautionMedicalConditionsCode5	NewCautionMedicalConditionsCode5	O	2	
NewCautionMedicalConditionsCode6	NewCautionMedicalConditionsCode6	O	2	
NewCautionMedicalConditionsCode7	NewCautionMedicalConditionsCode7	O	2	
NewCautionMedicalConditionsCode8	NewCautionMedicalConditionsCode8	O	2	
NewMiscellaneousNumber	NewMiscellaneousNumber	O	15	
NewMiscellaneousNumber2	NewMiscellaneousNumber2	O	15	
NewMiscellaneousNumber3	NewMiscellaneousNumber3	O	15	
NewMiscellaneousNumber4	NewMiscellaneousNumber4	O	15	
NewMiscellaneousNumber5	NewMiscellaneousNumber5	O	15	
NewMiscellaneousNumber6	NewMiscellaneousNumber6	O	15	
NewMiscellaneousNumber7	NewMiscellaneousNumber7	O	15	
NewName	NewName	O	30	
NewScarsMarksTattoosCode	NewScarsMarksTattoosCode	O	10	
NewScarsMarksTattoosCode2	NewScarsMarksTattoosCode2	O	10	
NewScarsMarksTattoosCode3	NewScarsMarksTattoosCode3	O	10	
NewScarsMarksTattoosCode4	NewScarsMarksTattoosCode4	O	10	
NewScarsMarksTattoosCode5	NewScarsMarksTattoosCode5	O	10	
NewScarsMarksTattoosCode6	NewScarsMarksTattoosCode6	O	10	
NewScarsMarksTattoosCode7	NewScarsMarksTattoosCode7	O	10	
NewScarsMarksTattoosCode8	NewScarsMarksTattoosCode8	O	10	
NewScarsMarksTattoosCode9	NewScarsMarksTattoosCode9	O	10	

CommSys ConnectCIC TWE Transaction Definitions

NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OtherOrders	OtherOrders	O	500	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonBirthDate10	ProtectedPersonBirthDate10	O	8	
ProtectedPersonBirthDate2	ProtectedPersonBirthDate2	O	8	
ProtectedPersonBirthDate3	ProtectedPersonBirthDate3	O	8	
ProtectedPersonBirthDate4	ProtectedPersonBirthDate4	O	8	
ProtectedPersonBirthDate5	ProtectedPersonBirthDate5	O	8	
ProtectedPersonBirthDate6	ProtectedPersonBirthDate6	O	8	
ProtectedPersonBirthDate7	ProtectedPersonBirthDate7	O	8	
ProtectedPersonBirthDate8	ProtectedPersonBirthDate8	O	8	
ProtectedPersonBirthDate9	ProtectedPersonBirthDate9	O	8	
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectedPersonName10	ProtectedPersonName10	O	30	
ProtectedPersonName2	ProtectedPersonName2	O	30	
ProtectedPersonName3	ProtectedPersonName3	O	30	
ProtectedPersonName4	ProtectedPersonName4	O	30	
ProtectedPersonName5	ProtectedPersonName5	O	30	
ProtectedPersonName6	ProtectedPersonName6	O	30	
ProtectedPersonName7	ProtectedPersonName7	O	30	
ProtectedPersonName8	ProtectedPersonName8	O	30	
ProtectedPersonName9	ProtectedPersonName9	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonRaceCode10	ProtectedPersonRaceCode10	O	1	
ProtectedPersonRaceCode2	ProtectedPersonRaceCode2	O	1	
ProtectedPersonRaceCode3	ProtectedPersonRaceCode3	O	1	
ProtectedPersonRaceCode4	ProtectedPersonRaceCode4	O	1	
ProtectedPersonRaceCode5	ProtectedPersonRaceCode5	O	1	
ProtectedPersonRaceCode6	ProtectedPersonRaceCode6	O	1	
ProtectedPersonRaceCode7	ProtectedPersonRaceCode7	O	1	
ProtectedPersonRaceCode8	ProtectedPersonRaceCode8	O	1	
ProtectedPersonRaceCode9	ProtectedPersonRaceCode9	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSexCode10	ProtectedPersonSexCode10	O	1	
ProtectedPersonSexCode2	ProtectedPersonSexCode2	O	1	
ProtectedPersonSexCode3	ProtectedPersonSexCode3	O	1	
ProtectedPersonSexCode4	ProtectedPersonSexCode4	O	1	
ProtectedPersonSexCode5	ProtectedPersonSexCode5	O	1	
ProtectedPersonSexCode6	ProtectedPersonSexCode6	O	1	
ProtectedPersonSexCode7	ProtectedPersonSexCode7	O	1	
ProtectedPersonSexCode8	ProtectedPersonSexCode8	O	1	
ProtectedPersonSexCode9	ProtectedPersonSexCode9	O	1	
ProtectiveOrderTypeCode	ProtectiveOrderTypeCode	O	3	
RaceCode	RaceCode	O	1	
RecordCommunicationIndicator	RecordCommunicationIndicator	O	1	Yes or blank
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	

CommSys ConnectCIC TWE Transaction Definitions

ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ServedBy	ServedBy	O	30	
ServedDate	ServedDate	O	8	
ServedTime	ServedTime	O	4	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VacateAddress	VacateAddress	O	60	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) FileControlNumber, Name, [AddressCity, AddressStateCode, AddressStreet, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, BirthPlaceCode, CaCustodyCode, CaStayAwayCode, CaStayAwayYards, CautionMedicalConditionsCode, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, CaVisitationCode, ContactAllowedIndicator, CourtCaseNumber, CourtPresentIndicator, CourtTableCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, FirearmsProvisionCode, HairColorCode, Height, IssuanceState, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousProofOfServiceInformation, NewAlsoKnownAs, NewAlsoKnownAs2, NewAlsoKnownAs3, NewAlsoKnownAs5, NewAlsoKnownAs6, NewAlsoKnownAs7, NewAlsoKnownAs8, NewAlsoKnownAs9, NewCautionMedicalConditionsCode, NewCautionMedicalConditionsCode2, NewCautionMedicalConditionsCode3, NewCautionMedicalConditionsCode4, NewCautionMedicalConditionsCode5, NewCautionMedicalConditionsCode6, NewCautionMedicalConditionsCode7, NewCautionMedicalConditionsCode8, NewMiscellaneousNumber, NewMiscellaneousNumber2, NewMiscellaneousNumber3, NewMiscellaneousNumber4, NewMiscellaneousNumber5, NewMiscellaneousNumber6, NewMiscellaneousNumber7, NewName, NewScarsMarksTattoosCode, NewScarsMarksTattoosCode2, NewScarsMarksTattoosCode3, NewScarsMarksTattoosCode4, NewScarsMarksTattoosCode5, NewScarsMarksTattoosCode6, NewScarsMarksTattoosCode7, NewScarsMarksTattoosCode8, NewScarsMarksTattoosCode9, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber,

OtherOrders, ProtectedPersonBirthDate, ProtectedPersonBirthDate10, ProtectedPersonBirthDate2, ProtectedPersonBirthDate3, ProtectedPersonBirthDate4, ProtectedPersonBirthDate5, ProtectedPersonBirthDate6, ProtectedPersonBirthDate7, ProtectedPersonBirthDate8, ProtectedPersonBirthDate9, ProtectedPersonName, ProtectedPersonName10, ProtectedPersonName2, ProtectedPersonName3, ProtectedPersonName4, ProtectedPersonName5, ProtectedPersonName6, ProtectedPersonName7, ProtectedPersonName8, ProtectedPersonName9, ProtectedPersonRaceCode, ProtectedPersonRaceCode10, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode, ProtectedPersonSexCode10, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, ProtectiveOrderTypeCode, RaceCode, RecordCommunicationIndicator, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, ServedDate, ServedTime, SexCode, SkinToneCode, SocialSecurityNumber, VacateAddress, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPESexOffenderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	M	50	
AddressCounty	AddressCounty	O	2	
AddressSourceCode	AddressSourceCode	M	3	
AddressStateCode	AddressStateCode	M	2	
AddressStreetName	AddressStreetName	M	35	
AddressStreetNameSecond	AddressStreetNameSecond	O	10	
AddressStreetNumber	AddressStreetNumber	M	10	
AddressTypeCode	AddressTypeCode	M	3	
AddressZipCode	AddressZipCode	M	9	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	O	8	
CaMapGridCoordinates	CaMapGridCoordinates	O	3	
CaMapPage	CaMapPage	O	4	
CaOccupationDescription	CaOccupationDescription	O	30	
CaRegistrationTypeCode	CaRegistrationTypeCode	M	1	
CaYouthAuthorityNumber	CaYouthAuthorityNumber	O	6	
ContactName	ContactName	M	30	
ContactPhoneNumber	ContactPhoneNumber	M	10	
ContactMnemonic	ContactMnemonic	M	4	

CommSys ConnectCIC TWE Transaction Definitions

ConvictionDate	ConvictionDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
EyeColorCode	EyeColorCode	M	3	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
ImageAvailableIndicator	ImageAvailableIndicator	M	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Mnemonic	Mnemonic	O	4	
Name	Name	M	30	
Nickname	Nickname	O	20	
OffenseCode	OffenseCode	M	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
RaceCode	RaceCode	M	1	
RegistrationDate	RegistrationDate	M	8	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ScarsMarksTattoosPictureDescription	ScarsMarksTattoosPictureDescription	O	20	
ScarsMarksTattoosPictureDescription2	ScarsMarksTattoosPictureDescription2	O	20	
ScarsMarksTattoosPictureDescription3	ScarsMarksTattoosPictureDescription3	O	20	
ScarsMarksTattoosPictureDescription4	ScarsMarksTattoosPictureDescription4	O	20	
ScarsMarksTattoosPictureDescription5	ScarsMarksTattoosPictureDescription5	O	20	
ScarsMarksTattoosPictureDescription6	ScarsMarksTattoosPictureDescription6	O	20	
ScarsMarksTattoosPictureDescription7	ScarsMarksTattoosPictureDescription7	O	20	
ScarsMarksTattoosPictureDescription8	ScarsMarksTattoosPictureDescription8	O	20	
ScarsMarksTattoosPictureDescription9	ScarsMarksTattoosPictureDescription9	O	20	
ScarsMarksTattoosTableDescription	ScarsMarksTattoosTableDescription	O	20	
ScarsMarksTattoosTableDescription2	ScarsMarksTattoosTableDescription2	O	20	
ScarsMarksTattoosTableDescription3	ScarsMarksTattoosTableDescription3	O	20	
ScarsMarksTattoosTableDescription4	ScarsMarksTattoosTableDescription4	O	20	
ScarsMarksTattoosTableDescription5	ScarsMarksTattoosTableDescription5	O	20	
ScarsMarksTattoosTableDescription6	ScarsMarksTattoosTableDescription6	O	20	
ScarsMarksTattoosTableDescription7	ScarsMarksTattoosTableDescription7	O	20	
ScarsMarksTattoosTableDescription8	ScarsMarksTattoosTableDescription8	O	20	
ScarsMarksTattoosTableDescription9	ScarsMarksTattoosTableDescription9	O	20	
ScarsMarksTattoosText	ScarsMarksTattoosText	O	20	
ScarsMarksTattoosText2	ScarsMarksTattoosText2	O	20	

CommSys ConnectCIC TWE Transaction Definitions

ScarsMarksTattoosText3	ScarsMarksTattoosText3	O	20	
ScarsMarksTattoosText4	ScarsMarksTattoosText4	O	20	
ScarsMarksTattoosText5	ScarsMarksTattoosText5	O	20	
ScarsMarksTattoosText6	ScarsMarksTattoosText6	O	20	
ScarsMarksTattoosText7	ScarsMarksTattoosText7	O	20	
ScarsMarksTattoosText8	ScarsMarksTattoosText8	O	20	
ScarsMarksTattoosText9	ScarsMarksTattoosText9	O	20	
SexCode	SexCode	M	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	M	3	

Possible Combinations

- (In/Out) AddressCity, AddressSourceCode, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, CaRegistrationTypeCode, ContactName, ContactPhoneNumber, ContactMnemonic, EyeColorCode, HairColorCode, Height, ImageAvailableIndicator, Name, OffenseCode, RaceCode, RegistrationDate, SexCode, Weight, [AddressCounty, AddressStreetNameSecond, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, CaMapGridCoordinates, CaMapPage, CaOccupationDescription, CaYouthAuthorityNumber, ConvictionDate, CriminalIdentificationNumber, DepartmentOfCorrectionsNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, Mnemonic, Nickname, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ScarsMarksTattoosPictureDescription, ScarsMarksTattoosPictureDescription2, ScarsMarksTattoosPictureDescription3, ScarsMarksTattoosPictureDescription4, ScarsMarksTattoosPictureDescription5, ScarsMarksTattoosPictureDescription6, ScarsMarksTattoosPictureDescription7, ScarsMarksTattoosPictureDescription8, ScarsMarksTattoosPictureDescription9, ScarsMarksTattoosTableDescription, ScarsMarksTattoosTableDescription2, ScarsMarksTattoosTableDescription3, ScarsMarksTattoosTableDescription4, ScarsMarksTattoosTableDescription5, ScarsMarksTattoosTableDescription6, ScarsMarksTattoosTableDescription7, ScarsMarksTattoosTableDescription8, ScarsMarksTattoosTableDescription9, ScarsMarksTattoosText, ScarsMarksTattoosText2, ScarsMarksTattoosText3, ScarsMarksTattoosText4, ScarsMarksTattoosText5, ScarsMarksTattoosText6, ScarsMarksTattoosText7, ScarsMarksTattoosText8, ScarsMarksTattoosText9, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPESexOffenderUpdate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	50	
AddressCounty	AddressCounty	O	2	

CommSys ConnectCIC TWE Transaction Definitions

AddressSourceCode	AddressSourceCode	O	3	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	35	
AddressStreetNameSecond	AddressStreetNameSecond	O	10	
AddressStreetNumber	AddressStreetNumber	O	10	
AddressTypeCode	AddressTypeCode	O	3	
AddressZipCode	AddressZipCode	O	9	
AlsoKnownAs	AlsoKnownAs	O	30	
BirthDate	BirthDate	O	8	
CaMapGridCoordinates	CaMapGridCoordinates	O	3	
CaMapPage	CaMapPage	O	4	
CaOccupationDescription	CaOccupationDescription	O	30	
CaRegistrationTypeCode	CaRegistrationTypeCode	O	1	
CaYouthAuthorityNumber	CaYouthAuthorityNumber	O	6	
ContactMnemonic	ContactMnemonic	O	4	
ContactName	ContactName	O	30	
ContactPhoneNumber	ContactPhoneNumber	O	10	
ConvictionDate	ConvictionDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	M	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
ImageAvailableIndicator	ImageAvailableIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	M	30	
Nickname	Nickname	O	20	
OffenseCode	OffenseCode	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
RaceCode	RaceCode	O	1	
RegistrationDate	RegistrationDate	O	8	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosPictureDescription	ScarsMarksTattoosPictureDescription	O	20	
ScarsMarksTattoosTableDescription	ScarsMarksTattoosTableDescription	O	20	
ScarsMarksTattoosText	ScarsMarksTattoosText	O	20	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AddressSourceCode, AddressStateCode, AddressStreetName, AddressStreetNameSecond, AddressStreetNumber, AddressTypeCode, AddressZipCode, AlsoKnownAs, BirthDate, CaMapGridCoordinates, CaMapPage, CaOccupationDescription, CaRegistrationTypeCode, CaYouthAuthorityNumber, ContactMnemonic, ContactName, ContactPhoneNumber, ConvictionDate, CriminalIdentificationNumber, EyeColorCode, HairColorCode, Height, ImageAvailableIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, Nickname, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, RaceCode, RegistrationDate, ScarsMarksTattoosCode, ScarsMarksTattoosPictureDescription, ScarsMarksTattoosTableDescription, ScarsMarksTattoosText, SexCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPESupervisedReleaseCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	1	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, [PersonRecordRemovalReason]

WMPESupervisedReleaseContact

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyPhoneNumber	AgencyPhoneNumber	O	12	
CaContactStatusCode	CaContactStatusCode	M	1	
CaIdentificationNumber	CaIdentificationNumber	C	40	
CaIdentificationNumber2	CaIdentificationNumber2	O	40	
CaIdentificationNumber3	CaIdentificationNumber3	O	40	
CaIdentificationNumber4	CaIdentificationNumber4	O	40	
CaIdentificationNumber5	CaIdentificationNumber5	O	40	
CallRequestedIndicated	CallRequestedIndicated	O	1	
CaRecordTypeCode	CaRecordTypeCode	C	3	
CaRecordTypeCode2	CaRecordTypeCode2	O	3	
CaRecordTypeCode3	CaRecordTypeCode3	O	3	
CaRecordTypeCode4	CaRecordTypeCode4	O	3	
CaRecordTypeCode5	CaRecordTypeCode5	O	3	
Charge	Charge	O	40	
FileControlNumber	FileControlNumber	C	13	
FileControlNumber2	FileControlNumber2	O	13	
FileControlNumber3	FileControlNumber3	O	13	
FileControlNumber4	FileControlNumber4	O	13	
FileControlNumber5	FileControlNumber5	O	13	
FreeText	FreeText	O	120	
LicensePlateNumber	LicensePlateNumber	O	8	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	

CommSys ConnectCIC TWE Transaction Definitions

LicensePlateYear	LicensePlateYear	O	4	
ContactMnemonic	ContactMnemonic	M	4	
ContactMnemonic2	ContactContactMnemonic2	O	4	
ContactMnemonic3	ContactMnemonic3	O	4	
ContactMnemonic4	ContactMnemonic4	O	4	
ContactMnemonic5	ContactMnemonic5	O	4	
OfficerName	OfficerName	M	30	
VehicleColorCode	VehicleColorCode	O	15	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) CaContactStatusCode, CaldentificationNumber, CaRecordTypeCode, OfficerName, [AgencyPhoneNumber, CaldentificationNumber2, CaldentificationNumber3, CaldentificationNumber4, CaldentificationNumber5, CallRequestedIndicated, CaRecordTypeCode2, CaRecordTypeCode3, CaRecordTypeCode4, CaRecordTypeCode5, Charge, FreeText, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, ContactMnemonic, ContactMnemonic2, ContactMnemonic3, ContactMnemonic4, ContactMnemonic5, VehicleColorCode, VehicleMakeCode, VehicleModelCode, VehicleYear]
2. (In/Out) CaContactStatusCode, FileControlNumber, OfficerName, [AgencyPhoneNumber, CallRequestedIndicated, Charge, FileControlNumber2, FileControlNumber3, FileControlNumber4, FileControlNumber5, FreeText, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, VehicleColorCode, VehicleMakeCode, VehicleModelCode, VehicleYear]

WMPESupervisedReleaseEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
ArrestDate	ArrestDate	O	8	
ArrestingAgencyORI	ArrestingAgencyORI	O	9	
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
ContactMnemonic	ContactMnemonic	M	4	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
EntryLevel	EntryLevel	O	1	
EyeColorCode	EyeColorCode	O	3	
FBI Number	FBI Number	O	9	

CommSys ConnectCIC TWE Transaction Definitions

FingerprintClassificationCode	FingerprintClassificationCode	O	20
HairColorCode	HairColorCode	O	3
Height	Height	M	3
ImageNCICNumber	ImageNCICNumber	O	10
ImageTypeCode	ImageTypeCode	O	1
IncarcerationPlace	IncarcerationPlace	O	50
LicensePlateNumber	LicensePlateNumber	O	10
LicensePlateStateCode	LicensePlateStateCode	O	2
LicensePlateTypeCode	LicensePlateTypeCode	O	2
LicensePlateYear	LicensePlateYear	O	4
MessageKeyModifier	MessageKeyModifier	O	2
MiscellaneousNumber	MiscellaneousNumber	O	15
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500
Name	Name	M	30
OffenseCode	OffenseCode	O	10
OperatorLicenseNumber	OperatorLicenseNumber	O	20
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2
OperatorLicenseYear	OperatorLicenseYear	O	4
OriginalOffenseCode	OriginalOffenseCode	O	4
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20
ProbationRevokedDate	ProbationRevokedDate	O	8
ProbationRevokedReason	ProbationRevokedReason	O	20
RaceCode	RaceCode	M	1
RegisteredSexOffenderIndicator	RegisteredSexOffenderIndicator	O	1
ReleaseLocation	ReleaseLocation	O	50
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10
SentencingCourtORI	SentencingCourtORI	O	9
SexCode	SexCode	M	1
SkinToneCode	SkinToneCode	O	3
SocialSecurityNumber	SocialSecurityNumber	O	9
SupervisingOfficerName	SupervisingOfficerName	O	30
SupervisingOfficerTelephone	SupervisingOfficerTelephone	O	12
SupervisingUnitName	SupervisingUnitName	O	20
SupervisionReleaseDate	SupervisionReleaseDate	O	8
SupervisionStartDate	SupervisionStartDate	O	8
VehicleColorCode	VehicleColorCode	O	7
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20
VehicleMakeCode	VehicleMakeCode	O	24
VehicleModelCode	VehicleModelCode	O	3
VehicleStyleCode	VehicleStyleCode	O	2
VehicleYear	VehicleYear	O	4
WarrantCourtORI	WarrantCourtORI	O	9
WarrantNumber	WarrantNumber	O	15
Weight	Weight	O	3

Possible Combinations

1. (In/Out) BirthDate, ContactMnemonic, Height, Name, RaceCode, SexCode, [AddressCity, AddressCounty, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, ArrestDate, ArrestingAgencyORI, BirthPlaceCode, CautionMedicalConditionsCode, CriminalIdentificationNumber, DepartmentOfCorrectionsNumber, EntryLevel, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, ImageNCICNumber,

CommSys ConnectCIC TWE Transaction Definitions

ImageTypeCode, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MessageKeyModifier, MiscellaneousNumber, MiscellaneousDescriptiveText, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, OriginatingAgencyCaseNumber, ProbationRevokedDate, ProbationRevokedReason, RegisteredSexOffenderIndicator, ReleaseLocation, ScarsMarksTattoosCode, SentencingCourtORI, SkinToneCode, SocialSecurityNumber, SupervisingOfficerName, SupervisingOfficerTelephone, SupervisingUnitName, SupervisionReleaseDate, SupervisionStartDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantCourtORI, WarrantNumber, Weight]

WMPESupervisedReleaseModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
ArrestDate	ArrestDate	O	8	
ArrestingAgencyORI	ArrestingAgencyORI	O	9	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
ContactMnemonic	ContactMnemonic	O	4	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
EntryLevel	EntryLevel	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
IncarcerationPlace	IncarcerationPlace	O	50	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MessageKeyModifier	MessageKeyModifier	O	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	M	30	

CommSys ConnectCIC TWE Transaction Definitions

NewAlsoKnownAs	NewAlsoKnownAs	O	30	
NewAlsoKnownAs2	NewAlsoKnownAs2	O	30	
NewAlsoKnownAs3	NewAlsoKnownAs3	O	30	
NewAlsoKnownAs4	NewAlsoKnownAs4	O	30	
NewAlsoKnownAs5	NewAlsoKnownAs5	O	30	
NewAlsoKnownAs6	NewAlsoKnownAs6	O	30	
NewAlsoKnownAs7	NewAlsoKnownAs7	O	30	
NewAlsoKnownAs8	NewAlsoKnownAs8	O	30	
NewAlsoKnownAs9	NewAlsoKnownAs9	O	30	
NewName	NewName	O	30	
OffenseCode	OffenseCode	O	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
ProbationRevokedDate	ProbationRevokedDate	O	8	
ProbationRevokedReason	ProbationRevokedReason	O	20	
RaceCode	RaceCode	O	1	
RegisteredSexOffenderIndicator	RegisteredSexOffenderIndicator	O	1	
ReleaseLocation	ReleaseLocation	O	50	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SentencingCourtORI	SentencingCourtORI	O	9	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SupervisingOfficerName	SupervisingOfficerName	O	30	
SupervisingOfficerTelephone	SupervisingOfficerTelephone	O	12	
SupervisingUnitName	SupervisingUnitName	O	20	
SupervisionReleaseDate	SupervisionReleaseDate	O	8	
SupervisionStartDate	SupervisionStartDate	O	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantCourtORI	WarrantCourtORI	O	9	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, ArrestDate, ArrestingAgencyORI, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CriminalIdentificationNumber, DepartmentOfCorrectionsNumber, EntryLevel, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, ImageNCICNumber, ImageTypeCode, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MessageKeyModifier, MiscellaneousNumber, MiscellaneousDescriptiveText, NewAlsoKnownAs, NewAlsoKnownAs2, NewAlsoKnownAs3, NewAlsoKnownAs4, NewAlsoKnownAs5, NewAlsoKnownAs6, NewAlsoKnownAs7, NewAlsoKnownAs8,

NewAlsoKnownAs9, ContactMnemonic, NewName, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, OriginatingAgencyCaseNumber, ProbationRevokedDate, ProbationRevokedReason, RaceCode, RegisteredSexOffenderIndicator, ReleaseLocation, ScarsMarksTattoosCode, SentencingCourtORI, SexCode, SkinToneCode, SocialSecurityNumber, SupervisingOfficerName, SupervisingOfficerTelephone, SupervisingUnitName, SupervisionReleaseDate, SupervisionStartDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantCourtORI, WarrantNumber, Weight]

WMPEUnidentifiedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
CancellationReasonCode	CancellationReasonCode	M	1	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, CancellationReasonCode, FileControlNumber, OriginatingAgencyCaseNumber, [PersonalRecordRemovalReason]

WMPEUnidentifiedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [PersonalRecordRemovalReason]

WMPEUnidentifiedPersonDescriptionModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
Age2	Age2	O	3	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	M	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Height2	Height2	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	

CommSys ConnectCIC TWE Transaction Definitions

ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ScarsMarksTattoosDescription	ScarsMarksTattoosDescription	O	20	
ScarsMarksTattoosDescription10	ScarsMarksTattoosDescription10	O	20	
ScarsMarksTattoosDescription11	ScarsMarksTattoosDescription11	O	20	
ScarsMarksTattoosDescription12	ScarsMarksTattoosDescription12	O	20	
ScarsMarksTattoosDescription13	ScarsMarksTattoosDescription13	O	20	
ScarsMarksTattoosDescription14	ScarsMarksTattoosDescription14	O	20	
ScarsMarksTattoosDescription15	ScarsMarksTattoosDescription15	O	20	
ScarsMarksTattoosDescription2	ScarsMarksTattoosDescription2	O	20	
ScarsMarksTattoosDescription3	ScarsMarksTattoosDescription3	O	20	
ScarsMarksTattoosDescription4	ScarsMarksTattoosDescription4	O	20	
ScarsMarksTattoosDescription5	ScarsMarksTattoosDescription5	O	20	
ScarsMarksTattoosDescription6	ScarsMarksTattoosDescription6	O	20	
ScarsMarksTattoosDescription7	ScarsMarksTattoosDescription7	O	20	
ScarsMarksTattoosDescription8	ScarsMarksTattoosDescription8	O	20	
ScarsMarksTattoosDescription9	ScarsMarksTattoosDescription9	O	20	
SexCode	SexCode	O	1	
Weight	Weight	O	3	
Weight2	Weight2	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [Age, Age2, EyeColorCode, HairColorCode, Height, Height2, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ScarsMarksTattoosDescription, ScarsMarksTattoosDescription10, ScarsMarksTattoosDescription11, ScarsMarksTattoosDescription12, ScarsMarksTattoosDescription13, ScarsMarksTattoosDescription14, ScarsMarksTattoosDescription15, ScarsMarksTattoosDescription2, ScarsMarksTattoosDescription3, ScarsMarksTattoosDescription4, ScarsMarksTattoosDescription5, ScarsMarksTattoosDescription6, ScarsMarksTattoosDescription7, ScarsMarksTattoosDescription8, ScarsMarksTattoosDescription9, SexCode, Weight, Weight2]

WMPEUnidentifiedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	M	3	
Age2	Age2	M	3	

CommSys ConnectCIC TWE Transaction Definitions

AgencyPhoneNumber	AgencyPhoneNumber	O	10	
BodyFoundDate	BodyFoundDate	M	8	
BodyFoundTime	BodyFoundTime	O	4	
BodyPartsStatusCode	BodyPartsStatusCode	M	14	
BodyXRayCode	BodyXRayCode	M	1	
CauseOfDeath	CauseOfDeath	M	3	
DeathTime	DeathTime	O	4	
DentalXraysAvailableIndicator	DentalXraysAvailableIndicator	M	1	
EstimatedDeathDate	EstimatedDeathDate	M	8	
EyeColorCode	EyeColorCode	M	3	
FingerprintClassificationCode	FingerprintClassificationCode	M	20	
FootprintIndicator	FootprintIndicator	M	1	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
Height2	Height2	M	3	
InvestigatorName	InvestigatorName	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	
ReportingAgency	ReportingAgency	O	30	
ReportTypeCode	ReportTypeCode	M	1	
SexCode	SexCode	M	1	
Weight	Weight	M	3	
Weight2	Weight2	M	3	

Possible Combinations

1. (In/Out) Age, Age2, BodyFoundDate, BodyPartsStatusCode, BodyXRayCode, CauseOfDeath, DentalXraysAvailableIndicator, EstimatedDeathDate, EyeColorCode, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, Height2, OriginatingAgencyCaseNumber, RaceCode, ReportTypeCode, SexCode, Weight, Weight2, [AgencyPhoneNumber, BodyFoundTime, DeathTime, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ReportingAgency]

WMPEUnidentifiedPersonIdentifiersEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
CaFacialHairDescriptionCode	CaFacialHairDescriptionCode	O	2	
CaFacialHairDescriptionCode2	CaFacialHairDescriptionCode2	O	2	
CaFacialHairDescriptionCode3	CaFacialHairDescriptionCode3	O	2	
CaGlassesContactsCode	CaGlassesContactsCode	O	1	
CaHairDescriptionCode	CaHairDescriptionCode	O	2	
CaHairDescriptionCode2	CaHairDescriptionCode2	O	2	
CaHairDescriptionCode3	CaHairDescriptionCode3	O	2	
CaHairDescriptionCode4	CaHairDescriptionCode4	O	2	
CaLifeStyleCode	CaLifeStyleCode	O	2	
CaLifeStyleCode2	CaLifeStyleCode2	O	2	
CaLifeStyleCode3	CaLifeStyleCode3	O	2	

CommSys ConnectCIC TWE Transaction Definitions

CaTeethDescriptionCode	CaTeethDescriptionCode	O	2	
CaTeethDescriptionCode2	CaTeethDescriptionCode2	O	2	
CaTeethDescriptionCode3	CaTeethDescriptionCode3	O	2	
CircumcisionCode	CircumcisionCode	O	1	
ClothingDescription	ClothingDescription	O	100	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
FileControlNumber	FileControlNumber	M	13	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyDescriptionText	PropertyDescriptionText	O	100	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ScarsMarksTattoosDescription	ScarsMarksTattoosDescription	O	20	
ScarsMarksTattoosDescription10	ScarsMarksTattoosDescription10	O	20	
ScarsMarksTattoosDescription11	ScarsMarksTattoosDescription11	O	20	
ScarsMarksTattoosDescription12	ScarsMarksTattoosDescription12	O	20	
ScarsMarksTattoosDescription13	ScarsMarksTattoosDescription13	O	20	
ScarsMarksTattoosDescription14	ScarsMarksTattoosDescription14	O	20	
ScarsMarksTattoosDescription15	ScarsMarksTattoosDescription15	O	20	
ScarsMarksTattoosDescription2	ScarsMarksTattoosDescription2	O	20	
ScarsMarksTattoosDescription3	ScarsMarksTattoosDescription3	O	20	
ScarsMarksTattoosDescription4	ScarsMarksTattoosDescription4	O	20	

CommSys ConnectCIC TWE Transaction Definitions

ScarsMarksTattoosDescription5	ScarsMarksTattoosDescription5	O	20	
ScarsMarksTattoosDescription6	ScarsMarksTattoosDescription6	O	20	
ScarsMarksTattoosDescription7	ScarsMarksTattoosDescription7	O	20	
ScarsMarksTattoosDescription8	ScarsMarksTattoosDescription8	O	20	
ScarsMarksTattoosDescription9	ScarsMarksTattoosDescription9	O	20	

Possible Combinations

- (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [BloodTypeCode, CaFacialHairDescriptionCode, CaFacialHairDescriptionCode2, CaFacialHairDescriptionCode3, CaGlassesContactsCode, CaHairDescriptionCode, CaHairDescriptionCode2, CaHairDescriptionCode3, CaHairDescriptionCode4, CaLifeStyleCode, CaLifeStyleCode2, CaLifeStyleCode3, CaTeethDescriptionCode, CaTeethDescriptionCode2, CaTeethDescriptionCode3, CircumcisionCode, ClothingDescription, CorrectiveVisionPerscriptionCode, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, PropertyDescriptionText, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ScarsMarksTattoosDescription, ScarsMarksTattoosDescription10, ScarsMarksTattoosDescription11, ScarsMarksTattoosDescription12, ScarsMarksTattoosDescription13, ScarsMarksTattoosDescription14, ScarsMarksTattoosDescription15, ScarsMarksTattoosDescription2, ScarsMarksTattoosDescription3, ScarsMarksTattoosDescription4, ScarsMarksTattoosDescription5, ScarsMarksTattoosDescription6, ScarsMarksTattoosDescription7, ScarsMarksTattoosDescription8, ScarsMarksTattoosDescription9]

WMPEUnidentifiedPersonIdentifiersModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
CaFacialHairDescriptionCode	CaFacialHairDescriptionCode	O	2	
CaFacialHairDescriptionCode2	CaFacialHairDescriptionCode2	O	2	
CaFacialHairDescriptionCode3	CaFacialHairDescriptionCode3	O	2	
CaGlassesContactsCode	CaGlassesContactsCode	O	1	
CaHairDescriptionCode	CaHairDescriptionCode	O	2	
CaHairDescriptionCode2	CaHairDescriptionCode2	O	2	
CaHairDescriptionCode3	CaHairDescriptionCode3	O	2	
CaHairDescriptionCode4	CaHairDescriptionCode4	O	2	
CaLifeStyleCode	CaLifeStyleCode	O	2	
CaLifeStyleCode2	CaLifeStyleCode2	O	2	
CaLifeStyleCode3	CaLifeStyleCode3	O	2	
CaTeethDescriptionCode	CaTeethDescriptionCode	O	2	
CaTeethDescriptionCode2	CaTeethDescriptionCode2	O	2	
CaTeethDescriptionCode3	CaTeethDescriptionCode3	O	2	
CircumcisionCode	CircumcisionCode	O	1	
ClothingDescription	ClothingDescription	O	100	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	

CommSys ConnectCIC TWE Transaction Definitions

FileControlNumber	FileControlNumber	M	13	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
NewCaFacialHairDescriptionCode	NewCaFacialHairDescriptionCode	O	2	
NewCaFacialHairDescriptionCode2	NewCaFacialHairDescriptionCode2	O	2	
NewCaFacialHairDescriptionCode3	NewCaFacialHairDescriptionCode3	O	2	
NewCaHairDescriptionCode	NewCaHairDescriptionCode	O	2	
NewCaHairDescriptionCode2	NewCaHairDescriptionCode2	O	2	
NewCaHairDescriptionCode3	NewCaHairDescriptionCode3	O	2	
NewCaHairDescriptionCode4	NewCaHairDescriptionCode4	O	2	
NewCaLifeStyleCode	NewCaLifeStyleCode	O	2	
NewCaLifeStyleCode2	NewCaLifeStyleCode2	O	2	
NewCaLifeStyleCode3	NewCaLifeStyleCode3	O	2	
NewCaTeethDescriptionCode	NewCaTeethDescriptionCode	O	2	
NewCaTeethDescriptionCode2	NewCaTeethDescriptionCode2	O	2	
NewCaTeethDescriptionCode3	NewCaTeethDescriptionCode3	O	2	
NewJewelryTypeCode	NewJewelryTypeCode	O	2	
NewJewelryTypeCode10	NewJewelryTypeCode10	O	2	
NewJewelryTypeCode11	NewJewelryTypeCode11	O	2	
NewJewelryTypeCode12	NewJewelryTypeCode12	O	2	
NewJewelryTypeCode13	NewJewelryTypeCode13	O	2	
NewJewelryTypeCode14	NewJewelryTypeCode14	O	2	
NewJewelryTypeCode15	NewJewelryTypeCode15	O	2	
NewJewelryTypeCode16	NewJewelryTypeCode16	O	2	
NewJewelryTypeCode17	NewJewelryTypeCode17	O	2	
NewJewelryTypeCode2	NewJewelryTypeCode2	O	2	
NewJewelryTypeCode3	NewJewelryTypeCode3	O	2	
NewJewelryTypeCode4	NewJewelryTypeCode4	O	2	
NewJewelryTypeCode5	NewJewelryTypeCode5	O	2	
NewJewelryTypeCode6	NewJewelryTypeCode6	O	2	
NewJewelryTypeCode7	NewJewelryTypeCode7	O	2	
NewJewelryTypeCode8	NewJewelryTypeCode8	O	2	
NewJewelryTypeCode9	NewJewelryTypeCode9	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
PropertyDescriptionText	PropertyDescriptionText	O	100	

Possible Combinations

- (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [BloodTypeCode, CaFacialHairDescriptionCode, CaFacialHairDescriptionCode2, CaFacialHairDescriptionCode3, CaGlassesContactsCode, CaHairDescriptionCode, CaHairDescriptionCode2, CaHairDescriptionCode3, CaHairDescriptionCode4, CaLifeStyleCode, CaLifeStyleCode2, CaLifeStyleCode3, CaTeethDescriptionCode, CaTeethDescriptionCode2, CaTeethDescriptionCode3, CircumcisionCode, ClothingDescription, CorrectiveVisionPerscriptionCode, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, NewCaFacialHairDescriptionCode, NewCaFacialHairDescriptionCode2, NewCaFacialHairDescriptionCode3, NewCaHairDescriptionCode, NewCaHairDescriptionCode2, NewCaHairDescriptionCode3, NewCaHairDescriptionCode4, NewCaLifeStyleCode, NewCaLifeStyleCode2, NewCaLifeStyleCode3, NewCaTeethDescriptionCode, NewCaTeethDescriptionCode2, NewCaTeethDescriptionCode3, NewJewelryTypeCode, NewJewelryTypeCode10, NewJewelryTypeCode11, NewJewelryTypeCode12, NewJewelryTypeCode13, NewJewelryTypeCode14, NewJewelryTypeCode15, NewJewelryTypeCode16, NewJewelryTypeCode17, NewJewelryTypeCode2, NewJewelryTypeCode3, NewJewelryTypeCode4, NewJewelryTypeCode5, NewJewelryTypeCode6, NewJewelryTypeCode7, NewJewelryTypeCode8, NewJewelryTypeCode9, PropertyDescriptionText]

WMPEUnidentifiedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
BodyFoundDate	BodyFoundDate	O	8	
BodyFoundTime	BodyFoundTime	O	4	
BodyPartsStatusCode	BodyPartsStatusCode	O	14	
BodyXRayCode	BodyXRayCode	O	1	
DeathCause	DeathCause	O	3	
DeathTime	DeathTime	O	4	
DentalXraysAvailableIndicator	DentalXraysAvailableIndicator	O	1	
EstimatedDeathDate	EstimatedDeathDate	O	8	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintIndicator	FootprintIndicator	O	1	
InvestigatorName	InvestigatorName	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReportingAgency	ReportingAgency	O	30	
ValidatorName	ValidatorName	O	30	

Possible Combinations

- (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [AgencyPhoneNumber, BodyFoundDate, BodyFoundTime, BodyPartsStatusCode, BodyXRayCode, DeathCause,

DeathTime, DentalXraysAvailableIndicator, EstimatedDeathDate, FingerprintClassificationCode, FootprintIndicator, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, ReportingAgency, ValidatorName]

WMPEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, [PersonRecordRemovalReason]

WMPEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, Name, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]

WMPEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	

CommSys ConnectCIC TWE Transaction Definitions

BailAmount	BailAmount	M	9	
BirthDate	BirthDate	M	8	
BirthDate10	BirthDate10	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
BirthDate6	BirthDate6	O	8	
BirthDate7	BirthDate7	O	8	
BirthDate8	BirthDate8	O	8	
BirthDate9	BirthDate9	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryLevel	EntryLevel	M	1	
ExtraditionLimitation	ExtraditionLimitation	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	M	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateNumber2	LicensePlateNumber2	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateStateCode2	LicensePlateStateCode2	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LicensePlateYear2	LicensePlateYear2	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	T – Temporary Want W – Wanted Person
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	M	4	
OffenseCodeDescription	OffenseCodeDescription	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	10	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	10	

CommSys ConnectCIC TWE Transaction Definitions

OperatorLicenseNumber3	OperatorLicenseNumber3	O	10
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2
OperatorLicenseYear	OperatorLicenseYear	O	4
OperatorLicenseYear2	OperatorLicenseYear2	O	4
OperatorLicenseYear3	OperatorLicenseYear3	O	4
OriginalOffenseCode	OriginalOffenseCode	O	4
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20
RaceCode	RaceCode	M	1
RameyWarrantIndicator	RameyWarrantIndicator	O	1
ReferenceInformation	ReferenceInformation	O	20
ScarsMarksTatoosCode	ScarsMarksTatoosCode	O	10
ScarsMarksTatoosCode2	ScarsMarksTatoosCode2	O	10
ScarsMarksTatoosCode3	ScarsMarksTatoosCode3	O	10
ScarsMarksTatoosCode4	ScarsMarksTatoosCode4	O	10
ScarsMarksTatoosCode5	ScarsMarksTatoosCode5	O	10
ScarsMarksTatoosCode6	ScarsMarksTatoosCode6	O	10
ScarsMarksTatoosCode7	ScarsMarksTatoosCode7	O	10
ScarsMarksTatoosCode8	ScarsMarksTatoosCode8	O	10
ScarsMarksTatoosCode9	ScarsMarksTatoosCode9	O	10
SexCode	SexCode	M	1
SkinToneCode	SkinToneCode	O	3
SocialSecurityNumber	SocialSecurityNumber	O	9
SocialSecurityNumber2	SocialSecurityNumber2	O	9
SocialSecurityNumber3	SocialSecurityNumber3	O	9
SocialSecurityNumber4	SocialSecurityNumber4	O	9
SocialSecurityNumber5	SocialSecurityNumber5	O	9
SocialSecurityNumber6	SocialSecurityNumber6	O	9
SocialSecurityNumber7	SocialSecurityNumber7	O	9
SocialSecurityNumber8	SocialSecurityNumber8	O	9
SocialSecurityNumber9	SocialSecurityNumber9	O	9
StolenBirthDate	StolenBirthDate	O	8
StolenBirthDate2	StolenBirthDate2	O	8
StolenBirthDate3	StolenBirthDate3	O	8
StolenMiscellaneousNumber	StolenMiscellaneousNumber	O	15
StolenMiscellaneousNumber2	StolenMiscellaneousNumber2	O	15
StolenMiscellaneousNumber3	StolenMiscellaneousNumber3	O	15
StolenName	StolenName	O	30
StolenName2	StolenName2	O	30
StolenName3	StolenName3	O	30
StolenOperatorLicenseNumber	StolenOperatorLicenseNumber	O	20
StolenOperatorLicenseNumber2	StolenOperatorLicenseNumber2	O	20
StolenOperatorLicenseNumber3	StolenOperatorLicenseNumber3	O	20
StolenOperatorLicenseStateCode	StolenOperatorLicenseStateCode	O	2
StolenOperatorLicenseStateCode2	StolenOperatorLicenseStateCode2	O	2
StolenOperatorLicenseStateCode3	StolenOperatorLicenseStateCode3	O	2
StolenOperatorLicenseYear	StolenOperatorLicenseYear	O	4
StolenOperatorLicenseYear2	StolenOperatorLicenseYear2	O	4
StolenOperatorLicenseYear3	StolenOperatorLicenseYear3	O	4
StolenSocialSecurityNumber	StolenSocialSecurityNumber	O	9

CommSys ConnectCIC TWE Transaction Definitions

StolenSocialSecurityNumber2	StolenSocialSecurityNumber2	O	9	
StolenSocialSecurityNumber3	StolenSocialSecurityNumber3	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleColorCode2	VehicleColorCode2	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleIdentificationNumber2	VehicleIdentificationNumber2	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeCode2	VehicleMakeCode2	O	4	
VehicleModelCode	VehicleModelCode	O	3	
VehicleModelCode2	VehicleModelCode2	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleStyleCode2	VehicleStyleCode2	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	M	8	
WarrantNumber	WarrantNumber	M	15	
WarrantType	WarrantType	M	1	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) BailAmount, BirthDate, EntryLevel, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, WarrantNumber, WarrantType, [AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate10, BirthDate2, BirthDate3, BirthDate4, BirthDate5, BirthDate6, BirthDate7, BirthDate8, BirthDate9, BirthPlaceCode, CautionMedicalConditionsCode, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CourtORI, CriminalIdentificationNumber, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, LicensePlateNumber, LicensePlateNumber2, LicensePlateStateCode, LicensePlateStateCode2, LicensePlateTypeCode, LicensePlateYear, LicensePlateYear2, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NotifyOriginatingAgencyIndicator, OffenseCodeDescription, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseYear, OperatorLicenseYear2, OperatorLicenseYear3, OriginalOffenseCode, RameyWarrantIndicator, ReferenceInformation, ScarsMarksTatoosCode, ScarsMarksTatoosCode2, ScarsMarksTatoosCode3, ScarsMarksTatoosCode4, ScarsMarksTatoosCode5, ScarsMarksTatoosCode6, ScarsMarksTatoosCode7, ScarsMarksTatoosCode8, ScarsMarksTatoosCode9, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6, SocialSecurityNumber7, SocialSecurityNumber8, SocialSecurityNumber9, StolenBirthDate, StolenBirthDate2, StolenBirthDate3, StolenMiscellaneousNumber, StolenMiscellaneousNumber2, StolenMiscellaneousNumber3, StolenName, StolenName2, StolenName3, StolenOperatorLicenseNumber, StolenOperatorLicenseNumber2, StolenOperatorLicenseNumber3, StolenOperatorLicenseStateCode, StolenOperatorLicenseStateCode2, StolenOperatorLicenseStateCode3, StolenOperatorLicenseYear, StolenOperatorLicenseYear2, StolenOperatorLicenseYear3, StolenSocialSecurityNumber, StolenSocialSecurityNumber2, StolenSocialSecurityNumber3, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleIdentificationNumber2, VehicleMakeCode, VehicleMakeCode2, VehicleModelCode, VehicleModelCode2, VehicleStyleCode, VehicleStyleCode2, VehicleYear, Weight]

WMPEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
ExtraditionCode	ExtraditionCode	C	4	
FileControlNumber	FileControlNumber	C	13	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveryAgencyCaseNumber	RecoveryAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

1. (In) FileControlNumber, Name, RecoveryDate, [ContrabandRecoveredValue, ExtraditionCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveryAgencyCaseNumber, WantedPersonHitResultCode]
2. (In/Out) ExtraditionCode, Name, NCICNumber, RecoveryDate, [RecoveryAgencyCaseNumber]

WMPEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
BailAmount	BailAmount	O	9	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionCode	CautionMedicalConditionCode	O	2	
CautionMedicalConditionCode2	CautionMedicalConditionCode2	O	2	
CautionMedicalConditionCode3	CautionMedicalConditionCode3	O	2	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryLevel	EntryLevel	O	1	
ExtraditionLimitation	ExtraditionLimitation	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateNumber2	LicensePlateNumber2	O	10	
LicensePlateNumber3	LicensePlateNumber3	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateStateCode2	LicensePlateStateCode2	O	2	
LicensePlateStateCode3	LicensePlateStateCode3	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LicensePlateYear2	LicensePlateYear2	O	4	
LicensePlateYear3	LicensePlateYear3	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
Name	Name	M	30	
NewAlsoKnownAs	NewAlsoKnownAs	O	30	
NewAlsoKnownAs2	NewAlsoKnownAs2	O	30	
NewAlsoKnownAs3	NewAlsoKnownAs3	O	30	
NewBirthDate2	NewBirthDate2	O	8	
NewBirthDate3	NewBirthDate3	O	8	
NewBirthDate4	NewBirthDate4	O	8	
NewCautionMedicalConditionCode	NewCautionMedicalConditionCode	O	2	

CommSys ConnectCIC TWE Transaction Definitions

NewCautionMedicalConditionCode2	NewCautionMedicalConditionCode2	O	2	
NewCautionMedicalConditionCode3	NewCautionMedicalConditionCode3	O	2	
NewLicensePlateNumber	NewLicensePlateNumber	O	10	
NewLicensePlateNumber2	NewLicensePlateNumber2	O	10	
NewLicensePlateNumber3	NewLicensePlateNumber3	O	10	
NewLicensePlateStateCode	NewLicensePlateStateCode	O	2	
NewLicensePlateStateCode2	NewLicensePlateStateCode2	O	2	
NewLicensePlateStateCode3	NewLicensePlateStateCode3	O	2	
NewLicensePlateTypeCode	NewLicensePlateTypeCode	O	2	
NewLicensePlateYear	NewLicensePlateYear	O	4	
NewLicensePlateYear2	NewLicensePlateYear2	O	4	
NewLicensePlateYear3	NewLicensePlateYear3	O	4	
NewMiscellaneousNumber	NewMiscellaneousNumber	O	15	
NewMiscellaneousNumber2	NewMiscellaneousNumber2	O	15	
NewMiscellaneousNumber3	NewMiscellaneousNumber3	O	15	
NewName	NewName	O	30	
NewOperatorLicenseNumber	NewOperatorLicenseNumber	O	20	
NewOperatorLicenseStateCode	NewOperatorLicenseStateCode	O	2	
NewOperatorLicenseYear	NewOperatorLicenseYear	O	4	
NewScarsMarksTattoosCode	NewScarsMarksTattoosCode	O	10	
NewScarsMarksTattoosCode2	NewScarsMarksTattoosCode2	O	10	
NewScarsMarksTattoosCode3	NewScarsMarksTattoosCode3	O	10	
NewSocialSecurityNumber	NewSocialSecurityNumber	O	9	
NewSocialSecurityNumber2	NewSocialSecurityNumber2	O	9	
NewSocialSecurityNumber3	NewSocialSecurityNumber3	O	9	
NewStolenBirthDate	NewStolenBirthDate	O	8	
NewStolenBirthDate2	NewStolenBirthDate2	O	8	
NewStolenBirthDate3	NewStolenBirthDate3	O	8	
NewStolenMiscellaneousNumber	NewStolenMiscellaneousNumber	O	15	
NewStolenMiscellaneousNumber2	NewStolenMiscellaneousNumber2	O	15	
NewStolenMiscellaneousNumber3	NewStolenMiscellaneousNumber3	O	15	
NewStolenName	NewStolenName	O	30	
NewStolenName2	NewStolenName2	O	30	
NewStolenName3	NewStolenName3	O	30	
NewStolenOperatorLicenseNummber	NewStolenOperatorLicenseNummber	O	20	
NewStolenOperatorLicenseNummber2	NewStolenOperatorLicenseNummber2	O	20	
NewStolenOperatorLicenseNummber3	NewStolenOperatorLicenseNummber3	O	20	
NewStolenOperatorLicenseStateCode	NewStolenOperatorLicenseStateCode	O	2	
NewStolenOperatorLicenseStateCode2	NewStolenOperatorLicenseStateCode2	O	2	
NewStolenOperatorLicenseStateCode3	NewStolenOperatorLicenseStateCode3	O	2	
NewStolenOperatorLicenseYear	NewStolenOperatorLicenseYear	O	4	
NewStolenOperatorLicenseYear2	NewStolenOperatorLicenseYear2	O	4	
NewStolenOperatorLicenseYear3	NewStolenOperatorLicenseYear3	O	4	
NewStolenSocialSecurityNumber	NewStolenSocialSecurityNumber	O	9	
NewStolenSocialSecurityNumber2	NewStolenSocialSecurityNumber2	O	9	
NewStolenSocialSecurityNumber3	NewStolenSocialSecurityNumber3	O	9	
NewVehicleColorCode	NewVehicleColorCode	O	2	
NewVehicleColorCode2	NewVehicleColorCode2	O	2	
NewVehicleColorCode3	NewVehicleColorCode3	O	2	
NewVehicleIdentificationNumber	NewVehicleIdentificationNumber	O	20	
NewVehicleIdentificationNumber2	NewVehicleIdentificationNumber2	O	20	

CommSys ConnectCIC TWE Transaction Definitions

NewVehicleIdentificationNumber3	NewVehicleIdentificationNumber3	O	20	
NewVehicleMakeCode	NewVehicleMakeCode	O	4	
NewVehicleMakeCode2	NewVehicleMakeCode2	O	4	
NewVehicleMakeCode3	NewVehicleMakeCode3	O	4	
NewVehicleModelCode	NewVehicleModelCode	O	3	
NewVehicleModelCode2	NewVehicleModelCode2	O	3	
NewVehicleModelCode3	NewVehicleModelCode3	O	3	
NewVehicleStyleCode	NewVehicleStyleCode	O	2	
NewVehicleStyleCode2	NewVehicleStyleCode2	O	2	
NewVehicleStyleCode3	NewVehicleStyleCode3	O	2	
NewVehicleYear	NewVehicleYear	O	4	
NewVehicleYear2	NewVehicleYear2	O	4	
NewVehicleYear3	NewVehicleYear3	O	4	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
PurgeDate	PurgeDate	O	5	
RaceCode	RaceCode	O	1	
RameyWarrantIndicator	RameyWarrantIndicator	O	1	
ReferenceInformation	ReferenceInformation	O	20	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
StolenBirthDate	StolenBirthDate	O	8	
StolenBirthDate2	StolenBirthDate2	O	8	
StolenBirthDate3	StolenBirthDate3	O	8	
StolenMiscellaneousNumber	StolenMiscellaneousNumber	O	15	
StolenMiscellaneousNumber2	StolenMiscellaneousNumber2	O	15	
StolenMiscellaneousNumber3	StolenMiscellaneousNumber3	O	15	
StolenName	StolenName	O	30	
StolenName2	StolenName2	O	30	
StolenName3	StolenName3	O	30	
StolenOperatorLicenseNummber	StolenOperatorLicenseNummber	O	20	
StolenOperatorLicenseNummber2	StolenOperatorLicenseNummber2	O	20	
StolenOperatorLicenseNummber3	StolenOperatorLicenseNummber3	O	20	
StolenOperatorLicenseStateCode	StolenOperatorLicenseStateCode	O	2	
StolenOperatorLicenseStateCode2	StolenOperatorLicenseStateCode2	O	2	
StolenOperatorLicenseStateCode3	StolenOperatorLicenseStateCode3	O	2	
StolenOperatorLicenseYear	StolenOperatorLicenseYear	O	4	
StolenOperatorLicenseYear2	StolenOperatorLicenseYear2	O	4	
StolenOperatorLicenseYear3	StolenOperatorLicenseYear3	O	4	
StolenSocialSecurityNumber	StolenSocialSecurityNumber	O	9	

CommSys ConnectCIC TWE Transaction Definitions

StolenSocialSecurityNumber2	StolenSocialSecurityNumber2	O	9	
StolenSocialSecurityNumber3	StolenSocialSecurityNumber3	O	9	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	2	
VehicleColorCode2	VehicleColorCode2	O	2	
VehicleColorCode3	VehicleColorCode3	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleIdentificationNumber2	VehicleIdentificationNumber2	O	20	
VehicleIdentificationNumber3	VehicleIdentificationNumber3	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeCode2	VehicleMakeCode2	O	4	
VehicleMakeCode3	VehicleMakeCode3	O	4	
VehicleModelCode	VehicleModelCode	O	3	
VehicleModelCode2	VehicleModelCode2	O	3	
VehicleModelCode3	VehicleModelCode3	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleStyleCode2	VehicleStyleCode2	O	2	
VehicleStyleCode3	VehicleStyleCode3	O	2	
VehicleYear	VehicleYear	O	4	
VehicleYear2	VehicleYear2	O	4	
VehicleYear3	VehicleYear3	O	4	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
WarrantType	WarrantType	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, BailAmount, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthPlaceCode, CautionMedicalConditionCode, CautionMedicalConditionCode2, CautionMedicalConditionCode3, CourtORI, CriminalIdentificationNumber, EntryLevel, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber, LicensePlateNumber2, LicensePlateNumber3, LicensePlateStateCode, LicensePlateStateCode2, LicensePlateStateCode3, LicensePlateTypeCode, LicensePlateYear, LicensePlateYear2, LicensePlateYear3, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, NewAlsoKnownAs, NewAlsoKnownAs2, NewAlsoKnownAs3, NewBirthDate2, NewBirthDate3, NewBirthDate4, NewCautionMedicalConditionCode, NewCautionMedicalConditionCode2, NewCautionMedicalConditionCode3, NewLicensePlateNumber, NewLicensePlateNumber2, NewLicensePlateNumber3, NewLicensePlateStateCode, NewLicensePlateStateCode2, NewLicensePlateStateCode3, NewLicensePlateTypeCode, NewLicensePlateYear, NewLicensePlateYear2, NewLicensePlateYear3, NewMiscellaneousNumber, NewMiscellaneousNumber2, NewMiscellaneousNumber3, NewName, NewOperatorLicenseNumber, NewOperatorLicenseStateCode, NewOperatorLicenseYear, NewScarsMarksTattoosCode, NewScarsMarksTattoosCode2, NewScarsMarksTattoosCode3, NewSocialSecurityNumber, NewSocialSecurityNumber2, NewSocialSecurityNumber3, NewStolenBirthDate, NewStolenBirthDate2, NewStolenBirthDate3, NewStolenMiscellaneousNumber, NewStolenMiscellaneousNumber2, NewStolenMiscellaneousNumber3, NewStolenName, NewStolenName2, NewStolenName3, NewStolenOperatorLicenseNummber, NewStolenOperatorLicenseNummber2, NewStolenOperatorLicenseNummber3, NewStolenOperatorLicenseStateCode, NewStolenOperatorLicenseStateCode2, NewStolenOperatorLicenseStateCode3, NewStolenOperatorLicenseYear, NewStolenOperatorLicenseYear2,

CommSys ConnectCIC TWE Transaction Definitions

NewStolenOperatorLicenseYear3, NewStolenSocialSecurityNumber, NewStolenSocialSecurityNumber2, NewStolenSocialSecurityNumber3, NewVehicleColorCode, NewVehicleColorCode2, NewVehicleColorCode3, NewVehicleIdentificationNumber, NewVehicleIdentificationNumber2, NewVehicleIdentificationNumber3, NewVehicleMakeCode, NewVehicleMakeCode2, NewVehicleMakeCode3, NewVehicleModelCode, NewVehicleModelCode2, NewVehicleModelCode3, NewVehicleStyleCode, NewVehicleStyleCode2, NewVehicleStyleCode3, NewVehicleYear, NewVehicleYear2, NewVehicleYear3, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, OriginatingAgencyCaseNumber, PurgeDate, RaceCode, RameyWarrantIndicator, ReferenceInformation, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, SexCode, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, StolenBirthDate, StolenBirthDate2, StolenBirthDate3, StolenMiscellaneousNumber, StolenMiscellaneousNumber2, StolenMiscellaneousNumber3, StolenName, StolenName2, StolenName3, StolenOperatorLicenseNummber, StolenOperatorLicenseNummber2, StolenOperatorLicenseNummber3, StolenOperatorLicenseStateCode, StolenOperatorLicenseStateCode2, StolenOperatorLicenseStateCode3, StolenOperatorLicenseYear, StolenOperatorLicenseYear2, StolenOperatorLicenseYear3, StolenSocialSecurityNumber, StolenSocialSecurityNumber2, StolenSocialSecurityNumber3, ValidatorName, VehicleColorCode, VehicleColorCode2, VehicleColorCode3, VehicleIdentificationNumber, VehicleIdentificationNumber2, VehicleIdentificationNumber3, VehicleMakeCode, VehicleMakeCode2, VehicleMakeCode3, VehicleModelCode, VehicleModelCode2, VehicleModelCode3, VehicleStyleCode, VehicleStyleCode2, VehicleStyleCode3, VehicleYear, VehicleYear2, VehicleYear3, WarrantDate, WarrantNumber, WarrantType, Weight]

WMPEWarrantAbstractEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	34	
AgencyName	AgencyName	O	66	
AlsoKnownAs	AlsoKnownAs	O	27	
Attention	Attention	C	24	
BadgeNumber	BadgeNumber	O	9	
BailAmount	BailAmount	O	10	
BirthDate	BirthDate	O	8	
Charge	Charge	O	66	
City	City	O	27	
CourtCode	CourtCode	O	30	
Date	Date	O	8	
DateOfEntry	DateOfEntry	O	8	
DestinationAgency	DestinationAgency	O	34	
DestinationMnemonic	DestinationMnemonic	C	4	
DestinationMnemonic2	DestinationMnemonic2	O	4	
DestinationMnemonic3	DestinationMnemonic3	O	4	
DestinationMnemonic4	DestinationMnemonic4	O	4	
DestinationMnemonic5	DestinationMnemonic5	O	4	
DestinationORI	DestinationORI	C	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	

CommSys ConnectCIC TWE Transaction Definitions

DocketId	DocketId	O	19	
DST	DST	O		
FileControlNumber	FileControlNumber	O	10	
InCustodyIndicator	InCustodyIndicator	C	1	
IssueDate	IssueDate	O	8	
JudgeName	JudgeName	O	28	
MandatoryAppearanceCode	MandatoryAppearanceCode	O	3	
MessageTime	MessageTime	O	4	
MessageType	MessageType	C	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	285	
Mne	Mne	C		
MTYP	MTYP	C		
Name	Name	C	33	
NightServiceIndicator	NightServiceIndicator	O	1	
PersonEyeColorCode	PersonEyeColorCode	O	3	
PersonHairColorCode	PersonHairColorCode	O	3	
PersonHeightMeasure	PersonHeightMeasure	O	4	
PersonWeightMeasure	PersonWeightMeasure	O	3	
RaceCode	RaceCode	O	3	
ReferToName	ReferToName	O	64	
SequenceNumber	SequenceNumber	M	4	
ServiceIndicator	ServiceIndicator	O	1	
SexCode	SexCode	O	1	
Text	Text	C		
Time	Time	O	4	

Possible Combinations

1. (In/Out) Attention, DestinationMnemonic, InCustodyIndicator, MessageType, Name, SequenceNumber, [Address, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, City, CourtCode, DateOfEntry, DestinationAgency, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DocketId, FileControlNumber, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, PersonEyeColorCode, PersonHairColorCode, PersonHeightMeasure, PersonWeightMeasure, RaceCode, ReferToName, ServiceIndicator, SexCode]
2. (In/Out) Attention, DestinationORI, InCustodyIndicator, MessageType, Name, SequenceNumber, [Address, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, City, CourtCode, DateOfEntry, DestinationAgency, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, DocketId, FileControlNumber, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, PersonEyeColorCode, PersonHairColorCode, PersonHeightMeasure, PersonWeightMeasure, RaceCode, ReferToName, ServiceIndicator, SexCode]
3. (In/Out) Mne, MTYP, SequenceNumber, Text, [Date, DST, Time]

Wanted Missing Person Inquiries (WMP-I)

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	3	
AreaCode	AreaCode	O	2	
BirthDate	BirthDate	O	8	

CommSys ConnectCIC TWE Transaction Definitions

DentalCharacteristics	DentalCharacteristics	C	1599	
EyeColorCode	EyeColorCode	C	3	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	C	3	
Height	Height	C	3	
LastContactDate	LastContactDate	O	8	
LicensePlateNumber	LicensePlateNumber	C	8	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	C	7	
VehicleMakeCode	VehicleMakeCode	C	4	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, NcicOnlyIndicator, RaceCode, SexCode, Weight, [Name]
2. (In/Out) DentalCharacteristics
3. (In/Out) FileControlNumber
4. (In/Out) Height, RaceCode, SexCode, [Age, AreaCode, BirthDate, EyeColorCode, HairColorCode, LastContactDate, ScarsMarksTattoosCode, Weight]
5. (In/Out) LicensePlateNumber
6. (In/Out) LicensePlateNumber, NcicOnlyIndicator
7. (In/Out) Name, NcicOnlyIndicator, SexCode, [BirthDate, FBINumber, MiscellaneousNumber, OperatorLicenseNumber, SocialSecurityNumber]
8. (In/Out) Name, SexCode, [Age, BirthDate, EyeColorCode, HairColorCode, Height, LastContactDate, RaceCode, Weight]
9. (In/Out) NCICNumber
10. (In/Out) OperatorLicenseNumber
11. (In/Out) OriginatingAgencyCaseNumber
12. (In/Out) VehicleColorCode, VehicleMakeCode, [VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
BirthDate	BirthDate	C	8	
CountyRegionCode	CountyRegionCode	O	2	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	

CommSys ConnectCIC TWE Transaction Definitions

MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectionOrderNumber	ProtectionOrderNumber	O	15	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	

Possible Combinations

1. (In/Out) BirthDate, Name
2. (In/Out) FileControlNumber
3. (In/Out) Name, [FBI Number, LicensePlateNumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, ProtectionOrderNumber, SocialSecurityNumber, VehicleIdentificationNumber]
4. (In/Out) Name, SexCode, [Age, BirthDate, CountyRegionCode, Height, RaceCode]
5. (In/Out) NCICNumber
6. (In/Out) OriginatingAgencyCaseNumber

WMPISexOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
BirthDate	BirthDate	O	8	
CASubjectYouthInstitutionNumber	CASubjectYouthInstitutionNumber	C	6	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	9	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	C	6	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	C	10	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	
RegistrationType	RegistrationType	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) CASubjectYouthInstitutionNumber
2. (In/Out) CriminalIdentificationNumber
3. (In/Out) DepartmentOfCorrectionsNumber
4. (In/Out) FileControlNumber
5. (In/Out) LicensePlateNumber
6. (In/Out) Name, SexCode, [Age, BirthDate, EyeColorCode, HairColorCode, Height, RaceCode, RegistrationType, Weight]
7. (In/Out) OperatorLicenseNumber
8. (In/Out) SocialSecurityNumber

WMPISupervisedReleaseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
BirthDate	BirthDate	O	8	
CountyRegionCode	CountyRegionCode	O	2	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
MessageKey	MessageKey	C	3	QCA,QYA,QPR,QFR,QSR,QAR,QCR
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
PartialResponseIndicator	PartialResponseIndicator	O	1	"y" or Blank
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	

Possible Combinations

1. (In/Out) [CriminalIdentificationNumber, OperatorLicenseNumber, SocialSecurityNumber]
2. (In/Out) FileControlNumber
3. (In/Out) MessageKey, [CriminalIdentificationNumber, OperatorLicenseNumber, SocialSecurityNumber]
4. (In/Out) MessageKey, Name, SexCode, [Age, BirthDate, CountyRegionCode, Height, RaceCode]
5. (In/Out) Name, SexCode, [Age, BirthDate, CountyRegionCode, Height, RaceCode]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	3	
AreaCode	AreaCode	O	2	
BodyPartsStatusCode	BodyPartsStatusCode	C	14	
DentalCharacteristics	DentalCharacteristics	C	1599	
EstimatedDeathDate	EstimatedDeathDate	O	8	
EyeColorCode	EyeColorCode	C	3	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	C	3	
Height	Height	C	3	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	C	1	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, NCICOnlyIndicator, RaceCode, SexCode, Weight
2. (In/Out) Age, Height, RaceCode, SexCode, [AreaCode, EstimatedDeathDate, EyeColorCode, HairColorCode, ScarsMarksTattoosCode, Weight]
3. (In/Out) BodyPartsStatusCode, [AreaCode, SexCode]
4. (In/Out) DentalCharacteristics
5. (In/Out) FileControlNumber
6. (In/Out) NCICNumber

7. (In/Out) NCICOnlyIndicator, OriginatingAgencyCaseNumber
8. (In/Out) OriginatingAgencyCaseNumber

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
BirthDate	BirthDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	9	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
FBI Number	FBI Number	C	9	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	C	10	
MessageKeyModifier	MessageKeyModifier	O	1	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	
WarrantNumber	WarrantNumber	C	15	

Possible Combinations

1. (In/Out) CriminalIdentificationNumber, [EnhancedNameSearchIndicator, RelatedHitSearchIndicator]
2. (In/Out) FBI Number
3. (In/Out) FBI Number, NCICOnlyIndicator, [MessageKeyModifier, Name]
4. (In/Out) FileControlNumber
5. (In/Out) LicensePlateNumber, NCICOnlyIndicator, [MessageKeyModifier, Name, State]
6. (In/Out) MiscellaneousNumber, NCICOnlyIndicator, [MessageKeyModifier, Name]
7. (In/Out) Name, NCICOnlyIndicator, OriginatingAgencyCaseNumber, [EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, MessageKeyModifier, RelatedHitSearchIndicator]
8. (In/Out) Name, NCICOnlyIndicator, SexCode, [BirthDate, EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, MessageKeyModifier, RaceCode, RelatedHitSearchIndicator]
9. (In/Out) Name, SexCode, [Age, BirthDate, EnhancedNameSearchIndicator, Height, RaceCode, RelatedHitSearchIndicator]
10. (In/Out) NCICNumber
11. (In/Out) NCICNumber, NCICOnlyIndicator, [MessageKeyModifier]
12. (In/Out) NCICOnlyIndicator, OperatorLicenseNumber, [MessageKeyModifier, Name]
13. (In/Out) NCICOnlyIndicator, SocialSecurityNumber, [MessageKeyModifier, Name]
14. (In/Out) NCICOnlyIndicator, VehicleIdentificationNumber, VehicleMakeCode, [MessageKeyModifier, Name]
15. (In/Out) OperatorLicenseNumber
16. (In/Out) OriginatingAgencyCaseNumber
17. (In/Out) SocialSecurityNumber

18. (In/Out) WarrantNumber

Expanded Transactions Supported***APPSIdentificationNumberQuery***

Field Name	XML Tag Name	M/C/O	Size	Possible Values
IDNumber	IDNumber	M	20	

Possible Combinations

1. (In/Out) IDNumber

APPSNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BirthDate	BirthDate	C	10	
Name	Name	M	30	

Possible Combinations

1. (In/Out) Name, [Age, BirthDate]

APPSSerialNumberQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunTypeCode	GunTypeCode	O	2	
SerialNumber	SerialNumber	M	20	

Possible Combinations

1. (In/Out) SerialNumber, [GunCaliber, GunMake, GunTypeCode]

CAAAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	O	67	
Attention	Attention	O	72	
BadgeNumber	BadgeNumber	O	8	
DestinationMnemonic	DestinationMnemonic	C	4	
DestinationMnemonic2	DestinationMnemonic2	O	4	
DestinationMnemonic3	DestinationMnemonic3	O	4	
DestinationMnemonic4	DestinationMnemonic4	O	4	
DestinationMnemonic5	DestinationMnemonic5	O	4	
DestinationMnemonic6	DestinationMnemonic6	O	4	
DestinationORI	DestinationORI	C	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
FreeText	FreeText	M	1120	
MessageTypeCode	MessageTypeCode	O	1	E – Emergency N – Normal

CommSys ConnectCIC TWE Transaction Definitions

ReferTo	ReferTo	O	67	
SentDate	SentDate	O	8	
SentTime	SentTime	O	4	
SequenceNumber	SequenceNumber	O	4	

Possible Combinations

1. (In/Out) DestinationMnemonic, FreeText, [AgencyName, Attention, BadgeNumber, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DestinationMnemonic6, MessageTypeCode, ReferTo, SentDate, SentTime, SequenceNumber]
2. (In/Out) DestinationORI, FreeText, [AgencyName, Attention, BadgeNumber, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, MessageTypeCode, ReferTo, SentDate, SentTime, SequenceNumber]

CAAHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyMnemonic	AgencyMnemonic	O	4	
ArticleBrandName	ArticleBrandName	O	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	8	
BirthDate2	BirthDate2	C	8	
BirthDate3	BirthDate3	C	8	
BoatHullSerialNumber	BoatHullSerialNumber	C	20	
BoatMakeCode	BoatMakeCode	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	
Category	Category	O	2	
Denomination	Denomination	O	9	
DestinationMnemonic	DestinationMnemonic	M	4	
DOJMnemonic	DOJMnemonic	O	4	
Extradition	Extradition	O	4	
FaxNumber	FaxNumber	O	10	
FreeText	FreeText	O	500	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	3	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	14	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateNumber2	LicensePlateNumber2	C	10	
LicensePlateType	LicensePlateType	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MessageTypeCode	MessageTypeCode	O	1	E – Emergency N – Normal
Name	Name	C	30	
Name2	Name2	C	30	
Name3	Name3	C	30	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PartBrandName	PartBrandName	C	4	
PartSerialNumber	PartSerialNumber	C	20	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	

CommSys ConnectCIC TWE Transaction Definitions

RequestingAgencyName	RequestingAgencyName	M	30	
RequestNumber	RequestNumber	M	1	
RequestorName	RequestorName	M	30	
SecuritySerialNumber	SecuritySerialNumber	C	18	
SecurityTypeCode	SecurityTypeCode	C	2	
SequenceNumber	SequenceNumber	O	4	
SexCode	SexCode	O	1	
SexCode2	SexCode2	O	1	
SexCode3	SexCode3	O	1	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [AgencyMnemonic, ArticleBrandName, DOJMnemonic, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber]
2. (In/Out) BirthDate, DestinationMnemonic, Name, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [AgencyMnemonic, DOJMnemonic, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, SexCode]
3. (In/Out) BirthDate2, DestinationMnemonic, Name2, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [AgencyMnemonic, DOJMnemonic, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, SexCode2]
4. (In/Out) BirthDate3, DestinationMnemonic, Name3, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [AgencyMnemonic, DOJMnemonic, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, SexCode3]
5. (In/Out) BoatHullSerialNumber, BoatRegistrationNumber, DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [AgencyMnemonic, BoatMakeCode, DOJMnemonic, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber]
6. (In/Out) BoatHullSerialNumber, DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [AgencyMnemonic, BoatMakeCode, DOJMnemonic, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber]
7. (In/Out) BoatRegistrationNumber, DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [AgencyMnemonic, BoatMakeCode, DOJMnemonic, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber]
8. (In/Out) DestinationMnemonic, GunCaliber, GunMake, GunSerialNumber, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [AgencyMnemonic, DOJMnemonic, Extradition, FaxNumber, FreeText, GunModel, MessageTypeCode, PhoneNumber, SequenceNumber]
9. (In/Out) DestinationMnemonic, LicensePlateNumber, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [AgencyMnemonic, DOJMnemonic, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear]
10. (In/Out) DestinationMnemonic, LicensePlateNumber, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, VehicleIdentificationNumber, [AgencyMnemonic, DOJMnemonic, Extradition,

CommSys ConnectCIC TWE Transaction Definitions

- FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear]
11. (In/Out) DestinationMnemonic, LicensePlateNumber2, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [AgencyMnemonic, DOJMnemonic, Extradition, FaxNumber, FreeText, LicensePlateType, LicensePlateYear, MessageTypeCode, PhoneNumber, SequenceNumber, State]
 12. (In/Out) DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, PartBrandName, PartSerialNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [AgencyMnemonic, Category, DOJMnemonic, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber]
 13. (In/Out) DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, SecuritySerialNumber, SecurityTypeCode, [AgencyMnemonic, Denomination, DOJMnemonic, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber]
 14. (In/Out) DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, VehicleIdentificationNumber, [AgencyMnemonic, DOJMnemonic, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear]

CAAHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyMnemonic	AgencyMnemonic	O	4	
ArticleBrandName	ArticleBrandName	O	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	8	
BirthDate2	BirthDate2	C	8	
BirthDate3	BirthDate3	C	8	
BoatHullSerialNumber	BoatHullSerialNumber	C	20	
BoatMakeCode	BoatMakeCode	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	
Category	Category	O	2	
ConfirmingAgency	ConfirmingAgency	M	30	
ConfirmingName	ConfirmingName	M	30	
ConfirmStatus	ConfirmStatus	M	1	
Denomination	Denomination	O	9	
DestinationMnemonic	DestinationMnemonic	M	4	
Extradition	Extradition	O	4	
FaxNumber	FaxNumber	O	10	
FreeText	FreeText	O	500	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	3	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	14	
Hours	Hours	O	3	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateNumber2	LicensePlateNumber2	C	10	
LicensePlateType	LicensePlateType	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MessageTypeCode	MessageTypeCode	O	1	E – Emergency N – Normal

CommSys ConnectCIC TWE Transaction Definitions

Name	Name	C	30	
Name2	Name2	C	30	
Name3	Name3	C	30	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PartBrandName	PartBrandName	C	4	
PartSerialNumber	PartSerialNumber	C	20	
PhoneNumber	PhoneNumber	O	10	
SecuritySerialNumber	SecuritySerialNumber	C	18	
SecurityTypeCode	SecurityTypeCode	C	2	
SequenceNumber	SequenceNumber	O	4	
SexCode	SexCode	O	1	
SexCode2	SexCode2	O	1	
SexCode3	SexCode3	O	1	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, [AgencyMnemonic, ArticleBrandName, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, PhoneNumber, SequenceNumber]
2. (In/Out) BirthDate, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, Name, NCICNumber, OriginatingAgencyCaseNumber, [AgencyMnemonic, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, PhoneNumber, SequenceNumber, SexCode]
3. (In/Out) BirthDate2, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, Name2, NCICNumber, OriginatingAgencyCaseNumber, [AgencyMnemonic, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, PhoneNumber, SequenceNumber, SexCode2]
4. (In/Out) BirthDate3, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, Name3, NCICNumber, OriginatingAgencyCaseNumber, [AgencyMnemonic, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, PhoneNumber, SequenceNumber, SexCode3]
5. (In/Out) BoatHullSerialNumber, BoatRegistrationNumber, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, [AgencyMnemonic, BoatMakeCode, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, PhoneNumber, SequenceNumber]
6. (In/Out) BoatHullSerialNumber, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, [AgencyMnemonic, BoatMakeCode, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, PhoneNumber, SequenceNumber]
7. (In/Out) BoatRegistrationNumber, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, [AgencyMnemonic, BoatMakeCode, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, PhoneNumber, SequenceNumber]
8. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, GunCaliber, GunMake, GunSerialNumber, NCICNumber, OriginatingAgencyCaseNumber, [AgencyMnemonic, Extradition, FaxNumber, FreeText, GunModel, Hours, MessageTypeCode, PhoneNumber, SequenceNumber]
9. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, LicensePlateNumber, NCICNumber, OriginatingAgencyCaseNumber, [AgencyMnemonic,

CommSys ConnectCIC TWE Transaction Definitions

- Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear]
10. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, LicensePlateNumber, NCICNumber, OriginatingAgencyCaseNumber, VehicleIdentificationNumber, [AgencyMnemonic, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear]
 11. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, LicensePlateNumber2, NCICNumber, OriginatingAgencyCaseNumber, [AgencyMnemonic, Extradition, FaxNumber, FreeText, Hours, LicensePlateType, LicensePlateYear, MessageTypeCode, PhoneNumber, SequenceNumber, State]
 12. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, PartBrandName, PartSerialNumber, [AgencyMnemonic, Category, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, PhoneNumber, SequenceNumber]
 13. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, SecuritySerialNumber, SecurityTypeCode, [AgencyMnemonic, Denomination, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, PhoneNumber, SequenceNumber]
 14. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, VehicleIdentificationNumber, [AgencyMnemonic, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear]

CAAOrion

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationORI	DestinationORI	C	9	
FormORI	FormORI	C	9	
Location	Location	C	20	
LocationTypeCode	LocationTypeCode	O	2	
State	State	O	2	

Possible Combinations

1. (In/Out) DestinationORI, [State]
2. (In/Out) FormORI
3. (In/Out) Location, [LocationTypeCode, State]

CaCletsLca

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CallRequested	CallRequested	O	1	
Charge	Charge	O	20	
ContactStatus	ContactStatus	M	1	
FileControlNumber	FileControlNumber	M	13	
FreeText	FreeText	O	240	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
OfficerName	OfficerName	M	30	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
TelephoneNumber	TelephoneNumber	O	20	
VehicleColorCode	VehicleColorCode	O	15	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	15	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, ContactStatus, OfficerName, [CallRequested, Charge, FreeText, LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, OriginatingAgencyORI, TelephoneNumber, VehicleColorCode, VehicleMakeCode, VehicleModelCode, VehicleYear]

CAIArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityCode	AddressCityCode	O	4	
Age	Age	C	2	
ArticleBrand	ArticleBrand	C	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleType	ArticleType	C	6	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	8	
CategoryCode	CategoryCode	C	1	
FileControlNumber	FileControlNumber	C	13	
MessageKeyModifier	MessageKeyModifier	O	1	<Blank> - Stolen, Lost, Found, Under Observation, and Evidence B – The above, Pawn, and Buy H – Pawn and Buy only N – Any Pawn and Buy transaction hits
Name	Name	C	30	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y – Yes N - No

Possible Combinations

1. (In/Out) Age, Name, [AddressCityCode]
2. (In/Out) ArticleBrand, ArticleSerialNumber, [MessageKeyModifier, RelatedHitSearchIndicator]
3. (In/Out) ArticleBrand, OwnerAppliedNumber, [MessageKeyModifier, RelatedHitSearchIndicator]
4. (In/Out) ArticleSerialNumber, ArticleType, CategoryCode, [MessageKeyModifier, RelatedHitSearchIndicator]
5. (In/Out) ArticleSerialNumber, ArticleTypeCode, [MessageKeyModifier, RelatedHitSearchIndicator]
6. (In/Out) ArticleType, CategoryCode, OwnerAppliedNumber, [MessageKeyModifier, RelatedHitSearchIndicator]
7. (In/Out) ArticleTypeCode, OwnerAppliedNumber, [MessageKeyModifier, RelatedHitSearchIndicator]
8. (In/Out) BirthDate, Name, [AddressCityCode]
9. (In/Out) FileControlNumber, [MessageKeyModifier]

CAIBoatCheckQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMakeCode	BoatMakeCode	O	4	
Category	Category	O	2	
EngineNumber	EngineNumber	C	20	
FileControlNumber	FileControlNumber	C	13	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropertyBrandName	PropertyBrandName	O	4	
RegistrationNumber	RegistrationNumber	C	8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

CommSys ConnectCIC TWE Transaction Definitions

SerialNumber	SerialNumber	C	20	
State	State	O	2	

Possible Combinations

1. (In) RegistrationNumber, [RelatedHitSearchIndicator]
2. (In/Out) BoatHullIdNumber, [BoatMakeCode, RelatedHitSearchIndicator]
3. (In/Out) EngineNumber, [RelatedHitSearchIndicator]
4. (In/Out) FileControlNumber
5. (In/Out) OwnerAppliedNumber, [Category, PropertyBrandName, RelatedHitSearchIndicator]
6. (In/Out) SerialNumber, [Category, PropertyBrandName, RelatedHitSearchIndicator]
7. (Out) RegistrationNumber, [RelatedHitSearchIndicator, State]

CAIBoatRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
BoatHullIdNumber	BoatHullIdNumber	C	20	
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	8	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, [State, State2, State3, State4, State5]
2. (In/Out) BoatHullIdNumber, [State, State2, State3, State4, State5]
3. (In/Out) RegistrationNumber, [State, State2, State3, State4, State5]

CAIDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	3	
AddressCity	AddressCity	O	13	
AddressZone	AddressZone	O	1	
Age	Age	C	2	
BirthDate	BirthDate	C	8	
CompanyName	CompanyName	C	35	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	O	1	
State	State	O	2	

Possible Combinations

1. (In) Age, Name, [Address, AddressCity, AddressZone]
2. (In) BirthDate, Name, [Address, AddressCity, AddressZone]
3. (In) CompanyName
4. (In) Name
5. (In) OperatorLicenseNumber
6. (Out) BirthDate, Name, [SexCode, State]
7. (Out) OperatorLicenseNumber, [State]

CAIDriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

CommSys ConnectCIC TWE Transaction Definitions

Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In/Out) OperatorLicenseNumber, [Attention, PurposeCode, State]
2. (In/Out) BirthDate, Name, SexCode, [Attention, PurposeCode, State]

CAIGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BirthDate	BirthDate	C	8	
CategoryCode	CategoryCode	C	1	
FileControlNumber	FileControlNumber	C	13	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunSerialNumber	GunSerialNumber	C	20	
GunType	GunType	O	1	
GunTypeCode	GunTypeCode	O	2	
IDNumber	IDNumber	C	20	
MessageKeyModifier	MessageKeyModifier	C	2	B – NCIC & Law Enforcement & Historical H – Historical HX – Historical Exact M – Mail Historical, NCIC, and Law Enforcement MX – Mail Historical Exact
Name	Name	C	30	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
Reference	Reference	C	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) Age, MessageKeyModifier, Name
2. (In/Out) Age, MessageKeyModifier, Name, Reference
3. (In/Out) BirthDate, MessageKeyModifier, Name
4. (In/Out) BirthDate, MessageKeyModifier, Name, Reference
5. (In/Out) FileControlNumber
6. (In/Out) GunSerialNumber, MessageKeyModifier, [CategoryCode, GunCaliber, GunMake, GunType, GunTypeCode, Reference, RelatedHitSearchIndicator]
7. (In/Out) GunSerialNumber, MessageKeyModifier, [GunCaliber, GunMake, GunTypeCode, Reference, RelatedHitSearchIndicator]
8. (In/Out) GunSerialNumber, MessageKeyModifier, Reference, [CategoryCode, GunCaliber, GunMake, GunType, GunTypeCode, RelatedHitSearchIndicator]
9. (In/Out) GunSerialNumber, MessageKeyModifier, Reference, [GunCaliber, GunMake, GunTypeCode, RelatedHitSearchIndicator]
10. (In/Out) GunSerialNumber, [CategoryCode, GunCaliber, GunMake, GunType, GunTypeCode, RelatedHitSearchIndicator]
11. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunTypeCode, RelatedHitSearchIndicator]
12. (In/Out) IDNumber, MessageKeyModifier
13. (In/Out) OriginatingAgencyCaseNumber

CAI LojackQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LojackIdentifier	LojackIdentifier	M	5	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

(In/Out) LojackIdentifier, [RelatedHitSearchIndicator]

CAIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
Area	Area	O	3	
BirthDate	BirthDate	C	8	
DentalCharacteristics	DentalCharacteristics	C	64	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
EyeColorCode	EyeColorCode	C	4	
FBI Number	FBI Number	C	9	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	C	4	
Height	Height	C	3	
LastContactDate	LastContactDate	O	8	
LicensePlateNumber	LicensePlateNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NcicOnlyIndicator	NcicOnlyIndicator	C	1	Y – Yes N – No
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleColorPrimaryCode	VehicleColorPrimaryCode	C	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, Name, NcicOnlyIndicator, RaceCode, SexCode, Weight, [ExpandedNameSearchCode]
2. (In/Out) Age, Height, RaceCode, SexCode, [Area, EyeColorCode, HairColorCode, LastContactDate, ScarsMarksTattoosCode, Weight]
3. (In/Out) Age, Name, SexCode, [ExpandedNameSearchCode, EyeColorCode, HairColorCode, Height, LastContactDate, RaceCode, RelatedHitSearchIndicator, Weight]
4. (In/Out) BirthDate, Name, NcicOnlyIndicator, SexCode, [ExpandedNameSearchCode]

CommSys ConnectCIC TWE Transaction Definitions

5. (In/Out) BirthDate, Name, SexCode, [ExpandedNameSearchCode, EyeColorCode, HairColorCode, Height, LastContactDate, RaceCode, RelatedHitSearchIndicator, Weight]
6. (In/Out) DentalCharacteristics
7. (In/Out) FBI Number, Name, NcicOnlyIndicator, SexCode, [ExpandedNameSearchCode]
8. (In/Out) FileControlNumber
9. (In/Out) LicensePlateNumber
10. (In/Out) LicensePlateNumber, NcicOnlyIndicator
11. (In/Out) MiscellaneousNumber, Name, NcicOnlyIndicator, SexCode, [ExpandedNameSearchCode]
12. (In/Out) Name, NcicOnlyIndicator, OperatorLicenseNumber, SexCode, [ExpandedNameSearchCode]
13. (In/Out) Name, NcicOnlyIndicator, OriginatingAgencyCaseNumber, SexCode, [ExpandedNameSearchCode]
14. (In/Out) Name, NcicOnlyIndicator, SexCode, SocialSecurityNumber, [ExpandedNameSearchCode]
15. (In/Out) Name, NcicOnlyIndicator, SexCode, VehicleIdentificationNumber, [ExpandedNameSearchCode]
16. (In/Out) Name, SexCode, [ExpandedNameSearchCode, EyeColorCode, HairColorCode, Height, LastContactDate, RaceCode, RelatedHitSearchIndicator, Weight]
17. (In/Out) NCICNumber, NcicOnlyIndicator
18. (In/Out) OperatorLicenseNumber
19. (In/Out) OriginatingAgencyCaseNumber
20. (In/Out) VehicleColorPrimaryCode, VehicleMakeCode, [VehicleModelCode, VehicleStyleCode, VehicleYear]

CAIOregonBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
RegistrationNumber	RegistrationNumber	M	20	

Possible Combinations

1. (In) RegistrationNumber

CAIOregonDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	6	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	O	1	

Possible Combinations

1. (In) BirthDate, Name, [SexCode]
2. (In) OperatorLicenseNumber

CAIOregonVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In) LicensePlateNumber
2. (In) VehicleIdentificationNumber

CAIRestrainingOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCountyCode	AddressCountyCode	O	2	
Age	Age	C	2	
BirthDate	BirthDate	C	8	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
MessageKeyModifier	MessageKeyModifier	C	1	<Blank> - Full Response 1 – Full Response & Violations K – Abbreviated Response H – Historical / Suspended
Name	Name	C	30	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	

Possible Combinations

1. (In/Out) Age, Name, SexCode, [AddressCountyCode, Height, MessageKeyModifier, RaceCode]
2. (In/Out) BirthDate, Name, SexCode, [AddressCountyCode, Height, MessageKeyModifier, RaceCode]
3. (In/Out) FileControlNumber, [MessageKeyModifier]
4. (In/Out) MessageKeyModifier, Name, SexCode
5. (In/Out) Name, SexCode, [AddressCountyCode, Height, MessageKeyModifier, RaceCode]
6. (In/Out) OriginatingAgencyCaseNumber, [MessageKeyModifier]

CAISecuritiesQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Denomination	Denomination	C	9	
Issuer	Issuer	O	15	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
Owner	Owner	C	40	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SecuritySerialNumber	SecuritySerialNumber	C	18	
SecurityTypeCode	SecurityTypeCode	C	2	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) Denomination, SecuritySerialNumber, SecurityTypeCode, [Issuer, RelatedHitSearchIndicator]
2. (In/Out) NCICNumber
3. (In/Out) OriginatingAgencyCaseNumber, Owner, SocialSecurityNumber, [RelatedHitSearchIndicator, SecurityTypeCode]
4. (In/Out) SocialSecurityNumber, [RelatedHitSearchIndicator]

CAISnowMobileRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	10	
State	State	O	2	
State2	State2	O	2	

CommSys ConnectCIC TWE Transaction Definitions

State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) BirthDate, Name, [State, State2, State3, State4, State5]
2. (In/Out) RegistrationNumber, [State, State2, State3, State4, State5]
3. (In/Out) VehicleIdentificationNumber, [State, State2, State3, State4, State5]

CAISupervisedReleaseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCountyCode	AddressCountyCode	O	2	
Age	Age	C	2	
BirthDate	BirthDate	C	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	9	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
InmateNumber	InmateNumber	C	6	
InstitutionNumber	InstitutionNumber	C	6	
MessageKeyModifier	MessageKeyModifier	M	3	AR – Arson CA – Corrections Record CR – Career Criminal FR – Federal Probation PR – County Probation SR – Sex Registrant VC – SRF, WPS, DVROS VCK – SRF, WPS, DVROS, abbreviated YA - Youth Authority
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) Age, MessageKeyModifier, Name, SexCode, [AddressCountyCode, ExpandedNameSearchCode, Height, RaceCode]
2. (In/Out) BirthDate, MessageKeyModifier, Name, SexCode, [AddressCountyCode, ExpandedNameSearchCode, Height, RaceCode]
3. (In/Out) FileControlNumber, MessageKeyModifier
4. (In/Out) MessageKeymodifier, Name, SexCode, [AddressCountyCode, ExpandedNameSearchCode, Height, RaceCode]
5. (In/Out) MessageKeyModifier, *And one of* CriminalIdentificationNumber, InmateNumber, InstitutionNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, *or* SocialSecurityNumber

CAIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCountyCode	AddressCountyCode	O	2	
Age	Age	C	3	
BodyPartStatusCode	BodyPartStatusCode	C	14	

CommSys ConnectCIC TWE Transaction Definitions

DentalCharacteristics	DentalCharacteristics	C	7	
EstimatedDeathDate	EstimatedDeathDate	O	8	
EyeColorCode	EyeColorCode	C	3	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	C	3	
Height	Height	C	3	
NCICNumber	NCICNumber	C	10	
NcicOnlyIndicator	NcicOnlyIndicator	C	1	Y – Yes N - No
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, NcicOnlyIndicator, RaceCode, SexCode, Weight
2. (In/Out) Age, Height, RaceCode, SexCode, [AddressCountyCode, EyeColorCode, HairColorCode, ScarsMarksTattoosCode, Weight]
3. (In/Out) BodyPartStatusCode, [AddressCountyCode, SexCode]
4. (In/Out) DentalCharacteristics
5. (In/Out) FileControlNumber
6. (In/Out) NCICNumber, NcicOnlyIndicator
7. (In/Out) NcicOnlyIndicator, OriginatingAgencyCaseNumber
8. (In/Out) OriginatingAgencyCaseNumber

CAIVCINQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
CASubjectInmateNumber	CASubjectInmateNumber	C	6	
CASubjectYouthInstitutionNumber	CASubjectYouthInstitutionNumber	C	6	
CriminalIdentificationINumber	CriminalIdentificationINumber	C	9	
FileControlNumber	FileControlNumber	C	13	
LicensePlateNumber	LicensePlateNumber	C	10	
Name	Name	C	65	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	
RegistrationType	RegistrationType	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	O	3	
SubjectWeight	SubjectWeight	O	3	

Possible Combinations

1. (In/Out) CASubjectInmateNumber
2. (In/Out) CASubjectYouthInstitutionNumber
3. (In/Out) CriminalIdentificationINumber
4. (In/Out) FileControlNumber
5. (In/Out) LicensePlateNumber

6. (In/Out) Name, SexCode, [BirthDate, RaceCode, RegistrationType, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectWeight]
7. (In/Out) OperatorLicenseNumber
8. (In/Out) SocialSecurityNumber

CAIVCMSWarrantQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
CaseNumber	CaseNumber	C	12	
GangId	GangId	C	7	
LicensePlateNumber	LicensePlateNumber	C	10	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PersonId	PersonId	C	7	
SexCode	SexCode	O	1	
State	State	O	2	
WarrantNumber	WarrantNumber	C	7	

Possible Combinations

1. (In/Out) CaseNumber
2. (In/Out) GangId
3. (In/Out) LicensePlateNumber, [State]
4. (In/Out) BirthDate, Name, [SexCode]
5. (In/Out) OperatorLicenseNumber, [State]
6. (In/Out) PersonId
7. (In/Out) WarrantNumber

CAIVehicleCheckQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Category	Category	O	2	
EngineNumber	EngineNumber	C	20	
FileControlNumber	FileControlNumber	C	13	
LicensePlateNumber	LicensePlateNumber	C	10	
LojackIdentifier	LojackIdentifier	C	5	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropertyBrandName	PropertyBrandName	O	4	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SerialNumber	SerialNumber	C	20	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	

Possible Combinations

1. (In) LicensePlateNumber, [RelatedHitSearchIndicator]
2. (In/Out) EngineNumber, [RelatedHitSearchIndicator]
3. (In/Out) FileControlNumber
4. (In/Out) LojackIdentifier, [RelatedHitSearchIndicator]
5. (In/Out) OwnerAppliedNumber, [Category, PropertyBrandName, RelatedHitSearchIndicator]
6. (In/Out) SerialNumber, [Category, PropertyBrandName, RelatedHitSearchIndicator]
7. (In/Out) VehicleIdentificationNumber, [RelatedHitSearchIndicator, VehicleMakeCode]
8. (Out) LicensePlateNumber, [RelatedHitSearchIndicator, State]

CAIVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	13	
AddressStreetNumber	AddressStreetNumber	O	3	
BoatHullIdNumber	BoatHullIdNumber	C	30	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	C	4	
MessageKeyModifier	MessageKeyModifier	C	1	A – Plate C - Commercial E – Exempt Plate Z – macroed to spawn by Plate, Exempt, Dealer
Name	Name	C	35	
RegistrationNumber	RegistrationNumber	C	6	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	30	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) LicensePlateNumber
2. (In) BoatHullIdNumber, [VehicleMakeCode]
3. (In) LicensePlateNumber, MessageKeyModifier
4. (In) Name, [AddressCity, AddressStreetNumber]
5. (In) RegistrationNumber
6. (In) VehicleIdentificationNumber, [VehicleMakeCode]
7. (Out) VehicleIdentificationNumber, [State, VehicleMakeCode, VehicleYear]
8. (Out) LicensePlateNumber, LicensePlateYear, [LicensePlateTypeCode, State]

CAIVehicleRegistrationPlateQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	M	7	

Possible Combinations

1. (In) LicensePlateNumber

CAIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BirthDate	BirthDate	C	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	9	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
FBI Number	FBI Number	C	9	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NcicOnlyIndicator	NcicOnlyIndicator	C	1	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

CommSys ConnectCIC TWE Transaction Definitions

RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
WarrantNumber	WarrantNumber	C	15	

Possible Combinations

1. (In/Out) Age, Name, SexCode, [Height, RaceCode]
2. (In/Out) BirthDate, Name, NcicOnlyIndicator, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
3. (In/Out) BirthDate, Name, SexCode, [Height, RaceCode]
4. (In/Out) CriminalIdentificationNumber
5. (In/Out) FBI Number
6. (In/Out) FBI Number, Name, NcicOnlyIndicator, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
7. (In/Out) FileControlNumber
8. (In/Out) LicensePlateNumber, Name, NcicOnlyIndicator, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
9. (In/Out) MiscellaneousNumber, Name, NcicOnlyIndicator, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
10. (In/Out) Name, NcicOnlyIndicator, OperatorLicenseNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
11. (In/Out) Name, NcicOnlyIndicator, OriginatingAgencyCaseNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
12. (In/Out) Name, NcicOnlyIndicator, SocialSecurityNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
13. (In/Out) Name, NcicOnlyIndicator, VehicleIdentificationNumber, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
14. (In/Out) NCICNumber
15. (In/Out) OperatorLicenseNumber
16. (In/Out) OriginatingAgencyCaseNumber
17. (In/Out) SocialSecurityNumber
18. (In/Out) WarrantNumber

CLETSPersonSuperQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BirthDate	BirthDate	C	10	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	O		

Possible Combinations

1. (In/Out) OperatorLicenseNumber
2. (In/Out) Name, SexCode, Age
3. (In/Out) Name, SexCode, BirthDate, [State]

CriminalGangTerroristGroupQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GroupName	GroupName	C	22	
SubGroup	SubGroup	C	35	

Possible Combinations

1. (In/Out) [GroupName, SubGroup]

CriminalGangTerroristMemberQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
FBINumber	FBINumber	C	9	
LicensePlateNumber	LicensePlateNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	

Possible Combinations

1. (In/Out) [BirthDate, EnhancedNameSearchIndicator, FBINumber, LicensePlateNumber, MiscellaneousNumber, Name, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, State, VehicleIdentificationNumber, VehicleMakeCode]

DmvDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	13	
AddressStreetNumber	AddressStreetNumber	O	3	
Age	Age	O	2	* See Note
BirthDate	BirthDate	C	10	* See Note
InfoCode	InfoCode	O	2	Default = L1
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
SexCode	SexCode	C	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
ZoneCode	ZoneCode	O	2	

* **Note:** BirthDate Or Age for in state requests.

Possible Combinations

1. (In) Name, [InfoCode, AddressCity, AddressStreetNumber, Age, BirthDate, ZoneCode]
2. (In) OperatorLicenseNumber, [InfoCode]
3. (Out) BirthDate, Name, SexCode, State, [OriginatingAgencyORI, State2, State3, State4, State5]

4. (Out) OperatorLicenseNumber, State, [OriginatingAgencyORI, State2, State3, State4, State5]

DmvVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FileCode	FileCode	O	1	Default plate = ' ' (space), Default VIN = V
InfoCode	InfoCode	O	1	Default = 4
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	Default for out of state = PC
LicensePlateYear	LicensePlateYear	C	4	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	30	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

***Note:** If **LicensePlateTypeCode** is specified for in state queries, the InfoCode & FileCode will not be used.

Possible Combinations

1. (In) LicensePlateNumber, [FileCode, InfoCode, LicensePlateTypeCode]
2. (In) VehicleIdentificationNumber, [FileCode, InfoCode]
3. (Out) LicensePlateNumber, LicensePlateYear, State, [LicensePlateTypeCode, OriginatingAgencyORI, State2, State3, State4, State5]
4. (Out) VehicleIdentificationNumber, State, [OriginatingAgencyORI, State2, State3, State4, State5, VehicleMakeCode, VehicleYear]

QueryPassThrough

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	M		
MessageKey	MessageKey	C		

Possible Combinations

1. (In) FreeText
2. (In) FreeText, MessageKey

CAEArticleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleType	ArticleType	C	6	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	M	8	
CategoryCode	CategoryCode	C	1	
DocumentCode	DocumentCode	M	1	
EstablishmentNumber	EstablishmentNumber	M	4	
Inscription	Inscription	O	15	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
MiscellaneousNumber	MiscellaneousNumber	O	15	

CommSys ConnectCIC TWE Transaction Definitions

Name	Name	M	30	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PropertyBrandName	PropertyBrandName	M	6	
PropertyModelName	PropertyModelName	O	15	
PropertyRecoveredValue	PropertyRecoveredValue	M	5	
SerialNumber	SerialNumber	M	20	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) ArticleType, BirthDate, CategoryCode, DocumentCode, EstablishmentNumber, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, PropertyRecoveredValue, SerialNumber, TheftDate, [Inscription, MiscellaneousDescriptiveText, MiscellaneousNumber, PropertyModelName]
2. (In/Out) ArticleTypeCode, BirthDate, DocumentCode, EstablishmentNumber, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, PropertyRecoveredValue, SerialNumber, TheftDate, [Inscription, MiscellaneousDescriptiveText, MiscellaneousNumber, PropertyModelName]

CAEBoatPartEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Category	Category	M	2	
CautionEntryIndicator	CautionEntryIndicator	O	2	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EnginePowerCode	EnginePowerCode	O	5	
EntryLevel	EntryLevel	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropertyBrandName	PropertyBrandName	M	4	
SerialNumber	SerialNumber	C	20	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddress	VictimAddress	O	30	
VictimAddressStateCode	VictimAddressStateCode	O	2	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) Category, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OriginatingAgencyORI, OwnerAppliedNumber, PropertyBrandName, TheftDate, [CautionEntryIndicator, CrossReferenceNumber, EnginePowerCode, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, NotifiedOriginatingAgency, SupplementalCaseNumber, VictimAddressCity, VictimAddress, VictimAddressStateCode, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

2. (In/Out) Category, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, SerialNumber, TheftDate, [CautionEntryIndicator, CrossReferenceNumber, EnginePowerCode, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, NotifiedOriginatingAgency, SupplementalCaseNumber, VictimAddressCity, VictimAddress, VictimAddressStateCode, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

CAEGunHistoricalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	M	30	
AddressCity	AddressCity	M	30	
AddressZipCode	AddressZipCode	M	9	
BarrelLength	BarrelLength	O	6	
BirthDate	BirthDate	M	8	
CategoryCode	CategoryCode	C	1	
CityCountyCode	CityCountyCode	O	4	
CrossReferenceNumber	CrossReferenceNumber	O	14	
DocumentCode	DocumentCode	M	1	
EstablishmentNumber	EstablishmentNumber	O	5	
Firearm Transfer Address City	FirearmTransferAddressCity	O	30	
Firearm Transfer Address State	FirearmTransferAddressStateCode	O	2	
Firearm Transfer Address	FirearmTransferAddressStreet	O	30	
Firearm Transfer Address Zip Code	FirearmTransferAddressZipCode	O	9	
Firearm Transfer Business Name	FirearmTransferName	O	30	
Firearm Transfer Telephone Number	FirearmTransferTelephoneNumber	O	10	
GunCaliber	GunCaliber	M	4	
GunMake	GunMake	M	3	
GunType	GunType	C	1	
GunTypeCode	GunTypeCode	C	2	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	8	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PropertyModelName	PropertyModelName	O	20	
SerialNumber	SerialNumber	M	20	
SocialSecurityNumber	SocialSecurityNumber	C	9	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) Address, AddressCity, AddressZipCode, BirthDate, CategoryCode, DocumentCode, GunCaliber, GunMake, GunType, MiscellaneousNumber, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SerialNumber, TheftDate, [BarrelLength, CityCountyCode, CrossReferenceNumber, EstablishmentNumber, FirearmTransferAddressCity, FirearmTransferAddressStateCode, FirearmTransferAddressStreet, FirearmTransferAddressZipCode, FirearmTransferName, FirearmTransferTelephoneNumberMiscellaneousDescriptiveText, PropertyModelName]
2. (In/Out) Address, AddressCity, AddressZipCode, BirthDate, CategoryCode, DocumentCode, GunCaliber, GunMake, GunType, Name, OperatorLicenseNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SerialNumber, TheftDate, [BarrelLength, CityCountyCode, CrossReferenceNumber, EstablishmentNumber, FirearmTransferAddressCity, FirearmTransferAddressStateCode,

- FirearmTransferAddressStreet, FirearmTransferAddressZipCode, FirearmTransferName, FirearmTransferTelephoneNumberMiscellaneousDescriptiveText, PropertyModelName]
3. (In/Out) Address, AddressCity, AddressZipCode, BirthDate, CategoryCode, DocumentCode, GunCaliber, GunMake, GunType, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SerialNumber, SocialSecurityNumber, TheftDate, [BarrelLength, CityCountyCode, CrossReferenceNumber, EstablishmentNumber, FirearmTransferAddressCity, FirearmTransferAddressStateCode, FirearmTransferAddressStreet, FirearmTransferAddressZipCode, FirearmTransferName, FirearmTransferTelephoneNumberMiscellaneousDescriptiveText, PropertyModelName]
 4. (In/Out) Address, AddressCity, AddressZipCode, BirthDate, DocumentCode, GunCaliber, GunMake, GunTypeCode, MiscellaneousNumber, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SerialNumber, TheftDate, [BarrelLength, CityCountyCode, CrossReferenceNumber, EstablishmentNumber, FirearmTransferAddressCity, FirearmTransferAddressStateCode, FirearmTransferAddressStreet, FirearmTransferAddressZipCode, FirearmTransferName, FirearmTransferTelephoneNumberMiscellaneousDescriptiveText, PropertyModelName]
 5. (In/Out) Address, AddressCity, AddressZipCode, BirthDate, DocumentCode, GunCaliber, GunMake, GunTypeCode, Name, OperatorLicenseNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SerialNumber, TheftDate, [BarrelLength, CityCountyCode, CrossReferenceNumber, EstablishmentNumber, FirearmTransferAddressCity, FirearmTransferAddressStateCode, FirearmTransferAddressStreet, FirearmTransferAddressZipCode, FirearmTransferName, FirearmTransferTelephoneNumberMiscellaneousDescriptiveText, PropertyModelName]
 6. (In/Out) Address, AddressCity, AddressZipCode, BirthDate, DocumentCode, GunCaliber, GunMake, GunTypeCode, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SerialNumber, SocialSecurityNumber, TheftDate, [BarrelLength, CityCountyCode, CrossReferenceNumber, EstablishmentNumber, FirearmTransferAddressCity, FirearmTransferAddressStateCode, FirearmTransferAddressStreet, FirearmTransferAddressZipCode, FirearmTransferName, FirearmTransferTelephoneNumberMiscellaneousDescriptiveText, PropertyModelName]

CAEMissingPersonSuspectCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
Name2	Name2	O	30	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SubjectAge	SubjectAge	C	3	
SubjectAge2	SubjectAge2	C	3	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	O	3	
SubjectHeight2	SubjectHeight2	O	3	
SubjectWeight	SubjectWeight	O	3	
SubjectWeight2	SubjectWeight2	O	3	
SuspectNumber	SuspectNumber	M	1	

Possible Combinations

1. (In/Out) BirthDate, FileControlNumber, Name, SuspectNumber, [Name2, RaceCode, SexCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectHeight2, SubjectWeight, SubjectWeight2]

CommSys ConnectCIC TWE Transaction Definitions

2. (In/Out) FileControlNumber, Name, SubjectAge, SubjectAge2, SuspectNumber, [Name2, RaceCode, SexCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectHeight2, SubjectWeight, SubjectWeight2]

CAEMissingPersonSuspectModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
MiscellaneousNumber	MiscellaneousNumber	O	31	
MiscellaneousNumber10	MiscellaneousNumber10	O	31	
MiscellaneousNumber11	MiscellaneousNumber11	O	31	
MiscellaneousNumber12	MiscellaneousNumber12	O	31	
MiscellaneousNumber13	MiscellaneousNumber13	O	31	
MiscellaneousNumber14	MiscellaneousNumber14	O	31	
MiscellaneousNumber15	MiscellaneousNumber15	O	31	
MiscellaneousNumber16	MiscellaneousNumber16	O	31	
MiscellaneousNumber17	MiscellaneousNumber17	O	31	
MiscellaneousNumber18	MiscellaneousNumber18	O	31	
MiscellaneousNumber2	MiscellaneousNumber2	O	31	
MiscellaneousNumber3	MiscellaneousNumber3	O	31	
MiscellaneousNumber4	MiscellaneousNumber4	O	31	
MiscellaneousNumber5	MiscellaneousNumber5	O	31	
MiscellaneousNumber6	MiscellaneousNumber6	O	31	
MiscellaneousNumber7	MiscellaneousNumber7	O	31	
MiscellaneousNumber8	MiscellaneousNumber8	O	31	
MiscellaneousNumber9	MiscellaneousNumber9	O	31	
Name	Name	M	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseExpirationYear3	OperatorLicenseExpirationYear3	O	4	
OperatorLicenseExpirationYear4	OperatorLicenseExpirationYear4	O	4	
OperatorLicenseExpirationYear5	OperatorLicenseExpirationYear5	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OperatorLicenseState2	OperatorLicenseState2	O	2	
OperatorLicenseState3	OperatorLicenseState3	O	2	
OperatorLicenseState4	OperatorLicenseState4	O	2	
OperatorLicenseState5	OperatorLicenseState5	O	2	
PersonRelationship	PersonRelationship	O	15	
SocialSecurityNumber	SocialSecurityNumber	O	19	
SocialSecurityNumber10	SocialSecurityNumber10	O	19	
SocialSecurityNumber2	SocialSecurityNumber2	O	19	
SocialSecurityNumber3	SocialSecurityNumber3	O	19	
SocialSecurityNumber4	SocialSecurityNumber4	O	19	
SocialSecurityNumber5	SocialSecurityNumber5	O	19	
SocialSecurityNumber6	SocialSecurityNumber6	O	19	

CommSys ConnectCIC TWE Transaction Definitions

SocialSecurityNumber7	SocialSecurityNumber7	O	19	
SocialSecurityNumber8	SocialSecurityNumber8	O	19	
SocialSecurityNumber9	SocialSecurityNumber9	O	19	
SuspectBuild	SuspectBuild	O	2	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairCode	SuspectFacialHairCode	O	5	
SuspectFacialHairCode2	SuspectFacialHairCode2	O	5	
SuspectFacialHairCode3	SuspectFacialHairCode3	O	5	
SuspectFacialHairCode4	SuspectFacialHairCode4	O	5	
SuspectFacialHairCode5	SuspectFacialHairCode5	O	5	
SuspectFacialHairCode6	SuspectFacialHairCode6	O	5	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairColorCode	SuspectHairColorCode	O	5	
SuspectHairColorCode2	SuspectHairColorCode2	O	5	
SuspectHairColorCode3	SuspectHairColorCode3	O	5	
SuspectHairColorCode4	SuspectHairColorCode4	O	5	
SuspectHairColorCode5	SuspectHairColorCode5	O	5	
SuspectHairColorCode6	SuspectHairColorCode6	O	5	
SuspectHairColorCode7	SuspectHairColorCode7	O	5	
SuspectHairColorCode8	SuspectHairColorCode8	O	5	
SuspectJewelryDescription	SuspectJewelryDescription	O	100	
SuspectNumber	SuspectNumber	M	1	
SuspectStatus	SuspectStatus	O	2	
SuspectTeethCode	SuspectTeethCode	O	5	
SuspectTeethCode2	SuspectTeethCode2	O	5	
SuspectTeethCode3	SuspectTeethCode3	O	5	
SuspectTeethCode4	SuspectTeethCode4	O	5	
SuspectTeethCode5	SuspectTeethCode5	O	5	
SuspectTeethCode6	SuspectTeethCode6	O	5	
WeaponCode	WeaponCode	O	5	
WeaponCode2	WeaponCode2	O	5	
WeaponCode3	WeaponCode3	O	5	
WeaponCode4	WeaponCode4	O	5	
WeaponCode5	WeaponCode5	O	5	
WeaponCode6	WeaponCode6	O	5	
WeaponCode7	WeaponCode7	O	5	
WeaponCode8	WeaponCode8	O	5	

Possible Combinations

1. (In/Out) FileControlNumber, Name, SuspectNumber, [CriminalIdentificationNumber, FBI Number, MiscellaneousNumber, MiscellaneousNumber10, MiscellaneousNumber11, MiscellaneousNumber12, MiscellaneousNumber13, MiscellaneousNumber14, MiscellaneousNumber15, MiscellaneousNumber16, MiscellaneousNumber17, MiscellaneousNumber18, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseState, OperatorLicenseState2, OperatorLicenseState3, OperatorLicenseState4, OperatorLicenseState5, PersonRelationship, SocialSecurityNumber, SocialSecurityNumber10, SocialSecurityNumber2, SocialSecurityNumber3,

CommSys ConnectCIC TWE Transaction Definitions

SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6, SocialSecurityNumber7, SocialSecurityNumber8, SocialSecurityNumber9, SuspectBuild, SuspectClothingDescription, SuspectFacialHairCode, SuspectFacialHairCode2, SuspectFacialHairCode3, SuspectFacialHairCode4, SuspectFacialHairCode5, SuspectFacialHairCode6, SuspectGlassesContactsDescription, SuspectHairColorCode, SuspectHairColorCode2, SuspectHairColorCode3, SuspectHairColorCode4, SuspectHairColorCode5, SuspectHairColorCode6, SuspectHairColorCode7, SuspectHairColorCode8, SuspectJewelryDescription, SuspectStatus, SuspectTeethCode, SuspectTeethCode2, SuspectTeethCode3, SuspectTeethCode4, SuspectTeethCode5, SuspectTeethCode6, WeaponCode, WeaponCode2, WeaponCode3, WeaponCode4, WeaponCode5, WeaponCode6, WeaponCode7, WeaponCode8]

CAEMissingPersonSuspectDescriptorModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	61	
AlsoKnownAs10	AlsoKnownAs10	O	61	
AlsoKnownAs11	AlsoKnownAs11	O	61	
AlsoKnownAs12	AlsoKnownAs12	O	61	
AlsoKnownAs13	AlsoKnownAs13	O	61	
AlsoKnownAs14	AlsoKnownAs14	O	61	
AlsoKnownAs15	AlsoKnownAs15	O	61	
AlsoKnownAs16	AlsoKnownAs16	O	61	
AlsoKnownAs17	AlsoKnownAs17	O	61	
AlsoKnownAs18	AlsoKnownAs18	O	61	
AlsoKnownAs2	AlsoKnownAs2	O	61	
AlsoKnownAs3	AlsoKnownAs3	O	61	
AlsoKnownAs4	AlsoKnownAs4	O	61	
AlsoKnownAs5	AlsoKnownAs5	O	61	
AlsoKnownAs6	AlsoKnownAs6	O	61	
AlsoKnownAs7	AlsoKnownAs7	O	61	
AlsoKnownAs8	AlsoKnownAs8	O	61	
AlsoKnownAs9	AlsoKnownAs9	O	61	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
Name2	Name2	O	30	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	

CommSys ConnectCIC TWE Transaction Definitions

PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SuspectAge	SuspectAge	O	3	
SuspectAge2	SuspectAge2	O	3	
SuspectEyeColorCode	SuspectEyeColorCode	O	3	
SuspectHairColorCode	SuspectHairColorCode	O	3	
SuspectHeight	SuspectHeight	O	3	
SuspectHeight2	SuspectHeight2	O	3	
SuspectNumber	SuspectNumber	M	1	
SuspectRaceCode	SuspectRaceCode	O	1	
SuspectSexCode	SuspectSexCode	O	1	
SuspectWeight	SuspectWeight	O	3	
SuspectWeight2	SuspectWeight2	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, SuspectNumber, [AlsoKnownAs, AlsoKnownAs10, AlsoKnownAs11, AlsoKnownAs12, AlsoKnownAs13, AlsoKnownAs14, AlsoKnownAs15, AlsoKnownAs16, AlsoKnownAs17, AlsoKnownAs18, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, Name2, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SuspectAge, SuspectAge2, SuspectEyeColorCode, SuspectHairColorCode, SuspectHeight, SuspectHeight2, SuspectRaceCode, SuspectSexCode, SuspectWeight, SuspectWeight2]

CAEPawnedPropertyEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

CommSys ConnectCIC TWE Transaction Definitions

BirthDate	BirthDate	M	10	
DocumentCode	DocumentCode	M	1	
EstablishmentNumber	EstablishmentNumber	M	4	
Inscription	Inscription	O	15	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PropertyBrandName	PropertyBrandName	C	6	
PropertyModelName	PropertyModelName	O	15	
PropertySerialNumber	PropertySerialNumber	C	20	
PropertyTypeCode	PropertyTypeCode	M	6	
PropertyValue	PropertyValue	C	5	
TransactionDate	TransactionDate	M	10	

Possible Combinations

- (In/Out) BirthDate, DocumentCode, EstablishmentNumber, Name, OriginatingAgencyCaseNumber, PropertyTypeCode, TransactionDate, [Inscription, MiscellaneousDescriptiveText, MiscellaneousNumber, OriginatingAgencyORI, PropertyBrandName, PropertyModelName, PropertySerialNumber, PropertyValue]

CAERestrainingOrderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
ReasonCode	ReasonCode	M	1	

Possible Combinations

- (In/Out) CancellationDate, FileControlNumber, Name, ReasonCode

CAERestrainingOrderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	30	
AddressCity	AddressCity	O	30	
AddressState	AddressState	O	2	
AddressZipCode	AddressZipCode	O	9	
AgencyName	AgencyName	O	30	
AgentIdNumber	AgentIdNumber	O	5	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	M	8	

CommSys ConnectCIC TWE Transaction Definitions

CAContactIndicator	CAContactIndicator	M	1	
CACustodyIndicator	CACustodyIndicator	O	2	
CAStayAwayCode	CAStayAwayCode	O	4	
CAStayAwayYards	CAStayAwayYards	O	4	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode10	CautionMedicalCode10	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
CautionMedicalCode9	CautionMedicalCode9	O	2	
CAVisitationRightsCode	CAVisitationRightsCode	O	1	
CourtCaseNumber	CourtCaseNumber	M	20	
CourtCode	CourtCode	M	5	
ExpirationDate	ExpirationDate	M	8	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FireArmProvisions	FireArmProvisions	M	1	
IssuanceState	IssuanceState	O	2	
LicensePlateNumber	LicensePlateNumber	O	8	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Name	Name	M	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherOrders	OtherOrders	O	500	
PresentInCourtIndicator	PresentInCourtIndicator	M	1	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonBirthDate10	ProtectedPersonBirthDate10	O	8	
ProtectedPersonBirthDate2	ProtectedPersonBirthDate2	O	8	
ProtectedPersonBirthDate3	ProtectedPersonBirthDate3	O	8	
ProtectedPersonBirthDate4	ProtectedPersonBirthDate4	O	8	
ProtectedPersonBirthDate5	ProtectedPersonBirthDate5	O	8	

CommSys ConnectCIC TWE Transaction Definitions

ProtectedPersonBirthDate6	ProtectedPersonBirthDate6	O	8	
ProtectedPersonBirthDate7	ProtectedPersonBirthDate7	O	8	
ProtectedPersonBirthDate8	ProtectedPersonBirthDate8	O	8	
ProtectedPersonBirthDate9	ProtectedPersonBirthDate9	O	8	
ProtectedPersonName	ProtectedPersonName	M	30	
ProtectedPersonName10	ProtectedPersonName10	O	30	
ProtectedPersonName2	ProtectedPersonName2	O	30	
ProtectedPersonName3	ProtectedPersonName3	O	30	
ProtectedPersonName4	ProtectedPersonName4	O	30	
ProtectedPersonName5	ProtectedPersonName5	O	30	
ProtectedPersonName6	ProtectedPersonName6	O	30	
ProtectedPersonName7	ProtectedPersonName7	O	30	
ProtectedPersonName8	ProtectedPersonName8	O	30	
ProtectedPersonName9	ProtectedPersonName9	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonRaceCode10	ProtectedPersonRaceCode10	O	1	
ProtectedPersonRaceCode2	ProtectedPersonRaceCode2	O	1	
ProtectedPersonRaceCode3	ProtectedPersonRaceCode3	O	1	
ProtectedPersonRaceCode4	ProtectedPersonRaceCode4	O	1	
ProtectedPersonRaceCode5	ProtectedPersonRaceCode5	O	1	
ProtectedPersonRaceCode6	ProtectedPersonRaceCode6	O	1	
ProtectedPersonRaceCode7	ProtectedPersonRaceCode7	O	1	
ProtectedPersonRaceCode8	ProtectedPersonRaceCode8	O	1	
ProtectedPersonRaceCode9	ProtectedPersonRaceCode9	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	M	1	
ProtectedPersonSexCode10	ProtectedPersonSexCode10	O	1	
ProtectedPersonSexCode2	ProtectedPersonSexCode2	O	1	
ProtectedPersonSexCode3	ProtectedPersonSexCode3	O	1	
ProtectedPersonSexCode4	ProtectedPersonSexCode4	O	1	
ProtectedPersonSexCode5	ProtectedPersonSexCode5	O	1	
ProtectedPersonSexCode6	ProtectedPersonSexCode6	O	1	
ProtectedPersonSexCode7	ProtectedPersonSexCode7	O	1	
ProtectedPersonSexCode8	ProtectedPersonSexCode8	O	1	
ProtectedPersonSexCode9	ProtectedPersonSexCode9	O	1	
RaceCode	RaceCode	M	1	
RecordCommunicationIndicator	RecordCommunicationIndicator	O	1	Yes or blank
RestrainingOrderIssueDate	RestrainingOrderIssueDate	M	8	
RestrainingOrderTypeCode	RestrainingOrderTypeCode	M	3	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ServedBy	ServedBy	O	30	
ServiceDate	ServiceDate	O	8	
SexCode	SexCode	M	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	

CommSys ConnectCIC TWE Transaction Definitions

SubjectBirthPlaceCode	SubjectBirthPlaceCode	O	2	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	O	3	
SubjectSkinToneCode	SubjectSkinToneCode	O	3	
SubjectWeight	SubjectWeight	O	3	
TimeServed	TimeServed	O	4	
VacateAddress	VacateAddress	O	60	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) BirthDate, CAContactIndicator, CourtCaseNumber, CourtCode, ExpirationDate, FireArmProvisions, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PresentInCourtIndicator, ProtectedPersonName, ProtectedPersonSexCode, RaceCode, RestrainingOrderIssueDate, RestrainingOrderTypeCode, SexCode, [Address, AddressCity, AddressState, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, CACustodyIndicator, CAStayAwayCode, CAStayAwayYards, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CAVisitationRightsCode, FBINumber, FingerprintClassificationCode, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OtherOrders, ProtectedPersonBirthDate, ProtectedPersonBirthDate10, ProtectedPersonBirthDate2, ProtectedPersonBirthDate3, ProtectedPersonBirthDate4, ProtectedPersonBirthDate5, ProtectedPersonBirthDate6, ProtectedPersonBirthDate7, ProtectedPersonBirthDate8, ProtectedPersonBirthDate9, ProtectedPersonName10, ProtectedPersonName2, ProtectedPersonName3, ProtectedPersonName4, ProtectedPersonName5, ProtectedPersonName6, ProtectedPersonName7, ProtectedPersonName8, ProtectedPersonName9, ProtectedPersonRaceCode, ProtectedPersonRaceCode10, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode10, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, RecordCommunicationIndicator, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, ServiceDate, SocialSecurityNumber, SubjectBirthPlaceCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectSkinToneCode, SubjectWeight, TimeServed, VacateAddress, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

CAERestrainingOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	30	
AddressCity	AddressCity	O	30	
AddressState	AddressState	O	2	
AddressZipCode	AddressZipCode	O	9	
AgencyName	AgencyName	O	30	
AgentIdNumber	AgentIdNumber	O	5	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs10	AlsoKnownAs10	O	30	
AlsoKnownAs11	AlsoKnownAs11	O	30	
AlsoKnownAs12	AlsoKnownAs12	O	30	
AlsoKnownAs13	AlsoKnownAs13	O	30	
AlsoKnownAs14	AlsoKnownAs14	O	30	
AlsoKnownAs15	AlsoKnownAs15	O	30	
AlsoKnownAs16	AlsoKnownAs16	O	30	
AlsoKnownAs17	AlsoKnownAs17	O	30	
AlsoKnownAs18	AlsoKnownAs18	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	O	8	
CAContactIndicator	CAContactIndicator	O	1	
CACustodyIndicator	CACustodyIndicator	O	2	
CADeleteProofOfServiceIndicator	CADeleteProofOfServiceIndicator	O	1	
CAStayAwayCode	CAStayAwayCode	O	4	
CAStayAwayYards	CAStayAwayYards	O	4	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode10	CautionMedicalCode10	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
CautionMedicalCode9	CautionMedicalCode9	O	2	
CAVisitationRightsCode	CAVisitationRightsCode	O	1	
CourtCaseNumber	CourtCaseNumber	O	20	
CourtCode	CourtCode	O	5	
ExpirationDate	ExpirationDate	O	8	
FBI Number	FBI Number	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FireArmProvisions	FireArmProvisions	O	1	

CommSys ConnectCIC TWE Transaction Definitions

IssuanceState	IssuanceState	O	2
LicensePlateNumber	LicensePlateNumber	O	8
LicensePlateStateCode	LicensePlateStateCode	O	2
LicensePlateTypeCode	LicensePlateTypeCode	O	2
LicensePlateYear	LicensePlateYear	O	4
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500
MiscellaneousNumber	MiscellaneousNumber	O	31
MiscellaneousNumber10	MiscellaneousNumber10	O	31
MiscellaneousNumber11	MiscellaneousNumber11	O	31
MiscellaneousNumber12	MiscellaneousNumber12	O	31
MiscellaneousNumber13	MiscellaneousNumber13	O	31
MiscellaneousNumber14	MiscellaneousNumber14	O	31
MiscellaneousNumber15	MiscellaneousNumber15	O	31
MiscellaneousNumber16	MiscellaneousNumber16	O	31
MiscellaneousNumber2	MiscellaneousNumber2	O	31
MiscellaneousNumber3	MiscellaneousNumber3	O	31
MiscellaneousNumber4	MiscellaneousNumber4	O	31
MiscellaneousNumber5	MiscellaneousNumber5	O	31
MiscellaneousNumber6	MiscellaneousNumber6	O	31
MiscellaneousNumber7	MiscellaneousNumber7	O	31
MiscellaneousNumber8	MiscellaneousNumber8	O	31
MiscellaneousNumber9	MiscellaneousNumber9	O	31
Name	Name	M	30
Name2	Name2	O	30
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4
OperatorLicenseNumber	OperatorLicenseNumber	O	20
OperatorLicenseState	OperatorLicenseState	O	2
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20
OtherOrders	OtherOrders	O	500
PresentInCourtIndicator	PresentInCourtIndicator	O	1
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8
ProtectedPersonBirthDate10	ProtectedPersonBirthDate10	O	8
ProtectedPersonBirthDate2	ProtectedPersonBirthDate2	O	8
ProtectedPersonBirthDate3	ProtectedPersonBirthDate3	O	8
ProtectedPersonBirthDate4	ProtectedPersonBirthDate4	O	8
ProtectedPersonBirthDate5	ProtectedPersonBirthDate5	O	8
ProtectedPersonBirthDate6	ProtectedPersonBirthDate6	O	8
ProtectedPersonBirthDate7	ProtectedPersonBirthDate7	O	8
ProtectedPersonBirthDate8	ProtectedPersonBirthDate8	O	8
ProtectedPersonBirthDate9	ProtectedPersonBirthDate9	O	8
ProtectedPersonName	ProtectedPersonName	O	30
ProtectedPersonName10	ProtectedPersonName10	O	30
ProtectedPersonName2	ProtectedPersonName2	O	30
ProtectedPersonName3	ProtectedPersonName3	O	30
ProtectedPersonName4	ProtectedPersonName4	O	30
ProtectedPersonName5	ProtectedPersonName5	O	30
ProtectedPersonName6	ProtectedPersonName6	O	30
ProtectedPersonName7	ProtectedPersonName7	O	30
ProtectedPersonName8	ProtectedPersonName8	O	30
ProtectedPersonName9	ProtectedPersonName9	O	30

CommSys ConnectCIC TWE Transaction Definitions

ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonRaceCode10	ProtectedPersonRaceCode10	O	1	
ProtectedPersonRaceCode2	ProtectedPersonRaceCode2	O	1	
ProtectedPersonRaceCode3	ProtectedPersonRaceCode3	O	1	
ProtectedPersonRaceCode4	ProtectedPersonRaceCode4	O	1	
ProtectedPersonRaceCode5	ProtectedPersonRaceCode5	O	1	
ProtectedPersonRaceCode6	ProtectedPersonRaceCode6	O	1	
ProtectedPersonRaceCode7	ProtectedPersonRaceCode7	O	1	
ProtectedPersonRaceCode8	ProtectedPersonRaceCode8	O	1	
ProtectedPersonRaceCode9	ProtectedPersonRaceCode9	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSexCode10	ProtectedPersonSexCode10	O	1	
ProtectedPersonSexCode2	ProtectedPersonSexCode2	O	1	
ProtectedPersonSexCode3	ProtectedPersonSexCode3	O	1	
ProtectedPersonSexCode4	ProtectedPersonSexCode4	O	1	
ProtectedPersonSexCode5	ProtectedPersonSexCode5	O	1	
ProtectedPersonSexCode6	ProtectedPersonSexCode6	O	1	
ProtectedPersonSexCode7	ProtectedPersonSexCode7	O	1	
ProtectedPersonSexCode8	ProtectedPersonSexCode8	O	1	
ProtectedPersonSexCode9	ProtectedPersonSexCode9	O	1	
RaceCode	RaceCode	O	1	
RecordCommunicationIndicator	RecordCommunicationIndicator	O	1	Yes or blank
RestrainingOrderIssueDate	RestrainingOrderIssueDate	O	8	
RestrainingOrderTypeCode	RestrainingOrderTypeCode	O	3	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	21	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	21	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	21	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	21	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	21	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	21	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	21	
ScarsMarksTattoosCode16	ScarsMarksTattoosCode16	O	21	
ScarsMarksTattoosCode17	ScarsMarksTattoosCode17	O	21	
ScarsMarksTattoosCode18	ScarsMarksTattoosCode18	O	21	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	21	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	21	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	21	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	21	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	21	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	21	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	21	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	21	
ServedBy	ServedBy	O	30	
ServiceDate	ServiceDate	O	8	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SubjectBirthPlaceCode	SubjectBirthPlaceCode	O	2	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	O	3	
SubjectSkinToneCode	SubjectSkinToneCode	O	3	

CommSys ConnectCIC TWE Transaction Definitions

SubjectWeight	SubjectWeight	O	3	
TimeServed	TimeServed	O	4	
VacateAddress	VacateAddress	O	60	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [Address, AddressCity, AddressState, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs10, AlsoKnownAs11, AlsoKnownAs12, AlsoKnownAs13, AlsoKnownAs14, AlsoKnownAs15, AlsoKnownAs16, AlsoKnownAs17, AlsoKnownAs18, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, CAContactIndicator, CACustodyIndicator, CADeleteProofOfServiceIndicator, CASTayAwayCode, CASTayAwayYards, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CAVisitationRightsCode, CourtCaseNumber, CourtCode, ExpirationDate, FBINumber, FingerprintClassificationCode, FireArmProvisions, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber10, MiscellaneousNumber11, MiscellaneousNumber12, MiscellaneousNumber13, MiscellaneousNumber14, MiscellaneousNumber15, MiscellaneousNumber16, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, Name2, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyCaseNumber, OtherOrders, PresentInCourtIndicator, ProtectedPersonBirthDate, ProtectedPersonBirthDate10, ProtectedPersonBirthDate2, ProtectedPersonBirthDate3, ProtectedPersonBirthDate4, ProtectedPersonBirthDate5, ProtectedPersonBirthDate6, ProtectedPersonBirthDate7, ProtectedPersonBirthDate8, ProtectedPersonBirthDate9, ProtectedPersonName, ProtectedPersonName10, ProtectedPersonName2, ProtectedPersonName3, ProtectedPersonName4, ProtectedPersonName5, ProtectedPersonName6, ProtectedPersonName7, ProtectedPersonName8, ProtectedPersonName9, ProtectedPersonRaceCode, ProtectedPersonRaceCode10, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode, ProtectedPersonSexCode10, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, RaceCode, RestrainingOrderIssueDate, RestrainingOrderTypeCode, RecordCommunicationIndicator, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode16, ScarsMarksTattoosCode17, ScarsMarksTattoosCode18, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, ServiceDate, SexCode, SocialSecurityNumber, SubjectBirthPlaceCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectSkinToneCode, SubjectWeight, TimeServed, VacateAddress,

CommSys ConnectCIC TWE Transaction Definitions

ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

CAERestrainingOrderServiceEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
AgentIdNumber	AgentIdNumber	O	5	
FileControlNumber	FileControlNumber	M	13	
MiscellaneousProofOfServiceInformation	MiscellaneousProofOfServiceInformation	O	500	
Name	Name	M	30	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
RestrainingOrderIssueDate	RestrainingOrderIssueDate	M	8	
ServedBy	ServedBy	M	30	
ServingAgencyCaseNumber	ServingAgencyCaseNumber	M	20	
TimeServed	TimeServed	M	4	

Possible Combinations

1. (In/Out) AgencyName, FileControlNumber, Name, OriginatingAgencyORI, RestrainingOrderIssueDate, ServedBy, ServingAgencyCaseNumber, TimeServed, [AgentIdNumber, MiscellaneousProofOfServiceInformation]

CAERestrainingOrderViolationClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalComment	AdditionalComment	M	500	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ViolationNumber	ViolationNumber	M	3	

Possible Combinations

1. (In/Out) AdditionalComment, FileControlNumber, Name, OriginatingAgencyORI, ViolationNumber

CAERestrainingOrderViolationEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ChildPresentIndicator	ChildPresentIndicator	O	1	
Comment	Comment	O	500	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ProbationParoleIndicator	ProbationParoleIndicator	O	1	
ReportNumber	ReportNumber	M	20	
ViolationCode	ViolationCode	M	5	
ViolationDate	ViolationDate	M	8	
ViolationLocationCode	ViolationLocationCode	M	1	
ViolationStatusCode	ViolationStatusCode	M	1	
ViolationTime	ViolationTime	O	4	
WeaponTypeCode	WeaponTypeCode	O	1	
WeaponUsedIndicator	WeaponUsedIndicator	O	1	

Possible Combinations

1. (In/Out) FileControlNumber, Name, OriginatingAgencyORI, ReportNumber, ViolationCode, ViolationDate, ViolationLocationCode, ViolationStatusCode, [ChildPresentIndicator, Comment, ProbationParoleIndicator, ViolationTime, WeaponTypeCode, WeaponUsedIndicator]

CAERestrainingOrderViolationModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ChildPresentIndicator	ChildPresentIndicator	O	1	
Comment	Comment	O	500	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
ProbationParoleIndicator	ProbationParoleIndicator	O	1	
ReportNumber	ReportNumber	O	20	
ViolationCode	ViolationCode	O	5	
ViolationDate	ViolationDate	O	8	
ViolationLocationCode	ViolationLocationCode	O	1	
ViolationNumber	ViolationNumber	M	3	
ViolationStatusCode	ViolationStatusCode	O	1	
ViolationTime	ViolationTime	O	4	
WeaponTypeCode	WeaponTypeCode	O	1	
WeaponUsedIndicator	WeaponUsedIndicator	O	1	

Possible Combinations

1. (In/Out) FileControlNumber, Name, ViolationNumber, [ChildPresentIndicator, Comment, ProbationParoleIndicator, ReportNumber, ViolationCode, ViolationDate, ViolationLocationCode, ViolationStatusCode, ViolationTime, WeaponTypeCode, WeaponUsedIndicator]

CAEStolenGunEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
ArticleTypeCode	ArticleTypeCode	O	1	
ArticleTypeCode2	ArticleTypeCode2	O	1	
BarrelLength	BarrelLength	O	6	
BirthDate	BirthDate	O	8	
CACrimeGunIndicator	CACrimeGunIndicator	O	1	
CAIllegallyPossessedIndicator	CAIllegallyPossessedIndicator	O	1	
CAReportedStolenIndicator	CAReportedStolenIndicator	O	1	
CAStayAwayCode	CAStayAwayCode	O	20	
CrossReferenceNumber	CrossReferenceNumber	O	14	
DocumentCode	DocumentCode	O	1	
EntryLevel	EntryLevel	O	1	
FirearmReferenceFlag	FirearmReferenceFlag	O	1	
FirearmTransferAddressCity	FirearmTransferAddressCity	O	30	
FirearmTransferAddressStateCode	FirearmTransferAddressStateCode	O	2	
FirearmTransferAddressStreet	FirearmTransferAddressStreet	O	30	
FirearmTransferAddressZipCode	FirearmTransferAddressZipCode	O	9	
FirearmTransferName	FirearmTransferName	O	30	
FirearmTransferTelephoneNumber	FirearmTransferTelephoneNumber	O	10	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	

CommSys ConnectCIC TWE Transaction Definitions

Importer	Importer	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
Name	Name	O	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OccurrenceCounty	OccurrenceCounty	O	2	
OffenseCode	OffenseCode	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	8	
ORI	ORI	O	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
PropertyModelName	PropertyModelName	O	20	
ReasonCode	ReasonCode	O	30	
RecoveryAddressApartmentNumber	RecoveryAddressApartmentNumber	O	6	
RecoveryAddressRouteNumber	RecoveryAddressRouteNumber	O	6	
RecoveryAddressStreetDirection	RecoveryAddressStreetDirection	O	2	
RecoveryAddressStreetNumber	RecoveryAddressStreetNumber	O	6	
RecoveryAddressStreetSuffix	RecoveryAddressStreetSuffix	O	2	
RecoveryAddressZip	RecoveryAddressZip	O	9	
RecoveryOfficerName	RecoveryOfficerName	O	22	
SerialNumber	SerialNumber	O	20	
SuspectAddressApartmentNumber	SuspectAddressApartmentNumber	O	6	
SuspectAddressRouteNumber	SuspectAddressRouteNumber	O	6	
SuspectAddressStateCode	SuspectAddressStateCode	O	2	
SuspectAddressStreetDirection	SuspectAddressStreetDirection	O	2	
SuspectAddressStreetName	SuspectAddressStreetName	O	30	
SuspectAddressStreetNumber	SuspectAddressStreetNumber	O	6	
SuspectAddressStreetSuffix	SuspectAddressStreetSuffix	O	2	
SuspectAddressZip	SuspectAddressZip	O	9	
TheftDate	TheftDate	O	8	

Possible Combinations

1. (In/Out) [AddressCity, ArticleTypeCode, ArticleTypeCode2, BarrelLength, BirthDate, CACrimeGunIndicator, CAIllegallyPossessedIndicator, CAReportedStolenIndicator, CASTayAwayCode, CrossReferenceNumber, DocumentCode, EntryLevel, FirearmReferenceFlag, FirearmTransferAddressCity, FirearmTransferAddressStateCode, FirearmTransferAddressStreet, FirearmTransferAddressZipCode, FirearmTransferName, FirearmTransferTelephoneNumber, GunCaliber, GunMake, Importer, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, Name, NotifiedOriginatingAgency, OccurrenceCounty, OffenseCode, OperatorLicenseNumber, ORI, OriginatingAgencyCaseNumber, PropertyModelName, ReasonCode, RecoveryAddressApartmentNumber, RecoveryAddressRouteNumber, RecoveryAddressStreetDirection, RecoveryAddressStreetNumber, RecoveryAddressStreetSuffix, RecoveryAddressZip, RecoveryOfficerName, SerialNumber, SuspectAddressApartmentNumber, SuspectAddressRouteNumber, SuspectAddressStateCode, SuspectAddressStreetDirection, SuspectAddressStreetName, SuspectAddressStreetNumber, SuspectAddressStreetSuffix, SuspectAddressZip, TheftDate]

CAESupervisedReleaseContact

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleTypeCode	ArticleTypeCode	C	3	

CommSys ConnectCIC TWE Transaction Definitions

ArticleTypeCode2	ArticleTypeCode2	O	3	
ArticleTypeCode3	ArticleTypeCode3	O	3	
ArticleTypeCode4	ArticleTypeCode4	O	3	
ArticleTypeCode5	ArticleTypeCode5	O	3	
CallRequestedIndicator	CallRequestedIndicator	O	1	Y, N
Charge	Charge	O	20	
Comment	Comment	O	120	
ContactStatus	ContactStatus	M	1	B, R, I, C, X
FileControlNumber	FileControlNumber	C	13	
FileControlNumber2	FileControlNumber2	O	13	
FileControlNumber3	FileControlNumber3	O	13	
FileControlNumber4	FileControlNumber4	O	13	
FileControlNumber5	FileControlNumber5	O	13	
IdentificationNumber	IdentificationNumber	C	20	
IdentificationNumber2	IdentificationNumber2	O	20	
IdentificationNumber3	IdentificationNumber3	O	20	
IdentificationNumber4	IdentificationNumber4	O	20	
IdentificationNumber5	IdentificationNumber5	O	20	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	4	
LicensePlateYear	LicensePlateYear	O	4	
Mnemonic	Mnemonic	C	4	
Mnemonic2	Mnemonic2	O	4	
Mnemonic3	Mnemonic3	O	4	
Mnemonic4	Mnemonic4	O	4	
Mnemonic5	Mnemonic5	O	4	
OfficerName	OfficerName	M	30	
PhoneNumber	PhoneNumber	O	20	
VehicleColorPrimaryCode	VehicleColorPrimaryCode	O	15	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	15	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) ArticleTypeCode, ContactStatus, IdentificationNumber, Mnemonic, OfficerName, [ArticleTypeCode2, ArticleTypeCode3, ArticleTypeCode4, ArticleTypeCode5, Charge, Comment, CallRequestedIndicator, IdentificationNumber2, IdentificationNumber3, IdentificationNumber4, IdentificationNumber5, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Mnemonic2, Mnemonic3, Mnemonic4, Mnemonic5, PhoneNumber, VehicleColorPrimaryCode, VehicleMakeCode, VehicleModelCode, VehicleYear]
2. (In/Out) ContactStatus, FileControlNumber, OfficerName, [Charge, Comment, FileControlNumber2, FileControlNumber3, FileControlNumber4, FileControlNumber5, CallRequestedIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, PhoneNumber, VehicleColorPrimaryCode, VehicleMakeCode, VehicleModelCode, VehicleYear]

CAESupervisedReleaseEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	M	2	

CommSys ConnectCIC TWE Transaction Definitions

AgencyRecordNumber	AgencyRecordNumber	O	9
AlsoKnownAs	AlsoKnownAs	O	30
AlsoKnownAs2	AlsoKnownAs2	O	30
AlsoKnownAs3	AlsoKnownAs3	O	30
AlsoKnownAs4	AlsoKnownAs4	O	30
AlsoKnownAs5	AlsoKnownAs5	O	30
AlsoKnownAs6	AlsoKnownAs6	O	30
AlsoKnownAs7	AlsoKnownAs7	O	30
AlsoKnownAs8	AlsoKnownAs8	O	30
AlsoKnownAs9	AlsoKnownAs9	O	30
ArrestDate	ArrestDate	O	8
BirthDate	BirthDate	M	8
CASubjectInmateNumber	CASubjectInmateNumber	O	6
CautionMedicalCode	CautionMedicalCode	O	2
CourtCode	CourtCode	O	9
CourtORI	CourtORI	O	9
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9
EntryLevel	EntryLevel	O	1
FBINumber	FBINumber	O	9
FingerprintClassificationCode	FingerprintClassificationCode	O	20
IncidentType	IncidentType	O	50
LicensePlateNumber	LicensePlateNumber	O	10
LicensePlateStateCode	LicensePlateStateCode	O	2
LicensePlateTypeCode	LicensePlateTypeCode	O	2
LicensePlateYear	LicensePlateYear	O	4
Location	Location	O	50
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500
MiscellaneousNumber	MiscellaneousNumber	O	15
Mnemonic	Mnemonic	M	4
Name	Name	M	30
OffenseCode	OffenseCode	M	10
OfficerName	OfficerName	M	30
OfficerPhoneNumber	OfficerPhoneNumber	M	12
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4
OperatorLicenseNumber	OperatorLicenseNumber	O	20
OperatorLicenseState	OperatorLicenseState	O	2
OriginalOffenseCode	OriginalOffenseCode	O	4
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20
OriginatingAgencyORI	OriginatingAgencyORI	M	9
ProbationRevokedDate	ProbationRevokedDate	O	8
RaceCode	RaceCode	M	1
RevocationReason	RevocationReason	O	20
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10
SexCode	SexCode	M	1
SexOffenderIndicator	SexOffenderIndicator	O	1
SocialSecurityNumber	SocialSecurityNumber	O	9
StolenBirthDate	StolenBirthDate	O	8
StolenBirthDate2	StolenBirthDate2	O	8
StolenBirthDate3	StolenBirthDate3	O	8
StolenBirthDate4	StolenBirthDate4	O	8
StolenBirthDate5	StolenBirthDate5	O	8

CommSys ConnectCIC TWE Transaction Definitions

StolenBirthDate6	StolenBirthDate6	O	8	
StolenBirthDate7	StolenBirthDate7	O	8	
StolenBirthDate8	StolenBirthDate8	O	8	
StolenBirthDate9	StolenBirthDate9	O	8	
StolenDriversLicenseNumber	StolenDriversLicenseNumber	O	9	
StolenDriversLicenseNumber2	StolenDriversLicenseNumber2	O	9	
StolenDriversLicenseNumber3	StolenDriversLicenseNumber3	O	9	
StolenDriversLicenseNumber4	StolenDriversLicenseNumber4	O	9	
StolenDriversLicenseNumber5	StolenDriversLicenseNumber5	O	9	
StolenDriversLicenseNumber6	StolenDriversLicenseNumber6	O	9	
StolenDriversLicenseNumber7	StolenDriversLicenseNumber7	O	9	
StolenDriversLicenseNumber8	StolenDriversLicenseNumber8	O	9	
StolenDriversLicenseNumber9	StolenDriversLicenseNumber9	O	9	
StolenLicenseYear	StolenLicenseYear	O	4	
StolenLicenseYear2	StolenLicenseYear2	O	4	
StolenLicenseYear3	StolenLicenseYear3	O	4	
StolenLicenseYear4	StolenLicenseYear4	O	4	
StolenLicenseYear5	StolenLicenseYear5	O	4	
StolenLicenseYear6	StolenLicenseYear6	O	4	
StolenLicenseYear7	StolenLicenseYear7	O	4	
StolenLicenseYear8	StolenLicenseYear8	O	4	
StolenLicenseYear9	StolenLicenseYear9	O	4	
StolenMiscellaneousNumber	StolenMiscellaneousNumber	O	15	
StolenMiscellaneousNumber2	StolenMiscellaneousNumber2	O	15	
StolenMiscellaneousNumber3	StolenMiscellaneousNumber3	O	15	
StolenMiscellaneousNumber4	StolenMiscellaneousNumber4	O	15	
StolenMiscellaneousNumber5	StolenMiscellaneousNumber5	O	15	
StolenMiscellaneousNumber6	StolenMiscellaneousNumber6	O	15	
StolenMiscellaneousNumber7	StolenMiscellaneousNumber7	O	15	
StolenMiscellaneousNumber8	StolenMiscellaneousNumber8	O	15	
StolenMiscellaneousNumber9	StolenMiscellaneousNumber9	O	15	
StolenName	StolenName	O	30	
StolenName2	StolenName2	O	30	
StolenName3	StolenName3	O	30	
StolenName4	StolenName4	O	30	
StolenName5	StolenName5	O	30	
StolenName6	StolenName6	O	30	
StolenName7	StolenName7	O	30	
StolenName8	StolenName8	O	30	
StolenName9	StolenName9	O	30	
StolenOperatorLicenseNumber	StolenOperatorLicenseNumber	O	20	
StolenOperatorLicenseNumber2	StolenOperatorLicenseNumber2	O	20	
StolenOperatorLicenseNumber3	StolenOperatorLicenseNumber3	O	20	
StolenOperatorLicenseNumber4	StolenOperatorLicenseNumber4	O	20	
StolenOperatorLicenseNumber5	StolenOperatorLicenseNumber5	O	20	
StolenOperatorLicenseNumber6	StolenOperatorLicenseNumber6	O	20	
StolenOperatorLicenseNumber7	StolenOperatorLicenseNumber7	O	20	
StolenOperatorLicenseNumber8	StolenOperatorLicenseNumber8	O	20	
StolenOperatorLicenseNumber9	StolenOperatorLicenseNumber9	O	20	
StolenOperatorLicenseStateCode	StolenOperatorLicenseStateCode	O	2	
StolenOperatorLicenseStateCode2	StolenOperatorLicenseStateCode2	O	2	

CommSys ConnectCIC TWE Transaction Definitions

StolenOperatorLicenseStateCode3	StolenOperatorLicenseStateCode3	O	2	
StolenOperatorLicenseStateCode4	StolenOperatorLicenseStateCode4	O	2	
StolenOperatorLicenseStateCode5	StolenOperatorLicenseStateCode5	O	2	
StolenOperatorLicenseStateCode6	StolenOperatorLicenseStateCode6	O	2	
StolenOperatorLicenseStateCode7	StolenOperatorLicenseStateCode7	O	2	
StolenOperatorLicenseStateCode8	StolenOperatorLicenseStateCode8	O	2	
StolenOperatorLicenseStateCode9	StolenOperatorLicenseStateCode9	O	2	
SubjectBirthPlaceCode	SubjectBirthPlaceCode	O	2	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	M	3	
SubjectSkinToneCode	SubjectSkinToneCode	O	3	
SubjectWeight	SubjectWeight	O	3	
SupervisionReleaseDate	SupervisionReleaseDate	M	8	
SupervisionStartDate	SupervisionStartDate	M	8	
UnitName	UnitName	O	20	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	15	

Possible Combinations

- (In/Out) AddressCounty, BirthDate, Mnemonic, Name, OffenseCode, OfficerName, OfficerPhoneNumber, OriginatingAgencyORI, RaceCode, SexCode, SubjectHeight, SupervisionReleaseDate, SupervisionStartDate, [AddressCity, AgencyRecordNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, ArrestDate, CASubjectInmateNumber, CautionMedicalCode, CourtCode, CourtORI, CriminalIdentificationNumber, EntryLevel, FBINumber, FingerprintClassificationCode, IncidentType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Location, MiscellaneousDescriptiveText, MiscellaneousNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginalOffenseCode, OriginatingAgencyCaseNumber, ProbationRevokedDate, RevocationReason, ScarsMarksTattoosCode, SexOffenderIndicator, SocialSecurityNumber, StolenBirthDate, StolenBirthDate2, StolenBirthDate3, StolenBirthDate4, StolenBirthDate5, StolenBirthDate6, StolenBirthDate7, StolenBirthDate8, StolenBirthDate9, StolenDriversLicenseNumber, StolenDriversLicenseNumber2, StolenDriversLicenseNumber3, StolenDriversLicenseNumber4, StolenDriversLicenseNumber5, StolenDriversLicenseNumber6, StolenDriversLicenseNumber7, StolenDriversLicenseNumber8, StolenDriversLicenseNumber9, StolenLicenseYear, StolenLicenseYear2, StolenLicenseYear3, StolenLicenseYear4, StolenLicenseYear5, StolenLicenseYear6, StolenLicenseYear7, StolenLicenseYear8, StolenLicenseYear9, StolenMiscellaneousNumber, StolenMiscellaneousNumber2, StolenMiscellaneousNumber3, StolenMiscellaneousNumber4, StolenMiscellaneousNumber5, StolenMiscellaneousNumber6, StolenMiscellaneousNumber7, StolenMiscellaneousNumber8, StolenMiscellaneousNumber9, StolenName, StolenName2, StolenName3, StolenName4, StolenName5, StolenName6, StolenName7, StolenName8, StolenName9, StolenOperatorLicenseNumber, StolenOperatorLicenseNumber2, StolenOperatorLicenseNumber3, StolenOperatorLicenseNumber4, StolenOperatorLicenseNumber5, StolenOperatorLicenseNumber6, StolenOperatorLicenseNumber7, StolenOperatorLicenseNumber8, StolenOperatorLicenseNumber9,

CommSys ConnectCIC TWE Transaction Definitions

StolenOperatorLicenseStateCode, StolenOperatorLicenseStateCode2, StolenOperatorLicenseStateCode3, StolenOperatorLicenseStateCode4, StolenOperatorLicenseStateCode5, StolenOperatorLicenseStateCode6, StolenOperatorLicenseStateCode7, StolenOperatorLicenseStateCode8, StolenOperatorLicenseStateCode9, SubjectBirthPlaceCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectSkinToneCode, SubjectWeight, UnitName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantNumber]

CAESupervisedReleaseModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AgencyRecordNumber	AgencyRecordNumber	O	9	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs10	AlsoKnownAs10	O	30	
AlsoKnownAs11	AlsoKnownAs11	O	30	
AlsoKnownAs12	AlsoKnownAs12	O	30	
AlsoKnownAs13	AlsoKnownAs13	O	30	
AlsoKnownAs14	AlsoKnownAs14	O	30	
AlsoKnownAs15	AlsoKnownAs15	O	30	
AlsoKnownAs16	AlsoKnownAs16	O	30	
AlsoKnownAs17	AlsoKnownAs17	O	30	
AlsoKnownAs18	AlsoKnownAs18	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
ArrestDate	ArrestDate	O	8	
BirthDate	BirthDate	O	8	
CASubjectInmateNumber	CASubjectInmateNumber	O	6	
CautionMedicalCode	CautionMedicalCode	O	2	
CourtCode	CourtCode	O	9	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryLevel	EntryLevel	O	1	
FBI Number	FBI Number	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
IncidentType	IncidentType	O	50	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Location	Location	O	50	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	

CommSys ConnectCIC TWE Transaction Definitions

Mnemonic	Mnemonic	O	4
Name	Name	M	30
Name2	Name2	O	30
OffenseCode	OffenseCode	O	10
OfficerName	OfficerName	O	30
OfficerPhoneNumber	OfficerPhoneNumber	O	12
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4
OperatorLicenseNumber	OperatorLicenseNumber	O	20
OperatorLicenseState	OperatorLicenseState	O	2
OriginalOffenseCode	OriginalOffenseCode	O	4
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20
ProbationRevokedDate	ProbationRevokedDate	O	8
RaceCode	RaceCode	O	1
ReasonRevoked	ReasonRevoked	O	20
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10
SexCode	SexCode	O	1
SexOffenderIndicator	SexOffenderIndicator	O	1
SocialSecurityNumber	SocialSecurityNumber	O	9
StolenBirthDate	StolenBirthDate	O	8
StolenBirthDate2	StolenBirthDate2	O	8
StolenDriversLicenseNumber	StolenDriversLicenseNumber	O	9
StolenDriversLicenseNumber2	StolenDriversLicenseNumber2	O	9
StolenLicenseYear	StolenLicenseYear	O	4
StolenLicenseYear2	StolenLicenseYear2	O	4
StolenMiscellaneousNumber	StolenMiscellaneousNumber	O	15
StolenMiscellaneousNumber2	StolenMiscellaneousNumber2	O	15
StolenName	StolenName	O	30
StolenName2	StolenName2	O	30
StolenOperatorLicenseNumber	StolenOperatorLicenseNumber	O	20
StolenOperatorLicenseNumber2	StolenOperatorLicenseNumber2	O	20
StolenOperatorLicenseStateCode	StolenOperatorLicenseStateCode	O	2
StolenOperatorLicenseStateCode2	StolenOperatorLicenseStateCode2	O	2
SubjectBirthPlaceCode	SubjectBirthPlaceCode	O	2
SubjectEyeColorCode	SubjectEyeColorCode	O	3
SubjectHairColorCode	SubjectHairColorCode	O	3
SubjectHeight	SubjectHeight	O	3
SubjectSkinToneCode	SubjectSkinToneCode	O	3
SubjectWeight	SubjectWeight	O	3
SupervisionReleaseDate	SupervisionReleaseDate	O	8
SupervisionStartDate	SupervisionStartDate	O	8
UnitName	UnitName	O	20
VehicleColorCode	VehicleColorCode	O	7
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20
VehicleMakeCode	VehicleMakeCode	O	24
VehicleModelCode	VehicleModelCode	O	3
VehicleStyleCode	VehicleStyleCode	O	2
VehicleYear	VehicleYear	O	4
WarrantNumber	WarrantNumber	O	15

Possible Combinations

- (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AgencyRecordNumber, AlsoKnownAs, AlsoKnownAs10, AlsoKnownAs11, AlsoKnownAs12, AlsoKnownAs13, AlsoKnownAs14, AlsoKnownAs15, AlsoKnownAs16, AlsoKnownAs17, AlsoKnownAs18, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, ArrestDate, BirthDate, CASubjectInmateNumber, CautionMedicalCode, CourtCode, CourtORI, CriminalIdentificationNumber, EntryLevel, FBINumber, FingerprintClassificationCode, IncidentType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Location, MiscellaneousDescriptiveText, MiscellaneousNumber, Mnemonic, Name2, OffenseCode, OfficerName, OfficerPhoneNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginalOffenseCode, OriginatingAgencyCaseNumber, ProbationRevokedDate, RaceCode, ReasonRevoked, ScarsMarksTattoosCode, SexCode, SexOffenderIndicator, SocialSecurityNumber, StolenBirthDate, StolenBirthDate2, StolenDriversLicenseNumber, StolenDriversLicenseNumber2, StolenLicenseYear, StolenLicenseYear2, StolenMiscellaneousNumber, StolenMiscellaneousNumber2, StolenName, StolenName2, StolenOperatorLicenseNumber, StolenOperatorLicenseNumber2, StolenOperatorLicenseStateCode, StolenOperatorLicenseStateCode2, SubjectBirthPlaceCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectSkinToneCode, SubjectWeight, SupervisionReleaseDate, SupervisionStartDate, UnitName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantNumber]

CAEVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
Attention	Attention	O	50	
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
MessageKeyModifier	MessageKeyModifier	O	1	"A" = Associate, leave blank otherwise
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	M	9	
StatusCode	StatusCode	M	3	

Possible Combinations

- (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyORI, StatusCode, [AssociateRecordIdentifier, Attention, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

CAEVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CautionEntryIndicator	CautionEntryIndicator	O	2	
CrossReferenceNumber	CrossReferenceNumber	O	13	

CommSys ConnectCIC TWE Transaction Definitions

EngineNumber	EngineNumber	C	20	
EntryLevel	EntryLevel	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	2	Pawned = "P" Repossessed = "R" Reported Lost = "RL" Towed/Stored = "S" Impounded = "SH"
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
Reference	Reference	O	50	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	M	3	
VehicleStyleCode	VehicleStyleCode	M	2	
VehicleYear	VehicleYear	M	4	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddress	VictimAddress	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) EngineNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, VehicleModelCode, VehicleStyleCode, VehicleYear, [CautionEntryIndicator, CrossReferenceNumber, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OwnerAppliedNumber, Reference, SupplementalCaseNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VictimAddressCity, VictimAddressState, VictimAddress, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]
2. (In/Out) LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, VehicleModelCode, VehicleStyleCode, VehicleYear, [CautionEntryIndicator, CrossReferenceNumber, EngineNumber, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OwnerAppliedNumber, Reference, SupplementalCaseNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VictimAddressCity, VictimAddressState, VictimAddress, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

3. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, OwnerAppliedNumber, TheftDate, VehicleModelCode, VehicleStyleCode, VehicleYear, [CautionEntryIndicator, CrossReferenceNumber, EngineNumber, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, Reference, SupplementalCaseNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VictimAddressCity, VictimAddressState, VictimAddress, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]
4. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, VehicleIdentificationNumber, VehicleModelCode, VehicleStyleCode, VehicleYear, [CautionEntryIndicator, CrossReferenceNumber, EngineNumber, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OwnerAppliedNumber, Reference, SupplementalCaseNumber, VehicleColorCode, VehicleMakeCode, VictimAddressCity, VictimAddressState, VictimAddress, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

CAEVehicleStolenPartEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Category	Category	M	2	
CautionEntryIndicator	CautionEntryIndicator	O	2	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EnginePower	EnginePower	O	5	
EntryLevel	EntryLevel	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	2	Found/Evid = "PF" Stolen = "PR"
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropertyBrandName	PropertyBrandName	M	4	
SerialNumber	SerialNumber	C	20	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VehicleYear	VehicleYear	O	4	
VictimAddress	VictimAddress	O	30	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) Category, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OriginatingAgencyORI, OwnerAppliedNumber, PropertyBrandName, TheftDate, [CautionEntryIndicator, CrossReferenceNumber, EnginePower, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier,

CommSys ConnectCIC TWE Transaction Definitions

NotifiedOriginatingAgency, SupplementalCaseNumber, VehicleYear, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

- (In/Out) Category, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, SerialNumber, TheftDate, [CautionEntryIndicator, CrossReferenceNumber, EnginePower, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, NotifiedOriginatingAgency, SupplementalCaseNumber, VehicleYear, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

CaGunViolenceRestrainingOrderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	30	
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressZipCode	AddressZipCode	O	9	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
AssociatedAgency	AssociatedAgency	O	30	
BadgeNumber	BadgeNumber	O	5	
BirthDate	BirthDate	M	10	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
CautionMedicalConditionsCode7	CautionMedicalConditionsCode7	O	2	
CautionMedicalConditionsCode8	CautionMedicalConditionsCode8	O	2	
CautionMedicalConditionsCode9	CautionMedicalConditionsCode9	O	2	
CII Number	CII Number	O	9	
CourtCaseNumber	CourtCaseNumber	M	20	
CourtCode	CourtCode	M	5	
CourtPresenceIndicator	CourtPresenceIndicator	M	1	
ExpirationDate	ExpirationDate	M	10	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
GunViolenceTypeCode	GunViolenceTypeCode	M	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssueDate	IssueDate	M	10	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	

CommSys ConnectCIC TWE Transaction Definitions

LicensePlateTypeCode	LicensePlateTypeCode	O	2
LicensePlateYear	LicensePlateYear	O	4
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200
OperatorLicenseNumber	OperatorLicenseNumber	O	20
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2
OperatorLicenseYear	OperatorLicenseYear	O	4
OrderServedTime	OrderServedTime	O	4
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20
PetitionerName	PetitionerName	M	30
PetitionerRelationship	PetitionerRelationship	M	1
ProofOfServiceText	ProofOfServiceText	O	500
RaceCode	RaceCode	M	1
RespondentName	RespondentName	M	30
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10
ServingAgency	ServingAgency	O	30
ServingOfficerName	ServingOfficerName	O	30
SexCode	SexCode	M	1
OrderServedDate	OrderServedDate	O	10
VehicleColorCode	VehicleColorCode	O	7
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20
VehicleMakeCode	VehicleMakeCode	O	24
VehicleModelCode	VehicleModelCode	O	3
VehicleStyleCode	VehicleStyleCode	O	2
VehicleYear	VehicleYear	O	4
Weight	Weight	O	3

Possible Combinations

1. (In/Out) RespondentName, SexCode, RaceCode, BirthDate, PetitionerName, PetitionerRelationship, GunViolenceTypeCode, OriginatingAgencyCaseNumber, IssueDate, ExpirationDate, CourtCaseNumber, CourtCode, CourtPresenceIndicator, [Address, AddressCity, AddressStateCode, AddressZipCode, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, AssociatedAgency, BadgeNumber, CautionMedicalConditionsCode, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, CIINumber, EyeColorCode, FBINumber, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OrderServedTime, ProofOfServiceText, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServingAgency, ServingOfficerName, OrderServedDate, VehicleColorCode,

CommSys ConnectCIC TWE Transaction Definitions

VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

CaGunViolenceRestrainingOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	30	
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressZipCode	AddressZipCode	O	9	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
AssociatedAgency	AssociatedAgency	O	30	
BadgeNumber	BadgeNumber	O	5	
BirthDate	BirthDate	O	10	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
CautionMedicalConditionsCode7	CautionMedicalConditionsCode7	O	2	
CautionMedicalConditionsCode8	CautionMedicalConditionsCode8	O	2	
CautionMedicalConditionsCode9	CautionMedicalConditionsCode9	O	2	
CIINumber	CIINumber	O	9	
CourtCaseNumber	CourtCaseNumber	O	20	
CourtCode	CourtCode	O	5	
CourtPresenceIndicator	CourtPresenceIndicator	O	1	
ExpirationDate	ExpirationDate	O	10	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
GunViolenceTypeCode	GunViolenceTypeCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssueDate	IssueDate	O	10	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NewAlsoKnownAs	NewAlsoKnownAs	O	30	
NewAlsoKnownAs2	NewAlsoKnownAs2	O	30	
NewAlsoKnownAs3	NewAlsoKnownAs3	O	30	

CommSys ConnectCIC TWE Transaction Definitions

NewAlsoKnownAs4	NewAlsoKnownAs4	O	30	
NewAlsoKnownAs5	NewAlsoKnownAs5	O	30	
NewAlsoKnownAs6	NewAlsoKnownAs6	O	30	
NewAlsoKnownAs7	NewAlsoKnownAs7	O	30	
NewAlsoKnownAs8	NewAlsoKnownAs8	O	30	
NewAlsoKnownAs9	NewAlsoKnownAs9	O	30	
NewCautionMedicalConditionsCode	NewCautionMedicalConditionsCode	O	2	
NewCautionMedicalConditionsCode2	NewCautionMedicalConditionsCode2	O	2	
NewCautionMedicalConditionsCode3	NewCautionMedicalConditionsCode3	O	2	
NewCautionMedicalConditionsCode4	NewCautionMedicalConditionsCode4	O	2	
NewCautionMedicalConditionsCode5	NewCautionMedicalConditionsCode5	O	2	
NewCautionMedicalConditionsCode6	NewCautionMedicalConditionsCode6	O	2	
NewCautionMedicalConditionsCode7	NewCautionMedicalConditionsCode7	O	2	
NewCautionMedicalConditionsCode8	NewCautionMedicalConditionsCode8	O	2	
NewCautionMedicalConditionsCode9	NewCautionMedicalConditionsCode9	O	2	
NewRespondentName	NewRespondentName	O	30	
NewScarsMarksTattoosCode	NewScarsMarksTattoosCode	O	10	
NewScarsMarksTattoosCode2	NewScarsMarksTattoosCode2	O	10	
NewScarsMarksTattoosCode3	NewScarsMarksTattoosCode3	O	10	
NewScarsMarksTattoosCode4	NewScarsMarksTattoosCode4	O	10	
NewScarsMarksTattoosCode5	NewScarsMarksTattoosCode5	O	10	
NewScarsMarksTattoosCode6	NewScarsMarksTattoosCode6	O	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OrderServedDate	OrderServedDate	O	10	
OrderServedTime	OrderServedTime	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
PetitionerName	PetitionerName	O	30	
PetitionerRelationship	PetitionerRelationship	O	1	
ProofOfServiceText	ProofOfServiceText	O	500	
RaceCode	RaceCode	O	1	
RespondentName	RespondentName	N	30	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ServingAgency	ServingAgency	O	30	
ServingOfficerName	ServingOfficerName	O	30	
SexCode	SexCode	O	1	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, RespondentName, [Address, AddressCity, AddressStateCode, AddressZipCode, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, AssociatedAgency, BadgeNumber, BirthDate, CautionMedicalConditionsCode, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, CIINumber, CourtCaseNumber, CourtCode, CourtPresenceIndicator, ExpirationDate, EyeColorCode, FBINumber, GunViolenceTypeCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, NewAlsoKnownAs, NewAlsoKnownAs2, NewAlsoKnownAs3, NewAlsoKnownAs4, NewAlsoKnownAs5, NewAlsoKnownAs6, NewAlsoKnownAs7, NewAlsoKnownAs8, NewAlsoKnownAs9, NewCautionMedicalConditionsCode, NewCautionMedicalConditionsCode2, NewCautionMedicalConditionsCode3, NewCautionMedicalConditionsCode4, NewCautionMedicalConditionsCode5, NewCautionMedicalConditionsCode6, NewCautionMedicalConditionsCode7, NewCautionMedicalConditionsCode8, NewCautionMedicalConditionsCode9, NewRespondentName, NewScarsMarksTattoosCode, NewScarsMarksTattoosCode2, NewScarsMarksTattoosCode3, NewScarsMarksTattoosCode4, NewScarsMarksTattoosCode5, NewScarsMarksTattoosCode6, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OrderServedDate, OrderServedTime, OriginatingAgencyCaseNumber, PetitionerName, PetitionerRelationship, ProofOfServiceText, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ServingAgency, ServingOfficerName, SexCode, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

CAIVCINEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressApartmentNumber	AddressApartmentNumber	M	10	
AddressCity	AddressCity	M	30	
AddressCounty	AddressCounty	M	2	
AddressSource	AddressSource	M	3	
AddressStreetName	AddressStreetName	M	35	
AddressStreetNumber	AddressStreetNumber	M	10	
AddressType	AddressType	M	3	
AddressZipCode	AddressZipCode	M	9	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
BirthDate	BirthDate	M	8	
CAMapPage	CAMapPage	O	4	
CASubjectInmateNumber	CASubjectInmateNumber	O	6	
CASubjectYouthInstitutionNumber	CASubjectYouthInstitutionNumber	O	6	

CommSys ConnectCIC TWE Transaction Definitions

CATattoosDescription	CATattoosDescription	O	20	
CATattoosDescription2	CATattoosDescription2	O	20	
CATattoosDescription3	CATattoosDescription3	O	20	
CATattoosDescription4	CATattoosDescription4	O	20	
CATattoosDescription5	CATattoosDescription5	O	20	
ContactName	ContactName	M	29	
ContactPhoneNumber	ContactPhoneNumber	M	10	
ConvictionDate	ConvictionDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateState	LicensePlateState	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MapGridCoordinates	MapGridCoordinates	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Mnemonic	Mnemonic	M	4	
Moniker	Moniker	O	30	
Name	Name	M	81	
Occupation	Occupation	O	30	
OffenseCode	OffenseCode	O	20	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PhotoAvailableIndicator	PhotoAvailableIndicator	M	1	
RaceCode	RaceCode	M	1	
RegistrationDate	RegistrationDate	M	8	
RegistrationType	RegistrationType	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosPictureDescription	ScarsMarksTattoosPictureDescription	O	20	
ScarsMarksTattoosPictureDescription2	ScarsMarksTattoosPictureDescription2	O	20	
ScarsMarksTattoosPictureDescription3	ScarsMarksTattoosPictureDescription3	O	20	
ScarsMarksTattoosPictureDescription4	ScarsMarksTattoosPictureDescription4	O	20	
ScarsMarksTattoosPictureDescription5	ScarsMarksTattoosPictureDescription5	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode	ScarsMarksTattoosTableDescriptionCategoryCode	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode2	ScarsMarksTattoosTableDescriptionCategoryCode2	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode3	ScarsMarksTattoosTableDescriptionCategoryCode3	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode4	ScarsMarksTattoosTableDescriptionCategoryCode4	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode5	ScarsMarksTattoosTableDescriptionCategoryCode5	O	20	
SexCode	SexCode	M	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
State	State	M	2	

CommSys ConnectCIC TWE Transaction Definitions

SubjectEyeColorCode	SubjectEyeColorCode	M	3	
SubjectHairColorCode	SubjectHairColorCode	M	3	
SubjectHeight	SubjectHeight	M	3	
SubjectWeight	SubjectWeight	M	3	
UpdateDate	UpdateDate	O	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

- (In/Out) AddressApartmentNumber, AddressCity, AddressCounty, AddressSource, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthDate, ContactName, ContactPhoneNumber, Mnemonic, Name, OriginatingAgencyORI, PhotoAvailableIndicator, RaceCode, RegistrationDate, RegistrationType, SexCode, State, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectWeight, [AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, CAMapPage, CASubjectInmateNumber, CASubjectYouthInstitutionNumber, CATattoosDescription, CATattoosDescription2, CATattoosDescription3, CATattoosDescription4, CATattoosDescription5, ConvictionDate, CriminalIdentificationNumber, LicensePlateNumber, LicensePlateState, LicensePlateTypeCode, LicensePlateYear, MapGridCoordinates, MiscellaneousDescriptiveText, Moniker, Occupation, OffenseCode, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyCaseNumber, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosPictureDescription, ScarsMarksTattoosPictureDescription2, ScarsMarksTattoosPictureDescription3, ScarsMarksTattoosPictureDescription4, ScarsMarksTattoosPictureDescription5, ScarsMarksTattoosTableDescriptionCategoryCode, ScarsMarksTattoosTableDescriptionCategoryCode2, ScarsMarksTattoosTableDescriptionCategoryCode3, ScarsMarksTattoosTableDescriptionCategoryCode4, ScarsMarksTattoosTableDescriptionCategoryCode5, SocialSecurityNumber, UpdateDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

CAIVCINModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressApartmentNumber	AddressApartmentNumber	O	10	
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AddressSource	AddressSource	O	3	
AddressState	AddressState	O	2	
AddressStreetName	AddressStreetName	O	35	
AddressStreetNumber	AddressStreetNumber	O	10	
AddressType	AddressType	O	3	
AddressZipCode	AddressZipCode	O	9	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	

CommSys ConnectCIC TWE Transaction Definitions

AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
BirthDate	BirthDate	O	8	
CAMapPage	CAMapPage	O	4	
CASubjectInmateNumber	CASubjectInmateNumber	O	6	
CASubjectYouthInstitutionNumber	CASubjectYouthInstitutionNumber	O	6	
CATattoosDescription	CATattoosDescription	O	20	
CATattoosDescription2	CATattoosDescription2	O	20	
CATattoosDescription3	CATattoosDescription3	O	20	
CATattoosDescription4	CATattoosDescription4	O	20	
CATattoosDescription5	CATattoosDescription5	O	20	
ContactName	ContactName	O	29	
ContactPhoneNumber	ContactPhoneNumber	O	10	
ConvictionDate	ConvictionDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MapGridCoordinates	MapGridCoordinates	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Mnemonic	Mnemonic	O	4	
Moniker	Moniker	O	30	
Name	Name	M	81	
Occupation	Occupation	O	30	
OffenseCode	OffenseCode	O	20	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PhotoAvailableIndicator	PhotoAvailableIndicator	O	1	
RaceCode	RaceCode	O	1	
RegistrationDate	RegistrationDate	O	8	
RegistrationType	RegistrationType	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosPictureDescription	ScarsMarksTattoosPictureDescription	O	20	
ScarsMarksTattoosPictureDescription2	ScarsMarksTattoosPictureDescription2	O	20	
ScarsMarksTattoosPictureDescription3	ScarsMarksTattoosPictureDescription3	O	20	
ScarsMarksTattoosPictureDescription4	ScarsMarksTattoosPictureDescription4	O	20	
ScarsMarksTattoosPictureDescription5	ScarsMarksTattoosPictureDescription5	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode	ScarsMarksTattoosTableDescriptionCategoryCode	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode2	ScarsMarksTattoosTableDescriptionCategoryCode2	O	20	

CommSys ConnectCIC TWE Transaction Definitions

ScarsMarksTattoosTableDescriptionCategoryCode3	ScarsMarksTattoosTableDescriptionCategoryCode3	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode4	ScarsMarksTattoosTableDescriptionCategoryCode4	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode5	ScarsMarksTattoosTableDescriptionCategoryCode5	O	20	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	O	3	
SubjectWeight	SubjectWeight	O	3	
UpdateDate	UpdateDate	O	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

- (In/Out) FileControlNumber, Name, OriginatingAgencyORI, [AddressApartmentNumber, AddressCity, AddressCounty, AddressSource, AddressState, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, BirthDate, CAMapPage, CASubjectInmateNumber, CASubjectYouthInstitutionNumber, CATattoosDescription, CATattoosDescription2, CATattoosDescription3, CATattoosDescription4, CATattoosDescription5, ContactName, ContactPhoneNumber, ConvictionDate, CriminalIdentificationNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MapGridCoordinates, MiscellaneousDescriptiveText, Mnemonic, Moniker, Occupation, OffenseCode, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyCaseNumber, PhotoAvailableIndicator, RaceCode, RegistrationDate, RegistrationType, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosPictureDescription, ScarsMarksTattoosPictureDescription2, ScarsMarksTattoosPictureDescription3, ScarsMarksTattoosPictureDescription4, ScarsMarksTattoosPictureDescription5, ScarsMarksTattoosTableDescriptionCategoryCode, ScarsMarksTattoosTableDescriptionCategoryCode2, ScarsMarksTattoosTableDescriptionCategoryCode3, ScarsMarksTattoosTableDescriptionCategoryCode4, ScarsMarksTattoosTableDescriptionCategoryCode5, SexCode, SocialSecurityNumber, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectWeight, UpdateDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

NLTSHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrandName	ArticleBrandName	O	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	8	
BirthDate2	BirthDate2	C	8	

CommSys ConnectCIC TWE Transaction Definitions

BirthDate3	BirthDate3	C	8	
BoatHullSerialNumber	BoatHullSerialNumber	C	20	
BoatMakeCode	BoatMakeCode	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	
Category	Category	O	2	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	O	9	
DestinationORI	DestinationORI	M	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
Extradition	Extradition	O	4	
FaxNumber	FaxNumber	O	10	
FreeText	FreeText	O	500	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	3	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	14	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateNumber2	LicensePlateNumber2	C	10	
LicensePlateType	LicensePlateType	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MessageTypeCode	MessageTypeCode	O	1	E – Emergency N – Normal
Name	Name	C	30	
Name2	Name2	C	30	
Name3	Name3	C	30	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PartBrandName	PartBrandName	C	4	
PartSerialNumber	PartSerialNumber	C	20	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RequestingAgencyName	RequestingAgencyName	M	30	
RequestNumber	RequestNumber	M	1	
RequestorName	RequestorName	M	30	
SecuritySerialNumber	SecuritySerialNumber	C	18	
SecurityTypeCode	SecurityTypeCode	C	2	
SequenceNumber	SequenceNumber	O	4	
SexCode	SexCode	O	1	
SexCode2	SexCode2	O	1	
SexCode3	SexCode3	O	1	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

- (In/Out) ArticleSerialNumber, ArticleTypeCode, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [ArticleBrandName,

CommSys ConnectCIC TWE Transaction Definitions

- CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]
2. (In/Out) BirthDate, DestinationORI, Name, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, SexCode, WarrantNumber]
 3. (In/Out) BirthDate2, DestinationORI, Name2, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, SexCode2, WarrantNumber]
 4. (In/Out) BirthDate3, DestinationORI, Name3, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, SexCode3, WarrantNumber]
 5. (In/Out) BoatHullSerialNumber, BoatRegistrationNumber, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [BoatMakeCode, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]
 6. (In/Out) BoatHullSerialNumber, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [BoatMakeCode, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]
 7. (In/Out) BoatRegistrationNumber, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [BoatMakeCode, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]
 8. (In/Out) DestinationORI, GunCaliber, GunMake, GunSerialNumber, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, GunModel, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]
 9. (In/Out) DestinationORI, LicensePlateNumber, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
 10. (In/Out) DestinationORI, LicensePlateNumber, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, VehicleIdentificationNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
 11. (In/Out) DestinationORI, LicensePlateNumber2, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, LicensePlateType, LicensePlateYear, MessageTypeCode, PhoneNumber, SequenceNumber, State, WarrantNumber]
 12. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PartBrandName, PartSerialNumber, PriorityCode,

CommSys ConnectCIC TWE Transaction Definitions

RequestingAgencyName, RequestNumber, RequestorName, [Category, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]

13. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, SecuritySerialNumber, SecurityTypeCode, [CourtOrderNumber, Denomination, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, WarrantNumber]

14. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, VehicleIdentificationNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, MessageTypeCode, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

NLTSHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrandName	ArticleBrandName	O	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	8	
BirthDate2	BirthDate2	C	8	
BirthDate3	BirthDate3	C	8	
BoatHullSerialNumber	BoatHullSerialNumber	C	20	
BoatMakeCode	BoatMakeCode	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	
Category	Category	O	2	
ConfirmingAgency	ConfirmingAgency	M	30	
ConfirmingName	ConfirmingName	M	30	
ConfirmStatus	ConfirmStatus	M	1	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	O	9	
DestinationORI	DestinationORI	M	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
Extradition	Extradition	O	4	
FaxNumber	FaxNumber	O	10	
FreeText	FreeText	O	500	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	3	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	14	
Hours	Hours	O	3	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateNumber2	LicensePlateNumber2	C	10	
LicensePlateType	LicensePlateType	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MessageTypeCode	MessageTypeCode	O	1	E – Emergency N – Normal
Name	Name	C	30	
Name2	Name2	C	30	
Name3	Name3	C	30	
NCICNumber	NCICNumber	M	10	

CommSys ConnectCIC TWE Transaction Definitions

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PartBrandName	PartBrandName	C	4	
PartSerialNumber	PartSerialNumber	C	20	
PhoneNumber	PhoneNumber	O	10	
SecuritySerialNumber	SecuritySerialNumber	C	18	
SecurityTypeCode	SecurityTypeCode	C	2	
SequenceNumber	SequenceNumber	O	4	
SexCode	SexCode	O	1	
SexCode2	SexCode2	O	1	
SexCode3	SexCode3	O	1	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, [ArticleBrandName, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]
2. (In/Out) BirthDate, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, Name, NCICNumber, OriginatingAgencyCaseNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, SexCode, WarrantNumber]
3. (In/Out) BirthDate2, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, Name2, NCICNumber, OriginatingAgencyCaseNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, SexCode2, WarrantNumber]
4. (In/Out) BirthDate3, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, Name3, NCICNumber, OriginatingAgencyCaseNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, SexCode3, WarrantNumber]
5. (In/Out) BoatHullSerialNumber, BoatRegistrationNumber, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, [BoatMakeCode, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]
6. (In/Out) BoatHullSerialNumber, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, [BoatMakeCode, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]
7. (In/Out) BoatRegistrationNumber, ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, [BoatMakeCode, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]
8. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, GunCaliber, GunMake, GunSerialNumber, NCICNumber, OriginatingAgencyCaseNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, GunModel, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]

CommSys ConnectCIC TWE Transaction Definitions

9. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, LicensePlateNumber, NCICNumber, OriginatingAgencyCaseNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
10. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, LicensePlateNumber, NCICNumber, OriginatingAgencyCaseNumber, VehicleIdentificationNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
11. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, LicensePlateNumber2, NCICNumber, OriginatingAgencyCaseNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, LicensePlateType, LicensePlateYear, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, State, WarrantNumber]
12. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, PartBrandName, PartSerialNumber, [Category, CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]
13. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, SecuritySerialNumber, SecurityTypeCode, [CourtOrderNumber, Denomination, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, WarrantNumber]
14. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, VehicleIdentificationNumber, [CourtOrderNumber, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, Hours, MessageTypeCode, OriginatingAgencyORI, PhoneNumber, SequenceNumber, VehicleMakeCode, VehicleYear, WarrantNumber]