

California (CA) CLETS Alameda County Switch

[Disclaimer Statement](#)

This section only covers CLETS and AWS queries through the Alameda County message switch. If you are looking for information on the direct CLETS interface please refer to the following section: [CA_CLETS.htm](#).

To request metadata for this interface, enter 'CA_CLETS_ALEM' in the <State> field on all metadata requests.

Transport:

TCP/IP Alameda specific.

Routing and Configuration Information:

- Save Bytes (Primary routing)
- Mnemonic (Secondary routing)
- The CLETS assigned ORI for a device (or for the agency) should be placed in the <Authentication>/<ORI> field in the ConnectCIC header.
- The CLETS assigned mnemonic for a device should be placed in the <Authentication>/<Mnemonic> field in the ConnectCIC header.
- The CLETS assigned User ID should be placed in the <Authentication>/<UserName> field in the ConnectCIC header.
- The AWS assigned Terminal ID should be placed in the <Authentication>/<DeviceId> field in the ConnectCIC header.
- The AWS assigned Agency Code should be configured in ConnectCIC TWE as the **ServerID**.
- A valid CLETS Purpose Code value must be supplied in the <CaRequestPurposeCode> element of the ConnectCIC transaction body as a sibling to all other transaction-specific fields. For more information about the CaRequestPurposeCode element, see the Transaction Requirements section below.
- The AWS assigned initialization string should be configured in ConnectCIC TWE as the **InitString**.

Security Requirements:

None known at this time.

Logon Requirements:

None

Transaction Requirements:

Beginning July 21, 2021 CLETS requires a “Purpose Code” field to be supplied with every CLETS transaction. The information regarding this purpose code was published by CLETS in Information Bulletin 20-03-CJIS and covers the “Purpose Code” field added to satisfy Assembly Bill (AB) 1747.

Any transaction which does not supply a valid Purpose Code value will be rejected by CLETS. ConnectCIC does not default the value of field; it must be provided by the partner implementation as a user selectable field.

The CLETS “Purpose Code” value must be supplied to ConnectCIC via the **<CaRequestPurposeCode>** element as a sibling to the transaction-specific elements covered in this document. The **<CaRequestPurposeCode>** element is mandatory for all transactions.

The element is a single character value which may be one of the following:

- C – Criminal Justice
- I – Immigration Enforcement
- U – Investigate Violations of Title 8, section 1325 of the United States Code

Certification Requirements:

None known at this time.

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleCategory	ArticleCategory	O	1	
ArticleSerialNumber	ArticleSerialNumber	C	11	
ArticleTypeCode	ArticleTypeCode	O	6	
BirthDate	BirthDate	O	8	
Name	Name	C	30	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	

Possible Combinations

1. (In/Out) ArticleSerialNumber, [ArticleBrand, ArticleCategory, ArticleTypeCode]
2. (In/Out) Name, [BirthDate]
3. (In/Out) OwnerAppliedNumber, [ArticleBrand, ArticleCategory, ArticleTypeCode]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	
State	State	O	2	

Possible Combinations

1. (In/Out) BoatHullIdNumber, [State]
2. (In/Out) RegistrationNumber, [State]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	17	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
State	State	O	2	

Possible Combinations

1. (In/Out) Name, [BirthDate, RaceCode, SexCode]
2. (In/Out) OperatorLicenseNumber, [State]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	2	
BirthDate	BirthDate	O	8	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunSerialNumber	GunSerialNumber	C	20	
GunTypeCode	GunTypeCode	O	2	
Name	Name	C	30	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunTypeCode]
2. (In/Out) Name, [Age, BirthDate]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	8	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) LicensePlateNumber, [LicensePlateTypeCode, State]
2. (In/Out) LicensePlateNumber, [State]
3. (In/Out) VehicleIdentificationNumber, [State, VehicleMakeCode, VehicleYear]

Transactions Supported:

Basic Entry Package (BEP)

BEPStolenBoatCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociatedRecordIdentifier	AssociatedRecordIdentifier	O	2	
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonCode	ReasonCode	M	9	
RecordRemovalReason	RecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonCode, [AssociatedRecordIdentifier, RecordRemovalReason]

BEPStolenBoatClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociatedRecordIdentifier	AssociatedRecordIdentifier	O	2	
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecordRemovalReason	RecordRemovalReason	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	M	9	
Reference	Reference	O	50	
StatusCode	StatusCode	M	3	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyORI, RecoveryAgencyCaseNumber, StatusCode, [AssociatedRecordIdentifier, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecoveredValue, RecordRemovalReason, RecoveringAgencyCaseNumber, Reference]

BEPStolenBoatEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColorCode	BoatColorCode	O	7	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullNumber	BoatHullNumber	C	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelCode	BoatModelCode	O	20	
BoatName	BoatName	O	20	
BoatTypeCode	BoatTypeCode	O	3	
BoatYear	BoatYear	M	4	
CautionCode	CautionCode	O	1	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EngineNumber	EngineNumber	C	20	
EntryLevel	EntryLevel	O	1	
HomePort	HomePort	O	20	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	2	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	
NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropulsionCode	PropulsionCode	O	2	
RegistrationExpirationYear	RegistrationExpirationYear	C	4	

RegistrationJurisdictionName	RegistrationJurisdictionName	C	2	
RegistrationNumber	RegistrationNumber	C	8	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressStateCode	VictimAddressStateCode	O	2	
VictimAddressStreet	VictimAddressStreet	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

- (In/Out) BoatYear, TheftDate, OriginatingAgencyCaseNumber, MiscellaneousDescriptiveText, [BoatColorCode, BoatHullMaterialCode, BoatHullNumber, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelCode, BoatName, BoatTypeCode, CautionCode, CoastGuardDocumentNumber, CrossReferenceNumber, EngineNumber, EntryLevel, HomePort, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, NotifyOriginatingAgency, OwnerAppliedNumber, PropulsionCode, RegistrationExpirationYear, RegistrationJurisdictionName, RegistrationNumber, SupplementalCaseNumber, VictimAddressCity, VictimAddressStateCode, VictimAddressStreet, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEPStolenBoatLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociatedRecordIdentifier	AssociatedRecordIdentifier	O	2	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecordRemovalReason	RecordRemovalReason	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
Reference	Reference	O	50	
StatusCode	StatusCode	M	3	

Possible Combinations

- (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, StatusCode, [AssociatedRecordIdentifier, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecoveredValue, RecordRemovalReason, Reference]

BEPStolenBoatModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociatedRecordIdentifier	AssociatedRecordIdentifier	O	2	
BoatColorCode	BoatColorCode	O	7	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullNumber	BoatHullNumber	O	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	

BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelCode	BoatModelCode	O	20	
BoatName	BoatName	O	20	
BoatTypeCode	BoatTypeCode	O	3	
BoatYear	BoatYear	O	4	
CancellationDate	CancellationDate	O	8	
Category	Category	O	2	
CautionCode	CautionCode	O	2	
ClearDate	ClearDate	O	8	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EngineNumber	EngineNumber	O	20	
EnginePowerCode	EnginePowerCode	O	4	
FileControlNumber	FileControlNumber	M	13	
HomePort	HomePort	O	20	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	O	9	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PorpertyBrandName	PorpertyBrandName	O	4	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
PropulsionCode	PropulsionCode	O	2	
ReasonCode	ReasonCode	O	9	
RecordRemovalReason	RecordRemovalReason	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryAgencyORI	RecoveryAgencyORI	O	9	
RecoveryDate	RecoveryDate	O	8	
Reference	Reference	O	50	
RegistrationExpirationYear	RegistrationExpirationYear	O	4	
RegistrationJurisdictionName	RegistrationJurisdictionName	O	2	
RegistrationNumber	RegistrationNumber	O	8	
SerialNumber	SerialNumber	O	20	
StatusCode	StatusCode	O	3	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	O	8	
ValidationDate	ValidationDate	O	8	
ValidatorName	ValidatorName	O	30	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressStateCode	VictimAddressStateCode	O	2	
VictimAddressStreet	VictimAddressStreet	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	

VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

- (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [AssociatedRecordIdentifier, BoatColorCode, BoatHullMaterialCode, BoatHullNumber, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelCode, BoatName, BoatTypeCode, BoatYear, CancellationDate, Category, CautionCode, ClearDate, CoastGuardDocumentNumber, ContrabandRecoveredValue, CrossReferenceNumber, EngineNumber, EnginePowerCode, HomePort, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NCICNumber, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgency, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, OwnerAppliedNumber, PorpertyBrandName, PropertyRecoveredValue, PropulsionCode, ReasonCode, RecordRemovalReason, RecoveringAgencyCaseNumber, RecoveryAgencyORI, RecoveryDate, Reference, RegistrationExpirationYear, RegistrationJurisdictionName, RegistrationNumber, SerialNumber, StatusCode, SupplementalCaseNumber, TheftDate, ValidationDate, ValidatorName, VictimAddressCity, VictimAddressStateCode, VictimAddressStreet, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEPStolenBoatPartsEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatYear	BoatYear	O	4	
Category	Category	M	2	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EnginePowerCode	EnginePowerCode	O	4	
EntryLevel	EntryLevel	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyBrandName	PropertyBrandName	M	4	
SerialNumber	SerialNumber	O	20	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressStateCode	VictimAddressStateCode	O	2	
VictimAddressStreet	VictimAddressStreet	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

- (In/Out) Category, OriginatingAgencyCaseNumber, PropertyBrandName, TheftDate, [BoatYear, CrossReferenceNumber, EnginePowerCode, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgency, OwnerAppliedNumber, SerialNumber, SupplementalCaseNumber, VictimAddressCity, VictimAddressStateCode, VictimAddressStreet, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEPStolenVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociatedRecordIdentifier	AssociatedRecordIdentifier	O	2	
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReasonCode	ReasonCode	M	9	
RecordRemovalReason	RecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonCode, [AssociatedRecordIdentifier, RecordRemovalReason]

BEPStolenVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociatedRecordIdentifier	AssociatedRecordIdentifier	O	2	
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecordRemovalReason	RecordRemovalReason	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveringAgencyORI	RecoveringAgencyORI	M	9	
Reference	Reference	O	50	
SOU	SOU	O		
StatusCode	StatusCode	O	3	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveringAgencyORI, [AssociatedRecordIdentifier, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecoveredValue, RecordRemovalReason, Reference, SOU, StatusCode]

BEPStolenVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CautionCode	CautionCode	O	1	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EngineNumber	EngineNumber	C	20	
EntryLevel	EntryLevel	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	2	

MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	M	3	
VehicleStyleCode	VehicleStyleCode	M	2	
VehicleYear	VehicleYear	M	4	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressStateCode	VictimAddressStateCode	O	2	
VictimAddressStreet	VictimAddressStreet	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

- (In/Out) TheftDate, OriginatingAgencyCaseNumber, VehicleYear, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, [CautionCode, CrossReferenceNumber, EngineNumber, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgency, OwnerAppliedNumber, SupplementalCaseNumber, VehicleColorCode, VehicleIdentificationNumber, VictimAddressCity, VictimAddressStateCode, VictimAddressStreet, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEPStolenVehicleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociatedRecordIdentifier	AssociatedRecordIdentifier	O	2	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecordRemovalReason	RecordRemovalReason	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
Reference	Reference	O	50	
StatusCode	StatusCode	M	3	

Possible Combinations

- (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, StatusCode, [AssociatedRecordIdentifier, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecoveredValue, RecordRemovalReason, Reference]

BEPStolenVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociatedRecordIdentifier	AssociatedRecordIdentifier	O	2	
CancellationDate	CancellationDate	O	8	
Category	Category	O	2	
CautionCode	CautionCode	O	1	
ClearDate	ClearDate	O	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EngineNumber	EngineNumber	O	20	
EnginePowerCode	EnginePowerCode	O	4	
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	O	9	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
ReasonCode	ReasonCode	O	9	
RecordRemovalReason	RecordRemovalReason	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryAgencyORI	RecoveryAgencyORI	O	9	
RecoveryDate	RecoveryDate	O	8	
Reference	Reference	O	50	
SerialNumber	SerialNumber	O	20	
StatusCode	StatusCode	O	3	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	O	8	
ValidationDate	ValidationDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressStateCode	VictimAddressStateCode	O	2	
VictimAddressStreet	VictimAddressStreet	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	

VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

- (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [AssociatedRecordIdentifier, CancellationDate, Category, CautionCode, ClearDate, ContrabandRecoveredValue, CrossReferenceNumber, EngineNumber, EnginePowerCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NCICNumber, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgency, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, OwnerAppliedNumber, PropertyRecoveredValue, ReasonCode, RecordRemovalReason, RecoveringAgencyCaseNumber, RecoveryAgencyORI, RecoveryDate, Reference, SerialNumber, StatusCode, SupplementalCaseNumber, TheftDate, ValidationDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, VictimAddressCity, VictimAddressStateCode, VictimAddressStreet, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEPStolenVehicleNcicLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
LicensePlateNumber	LicensePlateNumber	C	10	
MessageKeyModifier	MessageKeyModifier	O	3	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecordRemovalReason	RecordRemovalReason	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

- (In/Out) OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, LicensePlateNumber, MessageKeyModifier, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecoveredValue, RecordRemovalReason, VehicleIdentificationNumber]

BEPStolenVehiclePartsEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Category	Category	M	2	
CautionCode	CautionCode	O	1	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EnginePowerCode	EnginePowerCode	O	4	
EntryLevel	EntryLevel	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	2	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	

NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyBrandName	PropertyBrandName	M	4	
SerialNumber	SerialNumber	O	20	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VehicleYear	VehicleYear	O	4	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressStateCode	VictimAddressStateCode	O	2	
VictimAddressStreet	VictimAddressStreet	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) Category, OriginatingAgencyCaseNumber, PropertyBrandName, TheftDate, [CautionCode, CrossReferenceNumber, EnginePowerCode, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgency, OwnerAppliedNumber, SerialNumber, SupplementalCaseNumber, VehicleYear, VictimAddressCity, VictimAddressStateCode, VictimAddressStreet, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEPStolenVehiclePlateEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CautionCode	CautionCode	O	1	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EnginePowerCode	EnginePowerCode	O	4	
EntryLevel	EntryLevel	O	1	
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateStateCode	LicensePlateStateCode	M	2	
LicensePlateTypeCode	LicensePlateTypeCode	M	2	
LicensePlateYear	LicensePlateYear	M	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	2	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgency	NotifyOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressStateCode	VictimAddressStateCode	O	2	
VictimAddressStreet	VictimAddressStreet	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, OriginatingAgencyCaseNumber, TheftDate, [CautionCode, CrossReferenceNumber, EnginePowerCode, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgency, SupplementalCaseNumber, VictimAddressCity, VictimAddressStateCode, VictimAddressStreet, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

Expanded Transactions Supported:

AlemLojackQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LojackIdentifier	LojackIdentifier	M	5	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) LojackIdentifier, [RelatedHitSearchIndicator]

CriminalHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	2	
BirthDate	BirthDate	O	8	
CriminalIdNumber	CriminalIdNumber	C	8	
DispositionRecordNumber	DispositionRecordNumber	C	9	
EyeColorCode	EyeColorCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Name	Name	C	30	
RaceCode	RaceCode	O	1	
Requestor	Requestor	C	30	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) CriminalIdNumber, Requestor
2. (In/Out) DispositionRecordNumber, Requestor
3. (In/Out) Name, Requestor, [Age, BirthDate, EyeColorCode, HairColorCode, Height, RaceCode, SexCode]

HazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
UnitedNationsNumber	UnitedNationsNumber	M	4	

Possible Combinations

1. (In/Out) UnitedNationsNumber

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- CLETS System TCP/IP Spec.
- CLETS Message Transaction Documentation
- Various supporting documents including NCIC 2000 message switch/implementation updates
- AWS Computer to Computer Technical Specifications (10/15/1997)