

California (JDIC)

[Disclaimer Statement](#)

This section only covers JDIC queries through the LAPD message switch. If you are looking for information on the direct CLETS interface please refer to the following section: [CA CLETS.htm](#).

To request metadata for this interface, enter 'CA_JDIC' in the California field on all metadata requests.

Transport:

TCP/IP CLETS (LAPD Regional Interface)

Routing and Configuration Information:

Save Bytes (Primary)

Mnemonic (Secondary)

- The CLETS assigned ORI for a device should be placed in the <Authentication>/<ORI> field in the ConnectCIC header.
- The CLETS assigned Mnemonic for a device should be placed in the <Authentication>/<Mnemonic> field in the ConnectCIC header.

Security Requirements:

None

Logon Requirements:

None

Certification Requirements:

None

Data-Mined Transactions:

[Tags returned from Data mining](#)

Basic Queries Supported:

None

Transactions Supported:

None

Expanded Transactions Supported:

CaCletsLapdPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
BirthDate	BirthDate	O	6	
EyeColorCode	EyeColorCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Name	Name	M	30	
PcwsIndicator	PcwsIndicator	M	1	Send Y to send query to PCWS system
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SubSystem	SubSystem	O		
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) PcwsIndicator = "Y", Name, [Age, BirthDate, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, SubSystem, Weight]

CaCletsLapdVehicleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	M	10	
VcwsIndicator	VcwsIndicator	M	1	Send Y to send query to VCWS system
State	State	O	2	

Possible Combinations

1. (In/Out) VcwsIndicator="Y", LicensePlateNumber, [State]

CaCwsInvestigativeInformationContactAttemptEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
EnteredBy	EnteredBy	M	15	
EnteredById	EnteredById	M	6	
InformantName	InformantName	O	30	
NameCheck	NameCheck	O	5	
NewAddressCity	NewAddressCity	O	10	
NewAddressState	NewAddressState	O	2	
NewAddressStreetName	NewAddressStreetName	O	15	
NewAddressStreetNumber	NewAddressStreetNumber	O	10	
NewAddressStreetPredirection	NewAddressStreetPredirection	O	2	
NewAddressStreetSuffix	NewAddressStreetSuffix	O	2	
NewAddressUnit	NewAddressUnit	O	5	
NewAddressZipCode	NewAddressZipCode	O	9	
NewPhoneNumber	NewPhoneNumber	O	7	
NewPhoneNumberAreaCode	NewPhoneNumberAreaCode	O	3	

EnteringAgencyORI	EnteringAgencyORI	M	9	
Remarks	Remarks	O	60	
Remarks2	Remarks2	O	60	
Remarks3	Remarks3	O	60	
WarrantNumber	WarrantNumber	M	13	

Possible Combinations

1. (In/Out) EnteringAgencyORI, EnteredBy, EnteredByld, WarrantNumber, [InformantName, NameCheck, NewAddressCity, NewAddressState, NewAddressStreetName, NewAddressStreetNumber, NewAddressStreetPredirection, NewAddressStreetSuffix, NewAddressUnit, NewAddressZipCode, NewPhoneNumber, NewPhoneNumberAreaCode, Remarks, Remarks2, Remarks3]

CaJccWarrantAbstract

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BailReceiptNumber	BailReceiptNumber	M	7	
BookingNumber	BookingNumber	M	9	
EnteredBy	EnteredBy	M	15	
EnteredByld	EnteredByld	M	6	
BookingAgencyORI	BookingAgencyORI	M	9	
RouteToORI	RouteToORI	O	9	If blank, CWS will route to the default printer.
NameCheck	NameCheck	M	5	
EnteringAgencyORI	EnteringAgencyORI	M	9	
WarrantNumber	WarrantNumber	M	13	

Possible Combinations

1. (In/Out) BookingAgencyORI, BailReceiptNumber, BookingNumber, EnteredBy, EnteredByld, EnteringAgencyORI, NameCheck, WarrantNumber, [RouteToORI]

CaJccWarrantDetailQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
WarrantNumber	WarrantNumber	M	13	

Possible Combinations

1. (In/Out) WarrantNumber

CaJccWarrantSummaryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
WarrantNumber	WarrantNumber	M	13	

Possible Combinations

1. (In/Out) WarrantNumber

CaJccWarrantModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BailReceiptNumber	BailReceiptNumber	O	9	
EnteredBy	EnteredBy	M	15	
EnteredByld	EnteredByld	M	6	
BookingAgencyORI	BookingAgencyORI	O	9	
NameCheck	NameCheck	M	5	
OperatorLicenseYear	OperatorLicenseYear	O	4	
EnteringAgencyORI	EnteringAgencyORI	M	9	

PurgeDate	PurgeDate	O	8	
SystemAffectCode	SystemAffectCode	O	1	
UnitDesignator	UnitDesignator	O	4	
WarrantNumber	WarrantNumber	M	13	

Possible Combinations

1. (In/Out) EnteringAgencyORI, EnteredBy, EnteredById, NameCheck, WarrantNumber, [BookingAgencyORI, BailReceiptNumber, OperatorLicenseYear, PurgeDate, SystemAffectCode, UnitDesignator]

CaJccWarrantQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Action	Action	M	1	S for Inquiry (Default) Z for WIS Request
AddressApartmentNumber	AddressApartmentNumber	O	5	
AddressCity	AddressCity	O	20	
AddressStreetName	AddressStreetName	O	15	
AddressStreetNumber	AddressStreetNumber	O	10	
AddressStreetTypeCode	AddressStreetTypeCode	O	2	
Age	Age	C	3	
BirthDate	BirthDate	C	6	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
CriminalIdentificationNumberPrefix	CriminalIdentificationNumberPrefix	O	1	
EnteredBy	EnteredBy	C	15	
EnteredById	EnteredById	C	6	
EnteringAgencyORI	EnteringAgencyORI	C	9	
EyeColorCode	EyeColorCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	8	
LicensePlateStateCode	LicensePlateStateCode	O	2	
MainNumber	MainNumber	O	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	10	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
RaceCode	RaceCode	O	1	
RouteToORI	RouteToORI	O	9	Only used with Z: If blank, CWS will route to the default printer
SexCode	SexCode	C	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Action, Name, SexCode, BirthDate, [AddressApartmentNumber, AddressCity, AddressStreetName, AddressStreetNumber, AddressStreetTypeCode, CriminalIdentificationNumber, CriminalIdentificationNumberPrefix, EnteredBy, EnteredById, EnteringAgencyORI, EyeColorCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, MainNumber, OperatorLicenseNumber, OperatorLicenseStateCode, RaceCode, Weight]
2. (In/Out) Action, Name, SexCode, Age, [AddressApartmentNumber, AddressCity, AddressStreetName, AddressStreetNumber, AddressStreetTypeCode, CriminalIdentificationNumber, CriminalIdentificationNumberPrefix, EnteredBy, EnteredById, EnteringAgencyORI, EyeColorCode, HairColorCode, Height, LicensePlateNumber,

- LicensePlateStateCode, MainNumber, OperatorLicenseNumber, OperatorLicenseStateCode, RaceCode, Weight]
3. (In/Out) Action, EnteredBy, EnteredById, EnteringAgencyORI, Name, SexCode, Age, [AddressApartmentNumber, AddressCity, AddressStreetName, AddressStreetNumber, AddressStreetTypeCode, CriminalIdentificationNumber, CriminalIdentificationNumberPrefix, EyeColorCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, MainNumber, OperatorLicenseNumber, OperatorLicenseStateCode, RaceCode, RouteToORI, Weight]
 4. (In/Out) Action, EnteredBy, EnteredById, EnteringAgencyORI, Name, SexCode, BirthDate, [AddressApartmentNumber, AddressCity, AddressStreetName, AddressStreetNumber, AddressStreetTypeCode, CriminalIdentificationNumber, CriminalIdentificationNumberPrefix, EyeColorCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, MainNumber, OperatorLicenseNumber, OperatorLicenseStateCode, RaceCode, RouteToORI, Weight]
 5. (In/Out) Action, EnteredBy, EnteredById, EnteringAgencyORI, [AddressApartmentNumber, AddressCity, AddressStreetName, AddressStreetNumber, AddressStreetTypeCode, Age, BirthDate, CriminalIdentificationNumber, CriminalIdentificationNumberPrefix, EyeColorCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, MainNumber, Name, OperatorLicenseNumber, OperatorLicenseStateCode, SexCode RaceCode, RouteToORI, Weight]

CaJccWarrantRecall

Field Name	XML Tag Name	M/C/O	Size	Possible Values
EnteredBy	EnteredBy	M	15	
EnteredById	EnteredById	M	6	
EnteringAgencyORI	EnteringAgencyORI	M	9	
NameCheck	NameCheck	M	5	
RecallReason	RecallReason	M	1	
WarrantNumber	WarrantNumber	M	13	

Possible Combinations

1. (In/Out) EnteredBy, EnteredById, EnteringAgencyORI, NameCheck, RecallReason, WarrantNumber

CaJccWarrantRelease

Field Name	XML Tag Name	M/C/O	Size	Possible Values
EnteredBy	EnteredBy	M	15	
EnteredById	EnteredById	M	6	
EnteringAgencyORI	EnteringAgencyORI	M	9	
WarrantNumber	WarrantNumber	M	13	

Possible Combinations

1. (In/Out) EnteredBy, EnteredById, EnteringAgencyORI, WarrantNumber

CaJccWarrantService

Field Name	XML Tag Name	M/C/O	Size	Possible Values
EnteredBy	EnteredBy	M	15	
EnteredById	EnteredById	M	6	
EnteringAgencyORI	EnteringAgencyORI	M	9	
NameCheck	NameCheck	M	5	
RouteToORI	RouteToORI	O	9	If blank, CWS will route to default printer.
WarrantNumber	WarrantNumber	M	13	

Possible Combinations

1. (In/Out) [EnteredBy, EnteredByld, EnteringAgencyORI, NameCheck, RouteToORI, WarrantNumber]

CaJdicLapdConditionsOfProbation

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ConditionsOfProbationNumber	ConditionsOfProbationNumber	M	13	

Possible Combinations

1. (In/Out) ConditionsOfProbationNumber

CaPersonSuperQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
BirthDate	BirthDate	O	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	O	2	
SubSystem	SubSystem	O	1	

Possible Combinations

1. (In/Out) OperatorLicenseNumber, [State, SubSystem]
2. (In/Out) Name, SexCode, [Age, BirthDate, SubSystem]

LocalPersonCheck

This transaction has been deprecated in favor of CaCletsLapdPersonQuery

LocalVehicleCheck

This transaction has been deprecated in favor of CaCletsLapdVehicleQuery

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- External CLETS JDIC Interface Spec.pdf