

California (CA) Los Angeles County (JDIC_CLETS)[Disclaimer Statement](#)

This section covers transactions specific to the CA_JDIC_CLETS interface. If you are looking for information on the direct CLETS interface please refer to the following section: [CA_CLETS.htm](#).

Transport:

TCP/IP CLETS (LAPD Regional Interface)

Routing and Configuration Information:

Save Bytes (Primary)

Mnemonic (Secondary)

- The CLETS assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The CLETS assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.
- The CLETS assigned User ID should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.
- The agency assigned Terminal Identifier should be placed in the **<Authentication>/<DeviceId>** field in the ConnectCIC header.
- A valid CLETS Purpose Code value must be supplied in the **<CaRequestPurposeCode>** element of the ConnectCIC transaction body as a sibling to all other transaction-specific fields. For more information about the CaRequestPurposeCode element, see the Transaction Requirements section below.

Security Requirements:

None

Logon Requirements:

None

Transaction Requirements:

Beginning July 21, 2021 CLETS requires a “Purpose Code” field to be supplied with every CLETS transaction. The information regarding this purpose code was published by CLETS in Information Bulletin 20-03-CJIS and covers the “Purpose Code” field added to satisfy Assembly Bill (AB) 1747.

Any transaction which does not supply a valid Purpose Code value will be rejected by CLETS. ConnectCIC does not default the value of field; it must be provided by the partner implementation as a user selectable field.

The CLETS “Purpose Code” value must be supplied to ConnectCIC via the **<CaRequestPurposeCode>** element as a sibling to the transaction-specific elements covered in this document. The **<CaRequestPurposeCode>** element is mandatory for all transactions.

The element is a single character value which may be one of the following:

- C – Criminal Justice
- I – Immigration Enforcement
- U – Investigate Violations of Title 8, section 1325 of the United States Code

Certification Requirements:

None

Data-Mined Transactions:

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	6	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	
State	State	O	2	

Possible Combinations

1. (In) RegistrationNumber
2. (In/Out) BoatHullIdNumber
3. (In/Out) RegistrationNumber, [State]
4. (Out) BoatHullIdNumber, [State]
5. (Out) RegistrationNumber, [State]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	

BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [Attention, ImageIndicator, PurposeCode, State]
2. (In/Out) OperatorLicenseNumber, [Attention, ImageIndicator, PurposeCode, State]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSeacrIndicator	RelatedHitSeacrIndicator	O	1	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In) Name
2. (In) OperatorLicenseNumber
3. (In/Out) Name, SexCode, [ExpandedNameSearchCode, RaceCode, RelatedHitSeacrIndicator]
4. (In/Out) OperatorLicenseNumber
5. (Out) BirthDate, Name, SexCode, [ImageIndicator, State]
6. (Out) OperatorLicenseNumber, [ImageIndicator, State]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunSerialNumber	GunSerialNumber	M	20	
GunTypeCode	GunTypeCode	O	2	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunTypeCode]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	C	4	
State	State	O	2	

VehicleIdentificationNumber	VehicleIdentificationNumber	C	30	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) LicensePlateNumber, [LicensePlateTypeCode]
2. (In) VehicleIdentificationNumber
3. (In/Out) LicensePlateNumber, [State]
4. (In/Out) VehicleIdentificationNumber, [VehicleMakeCode]
5. (Out) LicensePlateNumber, LicensePlateYear, [LicensePlateTypeCode, State]
6. (Out) VehicleIdentificationNumber, [State, VehicleMakeCode, VehicleYear]

Transactions Supported:

Agency Operations and Support (AOS)

AOSAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	M	1120	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
NletsDestination4	NletsDestination4	O	9	
NletsDestination5	NletsDestination5	O	9	

Possible Combinations

1. (In/Out) FreeText, NletsDestination, [NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

AOSAircraftRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BusinessName	BusinessName	C	30	
Name	Name	C	30	
SerialNumber	SerialNumber	C	16	
TailNumber	TailNumber	C	6	

Possible Combinations

1. (In/Out) Attention, BusinessName
2. (In/Out) Attention, Name
3. (In/Out) Attention, SerialNumber
4. (In/Out) Attention, TailNumber

AOSHazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ChemicalName	ChemicalName	C	50	
UnitedNationsNumber	UnitedNationsNumber	C	4	

Possible Combinations

1. (In/Out) ChemicalName
2. (In/Out) UnitedNationsNumber

AOSHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	4	
BirthDate	BirthDate	C	8	
BoatHullIdNumber	BoatHullIdNumber	C	18	
BoatMakeCode	BoatMakeCode	O	24	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	
CourtORI	CourtORI	O	9	
Denomination	Denomination	O	9	
ExtensionNumber	ExtensionNumber	O	4	
FaxNumber	FaxNumber	O	10	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	23	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	20	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	M	10	
NletsDestination	NletsDestination	O	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PartBrand	PartBrand	O	4	
PartCategoryCode	PartCategoryCode	O	2	
PartSerialNumber	PartSerialNumber	C	20	
PhoneNumber	PhoneNumber	O	10	
PriorityDestinationCode	PriorityDestinationCode	M	1	
Remarks	Remarks	O	500	
RequesterName	RequesterName	M	30	
RequestingAgencyName	RequestingAgencyName	M	30	
RequestNumber	RequestNumber	M	1	
RequestTypeCode	RequestTypeCode	M	2	
SecuritySerialNumber	SecuritySerialNumber	C	20	
SecurityTypeCode	SecurityTypeCode	C	2	
SexCode	SexCode	O	1	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgencyName, RequestNumber, RequestTypeCode, [ArticleBrand, ExtensionNumber, FaxNumber, NletsDestination, NletsDestination2, NletsDestination3, PhoneNumber, Remarks]
2. (In/Out) BirthDate, Name, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgencyName, RequestNumber,

- RequestTypeCode, [CourtORI, ExtensionNumber, FaxNumber, NletsDestination, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, SexCode, WarrantNumber]
3. (In/Out) BoatHullIdNumber, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgencyName, RequestNumber, RequestTypeCode, [BoatMakeCode, ExtensionNumber, FaxNumber, NletsDestination, NletsDestination2, NletsDestination3, PhoneNumber, Remarks]
 4. (In/Out) BoatRegistrationNumber, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgencyName, RequestNumber, RequestTypeCode, [ExtensionNumber, FaxNumber, NletsDestination, NletsDestination2, NletsDestination3, PhoneNumber, Remarks]
 5. (In/Out) GunCaliber, GunMake, GunSerialNumber, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgencyName, RequestNumber, RequestTypeCode, [ExtensionNumber, FaxNumber, GunModel, NletsDestination, NletsDestination2, NletsDestination3, PhoneNumber, Remarks]
 6. (In/Out) LicensePlateNumber, NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgencyName, RequestNumber, RequestTypeCode, [ExtensionNumber, FaxNumber, LicensePlateTypeCode, LicensePlateYear, NletsDestination, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, State]
 7. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, PartSerialNumber, PriorityDestinationCode, RequesterName, RequestingAgencyName, RequestNumber, RequestTypeCode, [ExtensionNumber, FaxNumber, NletsDestination, NletsDestination2, NletsDestination3, PartBrand, PartCategoryCode, PhoneNumber, Remarks]
 8. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgencyName, RequestNumber, RequestTypeCode, SecuritySerialNumber, SecurityTypeCode, [Denomination, ExtensionNumber, FaxNumber, NletsDestination, NletsDestination2, NletsDestination3, PhoneNumber, Remarks]
 9. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgencyName, RequestNumber, RequestTypeCode, VehicleIdentificationNumber, [ExtensionNumber, FaxNumber, NletsDestination, NletsDestination2, NletsDestination3, PhoneNumber, Remarks, VehicleMakeCode, VehicleYear]

AOSHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleSerialNumber	ArticleSerialNumber	O	20	
ArticleTypeCode	ArticleTypeCode	O	7	
BirthDate	BirthDate	O	8	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatMakeCode	BoatMakeCode	O	24	
BoatRegistrationNumber	BoatRegistrationNumber	O	8	
ConfirmationStatus	ConfirmationStatus	M	1	
ConfirmingAgency	ConfirmingAgency	O	30	
ConfirmingName	ConfirmingName	M	30	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	O	9	
ExtensionNumber	ExtensionNumber	O	4	
FaxNumber	FaxNumber	O	10	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	24	
GunModel	GunModel	O	20	

GunSerialNumber	GunSerialNumber	O	20	
HoursForConfirmation	HoursForConfirmation	M	4	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	O	30	
NCICNumber	NCICNumber	M	10	
NletsDestination	NletsDestination	O	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PartBrand	PartBrand	O	4	
PartCategory	PartCategory	O	2	
PartSerialNumber	PartSerialNumber	O	20	
PhoneNumber	PhoneNumber	O	10	
Remarks	Remarks	O	250	
RequestTypeCode	RequestTypeCode	M	2	
SecuritySerialNumber	SecuritySerialNumber	O	20	
SecurityTypeCode	SecurityTypeCode	O	2	
SexCode	SexCode	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) ConfirmationStatus, ConfirmingName, HoursForConfirmation, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, [ArticleBrand, ArticleSerialNumber, ArticleTypeCode, BirthDate, BoatHullIdNumber, BoatMakeCode, BoatRegistrationNumber, ConfirmingAgency, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, GunSerialNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateYear, Name, NletsDestination, NletsDestination2, NletsDestination3, PartBrand, PartCategory, PartSerialNumber, PhoneNumber, Remarks, SecuritySerialNumber, SecurityTypeCode, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

AOSORIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationORI	DestinationORI	M	9	

Possible Combinations

1. (In/Out) DestinationORI

Computerized Criminal History (CCH)

CCHCriminalHistoryAQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	32	
FreeText	FreeText	M	14400	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	

NletsDestination3	NletsDestination3	O	9	
NletsDestination4	NletsDestination4	O	9	
NletsDestination5	NletsDestination5	O	9	
PurposeCode	PurposeCode	O	1	

Possible Combinations

1. (In/Out) FreeText, NletsDestination, [Attention, NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5, PurposeCode]

CCHCriminalHistoryFQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityAndState	AddressCityAndState	O	30	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
Attention	Attention	M	30	
Building	Building	O	30	
DepartmentName	DepartmentName	O	30	
ImageIndicator	ImageIndicator	O	1	
PurposeCode	PurposeCode	M	1	
State	State	M	2	
StateIdNumber	StateIdNumber	M	10	

Possible Combinations

1. (In/Out) Attention, PurposeCode, State, StateIdNumber, [AddressCityAndState, AddressStreet, AddressZipCode, Building, DepartmentName, ImageIndicator]

CCHCriminalHistoryIQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	M	10	
ImageIndicator	ImageIndicator	O	1	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	O	1	
SexCode	SexCode	M	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, PurposeCode, SexCode, [Attention, ImageIndicator, MiscellaneousNumber, RaceCode, SocialSecurityNumber, State, State2, State3, State4, State5]

CCHCriminalHistoryQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Age	Age	C	2	
Attention	Attention	O	30	
BirthDate	BirthDate	C	6	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	20	
DispositionRecordNumber	DispositionRecordNumber	C	20	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	C	9	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
InstitutionNumber	InstitutionNumber	O	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
RequestorInformation	RequestorInformation	C	30	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateldNumber	StateldNumber	C	10	

Possible Combinations

1. (In) Age, Name, RequestorInformation, SexCode, [EyeColorCode, HairColorCode, Height, RaceCode]
2. (In) BirthDate, Name, RequestorInformation, SexCode, [EyeColorCode, HairColorCode, Height, RaceCode]
3. (In) CriminalIdentificationNumber, RequestorInformation
4. (In) CriminalIdentificationNumber, RequestorInformation, [OriginatingAgencyORI]
5. (In) DispositionRecordNumber, RequestorInformation
6. (In) RequestorInformation, [FBINumber, InstitutionNumber, OperatorLicenseNumber, SocialSecurityNumber]
7. (In/Out) BirthDate, Name, PurposeCode, RaceCode, SexCode, [Attention, MiscellaneousNumber, SocialSecurityNumber]
8. (In/Out) FBINumber, PurposeCode, [Attention]
9. (In/Out) MiscellaneousNumber, Name, PurposeCode, [Attention]
10. (In/Out) Name, PurposeCode, SocialSecurityNumber, [Attention]
11. (In/Out) PurposeCode, StateldNumber, [Attention]

CCHCriminalHistoryQHTQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CriminalIdentificationNumber	CriminalIdentificationNumber	C	20	
DispositionRecordNumber	DispositionRecordNumber	C	20	
RequestingAgencyORI	RequestingAgencyORI	O	12	
RequestorInformation	RequestorInformation	M	30	

Possible Combinations

1. (In) CriminalIdentificationNumber, RequestorInformation, [RequestingAgencyORI]
2. (In) DispositionRecordNumber, RequestorInformation, [RequestingAgencyORI]

CCHCriminalHistoryQHYQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

CriminalIdentificationNumber	CriminalIdentificationNumber	C	9	
DispositionRecordNumber	DispositionRecordNumber	C	20	
RequestorInformation	RequestorInformation	M	30	

Possible Combinations

1. (In) CriminalIdentificationNumber, RequestorInformation
2. (In) DispositionRecordNumber, RequestorInformation

CCHCriminalHistoryQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityAndState	AddressCityAndState	O	30	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
Attention	Attention	C	30	
Building	Building	O	30	
DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	9	
Name	Name	O	30	
PurposeCode	PurposeCode	C	1	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, [AddressCityAndState, AddressStreet, AddressZipCode, Building, DepartmentName]
2. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressCityAndState, AddressStreet, AddressZipCode, Building, DepartmentName]

CCHCriminalHistoryZRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FBINumber	FBINumber	C	9	
PurposeCode	PurposeCode	M	1	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) FBINumber, PurposeCode
2. (In/Out) PurposeCode, StateIdNumber

Wanted Missing Person Entry (WMPE)

WMPEMissingPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
CancellationReasonCode	CancellationReasonCode	M	1	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
MissingPersonHitResultCode	MissingPersonHitResultCode	O	2	
Name	Name	M	30	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	

PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) CancellationDate, CancellationReasonCode, FileControlNumber, Name, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
MissingPersonHitResultCode	MissingPersonHitResultCode	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
2. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
3. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEMissingPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	

AppearanceAge	AppearanceAge	O	3	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
CategoryCode	CategoryCode	O	1	
CategoryCode2	CategoryCode2	O	1	
CategoryCode3	CategoryCode3	O	1	
CategoryCode4	CategoryCode4	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
CautionMedicalConditionsCode7	CautionMedicalConditionsCode7	O	2	
CautionMedicalConditionsCode8	CautionMedicalConditionsCode8	O	2	
CautionMedicalConditionsCode9	CautionMedicalConditionsCode9	O	2	
DentalXraysAvailableIndicator	DentalXraysAvailableIndicator	O	1	
EmancipationDate	EmancipationDate	O	8	
EyeColorCode	EyeColorCode	M	3	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
InvestigatorName	InvestigatorName	O	30	
LastContactDate	LastContactDate	O	8	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	
RecoveryDate	RecoveryDate	O	8	
ReportingAgency	ReportingAgency	O	30	
ReportingAgencyPhoneNumber	ReportingAgencyPhoneNumber	O	10	
ReportTypeCode	ReportTypeCode	M	1	
SexCode	SexCode	M	1	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) EyeColorCode, HairColorCode, Height, Name, OriginatingAgencyCaseNumber, RaceCode, ReportTypeCode, SexCode, Weight, [Age, AppearanceAge, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, CategoryCode, CategoryCode2, CategoryCode3, CategoryCode4, CautionMedicalConditionsCode, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, DentalXraysAvailableIndicator, EmancipationDate, InvestigatorName, LastContactDate, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, RecoveryDate, ReportingAgency, ReportingAgencyPhoneNumber]

WMPERMissingPersonIdentifiersEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CaFacialHairDescriptionCode	CaFacialHairDescriptionCode	O	2	
CaFacialHairDescriptionCode2	CaFacialHairDescriptionCode2	O	2	
CaFacialHairDescriptionCode3	CaFacialHairDescriptionCode3	O	2	
CaGlassesContactsCode	CaGlassesContactsCode	O	1	
CaHairDescriptionCode	CaHairDescriptionCode	O	2	
CaHairDescriptionCode2	CaHairDescriptionCode2	O	2	
CaHairDescriptionCode3	CaHairDescriptionCode3	O	2	
CaHairDescriptionCode4	CaHairDescriptionCode4	O	2	
CaLastKnownLocationCode	CaLastKnownLocationCode	O	2	
CaLastKnownLocationCode2	CaLastKnownLocationCode2	O	2	
CaLastKnownLocationCode3	CaLastKnownLocationCode3	O	2	
CaLastKnownLocationCode4	CaLastKnownLocationCode4	O	2	
CaLifeStyleCode	CaLifeStyleCode	O	2	
CaLifeStyleCode2	CaLifeStyleCode2	O	2	
CaLifeStyleCode3	CaLifeStyleCode3	O	2	
CaProbableDestination	CaProbableDestination	O	30	
CaTeethDescriptionCode	CaTeethDescriptionCode	O	2	
CaTeethDescriptionCode2	CaTeethDescriptionCode2	O	2	
CaTeethDescriptionCode3	CaTeethDescriptionCode3	O	2	
CaWeaponPossessionCode	CaWeaponPossessionCode	O	2	
CaWeaponPossessionCode2	CaWeaponPossessionCode2	O	2	
CaWeaponPossessionCode3	CaWeaponPossessionCode3	O	2	
CaWeaponPossessionCode4	CaWeaponPossessionCode4	O	2	
CircumcisionCode	CircumcisionCode	O	1	
ClothingDescription	ClothingDescription	O	100	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	

FingerprintsAvailableIndicator	FingerprintsAvailableIndicator	O	1	
FootprintIndicator	FootprintIndicator	O	1	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
KnownAssociates	KnownAssociates	O	30	
KnownAssociates2	KnownAssociates2	O	30	
KnownAssociates3	KnownAssociates3	O	30	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Name	Name	M	30	
Nickname	Nickname	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorLicenseYear2	OperatorLicenseYear2	O	4	
OperatorLicenseYear3	OperatorLicenseYear3	O	4	
OperatorLicenseYear4	OperatorLicenseYear4	O	4	
OperatorLicenseYear5	OperatorLicenseYear5	O	4	
PropertyDescriptionText	PropertyDescriptionText	O	100	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	

ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ScarsMarksTattoosDescription	ScarsMarksTattoosDescription	O	20	
ScarsMarksTattoosDescription10	ScarsMarksTattoosDescription10	O	20	
ScarsMarksTattoosDescription11	ScarsMarksTattoosDescription11	O	20	
ScarsMarksTattoosDescription12	ScarsMarksTattoosDescription12	O	20	
ScarsMarksTattoosDescription13	ScarsMarksTattoosDescription13	O	20	
ScarsMarksTattoosDescription14	ScarsMarksTattoosDescription14	O	20	
ScarsMarksTattoosDescription15	ScarsMarksTattoosDescription15	O	20	
ScarsMarksTattoosDescription2	ScarsMarksTattoosDescription2	O	20	
ScarsMarksTattoosDescription3	ScarsMarksTattoosDescription3	O	20	
ScarsMarksTattoosDescription4	ScarsMarksTattoosDescription4	O	20	
ScarsMarksTattoosDescription5	ScarsMarksTattoosDescription5	O	20	
ScarsMarksTattoosDescription6	ScarsMarksTattoosDescription6	O	20	
ScarsMarksTattoosDescription7	ScarsMarksTattoosDescription7	O	20	
ScarsMarksTattoosDescription8	ScarsMarksTattoosDescription8	O	20	
ScarsMarksTattoosDescription9	ScarsMarksTattoosDescription9	O	20	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AddressStateCode, AddressStreet, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CaFacialHairDescriptionCode, CaFacialHairDescriptionCode2, CaFacialHairDescriptionCode3, CaGlassesContactsCode, CaHairDescriptionCode, CaHairDescriptionCode2, CaHairDescriptionCode3, CaHairDescriptionCode4, CaLastKnownLocationCode, CaLastKnownLocationCode2, CaLastKnownLocationCode3, CaLastKnownLocationCode4, CaLifeStyleCode, CaLifeStyleCode2, CaLifeStyleCode3, CaProbableDestination, CaTeethDescriptionCode, CaTeethDescriptionCode2, CaTeethDescriptionCode3, CaWeaponPossessionCode, CaWeaponPossessionCode2, CaWeaponPossessionCode3, CaWeaponPossessionCode4, CircumcisionCode, ClothingDescription, CorrectiveVisionPerscriptionCode, CriminalIdentificationNumber, FBI Number, FingerprintClassificationCode, FingerprintsAvailableIndicator, FootprintIndicator, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6,

JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, KnownAssociates, KnownAssociates2, KnownAssociates3, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, Nickname, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, OperatorLicenseYear, OperatorLicenseYear2, OperatorLicenseYear3, OperatorLicenseYear4, OperatorLicenseYear5, PropertyDescriptionText, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ScarsMarksTattoosDescription, ScarsMarksTattoosDescription10, ScarsMarksTattoosDescription11, ScarsMarksTattoosDescription12, ScarsMarksTattoosDescription13, ScarsMarksTattoosDescription14, ScarsMarksTattoosDescription15, ScarsMarksTattoosDescription2, ScarsMarksTattoosDescription3, ScarsMarksTattoosDescription4, ScarsMarksTattoosDescription5, ScarsMarksTattoosDescription6, ScarsMarksTattoosDescription7, ScarsMarksTattoosDescription8, ScarsMarksTattoosDescription9, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5]

WMPERMissingPersonIdentifiersModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CaFacialHairDescriptionCode	CaFacialHairDescriptionCode	O	2	
CaGlassesContactsCode	CaGlassesContactsCode	O	1	
CaHairDescriptionCode	CaHairDescriptionCode	O	2	
CaLastKnownLocation	CaLastKnownLocation	O	2	
CaLifeStyleCode	CaLifeStyleCode	O	2	
CaProbableDestination	CaProbableDestination	O	30	
CaTeethDescriptionCode	CaTeethDescriptionCode	O	2	
CaWeaponPossessionCode	CaWeaponPossessionCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
ClothingDescription	ClothingDescription	O	100	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FingerprintsAvailableIndicator	FingerprintsAvailableIndicator	O	1	
FootprintIndicator	FootprintIndicator	O	1	

JewelryTypeCode	JewelryTypeCode	O	2	
KnownAssociates	KnownAssociates	O	30	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NewCaFacialHairDescriptionCode	NewCaFacialHairDescriptionCode	O	2	
NewCaHairDescriptionCode	NewCaHairDescriptionCode	O	2	
NewCaLastKnownLocation	NewCaLastKnownLocation	O	2	
NewCaLifeStyleCode	NewCaLifeStyleCode	O	2	
NewCaTeethDescriptionCode	NewCaTeethDescriptionCode	O	2	
NewCaWeaponPossessionCode	NewCaWeaponPossessionCode	O	2	
NewJewelryTypeCode	NewJewelryTypeCode	O	2	
NewKnownAssociates	NewKnownAssociates	O	30	
NewMiscellaneousNumber	NewMiscellaneousNumber	O	15	
NewSocialSecurityNumber	NewSocialSecurityNumber	O	9	
Nickname	Nickname	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorLicenseYear2	OperatorLicenseYear2	O	4	
OperatorLicenseYear3	OperatorLicenseYear3	O	4	
OperatorLicenseYear4	OperatorLicenseYear4	O	4	
OperatorLicenseYear5	OperatorLicenseYear5	O	4	
PropertyDescriptionText	PropertyDescriptionText	O	100	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AddressStateCode, AddressStreet, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CaFacialHairDescriptionCode, CaGlassesContactsCode, CaHairDescriptionCode, CaLastKnownLocation, CaLifeStyleCode, CaProbableDestination, CaTeethDescriptionCode, CaWeaponPossessionCode, CircumcisionCode, ClothingDescription, CorrectiveVisionPerscriptionCode, CriminalIdentificationNumber, FBI Number, FingerprintClassificationCode, FingerprintsAvailableIndicator, FootprintIndicator, JewelryTypeCode, KnownAssociates, MiscellaneousNumber, NewCaFacialHairDescriptionCode, NewCaHairDescriptionCode, NewCaLastKnownLocation, NewCaLifeStyleCode, NewCaTeethDescriptionCode, NewCaWeaponPossessionCode, NewJewelryTypeCode, NewKnownAssociates, NewMiscellaneousNumber, NewSocialSecurityNumber, Nickname, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, OperatorLicenseYear, OperatorLicenseYear2, OperatorLicenseYear3, OperatorLicenseYear4, OperatorLicenseYear5, PropertyDescriptionText, SkinToneCode, SocialSecurityNumber]

WMPEMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CalnactivatedReasonCode	CalnactivatedReasonCode	M	1	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
MissingPersonHitResultCode	MissingPersonHitResultCode	O	2	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

1. (In/Out) CalnactivatedReasonCode, FileControlNumber, Name, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue]
2. (In/Out) CalnactivatedReasonCode, Name, NCICNumber, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue]

WMPEMissingPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
AppearanceAge	AppearanceAge	O	3	
CategoryCode	CategoryCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
DentalXraysAvailableIndicator	DentalXraysAvailableIndicator	O	1	
EmancipationDate	EmancipationDate	O	8	
FileControlNumber	FileControlNumber	M	13	
InvestigatorName	InvestigatorName	O	30	
LastContactDate	LastContactDate	O	8	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	M	30	
NewCategoryCode	NewCategoryCode	O	1	
NewCautionMedicalConditionsCode	NewCautionMedicalConditionsCode	O	2	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
ReportDate	ReportDate	O	8	
ReportingAgency	ReportingAgency	O	30	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AgencyPhoneNumber, AppearanceAge, CategoryCode, CautionMedicalConditionsCode, DentalXraysAvailableIndicator, EmancipationDate, InvestigatorName, LastContactDate, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NewCategoryCode, NewCautionMedicalConditionsCode, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, ReportDate, ReportingAgency, ValidatorName]

WMPEMissingPersonSuspectDescriptionModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
AlsoKnownAs	AlsoKnownAs	O	30	
BirthDate	BirthDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	M	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Height2	Height2	O	3	
Name	Name	M	30	
NewAge	NewAge	O	3	
NewAlsoKnownAs	NewAlsoKnownAs	O	30	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ScarsMarksTattoosDescription	ScarsMarksTattoosDescription	O	20	
ScarsMarksTattoosDescription10	ScarsMarksTattoosDescription10	O	20	
ScarsMarksTattoosDescription11	ScarsMarksTattoosDescription11	O	20	
ScarsMarksTattoosDescription12	ScarsMarksTattoosDescription12	O	20	
ScarsMarksTattoosDescription13	ScarsMarksTattoosDescription13	O	20	
ScarsMarksTattoosDescription14	ScarsMarksTattoosDescription14	O	20	
ScarsMarksTattoosDescription15	ScarsMarksTattoosDescription15	O	20	
ScarsMarksTattoosDescription2	ScarsMarksTattoosDescription2	O	20	
ScarsMarksTattoosDescription3	ScarsMarksTattoosDescription3	O	20	
ScarsMarksTattoosDescription4	ScarsMarksTattoosDescription4	O	20	
ScarsMarksTattoosDescription5	ScarsMarksTattoosDescription5	O	20	
ScarsMarksTattoosDescription6	ScarsMarksTattoosDescription6	O	20	
ScarsMarksTattoosDescription7	ScarsMarksTattoosDescription7	O	20	

ScarsMarksTattoosDescription8	ScarsMarksTattoosDescription8	O	20	
ScarsMarksTattoosDescription9	ScarsMarksTattoosDescription9	O	20	
SexCode	SexCode	O	1	
SuspectName	SuspectName	O	30	
SuspectNumber	SuspectNumber	M	1	
Weight	Weight	O	3	
Weight2	Weight2	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, SuspectNumber, [Age, AlsoKnownAs, BirthDate, EyeColorCode, HairColorCode, Height, Height2, NewAge, NewAlsoKnownAs, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ScarsMarksTattoosDescription, ScarsMarksTattoosDescription10, ScarsMarksTattoosDescription11, ScarsMarksTattoosDescription12, ScarsMarksTattoosDescription13, ScarsMarksTattoosDescription14, ScarsMarksTattoosDescription15, ScarsMarksTattoosDescription2, ScarsMarksTattoosDescription3, ScarsMarksTattoosDescription4, ScarsMarksTattoosDescription5, ScarsMarksTattoosDescription6, ScarsMarksTattoosDescription7, ScarsMarksTattoosDescription8, ScarsMarksTattoosDescription9, SexCode, SuspectName, Weight, Weight2]

WMPEMissingPersonSuspectEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
Age2	Age2	O	3	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
CaFacialHairDescriptionCode	CaFacialHairDescriptionCode	O	2	
CaFacialHairDescriptionCode2	CaFacialHairDescriptionCode2	O	2	
CaFacialHairDescriptionCode3	CaFacialHairDescriptionCode3	O	2	
CaGlassesContactsCode	CaGlassesContactsCode	O	1	
CaHairDescriptionCode	CaHairDescriptionCode	O	2	
CaHairDescriptionCode2	CaHairDescriptionCode2	O	2	

CaHairDescriptionCode3	CaHairDescriptionCode3	O	2	
CaHairDescriptionCode4	CaHairDescriptionCode4	O	2	
CaStatusCode	CaStatusCode	O	2	
CaSuspectBuildCode	CaSuspectBuildCode	O	2	
CaTeethDescriptionCode	CaTeethDescriptionCode	O	2	
CaTeethDescriptionCode2	CaTeethDescriptionCode2	O	2	
CaTeethDescriptionCode3	CaTeethDescriptionCode3	O	2	
CaWeaponPossessionCode	CaWeaponPossessionCode	O	2	
CaWeaponPossessionCode2	CaWeaponPossessionCode2	O	2	
CaWeaponPossessionCode3	CaWeaponPossessionCode3	O	2	
CaWeaponPossessionCode4	CaWeaponPossessionCode4	O	2	
ClothingDescription	ClothingDescription	O	100	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
HairColorCode	HairColorCode	O	3	
Height	Height	M	3	
Height2	Height2	O	3	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Name	Name	M	30	
Nickname	Nickname	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	2	
OperatorLicenseYear2	OperatorLicenseYear2	O	2	
OperatorLicenseYear3	OperatorLicenseYear3	O	2	
OperatorLicenseYear4	OperatorLicenseYear4	O	2	
OperatorLicenseYear5	OperatorLicenseYear5	O	2	
PropertyDescriptionText	PropertyDescriptionText	O	100	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	

ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ScarsMarksTattoosDescription	ScarsMarksTattoosDescription	O	20	
ScarsMarksTattoosDescription10	ScarsMarksTattoosDescription10	O	20	
ScarsMarksTattoosDescription11	ScarsMarksTattoosDescription11	O	20	
ScarsMarksTattoosDescription12	ScarsMarksTattoosDescription12	O	20	
ScarsMarksTattoosDescription13	ScarsMarksTattoosDescription13	O	20	
ScarsMarksTattoosDescription14	ScarsMarksTattoosDescription14	O	20	
ScarsMarksTattoosDescription15	ScarsMarksTattoosDescription15	O	20	
ScarsMarksTattoosDescription2	ScarsMarksTattoosDescription2	O	20	
ScarsMarksTattoosDescription3	ScarsMarksTattoosDescription3	O	20	
ScarsMarksTattoosDescription4	ScarsMarksTattoosDescription4	O	20	
ScarsMarksTattoosDescription5	ScarsMarksTattoosDescription5	O	20	
ScarsMarksTattoosDescription6	ScarsMarksTattoosDescription6	O	20	
ScarsMarksTattoosDescription7	ScarsMarksTattoosDescription7	O	20	
ScarsMarksTattoosDescription8	ScarsMarksTattoosDescription8	O	20	
ScarsMarksTattoosDescription9	ScarsMarksTattoosDescription9	O	20	
SexCode	SexCode	M	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SuspectName	SuspectName	M	30	
SuspectRelationship	SuspectRelationship	O	15	
Weight	Weight	O	3	
Weight2	Weight2	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Height, Name, RaceCode, SexCode, SuspectName, [Age, Age2, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, CaFacialHairDescriptionCode, CaFacialHairDescriptionCode2, CaFacialHairDescriptionCode3, CaGlassesContactsCode, CaHairDescriptionCode, CaHairDescriptionCode2, CaHairDescriptionCode3, CaHairDescriptionCode4, CaStatusCode, CaSuspectBuildCode, CaTeethDescriptionCode, CaTeethDescriptionCode2, CaTeethDescriptionCode3, CaWeaponPossessionCode, CaWeaponPossessionCode2, CaWeaponPossessionCode3, CaWeaponPossessionCode4, ClothingDescription, CriminalIdentificationNumber, EyeColorCode, FBINumber, HairColorCode, Height2, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, Nickname, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5,

OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, OperatorLicenseYear, OperatorLicenseYear2, OperatorLicenseYear3, OperatorLicenseYear4, OperatorLicenseYear5, PropertyDescriptionText, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ScarsMarksTattoosDescription, ScarsMarksTattoosDescription10, ScarsMarksTattoosDescription11, ScarsMarksTattoosDescription12, ScarsMarksTattoosDescription13, ScarsMarksTattoosDescription14, ScarsMarksTattoosDescription15, ScarsMarksTattoosDescription2, ScarsMarksTattoosDescription3, ScarsMarksTattoosDescription4, ScarsMarksTattoosDescription5, ScarsMarksTattoosDescription6, ScarsMarksTattoosDescription7, ScarsMarksTattoosDescription8, ScarsMarksTattoosDescription9, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SuspectRelationship, Weight, Weight2]

WMPEMissingPersonSuspectModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CaFacialHairDescriptionCode	CaFacialHairDescriptionCode	O	2	
CaGlassesContactsCode	CaGlassesContactsCode	O	1	
CaHairDescriptionCode	CaHairDescriptionCode	O	2	
CaStatusCode	CaStatusCode	O	2	
CaSuspectBuildCode	CaSuspectBuildCode	O	2	
CaTeethDescriptionCode	CaTeethDescriptionCode	O	2	
CaWeaponPossessionCode	CaWeaponPossessionCode	O	2	
ClothingDescription	ClothingDescription	O	100	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NewCaFacialHairDescriptionCode	NewCaFacialHairDescriptionCode	O	2	
NewCaHairDescriptionCode	NewCaHairDescriptionCode	O	2	
NewCaTeethDescriptionCode	NewCaTeethDescriptionCode	O	2	
NewCaWeaponPossessionCode	NewCaWeaponPossessionCode	O	2	
NewMiscellaneousNumber	NewMiscellaneousNumber	O	15	
NewSocialSecurityNumber	NewSocialSecurityNumber	O	9	
Nickname	Nickname	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseStateCode4	OperatorLicenseStateCode4	O	2	
OperatorLicenseStateCode5	OperatorLicenseStateCode5	O	2	

OperatorLicenseYear	OperatorLicenseYear	O	2	
OperatorLicenseYear2	OperatorLicenseYear2	O	2	
OperatorLicenseYear3	OperatorLicenseYear3	O	2	
OperatorLicenseYear4	OperatorLicenseYear4	O	2	
OperatorLicenseYear5	OperatorLicenseYear5	O	2	
PropertyDescriptionText	PropertyDescriptionText	O	100	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SuspectNumber	SuspectNumber	M	1	
SuspectRelationship	SuspectRelationship	O	15	

Possible Combinations

- (In/Out) FileControlNumber, Name, SuspectNumber, [CaFacialHairDescriptionCode, CaGlassesContactsCode, CaHairDescriptionCode, CaStatusCode, CaSuspectBuildCode, CaTeethDescriptionCode, CaWeaponPossessionCode, ClothingDescription, CriminalIdentificationNumber, FBI Number, MiscellaneousNumber, NewCaFacialHairDescriptionCode, NewCaHairDescriptionCode, NewCaTeethDescriptionCode, NewCaWeaponPossessionCode, NewMiscellaneousNumber, NewSocialSecurityNumber, Nickname, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseStateCode4, OperatorLicenseStateCode5, OperatorLicenseYear, OperatorLicenseYear2, OperatorLicenseYear3, OperatorLicenseYear4, OperatorLicenseYear5, PropertyDescriptionText, SocialSecurityNumber, SuspectRelationship]

WMPEMissingPersonVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FileControlNumber	FileControlNumber	M	13	
VehicleColorCode	VehicleColorCode	M	7	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleNumber	VehicleNumber	M	1	

Possible Combinations

- (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber

WMPEMissingPersonVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CaVehicleOwnerCode	CaVehicleOwnerCode	M	2	
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	2	
Name	Name	M	30	
VehicleColorCode	VehicleColorCode	M	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	2	

Possible Combinations

1. (In/Out) CaVehicleOwnerCode, FileControlNumber, Name, VehicleColorCode, VehicleMakeCode, [LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, VehicleIdentificationNumber, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEMissingPersonVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CaVehicleOwnerCode	CaVehicleOwnerCode	O	2	
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
NewVehicleColorCode	NewVehicleColorCode	O	7	
NewVehicleMakeCode	NewVehicleMakeCode	O	25	
VehicleColorCode	VehicleColorCode	M	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleNumber	VehicleNumber	M	1	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber, [CaVehicleOwnerCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, NewVehicleColorCode, NewVehicleMakeCode, VehicleIdentificationNumber, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEProtectionOrderEnter

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
AgencyName	AgencyName	O	30	
AgentIdNumber	AgentIdNumber	O	5	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	

CaCustodyCode	CaCustodyCode	O	2	
CaStayAwayCode	CaStayAwayCode	O	4	
CaStayAwayYards	CaStayAwayYards	O	4	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
CautionMedicalConditionsCode7	CautionMedicalConditionsCode7	O	2	
CautionMedicalConditionsCode8	CautionMedicalConditionsCode8	O	2	
CautionMedicalConditionsCode9	CautionMedicalConditionsCode9	O	2	
CaVisitationCode	CaVisitationCode	O	1	
ContactAllowedIndicator	ContactAllowedIndicator	M	1	
CourtCaseNumber	CourtCaseNumber	M	20	
CourtPresentIndicator	CourtPresentIndicator	M	1	
CourtTableCode	CourtTableCode	M	5	
ExpirationDate	ExpirationDate	M	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FirearmsProvisionCode	FirearmsProvisionCode	M	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssuanceState	IssuanceState	O	2	
IssueDate	IssueDate	M	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousProofOfServiceInformation	MiscellaneousProofOfServiceInformation	O	500	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherOrders	OtherOrders	O	500	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonBirthDate10	ProtectedPersonBirthDate10	O	8	
ProtectedPersonBirthDate2	ProtectedPersonBirthDate2	O	8	
ProtectedPersonBirthDate3	ProtectedPersonBirthDate3	O	8	

ProtectedPersonBirthDate4	ProtectedPersonBirthDate4	O	8	
ProtectedPersonBirthDate5	ProtectedPersonBirthDate5	O	8	
ProtectedPersonBirthDate6	ProtectedPersonBirthDate6	O	8	
ProtectedPersonBirthDate7	ProtectedPersonBirthDate7	O	8	
ProtectedPersonBirthDate8	ProtectedPersonBirthDate8	O	8	
ProtectedPersonBirthDate9	ProtectedPersonBirthDate9	O	8	
ProtectedPersonName	ProtectedPersonName	M	30	
ProtectedPersonName10	ProtectedPersonName10	O	30	
ProtectedPersonName2	ProtectedPersonName2	O	30	
ProtectedPersonName3	ProtectedPersonName3	O	30	
ProtectedPersonName4	ProtectedPersonName4	O	30	
ProtectedPersonName5	ProtectedPersonName5	O	30	
ProtectedPersonName6	ProtectedPersonName6	O	30	
ProtectedPersonName7	ProtectedPersonName7	O	30	
ProtectedPersonName8	ProtectedPersonName8	O	30	
ProtectedPersonName9	ProtectedPersonName9	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonRaceCode10	ProtectedPersonRaceCode10	O	1	
ProtectedPersonRaceCode2	ProtectedPersonRaceCode2	O	1	
ProtectedPersonRaceCode3	ProtectedPersonRaceCode3	O	1	
ProtectedPersonRaceCode4	ProtectedPersonRaceCode4	O	1	
ProtectedPersonRaceCode5	ProtectedPersonRaceCode5	O	1	
ProtectedPersonRaceCode6	ProtectedPersonRaceCode6	O	1	
ProtectedPersonRaceCode7	ProtectedPersonRaceCode7	O	1	
ProtectedPersonRaceCode8	ProtectedPersonRaceCode8	O	1	
ProtectedPersonRaceCode9	ProtectedPersonRaceCode9	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	M	1	
ProtectedPersonSexCode10	ProtectedPersonSexCode10	O	1	
ProtectedPersonSexCode2	ProtectedPersonSexCode2	O	1	
ProtectedPersonSexCode3	ProtectedPersonSexCode3	O	1	
ProtectedPersonSexCode4	ProtectedPersonSexCode4	O	1	
ProtectedPersonSexCode5	ProtectedPersonSexCode5	O	1	
ProtectedPersonSexCode6	ProtectedPersonSexCode6	O	1	
ProtectedPersonSexCode7	ProtectedPersonSexCode7	O	1	
ProtectedPersonSexCode8	ProtectedPersonSexCode8	O	1	
ProtectedPersonSexCode9	ProtectedPersonSexCode9	O	1	
ProtectiveOrderTypeCode	ProtectiveOrderTypeCode	M	3	
RaceCode	RaceCode	O	1	
RecordCommunicationIndicator	RecordCommunicationIndicator	O	1	Yes or blank
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ServedBy	ServedBy	O	30	
ServedDate	ServedDate	O	8	
ServedTime	ServedTime	O	4	

SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VacateAddress	VacateAddress	O	60	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) BirthDate, ContactAllowedIndicator, CourtCaseNumber, CourtPresentIndicator, CourtTableCode, ExpirationDate, FirearmsProvisionCode, IssueDate, Name, OriginatingAgencyCaseNumber, ProtectedPersonName, ProtectedPersonSexCode, ProtectiveOrderTypeCode, SexCode, [AddressCity, AddressStateCode, AddressStreet, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlaceCode, CaCustodyCode, CaStayAwayCode, CaStayAwayYards, CautionMedicalConditionsCode, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, CaVisitationCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousProofOfServiceInformation, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OtherOrders, ProtectedPersonBirthDate, ProtectedPersonBirthDate10, ProtectedPersonBirthDate2, ProtectedPersonBirthDate3, ProtectedPersonBirthDate4, ProtectedPersonBirthDate5, ProtectedPersonBirthDate6, ProtectedPersonBirthDate7, ProtectedPersonBirthDate8, ProtectedPersonBirthDate9, ProtectedPersonName10, ProtectedPersonName2, ProtectedPersonName3, ProtectedPersonName4, ProtectedPersonName5, ProtectedPersonName6, ProtectedPersonName7, ProtectedPersonName8, ProtectedPersonName9, ProtectedPersonRaceCode, ProtectedPersonRaceCode10, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode10, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, RaceCode, RecordCommunicationIndicator, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, ServedDate, ServedTime, SkinToneCode, SocialSecurityNumber, VacateAddress, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPEProtectionOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressStateCode	AddressStateCode	O	2	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
AgencyName	AgencyName	O	30	
AgentIdNumber	AgentIdNumber	O	5	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CaCustodyCode	CaCustodyCode	O	2	
CaStayAwayCode	CaStayAwayCode	O	4	
CaStayAwayYards	CaStayAwayYards	O	4	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CautionMedicalConditionsCode4	CautionMedicalConditionsCode4	O	2	
CautionMedicalConditionsCode5	CautionMedicalConditionsCode5	O	2	
CautionMedicalConditionsCode6	CautionMedicalConditionsCode6	O	2	
CautionMedicalConditionsCode7	CautionMedicalConditionsCode7	O	2	
CautionMedicalConditionsCode8	CautionMedicalConditionsCode8	O	2	
CautionMedicalConditionsCode9	CautionMedicalConditionsCode9	O	2	
CaVisitationCode	CaVisitationCode	O	1	
ContactAllowedIndicator	ContactAllowedIndicator	O	1	
CourtCaseNumber	CourtCaseNumber	O	20	
CourtPresentIndicator	CourtPresentIndicator	O	1	
CourtTableCode	CourtTableCode	O	5	
ExpirationDate	ExpirationDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FirearmsProvisionCode	FirearmsProvisionCode	O	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssuanceState	IssuanceState	O	2	
IssueDate	IssueDate	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	

MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousProofOfServiceInformation	MiscellaneousProofOfServiceInformation	O	500	
Name	Name	M	30	
NewAlsoKnownAs	NewAlsoKnownAs	O	30	
NewAlsoKnownAs2	NewAlsoKnownAs2	O	30	
NewAlsoKnownAs3	NewAlsoKnownAs3	O	30	
NewAlsoKnownAs5	NewAlsoKnownAs5	O	30	
NewAlsoKnownAs6	NewAlsoKnownAs6	O	30	
NewAlsoKnownAs7	NewAlsoKnownAs7	O	30	
NewAlsoKnownAs8	NewAlsoKnownAs8	O	30	
NewAlsoKnownAs9	NewAlsoKnownAs9	O	30	
NewCautionMedicalConditionsCode	NewCautionMedicalConditionsCode	O	2	
NewCautionMedicalConditionsCode2	NewCautionMedicalConditionsCode2	O	2	
NewCautionMedicalConditionsCode3	NewCautionMedicalConditionsCode3	O	2	
NewCautionMedicalConditionsCode4	NewCautionMedicalConditionsCode4	O	2	
NewCautionMedicalConditionsCode5	NewCautionMedicalConditionsCode5	O	2	
NewCautionMedicalConditionsCode6	NewCautionMedicalConditionsCode6	O	2	
NewCautionMedicalConditionsCode7	NewCautionMedicalConditionsCode7	O	2	
NewCautionMedicalConditionsCode8	NewCautionMedicalConditionsCode8	O	2	
NewMiscellaneousNumber	NewMiscellaneousNumber	O	15	
NewMiscellaneousNumber2	NewMiscellaneousNumber2	O	15	
NewMiscellaneousNumber3	NewMiscellaneousNumber3	O	15	
NewMiscellaneousNumber4	NewMiscellaneousNumber4	O	15	
NewMiscellaneousNumber5	NewMiscellaneousNumber5	O	15	
NewMiscellaneousNumber6	NewMiscellaneousNumber6	O	15	
NewMiscellaneousNumber7	NewMiscellaneousNumber7	O	15	
NewName	NewName	O	30	
NewScarsMarksTattoosCode	NewScarsMarksTattoosCode	O	10	
NewScarsMarksTattoosCode2	NewScarsMarksTattoosCode2	O	10	
NewScarsMarksTattoosCode3	NewScarsMarksTattoosCode3	O	10	
NewScarsMarksTattoosCode4	NewScarsMarksTattoosCode4	O	10	
NewScarsMarksTattoosCode5	NewScarsMarksTattoosCode5	O	10	
NewScarsMarksTattoosCode6	NewScarsMarksTattoosCode6	O	10	
NewScarsMarksTattoosCode7	NewScarsMarksTattoosCode7	O	10	
NewScarsMarksTattoosCode8	NewScarsMarksTattoosCode8	O	10	
NewScarsMarksTattoosCode9	NewScarsMarksTattoosCode9	O	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OtherOrders	OtherOrders	O	500	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	

ProtectedPersonBirthDate10	ProtectedPersonBirthDate10	O	8	
ProtectedPersonBirthDate2	ProtectedPersonBirthDate2	O	8	
ProtectedPersonBirthDate3	ProtectedPersonBirthDate3	O	8	
ProtectedPersonBirthDate4	ProtectedPersonBirthDate4	O	8	
ProtectedPersonBirthDate5	ProtectedPersonBirthDate5	O	8	
ProtectedPersonBirthDate6	ProtectedPersonBirthDate6	O	8	
ProtectedPersonBirthDate7	ProtectedPersonBirthDate7	O	8	
ProtectedPersonBirthDate8	ProtectedPersonBirthDate8	O	8	
ProtectedPersonBirthDate9	ProtectedPersonBirthDate9	O	8	
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectedPersonName10	ProtectedPersonName10	O	30	
ProtectedPersonName2	ProtectedPersonName2	O	30	
ProtectedPersonName3	ProtectedPersonName3	O	30	
ProtectedPersonName4	ProtectedPersonName4	O	30	
ProtectedPersonName5	ProtectedPersonName5	O	30	
ProtectedPersonName6	ProtectedPersonName6	O	30	
ProtectedPersonName7	ProtectedPersonName7	O	30	
ProtectedPersonName8	ProtectedPersonName8	O	30	
ProtectedPersonName9	ProtectedPersonName9	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonRaceCode10	ProtectedPersonRaceCode10	O	1	
ProtectedPersonRaceCode2	ProtectedPersonRaceCode2	O	1	
ProtectedPersonRaceCode3	ProtectedPersonRaceCode3	O	1	
ProtectedPersonRaceCode4	ProtectedPersonRaceCode4	O	1	
ProtectedPersonRaceCode5	ProtectedPersonRaceCode5	O	1	
ProtectedPersonRaceCode6	ProtectedPersonRaceCode6	O	1	
ProtectedPersonRaceCode7	ProtectedPersonRaceCode7	O	1	
ProtectedPersonRaceCode8	ProtectedPersonRaceCode8	O	1	
ProtectedPersonRaceCode9	ProtectedPersonRaceCode9	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSexCode10	ProtectedPersonSexCode10	O	1	
ProtectedPersonSexCode2	ProtectedPersonSexCode2	O	1	
ProtectedPersonSexCode3	ProtectedPersonSexCode3	O	1	
ProtectedPersonSexCode4	ProtectedPersonSexCode4	O	1	
ProtectedPersonSexCode5	ProtectedPersonSexCode5	O	1	
ProtectedPersonSexCode6	ProtectedPersonSexCode6	O	1	
ProtectedPersonSexCode7	ProtectedPersonSexCode7	O	1	
ProtectedPersonSexCode8	ProtectedPersonSexCode8	O	1	
ProtectedPersonSexCode9	ProtectedPersonSexCode9	O	1	
ProtectiveOrderTypeCode	ProtectiveOrderTypeCode	O	3	
RaceCode	RaceCode	O	1	
RecordCommunicationIndicator	RecordCommunicationIndicator	O	1	Yes or blank
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	

ServedBy	ServedBy	O	30	
ServedDate	ServedDate	O	8	
ServedTime	ServedTime	O	4	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VacateAddress	VacateAddress	O	60	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) FileControlNumber, Name, [AddressCity, AddressStateCode, AddressStreet, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, BirthPlaceCode, CaCustodyCode, CaStayAwayCode, CaStayAwayYards, CautionMedicalConditionsCode, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CautionMedicalConditionsCode4, CautionMedicalConditionsCode5, CautionMedicalConditionsCode6, CautionMedicalConditionsCode7, CautionMedicalConditionsCode8, CautionMedicalConditionsCode9, CaVisitationCode, ContactAllowedIndicator, CourtCaseNumber, CourtPresentIndicator, CourtTableCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, FirearmsProvisionCode, HairColorCode, Height, IssuanceState, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousProofOfServiceInformation, NewAlsoKnownAs, NewAlsoKnownAs2, NewAlsoKnownAs3, NewAlsoKnownAs5, NewAlsoKnownAs6, NewAlsoKnownAs7, NewAlsoKnownAs8, NewAlsoKnownAs9, NewCautionMedicalConditionsCode, NewCautionMedicalConditionsCode2, NewCautionMedicalConditionsCode3, NewCautionMedicalConditionsCode4, NewCautionMedicalConditionsCode5, NewCautionMedicalConditionsCode6, NewCautionMedicalConditionsCode7, NewCautionMedicalConditionsCode8, NewMiscellaneousNumber, NewMiscellaneousNumber2, NewMiscellaneousNumber3, NewMiscellaneousNumber4, NewMiscellaneousNumber5, NewMiscellaneousNumber6, NewMiscellaneousNumber7, NewName, NewScarsMarksTattoosCode, NewScarsMarksTattoosCode2, NewScarsMarksTattoosCode3, NewScarsMarksTattoosCode4, NewScarsMarksTattoosCode5, NewScarsMarksTattoosCode6, NewScarsMarksTattoosCode7, NewScarsMarksTattoosCode8, NewScarsMarksTattoosCode9, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, OtherOrders, ProtectedPersonBirthDate, ProtectedPersonBirthDate10, ProtectedPersonBirthDate2, ProtectedPersonBirthDate3, ProtectedPersonBirthDate4, ProtectedPersonBirthDate5, ProtectedPersonBirthDate6, ProtectedPersonBirthDate7, ProtectedPersonBirthDate8, ProtectedPersonBirthDate9, ProtectedPersonName, ProtectedPersonName10, ProtectedPersonName2, ProtectedPersonName3, ProtectedPersonName4, ProtectedPersonName5, ProtectedPersonName6, ProtectedPersonName7, ProtectedPersonName8, ProtectedPersonName9, ProtectedPersonRaceCode, ProtectedPersonRaceCode10, ProtectedPersonRaceCode2,

ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode, ProtectedPersonSexCode10, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, ProtectiveOrderTypeCode, RaceCode, RecordCommunicationIndicator, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, ServedDate, ServedTime, SexCode, SkinToneCode, SocialSecurityNumber, VacateAddress, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPESexOffenderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	M	50	
AddressCounty	AddressCounty	O	2	
AddressSourceCode	AddressSourceCode	M	3	
AddressStateCode	AddressStateCode	M	2	
AddressStreetName	AddressStreetName	M	35	
AddressStreetNameSecond	AddressStreetNameSecond	O	10	
AddressStreetNumber	AddressStreetNumber	M	10	
AddressTypeCode	AddressTypeCode	M	3	
AddressZipCode	AddressZipCode	M	9	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	O	8	
CaMapGridCoordinates	CaMapGridCoordinates	O	3	
CaMapPage	CaMapPage	O	4	
CaOccupationDescription	CaOccupationDescription	O	30	
CaRegistrationTypeCode	CaRegistrationTypeCode	M	1	
CaYouthAuthorityNumber	CaYouthAuthorityNumber	O	6	
ContactName	ContactName	M	30	
ContactPhoneNumber	ContactPhoneNumber	M	10	
ContactMnemonic	ContactMnemonic	M	4	
ConvictionDate	ConvictionDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
EyeColorCode	EyeColorCode	M	3	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
ImageAvailableIndicator	ImageAvailableIndicator	M	1	

LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Mnemonic	Mnemonic	O	4	
Name	Name	M	30	
Nickname	Nickname	O	20	
OffenseCode	OffenseCode	M	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
RaceCode	RaceCode	M	1	
RegistrationDate	RegistrationDate	M	8	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ScarsMarksTattoosPictureDescription	ScarsMarksTattoosPictureDescription	O	20	
ScarsMarksTattoosPictureDescription2	ScarsMarksTattoosPictureDescription2	O	20	
ScarsMarksTattoosPictureDescription3	ScarsMarksTattoosPictureDescription3	O	20	
ScarsMarksTattoosPictureDescription4	ScarsMarksTattoosPictureDescription4	O	20	
ScarsMarksTattoosPictureDescription5	ScarsMarksTattoosPictureDescription5	O	20	
ScarsMarksTattoosPictureDescription6	ScarsMarksTattoosPictureDescription6	O	20	
ScarsMarksTattoosPictureDescription7	ScarsMarksTattoosPictureDescription7	O	20	
ScarsMarksTattoosPictureDescription8	ScarsMarksTattoosPictureDescription8	O	20	
ScarsMarksTattoosPictureDescription9	ScarsMarksTattoosPictureDescription9	O	20	
ScarsMarksTattoosTableDescription	ScarsMarksTattoosTableDescription	O	20	
ScarsMarksTattoosTableDescription2	ScarsMarksTattoosTableDescription2	O	20	
ScarsMarksTattoosTableDescription3	ScarsMarksTattoosTableDescription3	O	20	
ScarsMarksTattoosTableDescription4	ScarsMarksTattoosTableDescription4	O	20	
ScarsMarksTattoosTableDescription5	ScarsMarksTattoosTableDescription5	O	20	
ScarsMarksTattoosTableDescription6	ScarsMarksTattoosTableDescription6	O	20	
ScarsMarksTattoosTableDescription7	ScarsMarksTattoosTableDescription7	O	20	
ScarsMarksTattoosTableDescription8	ScarsMarksTattoosTableDescription8	O	20	
ScarsMarksTattoosTableDescription9	ScarsMarksTattoosTableDescription9	O	20	
ScarsMarksTattoosText	ScarsMarksTattoosText	O	20	
ScarsMarksTattoosText2	ScarsMarksTattoosText2	O	20	
ScarsMarksTattoosText3	ScarsMarksTattoosText3	O	20	
ScarsMarksTattoosText4	ScarsMarksTattoosText4	O	20	
ScarsMarksTattoosText5	ScarsMarksTattoosText5	O	20	
ScarsMarksTattoosText6	ScarsMarksTattoosText6	O	20	
ScarsMarksTattoosText7	ScarsMarksTattoosText7	O	20	
ScarsMarksTattoosText8	ScarsMarksTattoosText8	O	20	
ScarsMarksTattoosText9	ScarsMarksTattoosText9	O	20	

SexCode	SexCode	M	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	M	3	

Possible Combinations

- (In/Out) AddressCity, AddressSourceCode, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, CaRegistrationTypeCode, ContactName, ContactPhoneNumber, ContactMnemonic, EyeColorCode, HairColorCode, Height, ImageAvailableIndicator, Name, OffenseCode, RaceCode, RegistrationDate, SexCode, Weight, [AddressCounty, AddressStreetNameSecond, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, CaMapGridCoordinates, CaMapPage, CaOccupationDescription, CaYouthAuthorityNumber, ConvictionDate, CriminalIdentificationNumber, DepartmentOfCorrectionsNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, Mnemonic, Nickname, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ScarsMarksTattoosPictureDescription, ScarsMarksTattoosPictureDescription2, ScarsMarksTattoosPictureDescription3, ScarsMarksTattoosPictureDescription4, ScarsMarksTattoosPictureDescription5, ScarsMarksTattoosPictureDescription6, ScarsMarksTattoosPictureDescription7, ScarsMarksTattoosPictureDescription8, ScarsMarksTattoosPictureDescription9, ScarsMarksTattoosTableDescription, ScarsMarksTattoosTableDescription2, ScarsMarksTattoosTableDescription3, ScarsMarksTattoosTableDescription4, ScarsMarksTattoosTableDescription5, ScarsMarksTattoosTableDescription6, ScarsMarksTattoosTableDescription7, ScarsMarksTattoosTableDescription8, ScarsMarksTattoosTableDescription9, ScarsMarksTattoosText, ScarsMarksTattoosText2, ScarsMarksTattoosText3, ScarsMarksTattoosText4, ScarsMarksTattoosText5, ScarsMarksTattoosText6, ScarsMarksTattoosText7, ScarsMarksTattoosText8, ScarsMarksTattoosText9, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPESexOffenderUpdate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	50	
AddressCounty	AddressCounty	O	2	
AddressSourceCode	AddressSourceCode	O	3	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	35	
AddressStreetNameSecond	AddressStreetNameSecond	O	10	
AddressStreetNumber	AddressStreetNumber	O	10	
AddressTypeCode	AddressTypeCode	O	3	
AddressZipCode	AddressZipCode	O	9	

AlsoKnownAs	AlsoKnownAs	O	30	
BirthDate	BirthDate	O	8	
CaMapGridCoordinates	CaMapGridCoordinates	O	3	
CaMapPage	CaMapPage	O	4	
CaOccupationDescription	CaOccupationDescription	O	30	
CaRegistrationTypeCode	CaRegistrationTypeCode	O	1	
CaYouthAuthorityNumber	CaYouthAuthorityNumber	O	6	
ContactMnemonic	ContactMnemonic	O	4	
ContactName	ContactName	O	30	
ContactPhoneNumber	ContactPhoneNumber	O	10	
ConvictionDate	ConvictionDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	M	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
ImageAvailableIndicator	ImageAvailableIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	M	30	
Nickname	Nickname	O	20	
OffenseCode	OffenseCode	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
RaceCode	RaceCode	O	1	
RegistrationDate	RegistrationDate	O	8	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosPictureDescription	ScarsMarksTattoosPictureDescription	O	20	
ScarsMarksTattoosTableDescription	ScarsMarksTattoosTableDescription	O	20	
ScarsMarksTattoosText	ScarsMarksTattoosText	O	20	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AddressSourceCode, AddressStateCode, AddressStreetName, AddressStreetNameSecond, AddressStreetNumber, AddressTypeCode, AddressZipCode, AlsoKnownAs, BirthDate, CaMapGridCoordinates, CaMapPage, CaOccupationDescription, CaRegistrationTypeCode, CaYouthAuthorityNumber, ContactMnemonic, ContactName, ContactPhoneNumber, ConvictionDate, CriminalIdentificationNumber, EyeColorCode, HairColorCode, Height, ImageAvailableIndicator,

LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, Nickname, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, RaceCode, RegistrationDate, ScarsMarksTattoosCode, ScarsMarksTattoosPictureDescription, ScarsMarksTattoosTableDescription, ScarsMarksTattoosText, SexCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPESupervisedReleaseCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	1	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, [PersonRecordRemovalReason]

WMPESupervisedReleaseEnter

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
ArrestDate	ArrestDate	O	8	
ArrestingAgencyORI	ArrestingAgencyORI	O	9	
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
ContactMnemonic	ContactMnemonic	M	4	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
EntryLevel	EntryLevel	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	M	3	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
IncarcerationPlace	IncarcerationPlace	O	50	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	

LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MessageKeyModifier	MessageKeyModifier	O	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	M	30	
OffenseCode	OffenseCode	O	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
ProbationRevokedDate	ProbationRevokedDate	O	8	
ProbationRevokedReason	ProbationRevokedReason	O	20	
RaceCode	RaceCode	M	1	
RegisteredSexOffenderIndicator	RegisteredSexOffenderIndicator	O	1	
ReleaseLocation	ReleaseLocation	O	50	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SentencingCourtORI	SentencingCourtORI	O	9	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SupervisingOfficerName	SupervisingOfficerName	O	30	
SupervisingOfficerTelephone	SupervisingOfficerTelephone	O	12	
SupervisingUnitName	SupervisingUnitName	O	20	
SupervisionReleaseDate	SupervisionReleaseDate	O	8	
SupervisionStartDate	SupervisionStartDate	O	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantCourtORI	WarrantCourtORI	O	9	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) BirthDate, ContactMnemonic, Height, Name, RaceCode, SexCode, [AddressCity, AddressCounty, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, ArrestDate, ArrestingAgencyORI, BirthPlaceCode, CautionMedicalConditionsCode, CriminalIdentificationNumber, DepartmentOfCorrectionsNumber, EntryLevel, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, ImageNCICNumber, ImageTypeCode, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MessageKeyModifier, MiscellaneousNumber, MiscellaneousDescriptiveText, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, OriginatingAgencyCaseNumber, ProbationRevokedDate, ProbationRevokedReason, RegisteredSexOffenderIndicator, ReleaseLocation, ScarsMarksTattoosCode, SentencingCourtORI, SkinToneCode, SocialSecurityNumber, SupervisingOfficerName, SupervisingOfficerTelephone, SupervisingUnitName, SupervisionReleaseDate, SupervisionStartDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode,

VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantCourtORI, WarrantNumber, Weight]

WMPESupervisedReleaseModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
ArrestDate	ArrestDate	O	8	
ArrestingAgencyORI	ArrestingAgencyORI	O	9	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
ContactMnemonic	ContactMnemonic	O	4	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	O	6	
EntryLevel	EntryLevel	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
IncarcerationPlace	IncarcerationPlace	O	50	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MessageKeyModifier	MessageKeyModifier	O	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	M	30	
NewAlsoKnownAs	NewAlsoKnownAs	O	30	
NewAlsoKnownAs2	NewAlsoKnownAs2	O	30	
NewAlsoKnownAs3	NewAlsoKnownAs3	O	30	
NewAlsoKnownAs4	NewAlsoKnownAs4	O	30	
NewAlsoKnownAs5	NewAlsoKnownAs5	O	30	
NewAlsoKnownAs6	NewAlsoKnownAs6	O	30	
NewAlsoKnownAs7	NewAlsoKnownAs7	O	30	
NewAlsoKnownAs8	NewAlsoKnownAs8	O	30	
NewAlsoKnownAs9	NewAlsoKnownAs9	O	30	

NewName	NewName	O	30	
OffenseCode	OffenseCode	O	10	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
ProbationRevokedDate	ProbationRevokedDate	O	8	
ProbationRevokedReason	ProbationRevokedReason	O	20	
RaceCode	RaceCode	O	1	
RegisteredSexOffenderIndicator	RegisteredSexOffenderIndicator	O	1	
ReleaseLocation	ReleaseLocation	O	50	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SentencingCourtORI	SentencingCourtORI	O	9	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SupervisingOfficerName	SupervisingOfficerName	O	30	
SupervisingOfficerTelephone	SupervisingOfficerTelephone	O	12	
SupervisingUnitName	SupervisingUnitName	O	20	
SupervisionReleaseDate	SupervisionReleaseDate	O	8	
SupervisionStartDate	SupervisionStartDate	O	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantCourtORI	WarrantCourtORI	O	9	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, ArrestDate, ArrestingAgencyORI, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CriminalIdentificationNumber, DepartmentOfCorrectionsNumber, EntryLevel, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, ImageNCICNumber, ImageTypeCode, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MessageKeyModifier, MiscellaneousNumber, MiscellaneousDescriptiveText, NewAlsoKnownAs, NewAlsoKnownAs2, NewAlsoKnownAs3, NewAlsoKnownAs4, NewAlsoKnownAs5, NewAlsoKnownAs6, NewAlsoKnownAs7, NewAlsoKnownAs8, NewAlsoKnownAs9, ContactMnemonic, NewName, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, OriginatingAgencyCaseNumber, ProbationRevokedDate, ProbationRevokedReason, RaceCode, RegisteredSexOffenderIndicator, ReleaseLocation, ScarsMarksTattoosCode, SentencingCourtORI, SexCode, SkinToneCode, SocialSecurityNumber, SupervisingOfficerName, SupervisingOfficerTelephone, SupervisingUnitName, SupervisionReleaseDate, SupervisionStartDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantCourtORI, WarrantNumber, Weight]

WMPEUnidentifiedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
CancellationReasonCode	CancellationReasonCode	M	1	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, CancellationReasonCode, FileControlNumber, OriginatingAgencyCaseNumber, [PersonalRecordRemovalReason]

WMPEUnidentifiedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [PersonalRecordRemovalReason]

WMPEUnidentifiedPersonDescriptionModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
Age2	Age2	O	3	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	M	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Height2	Height2	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	

ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ScarsMarksTattoosDescription	ScarsMarksTattoosDescription	O	20	
ScarsMarksTattoosDescription10	ScarsMarksTattoosDescription10	O	20	
ScarsMarksTattoosDescription11	ScarsMarksTattoosDescription11	O	20	
ScarsMarksTattoosDescription12	ScarsMarksTattoosDescription12	O	20	
ScarsMarksTattoosDescription13	ScarsMarksTattoosDescription13	O	20	
ScarsMarksTattoosDescription14	ScarsMarksTattoosDescription14	O	20	
ScarsMarksTattoosDescription15	ScarsMarksTattoosDescription15	O	20	
ScarsMarksTattoosDescription2	ScarsMarksTattoosDescription2	O	20	
ScarsMarksTattoosDescription3	ScarsMarksTattoosDescription3	O	20	
ScarsMarksTattoosDescription4	ScarsMarksTattoosDescription4	O	20	
ScarsMarksTattoosDescription5	ScarsMarksTattoosDescription5	O	20	
ScarsMarksTattoosDescription6	ScarsMarksTattoosDescription6	O	20	
ScarsMarksTattoosDescription7	ScarsMarksTattoosDescription7	O	20	
ScarsMarksTattoosDescription8	ScarsMarksTattoosDescription8	O	20	
ScarsMarksTattoosDescription9	ScarsMarksTattoosDescription9	O	20	
SexCode	SexCode	O	1	
Weight	Weight	O	3	
Weight2	Weight2	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [Age, Age2, EyeColorCode, HairColorCode, Height, Height2, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ScarsMarksTattoosDescription, ScarsMarksTattoosDescription10, ScarsMarksTattoosDescription11, ScarsMarksTattoosDescription12, ScarsMarksTattoosDescription13, ScarsMarksTattoosDescription14, ScarsMarksTattoosDescription15, ScarsMarksTattoosDescription2, ScarsMarksTattoosDescription3, ScarsMarksTattoosDescription4, ScarsMarksTattoosDescription5, ScarsMarksTattoosDescription6, ScarsMarksTattoosDescription7, ScarsMarksTattoosDescription8, ScarsMarksTattoosDescription9, SexCode, Weight, Weight2]

WMPEUnidentifiedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	M	3	
Age2	Age2	M	3	
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
BodyFoundDate	BodyFoundDate	M	8	
BodyFoundTime	BodyFoundTime	O	4	
BodyPartsStatusCode	BodyPartsStatusCode	M	14	
BodyXRayCode	BodyXRayCode	M	1	
CauseOfDeath	CauseOfDeath	M	3	
DeathTime	DeathTime	O	4	
DentalXraysAvailableIndicator	DentalXraysAvailableIndicator	M	1	
EstimatedDeathDate	EstimatedDeathDate	M	8	
EyeColorCode	EyeColorCode	M	3	

FingerprintClassificationCode	FingerprintClassificationCode	M	20	
FootprintIndicator	FootprintIndicator	M	1	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
Height2	Height2	M	3	
InvestigatorName	InvestigatorName	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	
ReportingAgency	ReportingAgency	O	30	
ReportTypeCode	ReportTypeCode	M	1	
SexCode	SexCode	M	1	
Weight	Weight	M	3	
Weight2	Weight2	M	3	

Possible Combinations

1. (In/Out) Age, Age2, BodyFoundDate, BodyPartsStatusCode, BodyXRayCode, CauseOfDeath, DentalXraysAvailableIndicator, EstimatedDeathDate, EyeColorCode, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, Height2, OriginatingAgencyCaseNumber, RaceCode, ReportTypeCode, SexCode, Weight, Weight2, [AgencyPhoneNumber, BodyFoundTime, DeathTime, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ReportingAgency]

WMPEUnidentifiedPersonIdentifiersEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
CaFacialHairDescriptionCode	CaFacialHairDescriptionCode	O	2	
CaFacialHairDescriptionCode2	CaFacialHairDescriptionCode2	O	2	
CaFacialHairDescriptionCode3	CaFacialHairDescriptionCode3	O	2	
CaGlassesContactsCode	CaGlassesContactsCode	O	1	
CaHairDescriptionCode	CaHairDescriptionCode	O	2	
CaHairDescriptionCode2	CaHairDescriptionCode2	O	2	
CaHairDescriptionCode3	CaHairDescriptionCode3	O	2	
CaHairDescriptionCode4	CaHairDescriptionCode4	O	2	
CaLifeStyleCode	CaLifeStyleCode	O	2	
CaLifeStyleCode2	CaLifeStyleCode2	O	2	
CaLifeStyleCode3	CaLifeStyleCode3	O	2	
CaTeethDescriptionCode	CaTeethDescriptionCode	O	2	
CaTeethDescriptionCode2	CaTeethDescriptionCode2	O	2	
CaTeethDescriptionCode3	CaTeethDescriptionCode3	O	2	
CircumcisionCode	CircumcisionCode	O	1	
ClothingDescription	ClothingDescription	O	100	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
FileControlNumber	FileControlNumber	M	13	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	

JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyDescriptionText	PropertyDescriptionText	O	100	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ScarsMarksTattoosDescription	ScarsMarksTattoosDescription	O	20	
ScarsMarksTattoosDescription10	ScarsMarksTattoosDescription10	O	20	
ScarsMarksTattoosDescription11	ScarsMarksTattoosDescription11	O	20	
ScarsMarksTattoosDescription12	ScarsMarksTattoosDescription12	O	20	
ScarsMarksTattoosDescription13	ScarsMarksTattoosDescription13	O	20	
ScarsMarksTattoosDescription14	ScarsMarksTattoosDescription14	O	20	
ScarsMarksTattoosDescription15	ScarsMarksTattoosDescription15	O	20	
ScarsMarksTattoosDescription2	ScarsMarksTattoosDescription2	O	20	
ScarsMarksTattoosDescription3	ScarsMarksTattoosDescription3	O	20	
ScarsMarksTattoosDescription4	ScarsMarksTattoosDescription4	O	20	
ScarsMarksTattoosDescription5	ScarsMarksTattoosDescription5	O	20	
ScarsMarksTattoosDescription6	ScarsMarksTattoosDescription6	O	20	
ScarsMarksTattoosDescription7	ScarsMarksTattoosDescription7	O	20	
ScarsMarksTattoosDescription8	ScarsMarksTattoosDescription8	O	20	
ScarsMarksTattoosDescription9	ScarsMarksTattoosDescription9	O	20	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [BloodTypeCode, CaFacialHairDescriptionCode, CaFacialHairDescriptionCode2, CaFacialHairDescriptionCode3, CaGlassesContactsCode, CaHairDescriptionCode, CaHairDescriptionCode2, CaHairDescriptionCode3, CaHairDescriptionCode4, CaLifeStyleCode, CaLifeStyleCode2,

CaLifeStyleCode3, CaTeethDescriptionCode, CaTeethDescriptionCode2, CaTeethDescriptionCode3, CircumcisionCode, ClothingDescription, CorrectiveVisionPerscriptionCode, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, PropertyDescriptionText, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ScarsMarksTattoosDescription, ScarsMarksTattoosDescription10, ScarsMarksTattoosDescription11, ScarsMarksTattoosDescription12, ScarsMarksTattoosDescription13, ScarsMarksTattoosDescription14, ScarsMarksTattoosDescription15, ScarsMarksTattoosDescription2, ScarsMarksTattoosDescription3, ScarsMarksTattoosDescription4, ScarsMarksTattoosDescription5, ScarsMarksTattoosDescription6, ScarsMarksTattoosDescription7, ScarsMarksTattoosDescription8, ScarsMarksTattoosDescription9]

WMPEUnidentifiedPersonIdentifiersModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
CaFacialHairDescriptionCode	CaFacialHairDescriptionCode	O	2	
CaFacialHairDescriptionCode2	CaFacialHairDescriptionCode2	O	2	
CaFacialHairDescriptionCode3	CaFacialHairDescriptionCode3	O	2	
CaGlassesContactsCode	CaGlassesContactsCode	O	1	
CaHairDescriptionCode	CaHairDescriptionCode	O	2	
CaHairDescriptionCode2	CaHairDescriptionCode2	O	2	
CaHairDescriptionCode3	CaHairDescriptionCode3	O	2	
CaHairDescriptionCode4	CaHairDescriptionCode4	O	2	
CaLifeStyleCode	CaLifeStyleCode	O	2	
CaLifeStyleCode2	CaLifeStyleCode2	O	2	
CaLifeStyleCode3	CaLifeStyleCode3	O	2	
CaTeethDescriptionCode	CaTeethDescriptionCode	O	2	
CaTeethDescriptionCode2	CaTeethDescriptionCode2	O	2	
CaTeethDescriptionCode3	CaTeethDescriptionCode3	O	2	
CircumcisionCode	CircumcisionCode	O	1	
ClothingDescription	ClothingDescription	O	100	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
FileControlNumber	FileControlNumber	M	13	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	

JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
NewCaFacialHairDescriptionCode	NewCaFacialHairDescriptionCode	O	2	
NewCaFacialHairDescriptionCode2	NewCaFacialHairDescriptionCode2	O	2	
NewCaFacialHairDescriptionCode3	NewCaFacialHairDescriptionCode3	O	2	
NewCaHairDescriptionCode	NewCaHairDescriptionCode	O	2	
NewCaHairDescriptionCode2	NewCaHairDescriptionCode2	O	2	
NewCaHairDescriptionCode3	NewCaHairDescriptionCode3	O	2	
NewCaHairDescriptionCode4	NewCaHairDescriptionCode4	O	2	
NewCaLifeStyleCode	NewCaLifeStyleCode	O	2	
NewCaLifeStyleCode2	NewCaLifeStyleCode2	O	2	
NewCaLifeStyleCode3	NewCaLifeStyleCode3	O	2	
NewCaTeethDescriptionCode	NewCaTeethDescriptionCode	O	2	
NewCaTeethDescriptionCode2	NewCaTeethDescriptionCode2	O	2	
NewCaTeethDescriptionCode3	NewCaTeethDescriptionCode3	O	2	
NewJewelryTypeCode	NewJewelryTypeCode	O	2	
NewJewelryTypeCode10	NewJewelryTypeCode10	O	2	
NewJewelryTypeCode11	NewJewelryTypeCode11	O	2	
NewJewelryTypeCode12	NewJewelryTypeCode12	O	2	
NewJewelryTypeCode13	NewJewelryTypeCode13	O	2	
NewJewelryTypeCode14	NewJewelryTypeCode14	O	2	
NewJewelryTypeCode15	NewJewelryTypeCode15	O	2	
NewJewelryTypeCode16	NewJewelryTypeCode16	O	2	
NewJewelryTypeCode17	NewJewelryTypeCode17	O	2	
NewJewelryTypeCode2	NewJewelryTypeCode2	O	2	
NewJewelryTypeCode3	NewJewelryTypeCode3	O	2	
NewJewelryTypeCode4	NewJewelryTypeCode4	O	2	
NewJewelryTypeCode5	NewJewelryTypeCode5	O	2	
NewJewelryTypeCode6	NewJewelryTypeCode6	O	2	
NewJewelryTypeCode7	NewJewelryTypeCode7	O	2	
NewJewelryTypeCode8	NewJewelryTypeCode8	O	2	
NewJewelryTypeCode9	NewJewelryTypeCode9	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
PropertyDescriptionText	PropertyDescriptionText	O	100	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [BloodTypeCode, CaFacialHairDescriptionCode, CaFacialHairDescriptionCode2, CaFacialHairDescriptionCode3, CaGlassesContactsCode, CaHairDescriptionCode, CaHairDescriptionCode2, CaHairDescriptionCode3, CaHairDescriptionCode4, CaLifeStyleCode, CaLifeStyleCode2, CaLifeStyleCode3, CaTeethDescriptionCode, CaTeethDescriptionCode2, CaTeethDescriptionCode3, CircumcisionCode, ClothingDescription, CorrectiveVisionPerscriptionCode, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6,

JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9,
 NewCaFacialHairDescriptionCode, NewCaFacialHairDescriptionCode2,
 NewCaFacialHairDescriptionCode3, NewCaHairDescriptionCode,
 NewCaHairDescriptionCode2, NewCaHairDescriptionCode3, NewCaHairDescriptionCode4,
 NewCaLifeStyleCode, NewCaLifeStyleCode2, NewCaLifeStyleCode3,
 NewCaTeethDescriptionCode, NewCaTeethDescriptionCode2,
 NewCaTeethDescriptionCode3, NewJewelryTypeCode, NewJewelryTypeCode10,
 NewJewelryTypeCode11, NewJewelryTypeCode12, NewJewelryTypeCode13,
 NewJewelryTypeCode14, NewJewelryTypeCode15, NewJewelryTypeCode16,
 NewJewelryTypeCode17, NewJewelryTypeCode2, NewJewelryTypeCode3,
 NewJewelryTypeCode4, NewJewelryTypeCode5, NewJewelryTypeCode6,
 NewJewelryTypeCode7, NewJewelryTypeCode8, NewJewelryTypeCode9,
 PropertyDescriptionText]

WMPEUnidentifiedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
BodyFoundDate	BodyFoundDate	O	8	
BodyFoundTime	BodyFoundTime	O	4	
BodyPartsStatusCode	BodyPartsStatusCode	O	14	
BodyXRayCode	BodyXRayCode	O	1	
DeathCause	DeathCause	O	3	
DeathTime	DeathTime	O	4	
DentalXraysAvailableIndicator	DentalXraysAvailableIndicator	O	1	
EstimatedDeathDate	EstimatedDeathDate	O	8	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintIndicator	FootprintIndicator	O	1	
InvestigatorName	InvestigatorName	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ReportingAgency	ReportingAgency	O	30	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [AgencyPhoneNumber, BodyFoundDate, BodyFoundTime, BodyPartsStatusCode, BodyXRayCode, DeathCause, DeathTime, DentalXraysAvailableIndicator, EstimatedDeathDate, FingerprintClassificationCode, FootprintIndicator, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, ReportingAgency, ValidatorName]

WMPEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	

Name	Name	M	30	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, [PersonRecordRemovalReason]

WMPEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, Name, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]

WMPEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BailAmount	BailAmount	M	9	
BirthDate	BirthDate	M	8	
BirthDate10	BirthDate10	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
BirthDate6	BirthDate6	O	8	
BirthDate7	BirthDate7	O	8	
BirthDate8	BirthDate8	O	8	

BirthDate9	BirthDate9	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CautionMedicalConditionsCode2	CautionMedicalConditionsCode2	O	2	
CautionMedicalConditionsCode3	CautionMedicalConditionsCode3	O	2	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryLevel	EntryLevel	M	1	
ExtraditionLimitation	ExtraditionLimitation	O	1	
EyeColorCode	EyeColorCode	O	3	
FBI Number	FBI Number	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	M	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateNumber2	LicensePlateNumber2	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateStateCode2	LicensePlateStateCode2	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LicensePlateYear2	LicensePlateYear2	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	T – Temporary Want W – Wanted Person
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	M	4	
OffenseCodeDescription	OffenseCodeDescription	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	10	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	10	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	10	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseStateCode2	OperatorLicenseStateCode2	O	2	
OperatorLicenseStateCode3	OperatorLicenseStateCode3	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OperatorLicenseYear2	OperatorLicenseYear2	O	4	
OperatorLicenseYear3	OperatorLicenseYear3	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	

RameyWarrantIndicator	RameyWarrantIndicator	O	1	
ReferenceInformation	ReferenceInformation	O	20	
ScarsMarksTatoosCode	ScarsMarksTatoosCode	O	10	
ScarsMarksTatoosCode2	ScarsMarksTatoosCode2	O	10	
ScarsMarksTatoosCode3	ScarsMarksTatoosCode3	O	10	
ScarsMarksTatoosCode4	ScarsMarksTatoosCode4	O	10	
ScarsMarksTatoosCode5	ScarsMarksTatoosCode5	O	10	
ScarsMarksTatoosCode6	ScarsMarksTatoosCode6	O	10	
ScarsMarksTatoosCode7	ScarsMarksTatoosCode7	O	10	
ScarsMarksTatoosCode8	ScarsMarksTatoosCode8	O	10	
ScarsMarksTatoosCode9	ScarsMarksTatoosCode9	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SocialSecurityNumber6	SocialSecurityNumber6	O	9	
SocialSecurityNumber7	SocialSecurityNumber7	O	9	
SocialSecurityNumber8	SocialSecurityNumber8	O	9	
SocialSecurityNumber9	SocialSecurityNumber9	O	9	
StolenBirthDate	StolenBirthDate	O	8	
StolenBirthDate2	StolenBirthDate2	O	8	
StolenBirthDate3	StolenBirthDate3	O	8	
StolenMiscellaneousNumber	StolenMiscellaneousNumber	O	15	
StolenMiscellaneousNumber2	StolenMiscellaneousNumber2	O	15	
StolenMiscellaneousNumber3	StolenMiscellaneousNumber3	O	15	
StolenName	StolenName	O	30	
StolenName2	StolenName2	O	30	
StolenName3	StolenName3	O	30	
StolenOperatorLicenseNumber	StolenOperatorLicenseNumber	O	20	
StolenOperatorLicenseNumber2	StolenOperatorLicenseNumber2	O	20	
StolenOperatorLicenseNumber3	StolenOperatorLicenseNumber3	O	20	
StolenOperatorLicenseStateCode	StolenOperatorLicenseStateCode	O	2	
StolenOperatorLicenseStateCode2	StolenOperatorLicenseStateCode2	O	2	
StolenOperatorLicenseStateCode3	StolenOperatorLicenseStateCode3	O	2	
StolenOperatorLicenseYear	StolenOperatorLicenseYear	O	4	
StolenOperatorLicenseYear2	StolenOperatorLicenseYear2	O	4	
StolenOperatorLicenseYear3	StolenOperatorLicenseYear3	O	4	
StolenSocialSecurityNumber	StolenSocialSecurityNumber	O	9	
StolenSocialSecurityNumber2	StolenSocialSecurityNumber2	O	9	
StolenSocialSecurityNumber3	StolenSocialSecurityNumber3	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleColorCode2	VehicleColorCode2	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleIdentificationNumber2	VehicleIdentificationNumber2	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeCode2	VehicleMakeCode2	O	4	
VehicleModelCode	VehicleModelCode	O	3	
VehicleModelCode2	VehicleModelCode2	O	3	

VehicleStyleCode	VehicleStyleCode	O	2	
VehicleStyleCode2	VehicleStyleCode2	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	M	8	
WarrantNumber	WarrantNumber	M	15	
WarrantTypeCode	WarrantTypeCode	M	1	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) BailAmount, BirthDate, EntryLevel, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, WarrantNumber, WarrantTypeCode, [AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate10, BirthDate2, BirthDate3, BirthDate4, BirthDate5, BirthDate6, BirthDate7, BirthDate8, BirthDate9, BirthPlaceCode, CautionMedicalConditionsCode, CautionMedicalConditionsCode2, CautionMedicalConditionsCode3, CourtORI, CriminalIdentificationNumber, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, LicensePlateNumber, LicensePlateNumber2, LicensePlateStateCode, LicensePlateStateCode2, LicensePlateTypeCode, LicensePlateYear, LicensePlateYear2, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NotifyOriginatingAgencyIndicator, OffenseCodeDescription, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseStateCode, OperatorLicenseStateCode2, OperatorLicenseStateCode3, OperatorLicenseYear, OperatorLicenseYear2, OperatorLicenseYear3, OriginalOffenseCode, RameyWarrantIndicator, ReferenceInformation, ScarsMarksTatoosCode, ScarsMarksTatoosCode2, ScarsMarksTatoosCode3, ScarsMarksTatoosCode4, ScarsMarksTatoosCode5, ScarsMarksTatoosCode6, ScarsMarksTatoosCode7, ScarsMarksTatoosCode8, ScarsMarksTatoosCode9, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6, SocialSecurityNumber7, SocialSecurityNumber8, SocialSecurityNumber9, StolenBirthDate, StolenBirthDate2, StolenBirthDate3, StolenMiscellaneousNumber, StolenMiscellaneousNumber2, StolenMiscellaneousNumber3, StolenName, StolenName2, StolenName3, StolenOperatorLicenseNumber, StolenOperatorLicenseNumber2, StolenOperatorLicenseNumber3, StolenOperatorLicenseStateCode, StolenOperatorLicenseStateCode2, StolenOperatorLicenseStateCode3, StolenOperatorLicenseYear, StolenOperatorLicenseYear2, StolenOperatorLicenseYear3, StolenSocialSecurityNumber, StolenSocialSecurityNumber2, StolenSocialSecurityNumber3, VehicleColorCode, VehicleColorCode2, VehicleIdentificationNumber, VehicleIdentificationNumber2, VehicleMakeCode, VehicleMakeCode2, VehicleModelCode, VehicleModelCode2, VehicleStyleCode, VehicleStyleCode2, VehicleYear, Weight]

WMPEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
ExtraditionCode	ExtraditionCode	C	4	
FileControlNumber	FileControlNumber	C	13	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	

NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveryAgencyCaseNumber	RecoveryAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

1. (In) FileControlNumber, Name, RecoveryDate, [ContrabandRecoveredValue, ExtraditionCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveryAgencyCaseNumber, WantedPersonHitResultCode]
2. (In/Out) ExtraditionCode, Name, NCICNumber, RecoveryDate, [RecoveryAgencyCaseNumber]

WMPEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
BailAmount	BailAmount	O	9	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionCode	CautionMedicalConditionCode	O	2	
CautionMedicalConditionCode2	CautionMedicalConditionCode2	O	2	
CautionMedicalConditionCode3	CautionMedicalConditionCode3	O	2	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryLevel	EntryLevel	O	1	
ExtraditionLimitation	ExtraditionLimitation	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateNumber2	LicensePlateNumber2	O	10	
LicensePlateNumber3	LicensePlateNumber3	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateStateCode2	LicensePlateStateCode2	O	2	
LicensePlateStateCode3	LicensePlateStateCode3	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LicensePlateYear2	LicensePlateYear2	O	4	
LicensePlateYear3	LicensePlateYear3	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
Name	Name	M	30	
NewAlsoKnownAs	NewAlsoKnownAs	O	30	
NewAlsoKnownAs2	NewAlsoKnownAs2	O	30	
NewAlsoKnownAs3	NewAlsoKnownAs3	O	30	
NewBirthDate2	NewBirthDate2	O	8	
NewBirthDate3	NewBirthDate3	O	8	
NewBirthDate4	NewBirthDate4	O	8	
NewCautionMedicalConditionCode	NewCautionMedicalConditionCode	O	2	
NewCautionMedicalConditionCode2	NewCautionMedicalConditionCode2	O	2	
NewCautionMedicalConditionCode3	NewCautionMedicalConditionCode3	O	2	

NewLicensePlateNumber	NewLicensePlateNumber	O	10	
NewLicensePlateNumber2	NewLicensePlateNumber2	O	10	
NewLicensePlateNumber3	NewLicensePlateNumber3	O	10	
NewLicensePlateStateCode	NewLicensePlateStateCode	O	2	
NewLicensePlateStateCode2	NewLicensePlateStateCode2	O	2	
NewLicensePlateStateCode3	NewLicensePlateStateCode3	O	2	
NewLicensePlateTypeCode	NewLicensePlateTypeCode	O	2	
NewLicensePlateYear	NewLicensePlateYear	O	4	
NewLicensePlateYear2	NewLicensePlateYear2	O	4	
NewLicensePlateYear3	NewLicensePlateYear3	O	4	
NewMiscellaneousNumber	NewMiscellaneousNumber	O	15	
NewMiscellaneousNumber2	NewMiscellaneousNumber2	O	15	
NewMiscellaneousNumber3	NewMiscellaneousNumber3	O	15	
NewName	NewName	O	30	
NewOperatorLicenseNumber	NewOperatorLicenseNumber	O	20	
NewOperatorLicenseStateCode	NewOperatorLicenseStateCode	O	2	
NewOperatorLicenseYear	NewOperatorLicenseYear	O	4	
NewScarsMarksTattoosCode	NewScarsMarksTattoosCode	O	10	
NewScarsMarksTattoosCode2	NewScarsMarksTattoosCode2	O	10	
NewScarsMarksTattoosCode3	NewScarsMarksTattoosCode3	O	10	
NewSocialSecurityNumber	NewSocialSecurityNumber	O	9	
NewSocialSecurityNumber2	NewSocialSecurityNumber2	O	9	
NewSocialSecurityNumber3	NewSocialSecurityNumber3	O	9	
NewStolenBirthDate	NewStolenBirthDate	O	8	
NewStolenBirthDate2	NewStolenBirthDate2	O	8	
NewStolenBirthDate3	NewStolenBirthDate3	O	8	
NewStolenMiscellaneousNumber	NewStolenMiscellaneousNumber	O	15	
NewStolenMiscellaneousNumber2	NewStolenMiscellaneousNumber2	O	15	
NewStolenMiscellaneousNumber3	NewStolenMiscellaneousNumber3	O	15	
NewStolenName	NewStolenName	O	30	
NewStolenName2	NewStolenName2	O	30	
NewStolenName3	NewStolenName3	O	30	
NewStolenOperatorLicenseNummber	NewStolenOperatorLicenseNummber	O	20	
NewStolenOperatorLicenseNummber2	NewStolenOperatorLicenseNummber2	O	20	
NewStolenOperatorLicenseNummber3	NewStolenOperatorLicenseNummber3	O	20	
NewStolenOperatorLicenseStateCode	NewStolenOperatorLicenseStateCode	O	2	
NewStolenOperatorLicenseStateCode2	NewStolenOperatorLicenseStateCode2	O	2	
NewStolenOperatorLicenseStateCode3	NewStolenOperatorLicenseStateCode3	O	2	
NewStolenOperatorLicenseYear	NewStolenOperatorLicenseYear	O	4	
NewStolenOperatorLicenseYear2	NewStolenOperatorLicenseYear2	O	4	
NewStolenOperatorLicenseYear3	NewStolenOperatorLicenseYear3	O	4	
NewStolenSocialSecurityNumber	NewStolenSocialSecurityNumber	O	9	
NewStolenSocialSecurityNumber2	NewStolenSocialSecurityNumber2	O	9	
NewStolenSocialSecurityNumber3	NewStolenSocialSecurityNumber3	O	9	
NewVehicleColorCode	NewVehicleColorCode	O	2	
NewVehicleColorCode2	NewVehicleColorCode2	O	2	
NewVehicleColorCode3	NewVehicleColorCode3	O	2	
NewVehicleIdentificationNumber	NewVehicleIdentificationNumber	O	20	
NewVehicleIdentificationNumber2	NewVehicleIdentificationNumber2	O	20	
NewVehicleIdentificationNumber3	NewVehicleIdentificationNumber3	O	20	
NewVehicleMakeCode	NewVehicleMakeCode	O	4	

NewVehicleMakeCode2	NewVehicleMakeCode2	O	4	
NewVehicleMakeCode3	NewVehicleMakeCode3	O	4	
NewVehicleModelCode	NewVehicleModelCode	O	3	
NewVehicleModelCode2	NewVehicleModelCode2	O	3	
NewVehicleModelCode3	NewVehicleModelCode3	O	3	
NewVehicleStyleCode	NewVehicleStyleCode	O	2	
NewVehicleStyleCode2	NewVehicleStyleCode2	O	2	
NewVehicleStyleCode3	NewVehicleStyleCode3	O	2	
NewVehicleYear	NewVehicleYear	O	4	
NewVehicleYear2	NewVehicleYear2	O	4	
NewVehicleYear3	NewVehicleYear3	O	4	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
PurgeDate	PurgeDate	O	5	
RaceCode	RaceCode	O	1	
RameyWarrantIndicator	RameyWarrantIndicator	O	1	
ReferenceInformation	ReferenceInformation	O	20	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
StolenBirthDate	StolenBirthDate	O	8	
StolenBirthDate2	StolenBirthDate2	O	8	
StolenBirthDate3	StolenBirthDate3	O	8	
StolenMiscellaneousNumber	StolenMiscellaneousNumber	O	15	
StolenMiscellaneousNumber2	StolenMiscellaneousNumber2	O	15	
StolenMiscellaneousNumber3	StolenMiscellaneousNumber3	O	15	
StolenName	StolenName	O	30	
StolenName2	StolenName2	O	30	
StolenName3	StolenName3	O	30	
StolenOperatorLicenseNummber	StolenOperatorLicenseNummber	O	20	
StolenOperatorLicenseNummber2	StolenOperatorLicenseNummber2	O	20	
StolenOperatorLicenseNummber3	StolenOperatorLicenseNummber3	O	20	
StolenOperatorLicenseStateCode	StolenOperatorLicenseStateCode	O	2	
StolenOperatorLicenseStateCode2	StolenOperatorLicenseStateCode2	O	2	
StolenOperatorLicenseStateCode3	StolenOperatorLicenseStateCode3	O	2	
StolenOperatorLicenseYear	StolenOperatorLicenseYear	O	4	
StolenOperatorLicenseYear2	StolenOperatorLicenseYear2	O	4	
StolenOperatorLicenseYear3	StolenOperatorLicenseYear3	O	4	
StolenSocialSecurityNumber	StolenSocialSecurityNumber	O	9	
StolenSocialSecurityNumber2	StolenSocialSecurityNumber2	O	9	
StolenSocialSecurityNumber3	StolenSocialSecurityNumber3	O	9	

ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	2	
VehicleColorCode2	VehicleColorCode2	O	2	
VehicleColorCode3	VehicleColorCode3	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleIdentificationNumber2	VehicleIdentificationNumber2	O	20	
VehicleIdentificationNumber3	VehicleIdentificationNumber3	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeCode2	VehicleMakeCode2	O	4	
VehicleMakeCode3	VehicleMakeCode3	O	4	
VehicleModelCode	VehicleModelCode	O	3	
VehicleModelCode2	VehicleModelCode2	O	3	
VehicleModelCode3	VehicleModelCode3	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleStyleCode2	VehicleStyleCode2	O	2	
VehicleStyleCode3	VehicleStyleCode3	O	2	
VehicleYear	VehicleYear	O	4	
VehicleYear2	VehicleYear2	O	4	
VehicleYear3	VehicleYear3	O	4	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
WarrantTypeCode	WarrantTypeCode	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, BailAmount, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthPlaceCode, CautionMedicalConditionCode, CautionMedicalConditionCode2, CautionMedicalConditionCode3, CourtORI, CriminalIdentificationNumber, EntryLevel, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber, LicensePlateNumber2, LicensePlateNumber3, LicensePlateStateCode, LicensePlateStateCode2, LicensePlateStateCode3, LicensePlateTypeCode, LicensePlateYear, LicensePlateYear2, LicensePlateYear3, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, NewAlsoKnownAs, NewAlsoKnownAs2, NewAlsoKnownAs3, NewBirthDate2, NewBirthDate3, NewBirthDate4, NewCautionMedicalConditionCode, NewCautionMedicalConditionCode2, NewCautionMedicalConditionCode3, NewLicensePlateNumber, NewLicensePlateNumber2, NewLicensePlateNumber3, NewLicensePlateStateCode, NewLicensePlateStateCode2, NewLicensePlateStateCode3, NewLicensePlateTypeCode, NewLicensePlateYear, NewLicensePlateYear2, NewLicensePlateYear3, NewMiscellaneousNumber, NewMiscellaneousNumber2, NewMiscellaneousNumber3, NewName, NewOperatorLicenseNumber, NewOperatorLicenseStateCode, NewOperatorLicenseYear, NewScarsMarksTattoosCode, NewScarsMarksTattoosCode2, NewScarsMarksTattoosCode3, NewSocialSecurityNumber, NewSocialSecurityNumber2, NewSocialSecurityNumber3, NewStolenBirthDate, NewStolenBirthDate2, NewStolenBirthDate3, NewStolenMiscellaneousNumber, NewStolenMiscellaneousNumber2, NewStolenMiscellaneousNumber3, NewStolenName, NewStolenName2, NewStolenName3, NewStolenOperatorLicenseNummber, NewStolenOperatorLicenseNummber2, NewStolenOperatorLicenseNummber3, NewStolenOperatorLicenseStateCode, NewStolenOperatorLicenseStateCode2, NewStolenOperatorLicenseStateCode3, NewStolenOperatorLicenseYear, NewStolenOperatorLicenseYear2, NewStolenOperatorLicenseYear3, NewStolenSocialSecurityNumber, NewStolenSocialSecurityNumber2, NewStolenSocialSecurityNumber3, NewVehicleColorCode,

NewVehicleColorCode2, NewVehicleColorCode3, NewVehicleIdentificationNumber, NewVehicleIdentificationNumber2, NewVehicleIdentificationNumber3, NewVehicleMakeCode, NewVehicleMakeCode2, NewVehicleMakeCode3, NewVehicleModelCode, NewVehicleModelCode2, NewVehicleModelCode3, NewVehicleStyleCode, NewVehicleStyleCode2, NewVehicleStyleCode3, NewVehicleYear, NewVehicleYear2, NewVehicleYear3, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, OriginatingAgencyCaseNumber, PurgeDate, RaceCode, RameyWarrantIndicator, ReferenceInformation, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, SexCode, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, StolenBirthDate, StolenBirthDate2, StolenBirthDate3, StolenMiscellaneousNumber, StolenMiscellaneousNumber2, StolenMiscellaneousNumber3, StolenName, StolenName2, StolenName3, StolenOperatorLicenseNummber, StolenOperatorLicenseNummber2, StolenOperatorLicenseNummber3, StolenOperatorLicenseStateCode, StolenOperatorLicenseStateCode2, StolenOperatorLicenseStateCode3, StolenOperatorLicenseYear, StolenOperatorLicenseYear2, StolenOperatorLicenseYear3, StolenSocialSecurityNumber, StolenSocialSecurityNumber2, StolenSocialSecurityNumber3, ValidatorName, VehicleColorCode, VehicleColorCode2, VehicleColorCode3, VehicleIdentificationNumber, VehicleIdentificationNumber2, VehicleIdentificationNumber3, VehicleMakeCode, VehicleMakeCode2, VehicleMakeCode3, VehicleModelCode, VehicleModelCode2, VehicleModelCode3, VehicleStyleCode, VehicleStyleCode2, VehicleStyleCode3, VehicleYear, VehicleYear2, VehicleYear3, WarrantDate, WarrantNumber, WarrantTypeCode, Weight]

WMPEWarrantAbstractEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	34	
AgencyName	AgencyName	O	66	
AlsoKnownAs	AlsoKnownAs	O	27	
Attention	Attention	C	24	
BadgeNumber	BadgeNumber	O	9	
BailAmount	BailAmount	O	10	
BirthDate	BirthDate	O	8	
Charge	Charge	O	66	
City	City	O	27	
CourtCode	CourtCode	O	30	
Date	Date	O	8	
DateOfEntry	DateOfEntry	O	8	
DestinationAgency	DestinationAgency	O	34	
DestinationMnemonic	DestinationMnemonic	C	4	
DestinationMnemonic2	DestinationMnemonic2	O	4	
DestinationMnemonic3	DestinationMnemonic3	O	4	
DestinationMnemonic4	DestinationMnemonic4	O	4	
DestinationMnemonic5	DestinationMnemonic5	O	4	
DestinationORI	DestinationORI	C	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
DocketId	DocketId	O	19	

DST	DST	O		
FileControlNumber	FileControlNumber	O	10	
InCustodyIndicator	InCustodyIndicator	C	1	
IssueDate	IssueDate	O	8	
JudgeName	JudgeName	O	28	
MandatoryAppearanceCode	MandatoryAppearanceCode	O	3	
MessageTime	MessageTime	O	4	
MessageType	MessageType	C	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	285	
Mne	Mne	C		
MTYP	MTYP	C		
Name	Name	C	33	
NightServiceIndicator	NightServiceIndicator	O	1	
PersonEyeColorCode	PersonEyeColorCode	O	3	
PersonHairColorCode	PersonHairColorCode	O	3	
PersonHeightMeasure	PersonHeightMeasure	O	4	
PersonWeightMeasure	PersonWeightMeasure	O	3	
RaceCode	RaceCode	O	3	
ReferToName	ReferToName	O	64	
SequenceNumber	SequenceNumber	M	4	
ServiceIndicator	ServiceIndicator	O	1	
SexCode	SexCode	O	1	
Text	Text	C		
Time	Time	O	4	

Possible Combinations

1. (In/Out) Attention, DestinationMnemonic, InCustodyIndicator, MessageType, Name, SequenceNumber, [Address, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, City, CourtCode, DateOfEntry, DestinationAgency, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DocketId, FileControlNumber, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, PersonEyeColorCode, PersonHairColorCode, PersonHeightMeasure, PersonWeightMeasure, RaceCode, ReferToName, ServiceIndicator, SexCode]
2. (In/Out) Attention, DestinationORI, InCustodyIndicator, MessageType, Name, SequenceNumber, [Address, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, City, CourtCode, DateOfEntry, DestinationAgency, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, DocketId, FileControlNumber, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, PersonEyeColorCode, PersonHairColorCode, PersonHeightMeasure, PersonWeightMeasure, RaceCode, ReferToName, ServiceIndicator, SexCode]
3. (In/Out) Mne, MTYP, SequenceNumber, Text, [Date, DST, Time]

Wanted Missing Person Inquiries (WMP-I)

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	2	
AreaCode	AreaCode	O	2	
BirthDate	BirthDate	O	8	
DentalCharacteristics	DentalCharacteristics	O	1599	

EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	O	13	
HairColorCode	HairColorCode	O	3	
Height	Height	C	3	
LastContactDate	LastContactDate	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
RaceCode	RaceCode	C	1	
ScarsMarksTatoosCode	ScarsMarksTatoosCode	O	10	
SexCode	SexCode	C	1	
VehicleColorCode	VehicleColorCode	C	7	
VehicleMakeCode	VehicleMakeCode	C	4	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) [DentalCharacteristics, FileControlNumber, LicensePlateNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber]
2. (In/Out) Height, RaceCode, SexCode, [Age, AreaCode, BirthDate, EyeColorCode, HairColorCode, LastContactDate, ScarsMarksTatoosCode, Weight]
3. (In/Out) Name, SexCode, [Age, BirthDate, EyeColorCode, HairColorCode, Height, LastContactDate, RaceCode, Weight]
4. (In/Out) VehicleColorCode, VehicleMakeCode, [VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	2	
BirthDate	BirthDate	O	8	
CountyRegionCode	CountyRegionCode	O	2	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
MessageKeyModifier	MessageKeyModifier	O	1	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	9	
OperatorLicenseNumber	OperatorLicenseNumber	O	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectionOrderNumber	ProtectionOrderNumber	O	15	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	

Possible Combinations

1. (In) FileControlNumber, [MessageKeyModifier]

2. (In) Name, SexCode, [Age, BirthDate, CountyRegionCode, Height, MessageKeyModifier, RaceCode]
3. (In) OriginatingAgencyCaseNumber, [MessageKeyModifier]
4. (In/Out) Name, [BirthDate, FBINumber, LicensePlateNumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, ProtectionOrderNumber, SocialSecurityNumber, VehicleIdentificationNumber]
5. (In/Out) NCICNumber

WMPISexualOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	9	
DepartmentOfCorrectionsNumber	DepartmentOfCorrectionsNumber	C	6	
EyeColorCode	EyeColorCode	O	3	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
InstitutionNumber	InstitutionNumber	C	6	
LicensePlateNumber	LicensePlateNumber	C	10	
Name	Name	C	8	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	
RegistrationType	RegistrationType	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) CriminalIdentificationNumber
2. (In/Out) DepartmentOfCorrectionsNumber
3. (In/Out) FileControlNumber
4. (In/Out) InstitutionNumber
5. (In/Out) LicensePlateNumber
6. (In/Out) Name, SexCode, [BirthDate, EyeColorCode, HairColorCode, Height, RaceCode, RegistrationType, Weight]
7. (In/Out) OperatorLicenseNumber
8. (In/Out) SocialSecurityNumber

WMPISupervisedReleaseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
BirthDate	BirthDate	O	8	
CountyRegionCode	CountyRegionCode	O	2	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
MessageKey	MessageKey	C	3	QCA,QYA,QPR,QFR,QSR,QAR,QCR
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
PartialResponseIndicator	PartialResponseIndicator	O	1	"y" or Blank
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	

SocialSecurityNumber	SocialSecurityNumber	O	9	
----------------------	----------------------	---	---	--

Possible Combinations

1. (In/Out) [CriminalIdentificationNumber, OperatorLicenseNumber, SocialSecurityNumber]
2. (In/Out) FileControlNumber
3. (In/Out) MessageKey, [CriminalIdentificationNumber, OperatorLicenseNumber, SocialSecurityNumber]
4. (In/Out) MessageKey, Name, SexCode, [Age, BirthDate, CountyRegionCode, Height, RaceCode]
5. (In/Out) Name, SexCode, [Age, BirthDate, CountyRegionCode, Height, RaceCode]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	3	
AreaCode	AreaCode	O	2	
BodyPartsStatusCode	BodyPartsStatusCode	C	14	
DentalCharacteristics	DentalCharacteristics	C	1599	
EstimatedDeathDate	EstimatedDeathDate	O	8	
EyeColorCode	EyeColorCode	C	3	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	C	3	
Height	Height	C	3	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	C	1	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, NCICOnlyIndicator, RaceCode, SexCode, Weight
2. (In/Out) Age, Height, RaceCode, SexCode, [AreaCode, EstimatedDeathDate, EyeColorCode, HairColorCode, ScarsMarksTattoosCode, Weight]
3. (In/Out) BodyPartsStatusCode, [AreaCode, SexCode]
4. (In/Out) DentalCharacteristics
5. (In/Out) FileControlNumber
6. (In/Out) NCICNumber
7. (In/Out) NCICOnlyIndicator, OriginatingAgencyCaseNumber
8. (In/Out) OriginatingAgencyCaseNumber

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
BirthDate	BirthDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	9	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
FBINumber	FBINumber	C	9	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	

LicensePlateNumber	LicensePlateNumber	C	10	
MessageKeyModifier	MessageKeyModifier	O	1	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	
WarrantNumber	WarrantNumber	C	15	

Possible Combinations

1. (In/Out) CriminalIdentificationNumber, [EnhancedNameSearchIndicator, RelatedHitSearchIndicator]
2. (In/Out) FBINumber
3. (In/Out) FBINumber, Name, NCICOnlyIndicator, [MessageKeyModifier]
4. (In/Out) FileControlNumber
5. (In/Out) LicensePlateNumber, Name, NCICOnlyIndicator, [MessageKeyModifier, State]
6. (In/Out) MiscellaneousNumber, Name, NCICOnlyIndicator, [MessageKeyModifier]
7. (In/Out) Name, NCICOnlyIndicator, OperatorLicenseNumber, [MessageKeyModifier]
8. (In/Out) Name, NCICOnlyIndicator, OriginatingAgencyCaseNumber, [EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, MessageKeyModifier, RelatedHitSearchIndicator]
9. (In/Out) Name, NCICOnlyIndicator, SexCode, [BirthDate, EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, MessageKeyModifier, RaceCode, RelatedHitSearchIndicator]
10. (In/Out) Name, NCICOnlyIndicator, SocialSecurityNumber, [MessageKeyModifier]
11. (In/Out) Name, NCICOnlyIndicator, VehicleIdentificationNumber, VehicleMakeCode, [MessageKeyModifier]
12. (In/Out) Name, SexCode, [Age, BirthDate, EnhancedNameSearchIndicator, Height, RaceCode, RelatedHitSearchIndicator]
13. (In/Out) NCICNumber
14. (In/Out) NCICNumber, NCICOnlyIndicator, [MessageKeyModifier]
15. (In/Out) OperatorLicenseNumber
16. (In/Out) OriginatingAgencyCaseNumber
17. (In/Out) SocialSecurityNumber
- (In/Out) WarrantNumber

Expanded Transactions Supported:

APPSNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BirthDate	BirthDate	C	10	
Name	Name	M	30	

Possible Combinations

1. (In/Out) Name, Age
2. (In/Out) Name, BirthDate

CAAOrion

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationORI	DestinationORI	C	9	
FormORI	FormORI	C	9	
Location	Location	C	20	
LocationTypeCode	LocationTypeCode	O	2	
State	State	O	2	

Possible Combinations

1. (In/Out) DestinationORI, [State]
2. (In/Out) FormORI
3. (In/Out) Location, [LocationTypeCode, State]

CaCCHRSQuery**

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	2	
BirthDate	BirthDate	O	10	
CaJdicSearchReason	CaJdicSearchReason	M	20	
ExpandedSearchYears	ExpandedSearchYears	O	1	
EyeColorCode	EyeColorCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Name	Name	C	3	
Nickname	Nickname	C	20	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) CaJdicSearchReason, Name, [Age, BirthDate, ExpandedSearchYears, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight]
2. (In/Out) CaJdicSearchReason, Nickname, [Age, BirthDate, ExpandedSearchYears, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight]

** Does NOT require the CaRequestPurpose Code

CaCletsArmedProhibitedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
AppsidNumber	AppsidNumber	C	20	
BirthDate	BirthDate	C	8	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunSerialNumber	GunSerialNumber	C	20	
GunTypeCode	GunTypeCode	O	2	
Name	Name	C	30	

Possible Combinations

1. (In/Out) Age, Name
2. (In/Out) AppsidNumber
3. (In/Out) BirthDate, Name

4. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunTypeCode]

CaCletsGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BirthDate	BirthDate	C	8	
FileControlNumber	FileControlNumber	C	13	
GunCaliber	GunCaliber	O	4	
GunMakeCode	GunMakeCode	O	3	
GunSerialNumber	GunSerialNumber	C	14	
GunTypeCode	GunTypeCode	O	1	
MessageKeyModifier	MessageKeyModifier	O	2	"B", "H", "HX", "M", "MX"
Name	Name	C	30	Requires Age or BirthDate
NCICOnlyIndicator	NCICOnlyIndicator	O	1	"Y" or Blank
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

Possible Combinations

1. (In/Out) FileControlNumber, [MessageKeyModifier]
2. (In/Out) GunSerialNumber, [GunCaliber, GunMakeCode, GunTypeCode, MessageKeyModifier]
3. (In/Out) GunSerialNumber, NCICOnlyIndicator, [GunCaliber, GunMakeCode, GunTypeCode]
4. (In/Out) Name, [Age, BirthDate, MessageKeyModifier]
5. (In/Out) OriginatingAgencyCaseNumber, [MessageKeyModifier]

CaCletsLapdPersonQuery**

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
BirthDate	BirthDate	O	6	
EyeColorCode	EyeColorCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Name	Name	C	30	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, [Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight]

** Does NOT require the CaRequestPurpose Code

CaCletsLapdVehicleQuery**

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	M	10	
State	State	O	2	

Possible Combinations

1. (In/Out) LicensePlateNumber, VcwsIndicator, [State]

** Does NOT require the CaRequestPurpose Code

CaDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	3	
AddressCity	AddressCity	O	13	
AddressZone	AddressZone	O	1	
Age	Age	O	2	
BirthDate	BirthDate	C	8	
CompanyName	CompanyName	C	35	
Name	Name	C	35	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In) CompanyName
2. (In) Name, [Address, AddressCity, AddressZone, Age, BirthDate]
3. (In) OperatorLicenseNumber
4. (Out) BirthDate, Name, SexCode, [State]
5. (Out) Name, [Age, SexCode, State]
6. (Out) OperatorLicenseNumber, [State]

CAESupervisedReleaseContact

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleTypeCode	ArticleTypeCode	C	3	
ArticleTypeCode2	ArticleTypeCode2	O	3	
ArticleTypeCode3	ArticleTypeCode3	O	3	
ArticleTypeCode4	ArticleTypeCode4	O	3	
ArticleTypeCode5	ArticleTypeCode5	O	3	
CallRequestedIndicator	CallRequestedIndicator	O	1	Y, N
Charge	Charge	O	20	
Comment	Comment	O	120	
ContactStatus	ContactStatus	M	1	B, R, I, C, X
FileControlNumber	FileControlNumber	C	13	
FileControlNumber2	FileControlNumber2	O	13	
FileControlNumber3	FileControlNumber3	O	13	
FileControlNumber4	FileControlNumber4	O	13	
FileControlNumber5	FileControlNumber5	O	13	
IdentificationNumber	IdentificationNumber	C	20	
IdentificationNumber2	IdentificationNumber2	O	20	
IdentificationNumber3	IdentificationNumber3	O	20	
IdentificationNumber4	IdentificationNumber4	O	20	
IdentificationNumber5	IdentificationNumber5	O	20	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	4	
LicensePlateYear	LicensePlateYear	O	4	
Mnemonic	Mnemonic	C	4	
Mnemonic2	Mnemonic2	O	4	
Mnemonic3	Mnemonic3	O	4	
Mnemonic4	Mnemonic4	O	4	
Mnemonic5	Mnemonic5	O	4	

OfficerName	OfficerName	M	30	
PhoneNumber	PhoneNumber	O	20	
VehicleColorPrimaryCode	VehicleColorPrimaryCode	O	15	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	15	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) ArticleTypeCode, ContactStatus, IdentificationNumber, Mnemonic, OfficerName, [ArticleTypeCode2, ArticleTypeCode3, ArticleTypeCode4, ArticleTypeCode5, Charge, Comment, CallRequestedIndicator, IdentificationNumber2, IdentificationNumber3, IdentificationNumber4, IdentificationNumber5, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Mnemonic2, Mnemonic3, Mnemonic4, Mnemonic5, PhoneNumber, VehicleColorPrimaryCode, VehicleMakeCode, VehicleModelCode, VehicleYear]
2. (In/Out) ContactStatus, FileControlNumber, OfficerName, [Charge, Comment, FileControlNumber2, FileControlNumber3, FileControlNumber4, FileControlNumber5, CallRequestedIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, PhoneNumber, VehicleColorPrimaryCode, VehicleMakeCode, VehicleModelCode, VehicleYear]

CAIGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BirthDate	BirthDate	C	8	
CategoryCode	CategoryCode	C	1	
FileControlNumber	FileControlNumber	C	13	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunSerialNumber	GunSerialNumber	C	20	
GunType	GunType	O	1	
GunTypeCode	GunTypeCode	O	2	
IDNumber	IDNumber	C	20	
MessageKeyModifier	MessageKeyModifier	C	2	B – NCIC & Law Enforcement & Historical H – Historical HX – Historical Exact M – Mail Historical, NCIC, and Law Enforcement MX – Mail Historical Exact
Name	Name	C	30	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
Reference	Reference	C	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) Age, MessageKeyModifier, Name
2. (In/Out) Age, MessageKeyModifier, Name, Reference
3. (In/Out) BirthDate, MessageKeyModifier, Name
4. (In/Out) BirthDate, MessageKeyModifier, Name, Reference
5. (In/Out) FileControlNumber
6. (In/Out) GunSerialNumber, MessageKeyModifier, [CategoryCode, GunCaliber, GunMake, GunType, GunTypeCode, Reference, RelatedHitSearchIndicator]
7. (In/Out) GunSerialNumber, MessageKeyModifier, [GunCaliber, GunMake, GunTypeCode, Reference, RelatedHitSearchIndicator]

8. (In/Out) GunSerialNumber, MessageKeyModifier, Reference, [CategoryCode, GunCaliber, GunMake, GunType, GunTypeCode, RelatedHitSearchIndicator]
9. (In/Out) GunSerialNumber, MessageKeyModifier, Reference, [GunCaliber, GunMake, GunTypeCode, RelatedHitSearchIndicator]
10. (In/Out) GunSerialNumber, [CategoryCode, GunCaliber, GunMake, GunType, GunTypeCode, RelatedHitSearchIndicator]
11. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunTypeCode, RelatedHitSearchIndicator]
12. (In/Out) IDNumber, MessageKeyModifier
13. (In/Out) OriginatingAgencyCaseNumber

CaJdicLapdConditionsOfProbationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ConditionsOfProbationNumber	ConditionsOfProbationNumber	O	13	

Possible Combinations

1. (In/Out) [ConditionsOfProbationNumber, Mnemonic]

CaJdicWant9SuperQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	10	
AddressApartmentNumber	AddressApartmentNumber	O	5	
AddressCity	AddressCity	O	13	
AddressStreetName	AddressStreetName	O	15	
AddressStreetNumber	AddressStreetNumber	O	10	
AddressStreetType	AddressStreetType	O	2	
Age	Age	O	3	
AlsoKnownAs	AlsoKnownAs	C	30	
BirthDate	BirthDate	O	8	
EyeColorCode	EyeColorCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
State	State	O	2	
WarrantNumber	WarrantNumber	C	13	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) WarrantNumber
2. (In/Out) Name, SexCode, [AlsoKnownAs, AddressApartmentNumber, AddressCity, AddressStreetName, AddressStreetNumber, AddressStreetType, Age, BirthDate, EyeColorCode, HairColorCode, Height, OperatorLicenseNumber, RaceCode, State, Weight]

CaLoJackCheck

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LoJackReplyCode	LoJackReplyCode	M	5	

Possible Combinations

1. (In/Out) LoJackReplyCode

CaLoJackQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LoJackIdentifier	LoJackIdentifier	M	5	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) LoJackIdentifier, [RelatedHitSearchIndicator]

CaLoJackQuiet

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LoJackReplyCode	LoJackReplyCode	M	5	

Possible Combinations

1. (In/Out) LoJackReplyCode

CaLoJackReply

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LoJackReplyCode	LoJackReplyCode	M	5	

Possible Combinations

1. (In/Out) LoJackReplyCode

CaPersonSuperQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	3	
BirthDate	BirthDate	O	8	
CriminalIdNumber	CriminalIdNumber	C	11	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
SubSystem	SubSystem	O	1	

Possible Combinations

1. (In/Out) CriminalIdNumber
2. (In/Out) SocialSecurityNumber
3. (In/Out) OperatorLicenseNumber, [State, SubSystem]
4. (In/Out) Name, [Age, BirthDate]
5. (In/Out) Name, State, [Age, BirthDate]
6. (In/Out) Name, SexCode, [Age, BirthDate, RaceCode, SubSystem]

CaPomonaPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	2	
BirthDate	BirthDate	O	10	
Name	Name	M	30	

OriginatingAgencyORI	OriginatingAgencyORI	O	9	
SexCode	SexCode	M	1	
RaceCode	RaceCode	M	1	

Possible Combinations

1. (In/Out) Name, RaceCode, SexCode, [Age, BirthDate, OriginatingAgencyORI]

CaVehicleRegistrationByNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	3	
AddressCity	AddressCity	O	13	
AddressCounty	AddressCounty	O	2	
CompanyName	CompanyName	C	30	
Name	Name	C	30	

Possible Combinations

1. (In/Out) CompanyName, [Address, AddressCity, AddressCounty]
2. (In/Out) Name, [Address, AddressCity, AddressCounty]

OrLedsArticleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	

Possible Combinations

1. (In/Out) [ArticleTypeCode, OwnerAppliedNumber]
2. (In/Out) ArticleSerialNumber, ArticleTypeCode

OrLedsBoatRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatRegistrationNumber	BoatRegistrationNumber	M	8	

Possible Combinations

1. (In/Out) BoatRegistrationNumber

OrLedsDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	10	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) BirthDate, Name, [SexCode]
2. (In/Out) OperatorLicenseNumber

OrLedsGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	C	11	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	

Possible Combinations

1. (In/Out) GunSerialNumber
2. (In/Out) OwnerAppliedNumber

OrLedsStolenVehicleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	

Possible Combinations

1. (In/Out) LicensePlateNumber, [State]
2. (In/Out) VehicleIdentificationNumber, [VehicleMakeCode]

OrLedsVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) LicensePlateNumber
2. (In/Out) VehicleIdentificationNumber

OrLedsWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M		
Name	Name	M	30	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) BirthDate, Name, [RaceCode, SexCode]

QueryPassThrough

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	M		

Possible Combinations

1. (In/Out) FreeText
- 2.

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- External CLETS JDIC Interface Spec.pdf