

## **California (CA) Santa Barbara County (WANDA)** [Disclaimer Statement](#)

### **Transport:**

TCP/IP (Unique to Santa Barbara)

### **Routing and Configuration Information:**

Save Bytes (Primary)

Mnemonic (Secondary)

- The Santa Barbara assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The Santa Barbara assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.
- The Santa Barbara assigned User ID should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.
- The agency assigned Terminal Identifier should be placed in the **<Authentication>/<DeviceId>** field in the ConnectCIC header. This field is required only when CLETS mnemonic pooling is used. If this field is not provided, the IP Address of the ConnectCIC server on the state network is used.

### **Security Requirements:**

Agency must adhere to all requirements set forth by CLETS for operation of a direct connection. This includes network security including remote access and support of extensive logging requirements. Agencies can obtain this information from their CLETS contact.

### **Logon Requirements:**

None

### **Certification Requirements:**

None

### **Basic Queries Supported:**

#### **ArticleSingleQuery**

| Field Name          | XML Tag Name        | M/C/O | Size | Possible Values |
|---------------------|---------------------|-------|------|-----------------|
| ArticleBrand        | ArticleBrand        | O     | 6    |                 |
| ArticleCategory     | ArticleCategory     | O     | 1    |                 |
| ArticleSerialNumber | ArticleSerialNumber | C     | 11   |                 |
| ArticleTypeCode     | ArticleTypeCode     | O     | 6    |                 |

|                    |                    |   |    |  |
|--------------------|--------------------|---|----|--|
| OwnerAppliedNumber | OwnerAppliedNumber | C | 20 |  |
|--------------------|--------------------|---|----|--|

### Possible Combinations

1. (In/Out) ArticleSerialNumber, [ArticleBrand, ArticleCategory, ArticleTypeCode]
2. (In/Out) OwnerAppliedNumber, [ArticleBrand, ArticleCategory, ArticleTypeCode]

### BoatQuery

| Field Name         | XML Tag Name       | M/C/O | Size | Possible Values |
|--------------------|--------------------|-------|------|-----------------|
| BirthDate          | BirthDate          | C     | 8    |                 |
| BoatHullIdNumber   | BoatHullIdNumber   | C     | 20   |                 |
| Name               | Name               | C     | 30   |                 |
| OwnerAppliedNumber | OwnerAppliedNumber | C     | 20   |                 |
| RegistrationNumber | RegistrationNumber | C     | 8    |                 |
| State              | State              | C     | 2    |                 |

### Possible Combinations

1. (In/Out) BoatHullIdNumber
2. (In/Out) OwnerAppliedNumber
3. (In/Out) RegistrationNumber, [State]
4. (In) RegistrationNumber
5. (Out) BirthDate, Name, State
6. (Out) BoatHullIdNumber, State
7. (Out) RegistrationNumber, State

### DriverHistoryQuery

| Field Name            | XML Tag Name          | M/C/O | Size | Possible Values |
|-----------------------|-----------------------|-------|------|-----------------|
| Attention             | Attention             | O     | 30   |                 |
| BirthDate             | BirthDate             | C     | 8    |                 |
| Name                  | Name                  | C     | 30   |                 |
| OperatorLicenseNumber | OperatorLicenseNumber | C     | 20   |                 |
| PurposeCode           | PurposeCode           | O     | 1    |                 |
| SexCode               | SexCode               | C     | 1    |                 |
| State                 | State                 | O     | 2    |                 |

### Possible Combinations

1. (Out) BirthDate, Name, SexCode, [Attention, PurposeCode, State]
2. (Out) OperatorLicenseNumber, [Attention, PurposeCode, State]

### DriverLicenseQuery

| Field Name       | XML Tag Name     | M/C/O | Size | Possible Values |
|------------------|------------------|-------|------|-----------------|
| AddressCounty    | AddressCounty    | O     | 3    |                 |
| Age              | Age              | O     | 3    |                 |
| BirthDate        | BirthDate        | O     | 8    |                 |
| CriminalIdNumber | CriminalIdNumber | C     | 11   |                 |
| Height           | Height           | O     | 3    |                 |

|                       |                       |   |    |  |
|-----------------------|-----------------------|---|----|--|
| Name                  | Name                  | C | 30 |  |
| OperatorLicenseNumber | OperatorLicenseNumber | C | 20 |  |
| RaceCode              | RaceCode              | O | 1  |  |
| SexCode               | SexCode               | O | 1  |  |
| SocialSecurityNumber  | SocialSecurityNumber  | C | 9  |  |
| State                 | State                 | C | 2  |  |

### Possible Combinations

1. (In) Name, [BirthDate]
2. (In) OperatorLicenseNumber
3. (In/Out) Name, SexCode [AddressCounty, Age, BirthDate, Height, RaceCode]
4. (In/Out) OperatorLicenseNumber, [CriminalIdNumber, SocialSecurityNumber]
5. (In/Out) CriminalIdNumber, [OperatorLicenseNumber, SocialSecurityNumber]
6. (In/Out) SocialSecurityNumber, [CriminalIdNumber, OperatorLicenseNumber]
7. (Out) BirthDate, Name, SexCode, State
8. (Out) OperatorLicenseNumber, State

### GunQuery

| Field Name      | XML Tag Name    | M/C/O | Size | Possible Values |
|-----------------|-----------------|-------|------|-----------------|
| Age             | Age             | C     | 2    |                 |
| BirthDate       | BirthDate       | C     | 8    |                 |
| GunCaliber      | GunCaliber      | O     | 4    |                 |
| GunMake         | GunMake         | O     | 3    |                 |
| GunSerialNumber | GunSerialNumber | C     | 14   |                 |
| GunTypeCode     | GunTypeCode     | O     | 2    |                 |
| Name            | Name            | C     | 30   |                 |

### Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunTypeCode]
2. (in/Out) Name, Age
3. (In/Out) Name, BirthDate

### VehicleRegistrationQuery

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| AddressCity                 | AddressCity                 | O     | 13   |                 |
| AddressStreetNumber         | AddressStreetNumber         | O     | 3    |                 |
| LicensePlateNumber          | LicensePlateNumber          | C     | 10   |                 |
| LicensePlateTypeCode        | LicensePlateTypeCode        | C     | 2    |                 |
| LicensePlateYear            | LicensePlateYear            | C     | 4    |                 |
| Name                        | Name                        | C     | 35   |                 |
| State                       | State                       | C     | 2    |                 |
| VehicleIdentificationNumber | VehicleIdentificationNumber | C     | 30   |                 |
| VehicleMakeCode             | VehicleMakeCode             | O     | 4    |                 |
| VehicleYear                 | VehicleYear                 | O     | 4    |                 |

### Possible Combinations

1. (In/Out) LicensePlateNumber, [State]
2. (In/Out) VehicleIdentificationNumber, [VehicleMakeCode]

3. (In) LicensePlateNumber, [LicensePlateTypeCode]
4. (In) VehicleIdentificationNumber
5. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State, [VehicleMakeCode, VehicleYear]
6. (Out) State, VehicleIdentificationNumber, [VehicleMakeCode, VehicleYear]
7. (In) Name, [AddressCity, AddressStreetNumber]

## Transactions Supported:

### Basic Entry Package (BEP)

#### **BEArticleCancel**

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| CancellationDate            | CancellationDate            | M     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 20   |                 |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | O     | 21   |                 |

#### Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, [PropertyRecordRemovalReason]

#### **BEArticleClear**

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| ClearDate                   | ClearDate                   | M     | 8    |                 |
| ContrabandRecoveredValue    | ContrabandRecoveredValue    | O     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| NumberMissingPersonsFound   | NumberMissingPersonsFound   | O     | 20   |                 |
| NumberPersonsApprehended    | NumberPersonsApprehended    | O     | 3    |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 20   |                 |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O     | 8    |                 |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | O     | 21   |                 |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O     | 8    |                 |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | O     | 20   |                 |
| RecoveringAgencyORI         | RecoveringAgencyORI         | O     | 9    |                 |

#### Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

#### **BEArticleEntry**

| Field Name  | XML Tag Name | M/C/O | Size | Possible Values |
|-------------|--------------|-------|------|-----------------|
| ArticleType | ArticleType  | O     | 6    |                 |

|                              |                              |   |     |  |
|------------------------------|------------------------------|---|-----|--|
| ArticleTypeCode              | ArticleTypeCode              | O | 7   |  |
| CategoryCode                 | CategoryCode                 | O | 1   |  |
| CrossReferenceNumber         | CrossReferenceNumber         | O | 13  |  |
| DocumentCode                 | DocumentCode                 | M | 1   |  |
| EntryLevel                   | EntryLevel                   | M | 1   |  |
| HazardousMaterialsContainer  | HazardousMaterialsContainer  | O | 25  |  |
| Inscription                  | Inscription                  | O | 15  |  |
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O | 9   |  |
| LinkageCaseNumber            | LinkageCaseNumber            | O | 20  |  |
| LotNumber                    | LotNumber                    | O | 20  |  |
| MessageKeyModifier           | MessageKeyModifier           | O | 1   |  |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O | 200 |  |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O | 1   |  |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M | 20  |  |
| OriginatingAgencyORI         | OriginatingAgencyORI         | M | 9   |  |
| OwnerAppliedNumber           | OwnerAppliedNumber           | O | 20  |  |
| PartialLotIndicator          | PartialLotIndicator          | O | 1   |  |
| PropertyBrandName            | PropertyBrandName            | M | 6   |  |
| PropertyModelName            | PropertyModelName            | O | 15  |  |
| SerialNumber                 | SerialNumber                 | O | 20  |  |
| TheftDate                    | TheftDate                    | M | 8   |  |
| UnitedNationsNumber          | UnitedNationsNumber          | O | 4   |  |

### Possible Combinations

1. (In/Out) DocumentCode, EntryLevel, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, TheftDate, [ArticleType, ArticleTypeCode, CategoryCode, CrossReferenceNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OwnerAppliedNumber, PartialLotIndicator, PropertyModelName, SerialNumber, UnitedNationsNumber]

### ***BEArticleGroupCancel***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| CancellationDate            | CancellationDate            | M     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 20   |                 |
| SerialNumber                | SerialNumber                | M     | 20   |                 |
| SerialNumber2               | SerialNumber2               | M     | 20   |                 |

### Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, SerialNumber, SerialNumber2

### ***BEArticleGroupClear***

| Field Name | XML Tag Name | M/C/O | Size | Possible Values |
|------------|--------------|-------|------|-----------------|
|------------|--------------|-------|------|-----------------|

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| ArticleSerialNumber         | ArticleSerialNumber         | M | 20 |  |
| ArticleSerialNumber2        | ArticleSerialNumber2        | M | 20 |  |
| ClearDate                   | ClearDate                   | M | 8  |  |
| FileControlNumber           | FileControlNumber           | M | 13 |  |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M | 20 |  |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | O | 20 |  |
| RecoveringAgencyORI         | RecoveringAgencyORI         | O | 9  |  |

### Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleSerialNumber2, ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, [RecoveringAgencyCaseNumber, RecoveringAgencyORI]

### **BEArticleGroupEntry**

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| ArticleType                  | ArticleType                  | O     | 6    |                 |
| ArticleTypeCode              | ArticleTypeCode              | O     | 7    |                 |
| CategoryCode                 | CategoryCode                 | O     | 1    |                 |
| CrossReferenceNumber         | CrossReferenceNumber         | O     | 13   |                 |
| DocumentCode                 | DocumentCode                 | M     | 1    |                 |
| EntryLevel                   | EntryLevel                   | M     | 1    |                 |
| HazardousMaterialsContainer  | HazardousMaterialsContainer  | O     | 25   |                 |
| Inscription                  | Inscription                  | O     | 15   |                 |
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O     | 9    |                 |
| LinkageCaseNumber            | LinkageCaseNumber            | O     | 20   |                 |
| LotNumber                    | LotNumber                    | O     | 20   |                 |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O     | 200  |                 |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O     | 1    |                 |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M     | 20   |                 |
| OriginatingAgencyORI         | OriginatingAgencyORI         | M     | 9    |                 |
| PartialLotIndicator          | PartialLotIndicator          | O     | 1    |                 |
| PropertyBrandName            | PropertyBrandName            | M     | 6    |                 |
| PropertyModelName            | PropertyModelName            | O     | 15   |                 |
| SerialNumber                 | SerialNumber                 | M     | 20   |                 |
| SerialNumber2                | SerialNumber2                | M     | 20   |                 |
| TheftDate                    | TheftDate                    | M     | 8    |                 |
| UnitedNationsNumber          | UnitedNationsNumber          | O     | 4    |                 |

### Possible Combinations

1. (In/Out) DocumentCode, EntryLevel, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, SerialNumber, SerialNumber2, TheftDate, [ArticleType, ArticleTypeCode, CategoryCode, CrossReferenceNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, PartialLotIndicator, PropertyModelName, UnitedNationsNumber]

## ***BEArticleGroupLocate***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 20   |                 |
| OriginatingAgencyORI        | OriginatingAgencyORI        | M     | 9    |                 |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | M     | 20   |                 |
| RecoveryDate                | RecoveryDate                | M     | 8    |                 |
| SerialNumber                | SerialNumber                | M     | 20   |                 |
| SerialNumber2               | SerialNumber2               | M     | 20   |                 |

### **Possible Combinations**

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, SerialNumber, SerialNumber2

## ***BEArticleLocate***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| ContrabandRecoveredValue    | ContrabandRecoveredValue    | O     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| NumberMissingPersonsFound   | NumberMissingPersonsFound   | O     | 20   |                 |
| NumberPersonsApprehended    | NumberPersonsApprehended    | O     | 3    |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 20   |                 |
| OriginatingAgencyORI        | OriginatingAgencyORI        | M     | 9    |                 |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O     | 8    |                 |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | O     | 21   |                 |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O     | 8    |                 |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | M     | 20   |                 |
| RecoveryDate                | RecoveryDate                | M     | 8    |                 |

### **Possible Combinations**

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]

## ***BEArticleModify***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| ArticleType                 | ArticleType                 | O     | 6    |                 |
| ArticleTypeCode             | ArticleTypeCode             | O     | 7    |                 |
| CategoryCode                | CategoryCode                | O     | 1    |                 |
| EntryLevel                  | EntryLevel                  | O     | 1    |                 |
| EstablishmentNumber         | EstablishmentNumber         | O     | 4    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| HazardousMaterialsContainer | HazardousMaterialsContainer | O     | 25   |                 |
| Inscription                 | Inscription                 | O     | 15   |                 |

|                              |                              |   |     |  |
|------------------------------|------------------------------|---|-----|--|
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O | 9   |  |
| LinkageCaseNumber            | LinkageCaseNumber            | O | 20  |  |
| LotNumber                    | LotNumber                    | O | 20  |  |
| MessageKeyModifier           | MessageKeyModifier           | O | 1   |  |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O | 200 |  |
| MiscellaneousNumber          | MiscellaneousNumber          | O | 15  |  |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O | 1   |  |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M | 20  |  |
| OriginatingAgencyCaseNumber2 | OriginatingAgencyCaseNumber2 | O | 20  |  |
| PartialLotIndicator          | PartialLotIndicator          | O | 1   |  |
| PropertyBrandName            | PropertyBrandName            | O | 6   |  |
| PropertyModelName            | PropertyModelName            | O | 15  |  |
| PropertyRecoveredValue       | PropertyRecoveredValue       | O | 5   |  |
| TheftDate                    | TheftDate                    | O | 8   |  |
| UnitedNationsNumber          | UnitedNationsNumber          | O | 4   |  |
| ValidatorName                | ValidatorName                | O | 30  |  |

### Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [ArticleType, ArticleTypeCode, CategoryCode, EntryLevel, EstablishmentNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, PartialLotIndicator, PropertyBrandName, PropertyModelName, PropertyRecoveredValue, TheftDate, UnitedNationsNumber, ValidatorName]

### ***BEBoatCancel***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| CancellationDate            | CancellationDate            | M     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 20   |                 |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | O     | 21   |                 |
| ReasonCode                  | ReasonCode                  | M     | 9    |                 |

### Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonCode, [PropertyRecordRemovalReason]

### ***BEBoatClear***

| Field Name                | XML Tag Name              | M/C/O | Size | Possible Values |
|---------------------------|---------------------------|-------|------|-----------------|
| Attention                 | Attention                 | O     | 50   |                 |
| ClearDate                 | ClearDate                 | M     | 8    |                 |
| ContrabandRecoveredValue  | ContrabandRecoveredValue  | O     | 8    |                 |
| FileControlNumber         | FileControlNumber         | M     | 13   |                 |
| NumberMissingPersonsFound | NumberMissingPersonsFound | O     | 20   |                 |
| NumberPersonsApprehended  | NumberPersonsApprehended  | O     | 3    |                 |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M | 20 |  |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O | 8  |  |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | O | 21 |  |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O | 8  |  |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | O | 20 |  |
| RecoveringAgencyORI         | RecoveringAgencyORI         | C | 9  |  |
| StatusCode                  | StatusCode                  | C | 3  |  |

### Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber
2. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyORI, StatusCode, [Attention, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

### BEBoatEntry

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| BoatColorCode                | BoatColorCode                | O     | 7    |                 |
| BoatHullMaterialCode         | BoatHullMaterialCode         | O     | 2    |                 |
| BoatHullSerialNumber         | BoatHullSerialNumber         | O     | 20   |                 |
| BoatHullShapeCode            | BoatHullShapeCode            | O     | 2    |                 |
| BoatLength                   | BoatLength                   | O     | 2    |                 |
| BoatMakeCode                 | BoatMakeCode                 | M     | 24   |                 |
| BoatName                     | BoatName                     | O     | 20   |                 |
| BoatPropulsionCode           | BoatPropulsionCode           | M     | 2    |                 |
| BoatTypeCode                 | BoatTypeCode                 | O     | 3    |                 |
| CautionEntryIndicator        | CautionEntryIndicator        | O     | 2    |                 |
| CoastGuardDocumentNumber     | CoastGuardDocumentNumber     | O     | 8    |                 |
| CrossReferenceNumber         | CrossReferenceNumber         | O     | 13   |                 |
| EngineNumber                 | EngineNumber                 | O     | 20   |                 |
| EntryLevel                   | EntryLevel                   | O     | 1    |                 |
| HomePort                     | HomePort                     | O     | 20   |                 |
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O     | 9    |                 |
| LinkageCaseNumber            | LinkageCaseNumber            | O     | 20   |                 |
| MessageKeyModifier           | MessageKeyModifier           | O     | 2    |                 |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | M     | 200  |                 |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O     | 1    |                 |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M     | 20   |                 |
| OriginatingAgencyORI         | OriginatingAgencyORI         | M     | 9    |                 |
| OwnerAppliedNumber           | OwnerAppliedNumber           | O     | 20   |                 |
| PropertyModelName            | PropertyModelName            | O     | 20   |                 |
| PropertyYearDate             | PropertyYearDate             | M     | 4    |                 |
| RegistrationExpirationYear   | RegistrationExpirationYear   | O     | 4    |                 |
| RegistrationJurisdictionName | RegistrationJurisdictionName | O     | 2    |                 |
| RegistrationNumber           | RegistrationNumber           | O     | 8    |                 |
| SupplementalCaseNumber       | SupplementalCaseNumber       | O     | 20   |                 |
| TheftDate                    | TheftDate                    | M     | 8    |                 |

|                      |                      |   |    |  |
|----------------------|----------------------|---|----|--|
| VictimAddress        | VictimAddress        | O | 30 |  |
| VictimAddressCity    | VictimAddressCity    | O | 20 |  |
| VictimAddressState   | VictimAddressState   | O | 2  |  |
| VictimAddressZipCode | VictimAddressZipCode | O | 9  |  |
| VictimDaytimePhone   | VictimDaytimePhone   | O | 10 |  |
| VictimEveningPhone   | VictimEveningPhone   | O | 10 |  |
| VictimName           | VictimName           | O | 30 |  |

### Possible Combinations

1. (In/Out) BoatMakeCode, BoatPropulsionCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyYearDate, TheftDate, [BoatColorCode, BoatHullMaterialCode, BoatHullSerialNumber, BoatHullShapeCode, BoatLength, BoatName, BoatTypeCode, CautionEntryIndicator, CoastGuardDocumentNumber, CrossReferenceNumber, EngineNumber, EntryLevel, HomePort, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, NotifiedOriginatingAgency, OwnerAppliedNumber, PropertyModelName, RegistrationExpirationYear, RegistrationJurisdictionName, RegistrationNumber, SupplementalCaseNumber, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

### **BEBoatLocate**

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| Attention                   | Attention                   | O     | 50   |                 |
| ContrabandRecoveredValue    | ContrabandRecoveredValue    | O     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| MessageKeyModifier          | MessageKeyModifier          | O     | 1    |                 |
| NumberMissingPersonsFound   | NumberMissingPersonsFound   | O     | 20   |                 |
| NumberPersonsApprehended    | NumberPersonsApprehended    | O     | 3    |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 20   |                 |
| OriginatingAgencyORI        | OriginatingAgencyORI        | M     | 9    |                 |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O     | 8    |                 |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | O     | 21   |                 |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O     | 8    |                 |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | M     | 20   |                 |
| RecoveryDate                | RecoveryDate                | M     | 8    |                 |
| StatusCode                  | StatusCode                  | M     | 3    |                 |

### Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, StatusCode, [Attention, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]

## BEBoatModify

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| BoatColorCode                | BoatColorCode                | O     | 7    |                 |
| BoatHullMaterialCode         | BoatHullMaterialCode         | O     | 2    |                 |
| BoatHullSerialNumber         | BoatHullSerialNumber         | O     | 20   |                 |
| BoatHullShapeCode            | BoatHullShapeCode            | O     | 2    |                 |
| BoatLength                   | BoatLength                   | O     | 2    |                 |
| BoatMakeCode                 | BoatMakeCode                 | O     | 24   |                 |
| BoatName                     | BoatName                     | O     | 20   |                 |
| BoatPropulsionCode           | BoatPropulsionCode           | O     | 2    |                 |
| BoatTypeCode                 | BoatTypeCode                 | O     | 3    |                 |
| Category                     | Category                     | O     | 2    |                 |
| CautionEntryIndicator        | CautionEntryIndicator        | O     | 1    |                 |
| CoastGuardDocumentNumber     | CoastGuardDocumentNumber     | O     | 8    |                 |
| EngineNumber                 | EngineNumber                 | O     | 20   |                 |
| EnginePowerCode              | EnginePowerCode              | O     | 5    |                 |
| EntryLevel                   | EntryLevel                   | O     | 1    |                 |
| FileControlNumber            | FileControlNumber            | M     | 13   |                 |
| HomePort                     | HomePort                     | O     | 20   |                 |
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O     | 9    |                 |
| LinkageCaseNumber            | LinkageCaseNumber            | O     | 20   |                 |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O     | 200  |                 |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O     | 1    |                 |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M     | 20   |                 |
| OriginatingAgencyCaseNumber2 | OriginatingAgencyCaseNumber2 | O     | 20   |                 |
| OwnerAppliedNumber           | OwnerAppliedNumber           | O     | 20   |                 |
| PropertyBrandName            | PropertyBrandName            | O     | 4    |                 |
| PropertyModelName            | PropertyModelName            | O     | 20   |                 |
| PropertyYearDate             | PropertyYearDate             | O     | 4    |                 |
| RegistrationExpirationYear   | RegistrationExpirationYear   | O     | 4    |                 |
| RegistrationJurisdictionName | RegistrationJurisdictionName | O     | 2    |                 |
| RegistrationNumber           | RegistrationNumber           | O     | 8    |                 |
| SerialNumber                 | SerialNumber                 | O     | 20   |                 |
| TheftDate                    | TheftDate                    | O     | 8    |                 |
| ValidatorName                | ValidatorName                | O     | 30   |                 |
| VictimAddress                | VictimAddress                | O     | 30   |                 |
| VictimAddressCity            | VictimAddressCity            | O     | 20   |                 |
| VictimAddressState           | VictimAddressState           | O     | 2    |                 |
| VictimAddressZipCode         | VictimAddressZipCode         | O     | 9    |                 |
| VictimDaytimePhone           | VictimDaytimePhone           | O     | 10   |                 |
| VictimEveningPhone           | VictimEveningPhone           | O     | 10   |                 |
| VictimName                   | VictimName                   | O     | 30   |                 |

### Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [BoatColorCode, BoatHullMaterialCode, BoatHullSerialNumber, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatName, BoatPropulsionCode, BoatTypeCode, Category, CautionEntryIndicator, CoastGuardDocumentNumber, EngineNumber,

EnginePowerCode, EntryLevel, HomePort, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, OwnerAppliedNumber, PropertyBrandName, PropertyModelName, PropertyYearDate, RegistrationExpirationYear, RegistrationJurisdictionName, RegistrationNumber, SerialNumber, TheftDate, ValidatorName, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

### ***BEGunCancel***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| CancellationDate            | CancellationDate            | M     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | M     | 21   |                 |
| SerialNumber                | SerialNumber                | M     | 14   |                 |

#### **Possible Combinations**

1. (In/Out) CancellationDate, FileControlNumber, PropertyRecordRemovalReason, SerialNumber

### ***BEGunClear***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| ClearDate                   | ClearDate                   | M     | 8    |                 |
| ContrabandRecoveredValue    | ContrabandRecoveredValue    | O     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| GunSerialNumber             | GunSerialNumber             | M     | 20   |                 |
| NumberMissingPersonsFound   | NumberMissingPersonsFound   | O     | 20   |                 |
| NumberPersonsApprehended    | NumberPersonsApprehended    | O     | 3    |                 |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O     | 8    |                 |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | O     | 21   |                 |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O     | 8    |                 |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | O     | 20   |                 |
| RecoveringAgencyORI         | RecoveringAgencyORI         | O     | 9    |                 |

#### **Possible Combinations**

1. (In/Out) ClearDate, FileControlNumber, GunSerialNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

### ***BEGunEntry***

| Field Name   | XML Tag Name | M/C/O | Size | Possible Values |
|--------------|--------------|-------|------|-----------------|
| AddressCity  | AddressCity  | O     | 20   |                 |
| BarrelLength | BarrelLength | O     | 6    |                 |
| BirthDate    | BirthDate    | O     | 8    |                 |

|                                |                                |   |     |  |
|--------------------------------|--------------------------------|---|-----|--|
| CACrimeGunIndicator            | CACrimeGunIndicator            | O | 1   |  |
| CAIllegallyPossessedIndicator  | CAIllegallyPossessedIndicator  | O | 1   |  |
| CAReportedStolenIndicator      | CAReportedStolenIndicator      | O | 1   |  |
| CategoryCode                   | CategoryCode                   | O | 1   |  |
| CrossReferenceNumber           | CrossReferenceNumber           | O | 14  |  |
| DocumentCode                   | DocumentCode                   | M | 1   |  |
| EntryLevel                     | EntryLevel                     | M | 1   |  |
| FirearmReferenceFlag           | FirearmReferenceFlag           | O | 1   |  |
| GunCaliber                     | GunCaliber                     | M | 4   |  |
| GunMake                        | GunMake                        | M | 3   |  |
| GunType                        | GunType                        | O | 1   |  |
| GunTypeCode                    | GunTypeCode                    | O | 2   |  |
| Importer                       | Importer                       | O | 30  |  |
| LinkageAgencyIdentifier        | LinkageAgencyIdentifier        | O | 9   |  |
| LinkageCaseNumber              | LinkageCaseNumber              | O | 20  |  |
| MiscellaneousDescriptiveText   | MiscellaneousDescriptiveText   | O | 200 |  |
| Name                           | Name                           | O | 30  |  |
| NotifiedOriginatingAgency      | NotifiedOriginatingAgency      | O | 1   |  |
| OccurrenceCounty               | OccurrenceCounty               | O | 2   |  |
| OffenseCode                    | OffenseCode                    | O | 4   |  |
| OperatorLicenseNumber          | OperatorLicenseNumber          | O | 8   |  |
| OriginatingAgencyCaseNumber    | OriginatingAgencyCaseNumber    | M | 20  |  |
| OriginatingAgencyORI           | OriginatingAgencyORI           | M | 9   |  |
| PropertyModelName              | PropertyModelName              | M | 20  |  |
| RecoveryAddressApartmentNumber | RecoveryAddressApartmentNumber | O | 6   |  |
| RecoveryAddressRouteNumber     | RecoveryAddressRouteNumber     | O | 6   |  |
| RecoveryAddressStreetDirection | RecoveryAddressStreetDirection | O | 2   |  |
| RecoveryAddressStreetName      | RecoveryAddressStreetName      | O | 30  |  |
| RecoveryAddressStreetNumber    | RecoveryAddressStreetNumber    | O | 6   |  |
| RecoveryAddressStreetSuffix    | RecoveryAddressStreetSuffix    | O | 2   |  |
| RecoveryAddressZip             | RecoveryAddressZip             | O | 9   |  |
| RecoveryOfficerName            | RecoveryOfficerName            | O | 22  |  |
| SerialNumber                   | SerialNumber                   | M | 14  |  |
| SuspectAddressApartmentNumber  | SuspectAddressApartmentNumber  | O | 6   |  |
| SuspectAddressCity             | SuspectAddressCity             | O | 20  |  |
| SuspectAddressRouteNumber      | SuspectAddressRouteNumber      | O | 6   |  |
| SuspectAddressStateCode        | SuspectAddressStateCode        | O | 2   |  |
| SuspectAddressStreetDirection  | SuspectAddressStreetDirection  | O | 2   |  |
| SuspectAddressStreetName       | SuspectAddressStreetName       | O | 30  |  |
| SuspectAddressStreetNumber     | SuspectAddressStreetNumber     | O | 6   |  |
| SuspectAddressStreetSuffix     | SuspectAddressStreetSuffix     | O | 2   |  |
| SuspectAddressZip              | SuspectAddressZip              | O | 9   |  |
| TheftDate                      | TheftDate                      | M | 8   |  |

## Possible Combinations

1. (In/Out) DocumentCode, EntryLevel, GunCaliber, GunMake, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyModelName, SerialNumber, TheftDate, [AddressCity, BarrelLength, BirthDate,

CACrimeGunIndicator, CAIllegallyPossessedIndicator, CAReportedStolenIndicator, CategoryCode, CrossReferenceNumber, FirearmReferenceFlag, GunType, GunTypeCode, Importer, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, Name, NotifiedOriginatingAgency, OccurrenceCounty, OffenseCode, OperatorLicenseNumber, RecoveryAddressApartmentNumber, RecoveryAddressRouteNumber, RecoveryAddressStreetDirection, RecoveryAddressStreetName, RecoveryAddressStreetNumber, RecoveryAddressStreetSuffix, RecoveryAddressZip, RecoveryOfficerName, SuspectAddressApartmentNumber, SuspectAddressCity, SuspectAddressRouteNumber, SuspectAddressStateCode, SuspectAddressStreetDirection, SuspectAddressStreetName, SuspectAddressStreetNumber, SuspectAddressStreetSuffix, SuspectAddressZip]

### ***BEGunLocate***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| ContrabandRecoveredValue    | ContrabandRecoveredValue    | O     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| NumberMissingPersonsFound   | NumberMissingPersonsFound   | O     | 20   |                 |
| NumberPersonsApprehended    | NumberPersonsApprehended    | O     | 3    |                 |
| OriginatingAgencyORI        | OriginatingAgencyORI        | M     | 9    |                 |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O     | 8    |                 |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | O     | 21   |                 |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O     | 8    |                 |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | M     | 20   |                 |
| RecoveryDate                | RecoveryDate                | M     | 8    |                 |
| SerialNumber                | SerialNumber                | M     | 14   |                 |

### **Possible Combinations**

1. (In/Out) FileControlNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, SerialNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]

### ***BEGunModify***

| Field Name                    | XML Tag Name                  | M/C/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| AddressCity                   | AddressCity                   | O     | 30   |                 |
| BarrelLength                  | BarrelLength                  | O     | 6    |                 |
| BirthDate                     | BirthDate                     | O     | 8    |                 |
| CAIllegallyPossessedIndicator | CAIllegallyPossessedIndicator | O     | 1    |                 |
| CAReportedStolenIndicator     | CAReportedStolenIndicator     | O     | 1    |                 |
| CategoryCode                  | CategoryCode                  | O     | 1    |                 |
| CrossReferenceNumber          | CrossReferenceNumber          | O     | 14   |                 |
| EntryLevel                    | EntryLevel                    | O     | 1    |                 |
| FileControlNumber             | FileControlNumber             | M     | 13   |                 |
| FirearmReferenceFlag          | FirearmReferenceFlag          | O     | 1    |                 |

|                                |                                |   |     |  |
|--------------------------------|--------------------------------|---|-----|--|
| GunCaliber                     | GunCaliber                     | O | 4   |  |
| GunMake                        | GunMake                        | O | 3   |  |
| GunType                        | GunType                        | O | 1   |  |
| GunTypeCode                    | GunTypeCode                    | O | 2   |  |
| Importer                       | Importer                       | O | 30  |  |
| LinkageAgencyIdentifier        | LinkageAgencyIdentifier        | O | 9   |  |
| LinkageCaseNumber              | LinkageCaseNumber              | O | 20  |  |
| MiscellaneousDescriptiveText   | MiscellaneousDescriptiveText   | O | 200 |  |
| Name                           | Name                           | O | 30  |  |
| NotifiedOriginatingAgency      | NotifiedOriginatingAgency      | O | 1   |  |
| OccurrenceCounty               | OccurrenceCounty               | O | 2   |  |
| OffenseCode                    | OffenseCode                    | O | 4   |  |
| OperatorLicenseNumber          | OperatorLicenseNumber          | O | 8   |  |
| OriginatingAgencyCaseNumber    | OriginatingAgencyCaseNumber    | O | 20  |  |
| PropertyModelName              | PropertyModelName              | O | 20  |  |
| RecoveryAddressApartmentNumber | RecoveryAddressApartmentNumber | O | 6   |  |
| RecoveryAddressRouteNumber     | RecoveryAddressRouteNumber     | O | 6   |  |
| RecoveryAddressStreetDirection | RecoveryAddressStreetDirection | O | 2   |  |
| RecoveryAddressStreetName      | RecoveryAddressStreetName      | O | 30  |  |
| RecoveryAddressStreetNumber    | RecoveryAddressStreetNumber    | O | 6   |  |
| RecoveryAddressStreetSuffix    | RecoveryAddressStreetSuffix    | O | 2   |  |
| RecoveryAddressZip             | RecoveryAddressZip             | O | 9   |  |
| RecoveryOfficerName            | RecoveryOfficerName            | O | 22  |  |
| SerialNumber                   | SerialNumber                   | M | 14  |  |
| SerialNumber2                  | SerialNumber2                  | O | 14  |  |
| SuspectAddressApartmentNumber  | SuspectAddressApartmentNumber  | O | 6   |  |
| SuspectAddressCity             | SuspectAddressCity             | O | 20  |  |
| SuspectAddressRouteNumber      | SuspectAddressRouteNumber      | O | 6   |  |
| SuspectAddressStateCode        | SuspectAddressStateCode        | O | 2   |  |
| SuspectAddressStreetDirection  | SuspectAddressStreetDirection  | O | 2   |  |
| SuspectAddressStreetName       | SuspectAddressStreetName       | O | 30  |  |
| SuspectAddressStreetNumber     | SuspectAddressStreetNumber     | O | 6   |  |
| SuspectAddressStreetSuffix     | SuspectAddressStreetSuffix     | O | 2   |  |
| SuspectAddressZip              | SuspectAddressZip              | O | 9   |  |
| TheftDate                      | TheftDate                      | O | 8   |  |
| ValidatorName                  | ValidatorName                  | O | 20  |  |

## Possible Combinations

1. (In/Out) FileControlNumber, SerialNumber, [AddressCity, BarrelLength, BirthDate, CAIllegallyPossessedIndicator, CARportedStolenIndicator, CategoryCode, CrossReferenceNumber, EntryLevel, FirearmReferenceFlag, GunCaliber, GunMake, GunType, GunTypeCode, Importer, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, Name, NotifiedOriginatingAgency, OccurrenceCounty, OffenseCode, OperatorLicenseNumber, OriginatingAgencyCaseNumber, PropertyModelName, RecoveryAddressApartmentNumber, RecoveryAddressRouteNumber, RecoveryAddressStreetDirection, RecoveryAddressStreetName, RecoveryAddressStreetNumber, RecoveryAddressStreetSuffix, RecoveryAddressZip, RecoveryOfficerName, SerialNumber2,

SuspectAddressApartmentNumber, SuspectAddressCity,  
 SuspectAddressRouteNumber, SuspectAddressStateCode,  
 SuspectAddressStreetDirection, SuspectAddressStreetName,  
 SuspectAddressStreetNumber, SuspectAddressStreetSuffix,  
 SuspectAddressZip, TheftDate, ValidatorName]

### ***BELicensePlateEntry***

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| CautionEntryIndicator        | CautionEntryIndicator        | O     | 2    |                 |
| CrossReferenceNumber         | CrossReferenceNumber         | O     | 13   |                 |
| EntryLevel                   | EntryLevel                   | O     | 1    |                 |
| LicensePlateNumber           | LicensePlateNumber           | M     | 10   |                 |
| LicensePlateTypeCode         | LicensePlateTypeCode         | M     | 2    |                 |
| LicensePlateYear             | LicensePlateYear             | M     | 4    |                 |
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O     | 9    |                 |
| LinkageCaseNumber            | LinkageCaseNumber            | O     | 20   |                 |
| MessageKeyModifier           | MessageKeyModifier           | M     | 2    |                 |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O     | 200  |                 |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O     | 1    |                 |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M     | 20   |                 |
| OriginatingAgencyORI         | OriginatingAgencyORI         | M     | 9    |                 |
| State                        | State                        | M     | 2    |                 |
| SupplementalCaseNumber       | SupplementalCaseNumber       | O     | 20   |                 |
| TheftDate                    | TheftDate                    | M     | 8    |                 |
| VictimAddressCity            | VictimAddressCity            | O     | 20   |                 |
| VictimAddressState           | VictimAddressState           | O     | 2    |                 |
| VictimAddressStateCode       | VictimAddressStateCode       | O     | 30   |                 |
| VictimAddressZipCode         | VictimAddressZipCode         | O     | 9    |                 |
| VictimDaytimePhone           | VictimDaytimePhone           | O     | 10   |                 |
| VictimEveningPhone           | VictimEveningPhone           | O     | 10   |                 |
| VictimName                   | VictimName                   | O     | 30   |                 |

### **Possible Combinations**

1. (In/Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, MessageKeyModifier, OriginatingAgencyCaseNumber, OriginatingAgencyORI, State, TheftDate, [CautionEntryIndicator, CrossReferenceNumber, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, SupplementalCaseNumber, VictimAddressCity, VictimAddressState, VictimAddressStateCode, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

### ***BEVehicleCancel***

| Field Name                | XML Tag Name              | M/C/O | Size | Possible Values |
|---------------------------|---------------------------|-------|------|-----------------|
| AssociateRecordIdentifier | AssociateRecordIdentifier | O     | 2    |                 |
| CancellationDate          | CancellationDate          | M     | 8    |                 |
| FileControlNumber         | FileControlNumber         | M     | 13   |                 |
| MessageKeyModifier        | MessageKeyModifier        | O     | 1    |                 |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M | 20 |  |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | O | 21 |  |
| ReasonCode                  | ReasonCode                  | M | 9  |  |

### Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonCode, [AssociateRecordIdentifier, MessageKeyModifier, PropertyRecordRemovalReason]

### **BEVehicleClear**

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| AssociateRecordIdentifier   | AssociateRecordIdentifier   | O     | 2    |                 |
| ClearDate                   | ClearDate                   | M     | 8    |                 |
| ContrabandRecoveredValue    | ContrabandRecoveredValue    | O     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| MessageKeyModifier          | MessageKeyModifier          | O     | 1    |                 |
| NumberMissingPersonsFound   | NumberMissingPersonsFound   | O     | 20   |                 |
| NumberPersonsApprehended    | NumberPersonsApprehended    | O     | 3    |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 20   |                 |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O     | 8    |                 |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | O     | 21   |                 |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O     | 8    |                 |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | O     | 20   |                 |
| RecoveringAgencyORI         | RecoveringAgencyORI         | C     | 9    |                 |
| Reference                   | Reference                   | O     | 50   |                 |
| StatusCode                  | StatusCode                  | C     | 3    |                 |

### Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, [AssociateRecordIdentifier, MessageKeyModifier]
2. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyORI, StatusCode, [AssociateRecordIdentifier, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, Reference]

### **BEVehicleEntry**

| Field Name            | XML Tag Name          | M/C/O | Size | Possible Values |
|-----------------------|-----------------------|-------|------|-----------------|
| CautionEntryIndicator | CautionEntryIndicator | O     | 2    |                 |
| CrossReferenceNumber  | CrossReferenceNumber  | O     | 13   |                 |
| EngineNumber          | EngineNumber          | O     | 20   |                 |
| EntryLevel            | EntryLevel            | O     | 1    |                 |
| LicensePlateNumber    | LicensePlateNumber    | O     | 10   |                 |
| LicensePlateStateCode | LicensePlateStateCode | O     | 2    |                 |
| LicensePlateTypeCode  | LicensePlateTypeCode  | O     | 2    |                 |
| LicensePlateYear      | LicensePlateYear      | O     | 4    |                 |

|                              |                              |   |     |  |
|------------------------------|------------------------------|---|-----|--|
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O | 9   |  |
| LinkageCaseNumber            | LinkageCaseNumber            | O | 20  |  |
| MessageKeyModifier           | MessageKeyModifier           | O | 2   |  |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O | 200 |  |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O | 1   |  |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M | 20  |  |
| OriginatingAgencyORI         | OriginatingAgencyORI         | M | 9   |  |
| OwnerAppliedNumber           | OwnerAppliedNumber           | O | 20  |  |
| SupplementalCaseNumber       | SupplementalCaseNumber       | O | 20  |  |
| TheftDate                    | TheftDate                    | M | 8   |  |
| VehicleColorCode             | VehicleColorCode             | O | 7   |  |
| VehicleIdentificationNumber  | VehicleIdentificationNumber  | O | 20  |  |
| VehicleMakeCode              | VehicleMakeCode              | M | 24  |  |
| VehicleModelCode             | VehicleModelCode             | M | 3   |  |
| VehicleStyleCode             | VehicleStyleCode             | M | 2   |  |
| VehicleYear                  | VehicleYear                  | M | 4   |  |
| VictimAddress                | VictimAddress                | O | 30  |  |
| VictimAddressCity            | VictimAddressCity            | O | 20  |  |
| VictimAddressState           | VictimAddressState           | O | 2   |  |
| VictimAddressZipCode         | VictimAddressZipCode         | O | 9   |  |
| VictimDaytimePhone           | VictimDaytimePhone           | O | 10  |  |
| VictimEveningPhone           | VictimEveningPhone           | O | 10  |  |
| VictimName                   | VictimName                   | O | 30  |  |

### Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [CautionEntryIndicator, CrossReferenceNumber, EngineNumber, EngineNumber, EntryLevel, LicensePlateNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateTypeCode, LicensePlateYear, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OwnerAppliedNumber, OwnerAppliedNumber, SupplementalCaseNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleIdentificationNumber, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

### BEVehicleLocate

| Field Name                | XML Tag Name              | M/C/O | Size | Possible Values |
|---------------------------|---------------------------|-------|------|-----------------|
| AssociateRecordIdentifier | AssociateRecordIdentifier | O     | 2    |                 |
| ContrabandRecoveredValue  | ContrabandRecoveredValue  | O     | 8    |                 |
| FileControlNumber         | FileControlNumber         | C     | 13   |                 |
| LicensePlateNumber        | LicensePlateNumber        | C     | 10   |                 |
| MessageKeyModifier        | MessageKeyModifier        | O     | 1    |                 |
| NCICNumber                | NCICNumber                | C     | 10   |                 |
| NumberMissingPersonsFound | NumberMissingPersonsFound | O     | 20   |                 |
| NumberPersonsApprehended  | NumberPersonsApprehended  | O     | 3    |                 |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M | 20 |  |
| OriginatingAgencyORI        | OriginatingAgencyORI        | M | 9  |  |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O | 8  |  |
| PropertyRecordRemovalReason | PropertyRecordRemovalReason | O | 21 |  |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O | 8  |  |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | M | 20 |  |
| RecoveryDate                | RecoveryDate                | M | 8  |  |
| Reference                   | Reference                   | O | 50 |  |
| StatusCode                  | StatusCode                  | C | 3  |  |
| VehicleIdentificationNumber | VehicleIdentificationNumber | C | 10 |  |

### Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, StatusCode, [AssociateRecordIdentifier, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, Reference]
2. (In/Out) LicensePlateNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]
4. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, VehicleIdentificationNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]

### BEVehicleModify

| Field Name                | XML Tag Name              | M/C/O | Size | Possible Values |
|---------------------------|---------------------------|-------|------|-----------------|
| AssociateRecordIdentifier | AssociateRecordIdentifier | O     | 2    |                 |
| Category                  | Category                  | O     | 2    |                 |
| CautionEntryIndicator     | CautionEntryIndicator     | O     | 1    |                 |
| EngineNumber              | EngineNumber              | O     | 20   |                 |
| EnginePowerCode           | EnginePowerCode           | O     | 5    |                 |
| EntryLevel                | EntryLevel                | O     | 1    |                 |
| FileControlNumber         | FileControlNumber         | M     | 13   |                 |
| LicensePlateNumber        | LicensePlateNumber        | O     | 10   |                 |
| LicensePlateStateCode     | LicensePlateStateCode     | O     | 2    |                 |
| LicensePlateTypeCode      | LicensePlateTypeCode      | O     | 2    |                 |
| LicensePlateYear          | LicensePlateYear          | O     | 4    |                 |
| LinkageAgencyIdentifier   | LinkageAgencyIdentifier   | O     | 9    |                 |

|                              |                              |   |     |  |
|------------------------------|------------------------------|---|-----|--|
| LinkageCaseNumber            | LinkageCaseNumber            | O | 20  |  |
| MessageKeyModifier           | MessageKeyModifier           | O | 1   |  |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O | 200 |  |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O | 1   |  |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M | 20  |  |
| OriginatingAgencyCaseNumber2 | OriginatingAgencyCaseNumber2 | O | 20  |  |
| OwnerAppliedNumber           | OwnerAppliedNumber           | O | 20  |  |
| PropertyBrandName            | PropertyBrandName            | O | 4   |  |
| SerialNumber                 | SerialNumber                 | O | 20  |  |
| TheftDate                    | TheftDate                    | O | 8   |  |
| ValidatorName                | ValidatorName                | O | 30  |  |
| VehicleColorCode             | VehicleColorCode             | O | 7   |  |
| VehicleIdentificationNumber  | VehicleIdentificationNumber  | O | 20  |  |
| VehicleMakeCode              | VehicleMakeCode              | O | 24  |  |
| VehicleModelCode             | VehicleModelCode             | O | 3   |  |
| VehicleStyleCode             | VehicleStyleCode             | O | 2   |  |
| VehicleYear                  | VehicleYear                  | O | 4   |  |
| VictimAddress                | VictimAddress                | O | 30  |  |
| VictimAddressCity            | VictimAddressCity            | O | 20  |  |
| VictimAddressState           | VictimAddressState           | O | 2   |  |
| VictimAddressZipCode         | VictimAddressZipCode         | O | 9   |  |
| VictimDaytimePhone           | VictimDaytimePhone           | O | 10  |  |
| VictimEveningPhone           | VictimEveningPhone           | O | 10  |  |
| VictimName                   | VictimName                   | O | 30  |  |

### Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [AssociateRecordIdentifier, Category, CautionEntryIndicator, EngineNumber, EnginePowerCode, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, OwnerAppliedNumber, PropertyBrandName, SerialNumber, TheftDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

### ***BEWantedPersonCancel***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| CancellationDate            | CancellationDate            | M     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| Name                        | Name                        | M     | 30   |                 |
| PersonalRecordRemovalReason | PersonalRecordRemovalReason | O     | 21   |                 |

### Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, [PersonalRecordRemovalReason]

### ***BEWantedPersonClear***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| ClearDate                   | ClearDate                   | M     | 8    |                 |
| ContrabandRecoveredValue    | ContrabandRecoveredValue    | O     | 8    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| IsPersonArmed               | IsPersonArmed               | O     | 1    |                 |
| Name                        | Name                        | M     | 30   |                 |
| NumberMissingPersonsFound   | NumberMissingPersonsFound   | O     | 20   |                 |
| NumberPersonsApprehended    | NumberPersonsApprehended    | O     | 3    |                 |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O     | 8    |                 |
| PersonalRecordRemovalReason | PersonalRecordRemovalReason | O     | 21   |                 |
| PersonHitResults            | PersonHitResults            | O     | 2    |                 |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O     | 8    |                 |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | O     | 20   |                 |
| RecoveringAgencyORI         | RecoveringAgencyORI         | O     | 9    |                 |

### **Possible Combinations**

1. (In/Out) ClearDate, FileControlNumber, Name, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

### ***BEWantedPersonEntry***

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| AdditionalBirthDate  | AdditionalBirthDate  | O     | 8    |                 |
| AdditionalBirthDate2 | AdditionalBirthDate2 | O     | 8    |                 |
| AdditionalBirthDate3 | AdditionalBirthDate3 | O     | 8    |                 |
| AdditionalBirthDate4 | AdditionalBirthDate4 | O     | 8    |                 |
| AdditionalBirthDate5 | AdditionalBirthDate5 | O     | 8    |                 |
| AdditionalBirthDate6 | AdditionalBirthDate6 | O     | 8    |                 |
| AdditionalBirthDate7 | AdditionalBirthDate7 | O     | 8    |                 |
| AdditionalBirthDate8 | AdditionalBirthDate8 | O     | 8    |                 |
| AdditionalBirthDate9 | AdditionalBirthDate9 | O     | 8    |                 |
| AlsoKnownAs          | AlsoKnownAs          | O     | 30   |                 |
| AlsoKnownAs2         | AlsoKnownAs2         | O     | 30   |                 |
| AlsoKnownAs3         | AlsoKnownAs3         | O     | 30   |                 |
| AlsoKnownAs4         | AlsoKnownAs4         | O     | 30   |                 |
| AlsoKnownAs5         | AlsoKnownAs5         | O     | 30   |                 |
| AlsoKnownAs6         | AlsoKnownAs6         | O     | 30   |                 |
| AlsoKnownAs7         | AlsoKnownAs7         | O     | 30   |                 |
| AlsoKnownAs8         | AlsoKnownAs8         | O     | 30   |                 |
| AlsoKnownAs9         | AlsoKnownAs9         | O     | 30   |                 |
| Bail                 | Bail                 | M     | 9    |                 |

|                               |                               |   |     |  |
|-------------------------------|-------------------------------|---|-----|--|
| BirthDate                     | BirthDate                     | M | 8   |  |
| BirthPlace                    | BirthPlace                    | O | 2   |  |
| CautionMedicalCode            | CautionMedicalCode            | O | 2   |  |
| CautionMedicalCode2           | CautionMedicalCode2           | O | 2   |  |
| CautionMedicalCode3           | CautionMedicalCode3           | O | 2   |  |
| CautionMedicalCode4           | CautionMedicalCode4           | O | 2   |  |
| CautionMedicalCode5           | CautionMedicalCode5           | O | 2   |  |
| CautionMedicalCode6           | CautionMedicalCode6           | O | 2   |  |
| CautionMedicalCode7           | CautionMedicalCode7           | O | 2   |  |
| CautionMedicalCode8           | CautionMedicalCode8           | O | 2   |  |
| CautionMedicalCode9           | CautionMedicalCode9           | O | 2   |  |
| CourtORI                      | CourtORI                      | O | 9   |  |
| CriminalIdentificationNumber  | CriminalIdentificationNumber  | O | 9   |  |
| EntryLevel                    | EntryLevel                    | M | 1   |  |
| EyeColorCode                  | EyeColorCode                  | O | 3   |  |
| FBINumber                     | FBINumber                     | O | 9   |  |
| FingerprintClassificationCode | FingerprintClassificationCode | O | 20  |  |
| HairColorCode                 | HairColorCode                 | O | 3   |  |
| Height                        | Height                        | M | 3   |  |
| LicensePlateNumber            | LicensePlateNumber            | O | 10  |  |
| LicensePlateStateCode         | LicensePlateStateCode         | O | 2   |  |
| LicensePlateTypeCode          | LicensePlateTypeCode          | O | 2   |  |
| LicensePlateYear              | LicensePlateYear              | O | 4   |  |
| LinkageAgencyIdentifier       | LinkageAgencyIdentifier       | O | 9   |  |
| LinkageCaseNumber             | LinkageCaseNumber             | O | 20  |  |
| MessageKeyModifier            | MessageKeyModifier            | M | 1   |  |
| MiscellaneousDescriptiveText  | MiscellaneousDescriptiveText  | O | 500 |  |
| MiscellaneousNumber           | MiscellaneousNumber           | O | 15  |  |
| MiscellaneousNumber2          | MiscellaneousNumber2          | O | 15  |  |
| MiscellaneousNumber3          | MiscellaneousNumber3          | O | 15  |  |
| MiscellaneousNumber4          | MiscellaneousNumber4          | O | 15  |  |
| MiscellaneousNumber5          | MiscellaneousNumber5          | O | 15  |  |
| MiscellaneousNumber6          | MiscellaneousNumber6          | O | 15  |  |
| MiscellaneousNumber7          | MiscellaneousNumber7          | O | 15  |  |
| MiscellaneousNumber8          | MiscellaneousNumber8          | O | 15  |  |
| MiscellaneousNumber9          | MiscellaneousNumber9          | O | 15  |  |
| Name                          | Name                          | M | 30  |  |
| NotifiedOriginatingAgency     | NotifiedOriginatingAgency     | O | 1   |  |
| OffenseCode                   | OffenseCode                   | M | 4   |  |
| OperatorLicenseNumber         | OperatorLicenseNumber         | O | 20  |  |
| OperatorLicenseStateCode      | OperatorLicenseStateCode      | O | 2   |  |
| OperatorLicenseYear           | OperatorLicenseYear           | O | 4   |  |
| OriginalOffenseCode           | OriginalOffenseCode           | O | 4   |  |
| OriginatingAgencyCaseNumber   | OriginatingAgencyCaseNumber   | M | 20  |  |
| RaceCode                      | RaceCode                      | M | 1   |  |
| Reference                     | Reference                     | O | 20  |  |
| ScarsMarksTattoosCode         | ScarsMarksTattoosCode         | O | 10  |  |
| ScarsMarksTattoosCode2        | ScarsMarksTattoosCode2        | O | 10  |  |
| ScarsMarksTattoosCode3        | ScarsMarksTattoosCode3        | O | 10  |  |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| ScarsMarksTattoosCode4      | ScarsMarksTattoosCode4      | O | 10 |  |
| ScarsMarksTattoosCode5      | ScarsMarksTattoosCode5      | O | 10 |  |
| ScarsMarksTattoosCode6      | ScarsMarksTattoosCode6      | O | 10 |  |
| ScarsMarksTattoosCode7      | ScarsMarksTattoosCode7      | O | 10 |  |
| ScarsMarksTattoosCode8      | ScarsMarksTattoosCode8      | O | 10 |  |
| ScarsMarksTattoosCode9      | ScarsMarksTattoosCode9      | O | 10 |  |
| SexCode                     | SexCode                     | M | 1  |  |
| SkinToneCode                | SkinToneCode                | O | 3  |  |
| SocialSecurityNumber        | SocialSecurityNumber        | O | 9  |  |
| SocialSecurityNumber2       | SocialSecurityNumber2       | O | 9  |  |
| SocialSecurityNumber3       | SocialSecurityNumber3       | O | 9  |  |
| SocialSecurityNumber4       | SocialSecurityNumber4       | O | 9  |  |
| SocialSecurityNumber5       | SocialSecurityNumber5       | O | 9  |  |
| SocialSecurityNumber6       | SocialSecurityNumber6       | O | 9  |  |
| SocialSecurityNumber7       | SocialSecurityNumber7       | O | 9  |  |
| SocialSecurityNumber8       | SocialSecurityNumber8       | O | 9  |  |
| SocialSecurityNumber9       | SocialSecurityNumber9       | O | 9  |  |
| StolenBirthDate             | StolenBirthDate             | O | 8  |  |
| StolenBirthDate2            | StolenBirthDate2            | O | 8  |  |
| StolenBirthDate3            | StolenBirthDate3            | O | 8  |  |
| StolenBirthDate4            | StolenBirthDate4            | O | 8  |  |
| StolenBirthDate5            | StolenBirthDate5            | O | 8  |  |
| StolenBirthDate6            | StolenBirthDate6            | O | 8  |  |
| StolenBirthDate7            | StolenBirthDate7            | O | 8  |  |
| StolenBirthDate8            | StolenBirthDate8            | O | 8  |  |
| StolenBirthDate9            | StolenBirthDate9            | O | 8  |  |
| StolenMiscellaneousNumber   | StolenMiscellaneousNumber   | O | 15 |  |
| StolenMiscellaneousNumber2  | StolenMiscellaneousNumber2  | O | 15 |  |
| StolenMiscellaneousNumber3  | StolenMiscellaneousNumber3  | O | 15 |  |
| StolenMiscellaneousNumber4  | StolenMiscellaneousNumber4  | O | 15 |  |
| StolenMiscellaneousNumber5  | StolenMiscellaneousNumber5  | O | 15 |  |
| StolenMiscellaneousNumber6  | StolenMiscellaneousNumber6  | O | 15 |  |
| StolenMiscellaneousNumber7  | StolenMiscellaneousNumber7  | O | 15 |  |
| StolenMiscellaneousNumber8  | StolenMiscellaneousNumber8  | O | 15 |  |
| StolenMiscellaneousNumber9  | StolenMiscellaneousNumber9  | O | 15 |  |
| StolenName                  | StolenName                  | O | 30 |  |
| StolenName2                 | StolenName2                 | O | 30 |  |
| StolenName3                 | StolenName3                 | O | 30 |  |
| StolenName4                 | StolenName4                 | O | 30 |  |
| StolenName5                 | StolenName5                 | O | 30 |  |
| StolenName6                 | StolenName6                 | O | 30 |  |
| StolenName7                 | StolenName7                 | O | 30 |  |
| StolenName8                 | StolenName8                 | O | 30 |  |
| StolenName9                 | StolenName9                 | O | 30 |  |
| StolenOperatorLicenseNumber | StolenOperatorLicenseNumber | O | 20 |  |
| StolenOperatorLicenseYear   | StolenOperatorLicenseYear   | O | 4  |  |
| StolenOperatorStateCode     | StolenOperatorStateCode     | O | 2  |  |
| StolenSocialSecurityNumber  | StolenSocialSecurityNumber  | O | 9  |  |
| StolenSocialSecurityNumber2 | StolenSocialSecurityNumber2 | O | 9  |  |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| StolenSocialSecurityNumber3 | StolenSocialSecurityNumber3 | O | 9  |  |
| StolenSocialSecurityNumber4 | StolenSocialSecurityNumber4 | O | 9  |  |
| StolenSocialSecurityNumber5 | StolenSocialSecurityNumber5 | O | 9  |  |
| StolenSocialSecurityNumber6 | StolenSocialSecurityNumber6 | O | 9  |  |
| StolenSocialSecurityNumber7 | StolenSocialSecurityNumber7 | O | 9  |  |
| StolenSocialSecurityNumber8 | StolenSocialSecurityNumber8 | O | 9  |  |
| StolenSocialSecurityNumber9 | StolenSocialSecurityNumber9 | O | 9  |  |
| VehicleColorCode            | VehicleColorCode            | O | 7  |  |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O | 20 |  |
| VehicleMakeCode             | VehicleMakeCode             | O | 24 |  |
| VehicleModelCode            | VehicleModelCode            | O | 3  |  |
| VehicleStyleCode            | VehicleStyleCode            | O | 2  |  |
| VehicleYear                 | VehicleYear                 | O | 4  |  |
| WarrantDate                 | WarrantDate                 | M | 8  |  |
| WarrantNumber               | WarrantNumber               | M | 15 |  |
| WarrantTypeCode             | WarrantTypeCode             | M | 1  |  |
| Weight                      | Weight                      | O | 3  |  |

### Possible Combinations

1. (In/Out) Bail, BirthDate, EntryLevel, Height, MessageKeyModifier, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, WarrantNumber, WarrantTypeCode, [AdditionalBirthDate, AdditionalBirthDate2, AdditionalBirthDate3, AdditionalBirthDate4, AdditionalBirthDate5, AdditionalBirthDate6, AdditionalBirthDate7, AdditionalBirthDate8, AdditionalBirthDate9, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlace, CautionMedicalCode, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CourtORI, CriminalIdentificationNumber, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NotifiedOriginatingAgency, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, Reference, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6, SocialSecurityNumber7, SocialSecurityNumber8, SocialSecurityNumber9, StolenBirthDate, StolenBirthDate2, StolenBirthDate3, StolenBirthDate4, StolenBirthDate5, StolenBirthDate6, StolenBirthDate7, StolenBirthDate8, StolenBirthDate9,

StolenMiscellaneousNumber, StolenMiscellaneousNumber2,  
 StolenMiscellaneousNumber3, StolenMiscellaneousNumber4,  
 StolenMiscellaneousNumber5, StolenMiscellaneousNumber6,  
 StolenMiscellaneousNumber7, StolenMiscellaneousNumber8,  
 StolenMiscellaneousNumber9, StolenName, StolenName2, StolenName3,  
 StolenName4, StolenName5, StolenName6, StolenName7, StolenName8,  
 StolenName9, StolenOperatorLicenseNumber, StolenOperatorLicenseYear,  
 StolenOperatorStateCode, StolenSocialSecurityNumber,  
 StolenSocialSecurityNumber2, StolenSocialSecurityNumber3,  
 StolenSocialSecurityNumber4, StolenSocialSecurityNumber5,  
 StolenSocialSecurityNumber6, StolenSocialSecurityNumber7,  
 StolenSocialSecurityNumber8, StolenSocialSecurityNumber9,  
 VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode,  
 VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

### ***BEWantedPersonLocate***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| ContrabandRecoveredValue    | ContrabandRecoveredValue    | O     | 8    |                 |
| Extradition                 | Extradition                 | C     | 4    |                 |
| FileControlNumber           | FileControlNumber           | C     | 13   |                 |
| IsPersonArmed               | IsPersonArmed               | O     | 1    |                 |
| Name                        | Name                        | M     | 30   |                 |
| NCICNumber                  | NCICNumber                  | C     | 10   |                 |
| NumberMissingPersonsFound   | NumberMissingPersonsFound   | O     | 20   |                 |
| NumberPersonsApprehended    | NumberPersonsApprehended    | O     | 3    |                 |
| OriginatingAgencyORI        | OriginatingAgencyORI        | M     | 9    |                 |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O     | 8    |                 |
| PersonalRecordRemovalReason | PersonalRecordRemovalReason | O     | 21   |                 |
| PersonHitResults            | PersonHitResults            | O     | 2    |                 |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O     | 8    |                 |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | C     | 20   |                 |
| RecoveryDate                | RecoveryDate                | M     | 8    |                 |

### **Possible Combinations**

1. (In/Out) Extradition, Name, NCICNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue]
2. (In/Out) FileControlNumber, Name, OriginatingAgencyORI, RecoveryDate, [ContrabandRecoveredValue, Extradition, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

### ***BEWantedPersonModify***

| Field Name | XML Tag Name | M/C/O | Size | Possible Values |
|------------|--------------|-------|------|-----------------|
| Bail       | Bail         | O     | 9    |                 |

|                               |                               |   |     |  |
|-------------------------------|-------------------------------|---|-----|--|
| BirthDate                     | BirthDate                     | O | 8   |  |
| BirthPlace                    | BirthPlace                    | O | 2   |  |
| CourtORI                      | CourtORI                      | O | 9   |  |
| CriminalIdentificationNumber  | CriminalIdentificationNumber  | O | 9   |  |
| EntryLevel                    | EntryLevel                    | O | 1   |  |
| EyeColorCode                  | EyeColorCode                  | O | 3   |  |
| FBINumber                     | FBINumber                     | O | 9   |  |
| FileControlNumber             | FileControlNumber             | M | 13  |  |
| FingerprintClassificationCode | FingerprintClassificationCode | O | 20  |  |
| HairColorCode                 | HairColorCode                 | O | 3   |  |
| Height                        | Height                        | O | 3   |  |
| LinkageAgencyIdentifier       | LinkageAgencyIdentifier       | O | 9   |  |
| LinkageCaseNumber             | LinkageCaseNumber             | O | 20  |  |
| MiscellaneousDescriptiveText  | MiscellaneousDescriptiveText  | O | 500 |  |
| Name                          | Name                          | M | 30  |  |
| Name2                         | Name2                         | O | 30  |  |
| NotifiedOriginatingAgency     | NotifiedOriginatingAgency     | O | 1   |  |
| OffenseCode                   | OffenseCode                   | O | 4   |  |
| OriginalOffenseCode           | OriginalOffenseCode           | O | 4   |  |
| OriginatingAgencyCaseNumber   | OriginatingAgencyCaseNumber   | O | 20  |  |
| RaceCode                      | RaceCode                      | O | 1   |  |
| Reference                     | Reference                     | O | 20  |  |
| SexCode                       | SexCode                       | O | 1   |  |
| SkinToneCode                  | SkinToneCode                  | O | 3   |  |
| ValidatorName                 | ValidatorName                 | O | 30  |  |
| WarrantDate                   | WarrantDate                   | O | 8   |  |
| WarrantNumber                 | WarrantNumber                 | O | 15  |  |
| WarrantTypeCode               | WarrantTypeCode               | O | 1   |  |
| Weight                        | Weight                        | O | 3   |  |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, [Bail, BirthDate, BirthPlace, CourtORI, CriminalIdentificationNumber, EntryLevel, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, Name2, NotifiedOriginatingAgency, OffenseCode, OriginalOffenseCode, OriginatingAgencyCaseNumber, RaceCode, Reference, SexCode, SkinToneCode, ValidatorName, WarrantDate, WarrantNumber, WarrantTypeCode, Weight]

### Computerized Criminal History (CCH)

#### *CCHCaliforniaOnlyCriminalHistoryQuery*

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| CriminalIdentificationNumber | CriminalIdentificationNumber | C     | 8    |                 |
| DispositionRecordNumber      | DispositionRecordNumber      | C     | 9    |                 |
| RequestorName                | RequestorName                | M     | 30   |                 |

## Possible Combinations

1. (In/Out) CriminalIdentificationNumber, RequestorName
2. (In/Out) DispositionRecordNumber, RequestorName

## CCHCriminalHistoryQuery

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| AddressBuilding              | AddressBuilding              | C     | 30   |                 |
| AddressCityState             | AddressCityState             | O     | 30   |                 |
| AddressStreet                | AddressStreet                | C     | 30   |                 |
| AddressZipCode               | AddressZipCode               | C     | 9    |                 |
| Age                          | Age                          | O     | 2    |                 |
| Attention                    | Attention                    | C     | 32   |                 |
| BirthDate                    | BirthDate                    | C     | 8    |                 |
| CriminalIdentificationNumber | CriminalIdentificationNumber | C     | 8    |                 |
| DepartmentName               | DepartmentName               | C     | 30   |                 |
| DestinationORI               | DestinationORI               | C     | 9    |                 |
| DestinationORI2              | DestinationORI2              | O     | 9    |                 |
| DestinationORI3              | DestinationORI3              | O     | 9    |                 |
| DestinationORI4              | DestinationORI4              | O     | 9    |                 |
| DestinationORI5              | DestinationORI5              | O     | 9    |                 |
| DispositionRecordNumber      | DispositionRecordNumber      | C     | 9    |                 |
| EyeColorCode                 | EyeColorCode                 | O     | 3    |                 |
| FBINumber                    | FBINumber                    | C     | 9    |                 |
| FBINumber2                   | FBINumber2                   | O     | 9    |                 |
| FBINumber3                   | FBINumber3                   | O     | 9    |                 |
| FBINumber4                   | FBINumber4                   | O     | 9    |                 |
| FBINumber5                   | FBINumber5                   | O     | 9    |                 |
| FBINumber6                   | FBINumber6                   | O     | 9    |                 |
| FreeText                     | FreeText                     | C     | 1938 |                 |
| HairColorCode                | HairColorCode                | O     | 3    |                 |
| Height                       | Height                       | O     | 3    |                 |
| InstitutionNumber            | InstitutionNumber            | O     | 7    |                 |
| InstitutionNumber2           | InstitutionNumber2           | O     | 7    |                 |
| InstitutionNumber3           | InstitutionNumber3           | O     | 7    |                 |
| InstitutionNumber4           | InstitutionNumber4           | O     | 7    |                 |
| InstitutionNumber5           | InstitutionNumber5           | O     | 7    |                 |
| InstitutionNumber6           | InstitutionNumber6           | O     | 7    |                 |
| MessageKeyModifier           | MessageKeyModifier           | C     | 1    |                 |
| MiscellaneousNumber          | MiscellaneousNumber          | O     | 15   |                 |
| Name                         | Name                         | C     | 30   |                 |
| OperatorLicenseNumber        | OperatorLicenseNumber        | O     | 8    |                 |
| OperatorLicenseNumber2       | OperatorLicenseNumber2       | O     | 8    |                 |
| OperatorLicenseNumber3       | OperatorLicenseNumber3       | O     | 8    |                 |
| OperatorLicenseNumber4       | OperatorLicenseNumber4       | O     | 8    |                 |
| OperatorLicenseNumber5       | OperatorLicenseNumber5       | O     | 8    |                 |
| OperatorLicenseNumber6       | OperatorLicenseNumber6       | O     | 8    |                 |
| PurposeCode                  | PurposeCode                  | C     | 1    |                 |

|                       |                       |   |    |  |
|-----------------------|-----------------------|---|----|--|
| RaceCode              | RaceCode              | C | 1  |  |
| RequestorName         | RequestorName         | C | 30 |  |
| SexCode               | SexCode               | C | 1  |  |
| SocialSecurityNumber  | SocialSecurityNumber  | O | 9  |  |
| SocialSecurityNumber2 | SocialSecurityNumber2 | O | 9  |  |
| SocialSecurityNumber3 | SocialSecurityNumber3 | O | 9  |  |
| SocialSecurityNumber4 | SocialSecurityNumber4 | O | 9  |  |
| SocialSecurityNumber5 | SocialSecurityNumber5 | O | 9  |  |
| SocialSecurityNumber6 | SocialSecurityNumber6 | O | 9  |  |
| State                 | State                 | C | 2  |  |
| State2                | State2                | O | 2  |  |
| State3                | State3                | O | 2  |  |
| State4                | State4                | O | 2  |  |
| State5                | State5                | O | 2  |  |
| StateIdNumber         | StateIdNumber         | C | 10 |  |

### Possible Combinations

1. (In) Attention, DestinationORI, FreeText, PurposeCode, [DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5]
2. (In/Out) Name, RequestorName, SexCode, [Age, BirthDate, EyeColorCode, HairColorCode, Height, RaceCode]
3. (In/Out) Attention, BirthDate, Name, PurposeCode, RaceCode, SexCode
4. (In/Out) Attention, FBINumber, PurposeCode
5. (In/Out) Attention, PurposeCode, StateIdNumber
6. (In/Out) CriminalIdentificationNumber, MessageKeyModifier, RequestorName
7. (In/Out) CriminalIdentificationNumber, RequestorName
8. (In/Out) DispositionRecordNumber, MessageKeyModifier, RequestorName
9. (In/Out) RequestorName, [FBINumber, FBINumber2, FBINumber3, FBINumber4, FBINumber5, FBINumber6, InstitutionNumber, InstitutionNumber2, InstitutionNumber3, InstitutionNumber4, InstitutionNumber5, InstitutionNumber6, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseNumber6, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6]
10. (In/Out) Attention, BirthDate, Name, PurposeCode, SexCode, [MiscellaneousNumber, RaceCode, State, State2, State3, State4, State5]
11. (Out) AddressBuilding, AddressStreet, AddressZipCode, Attention, DepartmentName, PurposeCode, State, StateIdNumber, [AddressCityState]
12. (Out) Attention, FreeText, PurposeCode, State, [State2, State3, State4, State5]
13. (Out) Attention, PurposeCode, State, StateIdNumber

### ***CCHMentalHealthFirearmProhibitQuery***

| Field Name   | XML Tag Name | M/C/O | Size | Possible Values |
|--------------|--------------|-------|------|-----------------|
| BirthDate    | BirthDate    | C     | 8    |                 |
| Name         | Name         | C     | 30   |                 |
| PersonAge    | PersonAge    | C     | 2    |                 |
| RecordNumber | RecordNumber | C     | 10   |                 |
| Requestor    | Requestor    | M     | 30   |                 |

## Possible Combinations

1. (In/Out) BirthDate, Name, Requestor
2. (In/Out) Name, PersonAge, Requestor
3. (In/Out) RecordNumber, Requestor

## Canadian Basic Inquiries (CBI)

### *CPICBICanadianArticleSingleQuery*

| Field Name                    | XML Tag Name                  | M/C/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| ArticleSerialNumber           | ArticleSerialNumber           | M     | 23   |                 |
| ArticleTypeCode               | ArticleTypeCode               | M     | 2    |                 |
| PersonPropertyInSiteIndicator | PersonPropertyInSiteIndicator | M     | 1    |                 |
| ReasonCode                    | ReasonCode                    | M     | 1    |                 |

## Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, PersonPropertyInSiteIndicator, ReasonCode

### *CPICBICanadianBoatQuery*

| Field Name                    | XML Tag Name                  | M/C/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| BoatHullNumber                | BoatHullNumber                | C     | 12   |                 |
| BoatName                      | BoatName                      | C     | 13   |                 |
| BoatSerialNumber              | BoatSerialNumber              | C     | 18   |                 |
| BoatTypeCode                  | BoatTypeCode                  | C     | 5    |                 |
| LicensePlateNumber            | LicensePlateNumber            | C     | 10   |                 |
| PersonPropertyInSiteIndicator | PersonPropertyInSiteIndicator | M     | 1    |                 |
| ReasonCode                    | ReasonCode                    | M     | 1    |                 |
| RegistrationNumber            | RegistrationNumber            | C     | 7    |                 |

## Possible Combinations

1. (In/Out) LicensePlateNumber, PersonPropertyInSiteIndicator, ReasonCode
2. (In/Out) BoatHullNumber, PersonPropertyInSiteIndicator, ReasonCode
3. (In/Out) PersonPropertyInSiteIndicator, ReasonCode, RegistrationNumber
4. (In/Out) BoatName, PersonPropertyInSiteIndicator, ReasonCode
5. (In/Out) BoatSerialNumber, BoatTypeCode, PersonPropertyInSiteIndicator, ReasonCode

### *CPICBICanadianDriverLicenseQuery*

| Field Name                    | XML Tag Name                  | M/C/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| BirthDate                     | BirthDate                     | M     | 8    |                 |
| Name                          | Name                          | M     | 30   |                 |
| NletsDestination              | NletsDestination              | C     | 2    |                 |
| OperatorLicenseNumber         | OperatorLicenseNumber         | O     | 20   |                 |
| PersonPropertyInSiteIndicator | PersonPropertyInSiteIndicator | M     | 1    |                 |
| ReasonCode                    | ReasonCode                    | M     | 1    |                 |

|         |         |   |   |  |
|---------|---------|---|---|--|
| SexCode | SexCode | M | 1 |  |
|---------|---------|---|---|--|

#### Possible Combinations

1. (In/Out) BirthDate, Name, NletsDestination, PersonPropertyInSiteIndicator, ReasonCode, SexCode, [OperatorLicenseNumber]
2. (In/Out) BirthDate, Name, PersonPropertyInSiteIndicator, ReasonCode, SexCode

### ***CPICBICanadianGunQuery***

| Field Name                    | XML Tag Name                  | M/C/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| GunSerialNumber               | GunSerialNumber               | M     | 23   |                 |
| GunTypeCode                   | GunTypeCode                   | M     | 2    |                 |
| PersonPropertyInSiteIndicator | PersonPropertyInSiteIndicator | M     | 1    |                 |
| ReasonCode                    | ReasonCode                    | M     | 1    |                 |

#### Possible Combinations

1. (In/Out) GunSerialNumber, GunTypeCode, PersonPropertyInSiteIndicator, ReasonCode

### ***CPICBICanadianVehicleRegistrationQuery***

| Field Name                    | XML Tag Name                  | M/C/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| LicensePlateNumber            | LicensePlateNumber            | M     | 10   |                 |
| NletsDestination              | NletsDestination              | M     | 2    |                 |
| PersonPropertyInSiteIndicator | PersonPropertyInSiteIndicator | M     | 1    |                 |
| ReasonCode                    | ReasonCode                    | M     | 1    |                 |
| VehicleIdentificationNumber   | VehicleIdentificationNumber   | M     | 17   |                 |

#### Possible Combinations

1. (In/Out) LicensePlateNumber, NletsDestination, PersonPropertyInSiteIndicator, ReasonCode, VehicleIdentificationNumber
2. (In/Out) LicensePlateNumber, NletsDestination, PersonPropertyInSiteIndicator, ReasonCode, VehicleIdentificationNumber

### ***CPICCanadianSecuritiesStolenQuery***

| Field Name                    | XML Tag Name                  | M/C/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| Issuer                        | Issuer                        | C     | 30   |                 |
| Name                          | Name                          | C     | 14   |                 |
| Owner                         | Owner                         | C     | 30   |                 |
| PersonPropertyInSiteIndicator | PersonPropertyInSiteIndicator | M     | 1    |                 |
| ReasonCode                    | ReasonCode                    | M     | 1    |                 |
| SecuritySerialNumber          | SecuritySerialNumber          | C     | 23   |                 |
| SecurityTypeCode              | SecurityTypeCode              | C     | 2    |                 |

#### Possible Combinations

1. (In/Out) PersonPropertyInSiteIndicator, ReasonCode, SecuritySerialNumber

2. (In/Out) Issuer, PersonPropertyInSiteIndicator, ReasonCode
3. (In/Out) Owner, PersonPropertyInSiteIndicator, ReasonCode
4. (In/Out) Name, PersonPropertyInSiteIndicator, ReasonCode, SecurityTypeCode

## Wanted Missing Person Entry (WMPE)

### *WMPEMissingPersonDentalEntry*

| Field Name                         | XML Tag Name                       | M/C/O | Size | Possible Values |
|------------------------------------|------------------------------------|-------|------|-----------------|
| DentalCharacteristics              | DentalCharacteristics              | M     | 1599 |                 |
| DentalModelPhotoAvailableIndicator | DentalModelPhotoAvailableIndicator | M     | 1    |                 |
| DentistNameAndPhoneNumber          | DentistNameAndPhoneNumber          | O     | 30   |                 |
| DentistNameAndPhoneNumber2         | DentistNameAndPhoneNumber2         | O     | 30   |                 |
| DentistRemarks                     | DentistRemarks                     | O     | 50   |                 |
| FileControlNumber                  | FileControlNumber                  | M     | 13   |                 |
| Name                               | Name                               | M     | 30   |                 |

### Possible Combinations

1. (In/Out) DentalCharacteristics, DentalModelPhotoAvailableIndicator, FileControlNumber, Name, [DentistNameAndPhoneNumber, DentistNameAndPhoneNumber2, DentistRemarks]

### *WMPEMissingPersonDescriptorsModify*

| Field Name                | XML Tag Name              | M/C/O | Size | Possible Values |
|---------------------------|---------------------------|-------|------|-----------------|
| AlsoKnownAs               | AlsoKnownAs               | O     | 30   |                 |
| AlsoKnownAs2              | AlsoKnownAs2              | O     | 30   |                 |
| BirthDate                 | BirthDate                 | O     | 8    |                 |
| BirthDate2                | BirthDate2                | O     | 8    |                 |
| FileControlNumber         | FileControlNumber         | M     | 13   |                 |
| Name                      | Name                      | M     | 30   |                 |
| Name2                     | Name2                     | O     | 30   |                 |
| PhysicalFeatureTypeCode   | PhysicalFeatureTypeCode   | O     | 20   |                 |
| PhysicalFeatureTypeCode10 | PhysicalFeatureTypeCode10 | O     | 20   |                 |
| PhysicalFeatureTypeCode11 | PhysicalFeatureTypeCode11 | O     | 20   |                 |
| PhysicalFeatureTypeCode12 | PhysicalFeatureTypeCode12 | O     | 20   |                 |
| PhysicalFeatureTypeCode13 | PhysicalFeatureTypeCode13 | O     | 20   |                 |
| PhysicalFeatureTypeCode14 | PhysicalFeatureTypeCode14 | O     | 20   |                 |
| PhysicalFeatureTypeCode15 | PhysicalFeatureTypeCode15 | O     | 20   |                 |
| PhysicalFeatureTypeCode2  | PhysicalFeatureTypeCode2  | O     | 20   |                 |
| PhysicalFeatureTypeCode3  | PhysicalFeatureTypeCode3  | O     | 20   |                 |
| PhysicalFeatureTypeCode4  | PhysicalFeatureTypeCode4  | O     | 20   |                 |
| PhysicalFeatureTypeCode5  | PhysicalFeatureTypeCode5  | O     | 20   |                 |
| PhysicalFeatureTypeCode6  | PhysicalFeatureTypeCode6  | O     | 20   |                 |
| PhysicalFeatureTypeCode7  | PhysicalFeatureTypeCode7  | O     | 20   |                 |
| PhysicalFeatureTypeCode8  | PhysicalFeatureTypeCode8  | O     | 20   |                 |
| PhysicalFeatureTypeCode9  | PhysicalFeatureTypeCode9  | O     | 20   |                 |
| RaceCode                  | RaceCode                  | O     | 1    |                 |
| ScarsMarksTattoosCode     | ScarsMarksTattoosCode     | O     | 10   |                 |

|                         |                         |   |    |  |
|-------------------------|-------------------------|---|----|--|
| ScarsMarksTattoosCode10 | ScarsMarksTattoosCode10 | O | 10 |  |
| ScarsMarksTattoosCode11 | ScarsMarksTattoosCode11 | O | 10 |  |
| ScarsMarksTattoosCode12 | ScarsMarksTattoosCode12 | O | 10 |  |
| ScarsMarksTattoosCode13 | ScarsMarksTattoosCode13 | O | 10 |  |
| ScarsMarksTattoosCode14 | ScarsMarksTattoosCode14 | O | 10 |  |
| ScarsMarksTattoosCode15 | ScarsMarksTattoosCode15 | O | 10 |  |
| ScarsMarksTattoosCode2  | ScarsMarksTattoosCode2  | O | 10 |  |
| ScarsMarksTattoosCode3  | ScarsMarksTattoosCode3  | O | 10 |  |
| ScarsMarksTattoosCode4  | ScarsMarksTattoosCode4  | O | 10 |  |
| ScarsMarksTattoosCode5  | ScarsMarksTattoosCode5  | O | 10 |  |
| ScarsMarksTattoosCode6  | ScarsMarksTattoosCode6  | O | 10 |  |
| ScarsMarksTattoosCode7  | ScarsMarksTattoosCode7  | O | 10 |  |
| ScarsMarksTattoosCode8  | ScarsMarksTattoosCode8  | O | 10 |  |
| ScarsMarksTattoosCode9  | ScarsMarksTattoosCode9  | O | 10 |  |
| SexCode                 | SexCode                 | O | 1  |  |
| SubjectAge              | SubjectAge              | O | 3  |  |
| SubjectEyeColorCode     | SubjectEyeColorCode     | O | 3  |  |
| SubjectHairColorCode    | SubjectHairColorCode    | O | 3  |  |
| SubjectHeight           | SubjectHeight           | O | 3  |  |
| SubjectWeight           | SubjectWeight           | O | 3  |  |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, [AlsoKnownAs, AlsoKnownAs2, BirthDate, BirthDate2, Name2, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SexCode, SubjectAge, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectWeight]

### WMPEMissingPersonEntry

| Field Name        | XML Tag Name      | M/C/O | Size | Possible Values |
|-------------------|-------------------|-------|------|-----------------|
| AgencyPhoneNumber | AgencyPhoneNumber | O     | 10   |                 |
| BirthDate         | BirthDate         | O     | 8    |                 |
| BirthDate2        | BirthDate2        | O     | 8    |                 |
| BirthDate3        | BirthDate3        | O     | 8    |                 |
| BirthDate4        | BirthDate4        | O     | 8    |                 |
| BirthDate5        | BirthDate5        | O     | 8    |                 |

|                              |                              |   |     |  |
|------------------------------|------------------------------|---|-----|--|
| Category                     | Category                     | O | 1   |  |
| Category2                    | Category2                    | O | 1   |  |
| Category3                    | Category3                    | O | 1   |  |
| Category4                    | Category4                    | O | 1   |  |
| Category5                    | Category5                    | O | 1   |  |
| CautionMedicalCode           | CautionMedicalCode           | O | 1   |  |
| CautionMedicalCode10         | CautionMedicalCode10         | O | 1   |  |
| CautionMedicalCode2          | CautionMedicalCode2          | O | 1   |  |
| CautionMedicalCode3          | CautionMedicalCode3          | O | 1   |  |
| CautionMedicalCode4          | CautionMedicalCode4          | O | 1   |  |
| CautionMedicalCode5          | CautionMedicalCode5          | O | 1   |  |
| CautionMedicalCode6          | CautionMedicalCode6          | O | 1   |  |
| CautionMedicalCode7          | CautionMedicalCode7          | O | 1   |  |
| CautionMedicalCode8          | CautionMedicalCode8          | O | 1   |  |
| CautionMedicalCode9          | CautionMedicalCode9          | O | 1   |  |
| DentalXRaysIndicator         | DentalXRaysIndicator         | M | 1   |  |
| EmancipationDate             | EmancipationDate             | O | 8   |  |
| InvestigatorName             | InvestigatorName             | O | 30  |  |
| LastContactDate              | LastContactDate              | M | 8   |  |
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O | 10  |  |
| LinkageCaseNumber            | LinkageCaseNumber            | O | 20  |  |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O | 500 |  |
| Name                         | Name                         | M | 30  |  |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O | 1   |  |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M | 20  |  |
| OriginatingAgencyORI         | OriginatingAgencyORI         | M | 9   |  |
| OriginatingReportingAgency   | OriginatingReportingAgency   | O | 30  |  |
| RaceCode                     | RaceCode                     | M | 1   |  |
| ReportDate                   | ReportDate                   | O | 8   |  |
| ReportTypeCode               | ReportTypeCode               | M | 1   |  |
| SexCode                      | SexCode                      | M | 1   |  |
| SubjectAge                   | SubjectAge                   | O | 3   |  |
| SubjectAppearanceAge         | SubjectAppearanceAge         | O | 3   |  |
| SubjectEyeColorCode          | SubjectEyeColorCode          | M | 3   |  |
| SubjectHairColorCode         | SubjectHairColorCode         | M | 3   |  |
| SubjectHeight                | SubjectHeight                | M | 3   |  |
| SubjectWeight                | SubjectWeight                | M | 3   |  |

### Possible Combinations

1. (In/Out) DentalXRaysIndicator, LastContactDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, ReportTypeCode, SexCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectWeight, [AgencyPhoneNumber, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, Category, Category2, Category3, Category4, Category5, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, EmancipationDate, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber,

MiscellaneousDescriptiveText, NotifiedOriginatingAgency,  
OriginatingReportingAgency, ReportDate, SubjectAge, SubjectAppearanceAge]

### **WMPEMissingPersonIdentifiersEntry**

| Field Name                    | XML Tag Name                  | M/C/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| AddressCity                   | AddressCity                   | O     | 30   |                 |
| AddressCounty                 | AddressCounty                 | O     | 2    |                 |
| AddressState                  | AddressState                  | O     | 2    |                 |
| AddressStreetNumber           | AddressStreetNumber           | O     | 30   |                 |
| AlsoKnownAs                   | AlsoKnownAs                   | O     | 30   |                 |
| AlsoKnownAs2                  | AlsoKnownAs2                  | O     | 30   |                 |
| AlsoKnownAs3                  | AlsoKnownAs3                  | O     | 30   |                 |
| AlsoKnownAs4                  | AlsoKnownAs4                  | O     | 30   |                 |
| AlsoKnownAs5                  | AlsoKnownAs5                  | O     | 30   |                 |
| AlsoKnownAs6                  | AlsoKnownAs6                  | O     | 30   |                 |
| AlsoKnownAs7                  | AlsoKnownAs7                  | O     | 30   |                 |
| AlsoKnownAs8                  | AlsoKnownAs8                  | O     | 30   |                 |
| AlsoKnownAs9                  | AlsoKnownAs9                  | O     | 30   |                 |
| BirthPlace                    | BirthPlace                    | O     | 2    |                 |
| CALifeStyleCode               | CALifeStyleCode               | O     | 2    |                 |
| CALifeStyleCode2              | CALifeStyleCode2              | O     | 2    |                 |
| CALifeStyleCode3              | CALifeStyleCode3              | O     | 2    |                 |
| CAPossessedWeaponCode         | CAPossessedWeaponCode         | O     | 2    |                 |
| CAPossessedWeaponCode2        | CAPossessedWeaponCode2        | O     | 2    |                 |
| CAPossessedWeaponCode3        | CAPossessedWeaponCode3        | O     | 2    |                 |
| CAPossessedWeaponCode4        | CAPossessedWeaponCode4        | O     | 2    |                 |
| CAProbableDestination         | CAProbableDestination         | O     | 30   |                 |
| CorrectiveVisionPerscription  | CorrectiveVisionPerscription  | O     | 40   |                 |
| CriminalIdentificationNumber  | CriminalIdentificationNumber  | O     | 9    |                 |
| FBINumber                     | FBINumber                     | O     | 9    |                 |
| FileControlNumber             | FileControlNumber             | M     | 13   |                 |
| FingerprintClassificationCode | FingerprintClassificationCode | O     | 20   |                 |
| JewelryTypeCode               | JewelryTypeCode               | O     | 2    |                 |
| JewelryTypeCode10             | JewelryTypeCode10             | O     | 2    |                 |
| JewelryTypeCode11             | JewelryTypeCode11             | O     | 2    |                 |
| JewelryTypeCode12             | JewelryTypeCode12             | O     | 2    |                 |
| JewelryTypeCode13             | JewelryTypeCode13             | O     | 2    |                 |
| JewelryTypeCode14             | JewelryTypeCode14             | O     | 2    |                 |
| JewelryTypeCode15             | JewelryTypeCode15             | O     | 2    |                 |
| JewelryTypeCode16             | JewelryTypeCode16             | O     | 2    |                 |
| JewelryTypeCode17             | JewelryTypeCode17             | O     | 2    |                 |
| JewelryTypeCode2              | JewelryTypeCode2              | O     | 2    |                 |
| JewelryTypeCode3              | JewelryTypeCode3              | O     | 2    |                 |
| JewelryTypeCode4              | JewelryTypeCode4              | O     | 2    |                 |
| JewelryTypeCode5              | JewelryTypeCode5              | O     | 2    |                 |
| JewelryTypeCode6              | JewelryTypeCode6              | O     | 2    |                 |
| JewelryTypeCode7              | JewelryTypeCode7              | O     | 2    |                 |
| JewelryTypeCode8              | JewelryTypeCode8              | O     | 2    |                 |

|                                     |                                     |   |    |  |
|-------------------------------------|-------------------------------------|---|----|--|
| JewelryTypeCode9                    | JewelryTypeCode9                    | O | 2  |  |
| KnownAssociates                     | KnownAssociates                     | O | 30 |  |
| KnownAssociates2                    | KnownAssociates2                    | O | 30 |  |
| KnownAssociates3                    | KnownAssociates3                    | O | 30 |  |
| LastKnownLocation                   | LastKnownLocation                   | O | 2  |  |
| LastKnownLocation2                  | LastKnownLocation2                  | O | 2  |  |
| LastKnownLocation3                  | LastKnownLocation3                  | O | 2  |  |
| LastKnownLocation4                  | LastKnownLocation4                  | O | 2  |  |
| MiscellaneousNumber                 | MiscellaneousNumber                 | O | 15 |  |
| MiscellaneousNumber2                | MiscellaneousNumber2                | O | 15 |  |
| MiscellaneousNumber3                | MiscellaneousNumber3                | O | 15 |  |
| MiscellaneousNumber4                | MiscellaneousNumber4                | O | 15 |  |
| MiscellaneousNumber5                | MiscellaneousNumber5                | O | 15 |  |
| MiscellaneousNumber6                | MiscellaneousNumber6                | O | 15 |  |
| MiscellaneousNumber7                | MiscellaneousNumber7                | O | 15 |  |
| MiscellaneousNumber8                | MiscellaneousNumber8                | O | 15 |  |
| MiscellaneousNumber9                | MiscellaneousNumber9                | O | 15 |  |
| Moniker                             | Moniker                             | O | 20 |  |
| Name                                | Name                                | M | 30 |  |
| OperatorLicenseExpirationYear       | OperatorLicenseExpirationYear       | O | 4  |  |
| OperatorLicenseExpirationYear2      | OperatorLicenseExpirationYear2      | O | 4  |  |
| OperatorLicenseExpirationYear3      | OperatorLicenseExpirationYear3      | O | 4  |  |
| OperatorLicenseExpirationYear4      | OperatorLicenseExpirationYear4      | O | 4  |  |
| OperatorLicenseExpirationYear5      | OperatorLicenseExpirationYear5      | O | 4  |  |
| OperatorLicenseNumber               | OperatorLicenseNumber               | O | 20 |  |
| OperatorLicenseNumber2              | OperatorLicenseNumber2              | O | 20 |  |
| OperatorLicenseNumber3              | OperatorLicenseNumber3              | O | 20 |  |
| OperatorLicenseNumber4              | OperatorLicenseNumber4              | O | 20 |  |
| OperatorLicenseNumber5              | OperatorLicenseNumber5              | O | 20 |  |
| OperatorLicenseState                | OperatorLicenseState                | O | 2  |  |
| OperatorLicenseState2               | OperatorLicenseState2               | O | 2  |  |
| OperatorLicenseState3               | OperatorLicenseState3               | O | 2  |  |
| OperatorLicenseState4               | OperatorLicenseState4               | O | 2  |  |
| OperatorLicenseState5               | OperatorLicenseState5               | O | 2  |  |
| PersonFingerPrintAvailableIndicator | PersonFingerPrintAvailableIndicator | O | 1  |  |
| PersonFootPrint                     | PersonFootPrint                     | O | 1  |  |
| PhysicalFeatureTypeCode             | PhysicalFeatureTypeCode             | O | 20 |  |
| PhysicalFeatureTypeCode10           | PhysicalFeatureTypeCode10           | O | 20 |  |
| PhysicalFeatureTypeCode11           | PhysicalFeatureTypeCode11           | O | 20 |  |
| PhysicalFeatureTypeCode12           | PhysicalFeatureTypeCode12           | O | 20 |  |
| PhysicalFeatureTypeCode13           | PhysicalFeatureTypeCode13           | O | 20 |  |
| PhysicalFeatureTypeCode14           | PhysicalFeatureTypeCode14           | O | 20 |  |
| PhysicalFeatureTypeCode15           | PhysicalFeatureTypeCode15           | O | 20 |  |
| PhysicalFeatureTypeCode2            | PhysicalFeatureTypeCode2            | O | 20 |  |
| PhysicalFeatureTypeCode3            | PhysicalFeatureTypeCode3            | O | 20 |  |
| PhysicalFeatureTypeCode4            | PhysicalFeatureTypeCode4            | O | 20 |  |
| PhysicalFeatureTypeCode5            | PhysicalFeatureTypeCode5            | O | 20 |  |
| PhysicalFeatureTypeCode6            | PhysicalFeatureTypeCode6            | O | 20 |  |
| PhysicalFeatureTypeCode7            | PhysicalFeatureTypeCode7            | O | 20 |  |

|                                   |                                   |   |     |  |
|-----------------------------------|-----------------------------------|---|-----|--|
| PhysicalFeatureTypeCode8          | PhysicalFeatureTypeCode8          | O | 20  |  |
| PhysicalFeatureTypeCode9          | PhysicalFeatureTypeCode9          | O | 20  |  |
| PropertyDescriptionText           | PropertyDescriptionText           | O | 100 |  |
| ScarsMarksTattoosCode             | ScarsMarksTattoosCode             | O | 10  |  |
| ScarsMarksTattoosCode10           | ScarsMarksTattoosCode10           | O | 10  |  |
| ScarsMarksTattoosCode11           | ScarsMarksTattoosCode11           | O | 10  |  |
| ScarsMarksTattoosCode12           | ScarsMarksTattoosCode12           | O | 10  |  |
| ScarsMarksTattoosCode13           | ScarsMarksTattoosCode13           | O | 10  |  |
| ScarsMarksTattoosCode14           | ScarsMarksTattoosCode14           | O | 10  |  |
| ScarsMarksTattoosCode15           | ScarsMarksTattoosCode15           | O | 10  |  |
| ScarsMarksTattoosCode2            | ScarsMarksTattoosCode2            | O | 10  |  |
| ScarsMarksTattoosCode3            | ScarsMarksTattoosCode3            | O | 10  |  |
| ScarsMarksTattoosCode4            | ScarsMarksTattoosCode4            | O | 10  |  |
| ScarsMarksTattoosCode5            | ScarsMarksTattoosCode5            | O | 10  |  |
| ScarsMarksTattoosCode6            | ScarsMarksTattoosCode6            | O | 10  |  |
| ScarsMarksTattoosCode7            | ScarsMarksTattoosCode7            | O | 10  |  |
| ScarsMarksTattoosCode8            | ScarsMarksTattoosCode8            | O | 10  |  |
| ScarsMarksTattoosCode9            | ScarsMarksTattoosCode9            | O | 10  |  |
| SocialSecurityNumber              | SocialSecurityNumber              | O | 9   |  |
| SocialSecurityNumber2             | SocialSecurityNumber2             | O | 9   |  |
| SocialSecurityNumber3             | SocialSecurityNumber3             | O | 9   |  |
| SocialSecurityNumber4             | SocialSecurityNumber4             | O | 9   |  |
| SocialSecurityNumber5             | SocialSecurityNumber5             | O | 9   |  |
| SubjectBloodTypeCode              | SubjectBloodTypeCode              | O | 5   |  |
| SubjectBodyXRayCode               | SubjectBodyXRayCode               | O | 1   |  |
| SubjectCircumcisionCode           | SubjectCircumcisionCode           | O | 1   |  |
| SubjectSkinToneCode               | SubjectSkinToneCode               | O | 3   |  |
| SuspectClothingDescription        | SuspectClothingDescription        | O | 100 |  |
| SuspectFacialHairDescription      | SuspectFacialHairDescription      | O | 2   |  |
| SuspectFacialHairDescription2     | SuspectFacialHairDescription2     | O | 2   |  |
| SuspectFacialHairDescription3     | SuspectFacialHairDescription3     | O | 2   |  |
| SuspectGlassesContactsDescription | SuspectGlassesContactsDescription | O | 1   |  |
| SuspectHairDescription            | SuspectHairDescription            | O | 2   |  |
| SuspectHairDescription2           | SuspectHairDescription2           | O | 2   |  |
| SuspectHairDescription3           | SuspectHairDescription3           | O | 2   |  |
| SuspectHairDescription4           | SuspectHairDescription4           | O | 2   |  |
| SuspectTeethDescription           | SuspectTeethDescription           | O | 2   |  |
| SuspectTeethDescription2          | SuspectTeethDescription2          | O | 2   |  |
| SuspectTeethDescription3          | SuspectTeethDescription3          | O | 2   |  |

## Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AddressState, AddressStreetNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlace, CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CAPossessedWeaponCode, CAPossessedWeaponCode2, CAPossessedWeaponCode3, CAPossessedWeaponCode4, CAProbableDestination,

CorrectiveVisionPerscription, CriminalIdentificationNumber, FBINumber,  
 FingerprintClassificationCode, JewelryTypeCode, JewelryTypeCode10,  
 JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13,  
 JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16,  
 JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3,  
 JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6,  
 JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, KnownAssociates,  
 KnownAssociates2, KnownAssociates3, LastKnownLocation,  
 LastKnownLocation2, LastKnownLocation3, LastKnownLocation4,  
 MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3,  
 MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6,  
 MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9,  
 Moniker, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2,  
 OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4,  
 OperatorLicenseExpirationYear5, OperatorLicenseNumber,  
 OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4,  
 OperatorLicenseNumber5, OperatorLicenseState, OperatorLicenseState2,  
 OperatorLicenseState3, OperatorLicenseState4, OperatorLicenseState5,  
 PersonFingerPrintAvailableIndicator, PersonFootPrint,  
 PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10,  
 PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12,  
 PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14,  
 PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2,  
 PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4,  
 PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6,  
 PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8,  
 PhysicalFeatureTypeCode9, PropertyDescriptionText, ScarsMarksTattoosCode,  
 ScarsMarksTattoosCode10, ScarsMarksTattoosCode11,  
 ScarsMarksTattoosCode12, ScarsMarksTattoosCode13,  
 ScarsMarksTattoosCode14, ScarsMarksTattoosCode15,  
 ScarsMarksTattoosCode2, ScarsMarksTattoosCode3,  
 ScarsMarksTattoosCode4, ScarsMarksTattoosCode5,  
 ScarsMarksTattoosCode6, ScarsMarksTattoosCode7,  
 ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SocialSecurityNumber,  
 SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4,  
 SocialSecurityNumber5, SubjectBloodTypeCode, SubjectBodyXRayCode,  
 SubjectCircumcisionCode, SubjectSkinToneCode, SuspectClothingDescription,  
 SuspectFacialHairDescription, SuspectFacialHairDescription2,  
 SuspectFacialHairDescription3, SuspectGlassesContactsDescription,  
 SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3,  
 SuspectHairDescription4, SuspectTeethDescription, SuspectTeethDescription2,  
 SuspectTeethDescription3]

### **WMPEMissingPersonIdentifiersModify**

| Field Name          | XML Tag Name        | M/C/O | Size | Possible Values |
|---------------------|---------------------|-------|------|-----------------|
| AddressCity         | AddressCity         | O     | 30   |                 |
| AddressCounty       | AddressCounty       | O     | 2    |                 |
| AddressState        | AddressState        | O     | 2    |                 |
| AddressStreetNumber | AddressStreetNumber | O     | 30   |                 |
| CALifeStyleCode     | CALifeStyleCode     | O     | 2    |                 |

|                                     |                                     |   |     |  |
|-------------------------------------|-------------------------------------|---|-----|--|
| CALifeStyleCode2                    | CALifeStyleCode2                    | O | 2   |  |
| CAPossessedWeaponCode               | CAPossessedWeaponCode               | O | 2   |  |
| CAPossessedWeaponCode2              | CAPossessedWeaponCode2              | O | 2   |  |
| CAProbableDestination               | CAProbableDestination               | O | 30  |  |
| CorrectiveVisionPerscription        | CorrectiveVisionPerscription        | O | 40  |  |
| CriminalIdentificationNumber        | CriminalIdentificationNumber        | O | 8   |  |
| FBI Number                          | FBI Number                          | O | 9   |  |
| FileControlNumber                   | FileControlNumber                   | M | 13  |  |
| FingerprintClassificationCode       | FingerprintClassificationCode       | O | 20  |  |
| JewelryTypeCode                     | JewelryTypeCode                     | O | 2   |  |
| JewelryTypeCode2                    | JewelryTypeCode2                    | O | 2   |  |
| KnownAssociates                     | KnownAssociates                     | O | 30  |  |
| KnownAssociates2                    | KnownAssociates2                    | O | 30  |  |
| LastKnownLocation                   | LastKnownLocation                   | O | 2   |  |
| LastKnownLocation2                  | LastKnownLocation2                  | O | 2   |  |
| MiscellaneousNumber                 | MiscellaneousNumber                 | O | 15  |  |
| MiscellaneousNumber2                | MiscellaneousNumber2                | O | 15  |  |
| Moniker                             | Moniker                             | O | 20  |  |
| Name                                | Name                                | M | 30  |  |
| OperatorLicenseExpirationYear       | OperatorLicenseExpirationYear       | O | 4   |  |
| OperatorLicenseExpirationYear2      | OperatorLicenseExpirationYear2      | O | 4   |  |
| OperatorLicenseExpirationYear3      | OperatorLicenseExpirationYear3      | O | 4   |  |
| OperatorLicenseExpirationYear4      | OperatorLicenseExpirationYear4      | O | 4   |  |
| OperatorLicenseExpirationYear5      | OperatorLicenseExpirationYear5      | O | 4   |  |
| OperatorLicenseNumber               | OperatorLicenseNumber               | O | 20  |  |
| OperatorLicenseNumber2              | OperatorLicenseNumber2              | O | 20  |  |
| OperatorLicenseNumber3              | OperatorLicenseNumber3              | O | 20  |  |
| OperatorLicenseNumber4              | OperatorLicenseNumber4              | O | 20  |  |
| OperatorLicenseNumber5              | OperatorLicenseNumber5              | O | 20  |  |
| OperatorLicenseState                | OperatorLicenseState                | O | 2   |  |
| OperatorLicenseState2               | OperatorLicenseState2               | O | 2   |  |
| OperatorLicenseState3               | OperatorLicenseState3               | O | 2   |  |
| OperatorLicenseState4               | OperatorLicenseState4               | O | 2   |  |
| OperatorLicenseState5               | OperatorLicenseState5               | O | 2   |  |
| PersonBirthPlaceCode                | PersonBirthPlaceCode                | O | 2   |  |
| PersonFingerPrintAvailableIndicator | PersonFingerPrintAvailableIndicator | O | 1   |  |
| PersonFootPrint                     | PersonFootPrint                     | O | 1   |  |
| PropertyDescriptionText             | PropertyDescriptionText             | O | 100 |  |
| SocialSecurityNumber                | SocialSecurityNumber                | O | 9   |  |
| SocialSecurityNumber2               | SocialSecurityNumber2               | O | 9   |  |
| SubjectBloodTypeCode                | SubjectBloodTypeCode                | O | 5   |  |
| SubjectBodyXRayCode                 | SubjectBodyXRayCode                 | O | 1   |  |
| SubjectCircumcisionCode             | SubjectCircumcisionCode             | O | 1   |  |
| SubjectSkinToneCode                 | SubjectSkinToneCode                 | O | 3   |  |
| SuspectClothingDescription          | SuspectClothingDescription          | O | 100 |  |
| SuspectFacialHairDescription        | SuspectFacialHairDescription        | O | 2   |  |
| SuspectFacialHairDescription2       | SuspectFacialHairDescription2       | O | 2   |  |
| SuspectGlassesContactsDescription   | SuspectGlassesContactsDescription   | O | 1   |  |
| SuspectHairDescription              | SuspectHairDescription              | O | 2   |  |

|                          |                          |   |   |  |
|--------------------------|--------------------------|---|---|--|
| SuspectHairDescription2  | SuspectHairDescription2  | O | 2 |  |
| SuspectTeethDescription  | SuspectTeethDescription  | O | 2 |  |
| SuspectTeethDescription2 | SuspectTeethDescription2 | O | 2 |  |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AddressState, AddressStreetNumber, CALifeStyleCode, CALifeStyleCode2, CAPossessedWeaponCode, CAPossessedWeaponCode2, CAProbableDestination, CorrectiveVisionPerscription, CriminalIdentificationNumber, FBINumber, FingerprintClassificationCode, JewelryTypeCode, JewelryTypeCode2, KnownAssociates, KnownAssociates2, LastKnownLocation, LastKnownLocation2, MiscellaneousNumber, MiscellaneousNumber2, Moniker, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseState, OperatorLicenseState2, OperatorLicenseState3, OperatorLicenseState4, OperatorLicenseState5, PersonBirthPlaceCode, PersonFingerPrintAvailableIndicator, PersonFootPrint, PropertyDescriptionText, SocialSecurityNumber, SocialSecurityNumber2, SubjectBloodTypeCode, SubjectBodyXRayCode, SubjectCircumcisionCode, SubjectSkinToneCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectTeethDescription, SuspectTeethDescription2]

### WMPEMissingPersonLocate

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| CAInactivatedReasonCode     | CAInactivatedReasonCode     | M     | 1    |                 |
| ContrabandRecoveredValue    | ContrabandRecoveredValue    | O     | 8    |                 |
| DateReportInactivated       | DateReportInactivated       | M     | 8    |                 |
| FileControlNumber           | FileControlNumber           | C     | 13   |                 |
| IsPersonArmed               | IsPersonArmed               | O     | 1    |                 |
| Name                        | Name                        | M     | 30   |                 |
| NCICNumber                  | NCICNumber                  | C     | 11   |                 |
| NumberMissingPersonsFound   | NumberMissingPersonsFound   | O     | 20   |                 |
| NumberPersonsApprehended    | NumberPersonsApprehended    | O     | 3    |                 |
| OriginatingAgencyORI        | OriginatingAgencyORI        | M     | 9    |                 |
| OtherRecoveredPropertyValue | OtherRecoveredPropertyValue | O     | 8    |                 |
| PersonalRecordRemovalReason | PersonalRecordRemovalReason | O     | 21   |                 |
| PersonHitResults            | PersonHitResults            | O     | 2    |                 |
| PropertyRecoveredValue      | PropertyRecoveredValue      | O     | 8    |                 |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | M     | 20   |                 |

### Possible Combinations

1. (In/Out) CAInactivatedReasonCode, DateReportInactivated, Name, NCICNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber,

- [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue]
2. (In/Out) CAInactivatedReasonCode, DateReportInactivated, FileControlNumber, Name, OriginatingAgencyORI, RecoveringAgencyCaseNumber, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue]

### **WMPEMissingPersonSuspectEntry**

| Field Name                     | XML Tag Name                   | M/C/O | Size | Possible Values |
|--------------------------------|--------------------------------|-------|------|-----------------|
| AlsoKnownAs                    | AlsoKnownAs                    | O     | 30   |                 |
| AlsoKnownAs2                   | AlsoKnownAs2                   | O     | 30   |                 |
| AlsoKnownAs3                   | AlsoKnownAs3                   | O     | 30   |                 |
| AlsoKnownAs4                   | AlsoKnownAs4                   | O     | 30   |                 |
| AlsoKnownAs5                   | AlsoKnownAs5                   | O     | 30   |                 |
| AlsoKnownAs6                   | AlsoKnownAs6                   | O     | 30   |                 |
| AlsoKnownAs7                   | AlsoKnownAs7                   | O     | 30   |                 |
| AlsoKnownAs8                   | AlsoKnownAs8                   | O     | 30   |                 |
| AlsoKnownAs9                   | AlsoKnownAs9                   | O     | 30   |                 |
| BirthDate                      | BirthDate                      | O     | 8    |                 |
| BirthDate2                     | BirthDate2                     | O     | 8    |                 |
| BirthDate3                     | BirthDate3                     | O     | 8    |                 |
| BirthDate4                     | BirthDate4                     | O     | 8    |                 |
| BirthDate5                     | BirthDate5                     | O     | 8    |                 |
| CAPossessedWeaponCode          | CAPossessedWeaponCode          | O     | 2    |                 |
| CAPossessedWeaponCode2         | CAPossessedWeaponCode2         | O     | 2    |                 |
| CAPossessedWeaponCode3         | CAPossessedWeaponCode3         | O     | 2    |                 |
| CAPossessedWeaponCode4         | CAPossessedWeaponCode4         | O     | 2    |                 |
| CriminalIdentificationNumber   | CriminalIdentificationNumber   | O     | 8    |                 |
| FBINumber                      | FBINumber                      | O     | 9    |                 |
| FileControlNumber              | FileControlNumber              | M     | 13   |                 |
| MiscellaneousNumber            | MiscellaneousNumber            | O     | 15   |                 |
| MiscellaneousNumber2           | MiscellaneousNumber2           | O     | 15   |                 |
| MiscellaneousNumber3           | MiscellaneousNumber3           | O     | 15   |                 |
| MiscellaneousNumber4           | MiscellaneousNumber4           | O     | 15   |                 |
| MiscellaneousNumber5           | MiscellaneousNumber5           | O     | 15   |                 |
| MiscellaneousNumber6           | MiscellaneousNumber6           | O     | 15   |                 |
| MiscellaneousNumber7           | MiscellaneousNumber7           | O     | 15   |                 |
| MiscellaneousNumber8           | MiscellaneousNumber8           | O     | 15   |                 |
| MiscellaneousNumber9           | MiscellaneousNumber9           | O     | 15   |                 |
| Name                           | Name                           | M     | 30   |                 |
| OperatorLicenseExpirationYear  | OperatorLicenseExpirationYear  | O     | 4    |                 |
| OperatorLicenseExpirationYear2 | OperatorLicenseExpirationYear2 | O     | 4    |                 |
| OperatorLicenseExpirationYear3 | OperatorLicenseExpirationYear3 | O     | 4    |                 |
| OperatorLicenseExpirationYear4 | OperatorLicenseExpirationYear4 | O     | 4    |                 |
| OperatorLicenseExpirationYear5 | OperatorLicenseExpirationYear5 | O     | 4    |                 |
| OperatorLicenseNumber          | OperatorLicenseNumber          | O     | 20   |                 |
| OperatorLicenseNumber2         | OperatorLicenseNumber2         | O     | 20   |                 |

|                           |                           |   |     |  |
|---------------------------|---------------------------|---|-----|--|
| OperatorLicenseNumber3    | OperatorLicenseNumber3    | O | 20  |  |
| OperatorLicenseNumber4    | OperatorLicenseNumber4    | O | 20  |  |
| OperatorLicenseNumber5    | OperatorLicenseNumber5    | O | 20  |  |
| OperatorLicenseState      | OperatorLicenseState      | O | 2   |  |
| OperatorLicenseState2     | OperatorLicenseState2     | O | 2   |  |
| OperatorLicenseState3     | OperatorLicenseState3     | O | 2   |  |
| OperatorLicenseState4     | OperatorLicenseState4     | O | 2   |  |
| OperatorLicenseState5     | OperatorLicenseState5     | O | 2   |  |
| PhysicalFeatureTypeCode   | PhysicalFeatureTypeCode   | O | 20  |  |
| PhysicalFeatureTypeCode10 | PhysicalFeatureTypeCode10 | O | 20  |  |
| PhysicalFeatureTypeCode11 | PhysicalFeatureTypeCode11 | O | 20  |  |
| PhysicalFeatureTypeCode12 | PhysicalFeatureTypeCode12 | O | 20  |  |
| PhysicalFeatureTypeCode13 | PhysicalFeatureTypeCode13 | O | 20  |  |
| PhysicalFeatureTypeCode14 | PhysicalFeatureTypeCode14 | O | 20  |  |
| PhysicalFeatureTypeCode15 | PhysicalFeatureTypeCode15 | O | 20  |  |
| PhysicalFeatureTypeCode2  | PhysicalFeatureTypeCode2  | O | 20  |  |
| PhysicalFeatureTypeCode3  | PhysicalFeatureTypeCode3  | O | 20  |  |
| PhysicalFeatureTypeCode4  | PhysicalFeatureTypeCode4  | O | 20  |  |
| PhysicalFeatureTypeCode5  | PhysicalFeatureTypeCode5  | O | 20  |  |
| PhysicalFeatureTypeCode6  | PhysicalFeatureTypeCode6  | O | 20  |  |
| PhysicalFeatureTypeCode7  | PhysicalFeatureTypeCode7  | O | 20  |  |
| PhysicalFeatureTypeCode8  | PhysicalFeatureTypeCode8  | O | 20  |  |
| PhysicalFeatureTypeCode9  | PhysicalFeatureTypeCode9  | O | 20  |  |
| PropertyDescriptionText   | PropertyDescriptionText   | O | 100 |  |
| RaceCode                  | RaceCode                  | M | 1   |  |
| ScarsMarksTattoosCode     | ScarsMarksTattoosCode     | O | 10  |  |
| ScarsMarksTattoosCode10   | ScarsMarksTattoosCode10   | O | 10  |  |
| ScarsMarksTattoosCode11   | ScarsMarksTattoosCode11   | O | 10  |  |
| ScarsMarksTattoosCode12   | ScarsMarksTattoosCode12   | O | 10  |  |
| ScarsMarksTattoosCode13   | ScarsMarksTattoosCode13   | O | 10  |  |
| ScarsMarksTattoosCode14   | ScarsMarksTattoosCode14   | O | 10  |  |
| ScarsMarksTattoosCode15   | ScarsMarksTattoosCode15   | O | 10  |  |
| ScarsMarksTattoosCode2    | ScarsMarksTattoosCode2    | O | 10  |  |
| ScarsMarksTattoosCode3    | ScarsMarksTattoosCode3    | O | 10  |  |
| ScarsMarksTattoosCode4    | ScarsMarksTattoosCode4    | O | 10  |  |
| ScarsMarksTattoosCode5    | ScarsMarksTattoosCode5    | O | 10  |  |
| ScarsMarksTattoosCode6    | ScarsMarksTattoosCode6    | O | 10  |  |
| ScarsMarksTattoosCode7    | ScarsMarksTattoosCode7    | O | 10  |  |
| ScarsMarksTattoosCode8    | ScarsMarksTattoosCode8    | O | 10  |  |
| ScarsMarksTattoosCode9    | ScarsMarksTattoosCode9    | O | 10  |  |
| SexCode                   | SexCode                   | M | 1   |  |
| SocialSecurityNumber      | SocialSecurityNumber      | O | 9   |  |
| SocialSecurityNumber2     | SocialSecurityNumber2     | O | 9   |  |
| SocialSecurityNumber3     | SocialSecurityNumber3     | O | 9   |  |
| SocialSecurityNumber4     | SocialSecurityNumber4     | O | 9   |  |
| SocialSecurityNumber5     | SocialSecurityNumber5     | O | 9   |  |
| SubjectAge                | SubjectAge                | O | 3   |  |
| SubjectAge2               | SubjectAge2               | O | 3   |  |
| SubjectEyeColorCode       | SubjectEyeColorCode       | O | 3   |  |

|                                   |                                   |   |     |  |
|-----------------------------------|-----------------------------------|---|-----|--|
| SubjectHairColorCode              | SubjectHairColorCode              | O | 3   |  |
| SubjectHeight                     | SubjectHeight                     | M | 3   |  |
| SubjectHeight2                    | SubjectHeight2                    | M | 3   |  |
| SubjectWeight                     | SubjectWeight                     | O | 3   |  |
| SubjectWeight2                    | SubjectWeight2                    | O | 3   |  |
| SuspectBuildDescription           | SuspectBuildDescription           | O | 2   |  |
| SuspectClothingDescription        | SuspectClothingDescription        | O | 100 |  |
| SuspectFacialHairDescription      | SuspectFacialHairDescription      | O | 2   |  |
| SuspectFacialHairDescription2     | SuspectFacialHairDescription2     | O | 2   |  |
| SuspectFacialHairDescription3     | SuspectFacialHairDescription3     | O | 2   |  |
| SuspectGlassesContactsDescription | SuspectGlassesContactsDescription | O | 1   |  |
| SuspectHairDescription            | SuspectHairDescription            | O | 2   |  |
| SuspectHairDescription2           | SuspectHairDescription2           | O | 2   |  |
| SuspectHairDescription3           | SuspectHairDescription3           | O | 2   |  |
| SuspectHairDescription4           | SuspectHairDescription4           | O | 2   |  |
| SuspectName                       | SuspectName                       | M | 30  |  |
| SuspectRelation                   | SuspectRelation                   | O | 15  |  |
| SuspectStatus                     | SuspectStatus                     | O | 2   |  |
| SuspectTeethDescription           | SuspectTeethDescription           | O | 2   |  |
| SuspectTeethDescription2          | SuspectTeethDescription2          | O | 2   |  |
| SuspectTeethDescription3          | SuspectTeethDescription3          | O | 2   |  |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, RaceCode, SexCode, SubjectHeight, SubjectHeight2, SuspectName, [AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, CAPossessedWeaponCode, CAPossessedWeaponCode2, CAPossessedWeaponCode3, CAPossessedWeaponCode4, CriminalIdentificationNumber, FBI Number, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseState, OperatorLicenseState2, OperatorLicenseState3, OperatorLicenseState4, OperatorLicenseState5, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, PropertyDescriptionText, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13,

ScarsMarksTattoosCode14, ScarsMarksTattoosCode15,  
 ScarsMarksTattoosCode2, ScarsMarksTattoosCode3,  
 ScarsMarksTattoosCode4, ScarsMarksTattoosCode5,  
 ScarsMarksTattoosCode6, ScarsMarksTattoosCode7,  
 ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SocialSecurityNumber,  
 SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4,  
 SocialSecurityNumber5, SubjectAge, SubjectAge2, SubjectEyeColorCode,  
 SubjectHairColorCode, SubjectWeight, SubjectWeight2,  
 SuspectBuildDescription, SuspectClothingDescription,  
 SuspectFacialHairDescription, SuspectFacialHairDescription2,  
 SuspectFacialHairDescription3, SuspectGlassesContactsDescription,  
 SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3,  
 SuspectHairDescription4, SuspectRelation, SuspectStatus,  
 SuspectTeethDescription, SuspectTeethDescription2,  
 SuspectTeethDescription3]

### ***WMPEMissingPersonVehicleCancel***

| Field Name        | XML Tag Name      | M/C/O | Size | Possible Values |
|-------------------|-------------------|-------|------|-----------------|
| FileControlNumber | FileControlNumber | M     | 13   |                 |
| VehicleColorCode  | VehicleColorCode  | M     | 7    |                 |
| VehicleMakeCode   | VehicleMakeCode   | M     | 24   |                 |
| VehicleNumber     | VehicleNumber     | M     | 1    |                 |

#### **Possible Combinations**

1. (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber

### ***WMPEMissingPersonVehicleEntry***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| CAVehicleOwnerCode          | CAVehicleOwnerCode          | M     | 2    |                 |
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| LicensePlateNumber          | LicensePlateNumber          | O     | 10   |                 |
| LicensePlateStateCode       | LicensePlateStateCode       | O     | 2    |                 |
| LicensePlateTypeCode        | LicensePlateTypeCode        | O     | 2    |                 |
| LicensePlateYear            | LicensePlateYear            | O     | 2    |                 |
| Name                        | Name                        | M     | 30   |                 |
| VehicleColorCode            | VehicleColorCode            | M     | 7    |                 |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O     | 20   |                 |
| VehicleMakeCode             | VehicleMakeCode             | M     | 24   |                 |
| VehicleModelCode            | VehicleModelCode            | O     | 3    |                 |
| VehicleStyleCode            | VehicleStyleCode            | O     | 2    |                 |
| VehicleYear                 | VehicleYear                 | O     | 4    |                 |

#### **Possible Combinations**

1. (In/Out) CAVehicleOwnerCode, FileControlNumber, Name, VehicleColorCode, VehicleMakeCode, [LicensePlateNumber, LicensePlateStateCode,

LicensePlateTypeCode, LicensePlateYear, VehicleIdentificationNumber,  
VehicleModelCode, VehicleStyleCode, VehicleYear]

### ***WMPEMissingPersonVehicleModify***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| LicensePlateNumber          | LicensePlateNumber          | O     | 10   |                 |
| LicensePlateStateCode       | LicensePlateStateCode       | O     | 2    |                 |
| LicensePlateTypeCode        | LicensePlateTypeCode        | O     | 2    |                 |
| LicensePlateYear            | LicensePlateYear            | O     | 4    |                 |
| VehicleBelongsTo            | VehicleBelongsTo            | O     | 2    |                 |
| VehicleColorCode            | VehicleColorCode            | M     | 7    |                 |
| VehicleColorCode2           | VehicleColorCode2           | O     | 7    |                 |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O     | 20   |                 |
| VehicleMakeCode             | VehicleMakeCode             | M     | 24   |                 |
| VehicleMakeCode2            | VehicleMakeCode2            | O     | 24   |                 |
| VehicleModelCode            | VehicleModelCode            | O     | 3    |                 |
| VehicleNumber               | VehicleNumber               | M     | 1    |                 |
| VehicleStyleCode            | VehicleStyleCode            | O     | 2    |                 |
| VehicleYear                 | VehicleYear                 | O     | 4    |                 |

### **Possible Combinations**

1. (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber, [LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, VehicleBelongsTo, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode2, VehicleModelCode, VehicleStyleCode, VehicleYear]

### ***WMPEUnidentifiedDescriptionModify***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| FileControlNumber           | FileControlNumber           | M     | 13   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 20   |                 |
| PhysicalFeatureTypeCode     | PhysicalFeatureTypeCode     | O     | 20   |                 |
| PhysicalFeatureTypeCode10   | PhysicalFeatureTypeCode10   | O     | 20   |                 |
| PhysicalFeatureTypeCode11   | PhysicalFeatureTypeCode11   | O     | 20   |                 |
| PhysicalFeatureTypeCode12   | PhysicalFeatureTypeCode12   | O     | 20   |                 |
| PhysicalFeatureTypeCode13   | PhysicalFeatureTypeCode13   | O     | 20   |                 |
| PhysicalFeatureTypeCode14   | PhysicalFeatureTypeCode14   | O     | 20   |                 |
| PhysicalFeatureTypeCode15   | PhysicalFeatureTypeCode15   | O     | 20   |                 |
| PhysicalFeatureTypeCode2    | PhysicalFeatureTypeCode2    | O     | 20   |                 |
| PhysicalFeatureTypeCode3    | PhysicalFeatureTypeCode3    | O     | 20   |                 |
| PhysicalFeatureTypeCode4    | PhysicalFeatureTypeCode4    | O     | 20   |                 |
| PhysicalFeatureTypeCode5    | PhysicalFeatureTypeCode5    | O     | 20   |                 |
| PhysicalFeatureTypeCode6    | PhysicalFeatureTypeCode6    | O     | 20   |                 |
| PhysicalFeatureTypeCode7    | PhysicalFeatureTypeCode7    | O     | 20   |                 |
| PhysicalFeatureTypeCode8    | PhysicalFeatureTypeCode8    | O     | 20   |                 |
| PhysicalFeatureTypeCode9    | PhysicalFeatureTypeCode9    | O     | 20   |                 |

|                         |                         |   |    |  |
|-------------------------|-------------------------|---|----|--|
| RaceCode                | RaceCode                | O | 1  |  |
| ScarsMarksTattoosCode   | ScarsMarksTattoosCode   | O | 10 |  |
| ScarsMarksTattoosCode10 | ScarsMarksTattoosCode10 | O | 10 |  |
| ScarsMarksTattoosCode11 | ScarsMarksTattoosCode11 | O | 10 |  |
| ScarsMarksTattoosCode12 | ScarsMarksTattoosCode12 | O | 10 |  |
| ScarsMarksTattoosCode13 | ScarsMarksTattoosCode13 | O | 10 |  |
| ScarsMarksTattoosCode14 | ScarsMarksTattoosCode14 | O | 10 |  |
| ScarsMarksTattoosCode15 | ScarsMarksTattoosCode15 | O | 10 |  |
| ScarsMarksTattoosCode2  | ScarsMarksTattoosCode2  | O | 10 |  |
| ScarsMarksTattoosCode3  | ScarsMarksTattoosCode3  | O | 10 |  |
| ScarsMarksTattoosCode4  | ScarsMarksTattoosCode4  | O | 10 |  |
| ScarsMarksTattoosCode5  | ScarsMarksTattoosCode5  | O | 10 |  |
| ScarsMarksTattoosCode6  | ScarsMarksTattoosCode6  | O | 10 |  |
| ScarsMarksTattoosCode7  | ScarsMarksTattoosCode7  | O | 10 |  |
| ScarsMarksTattoosCode8  | ScarsMarksTattoosCode8  | O | 10 |  |
| ScarsMarksTattoosCode9  | ScarsMarksTattoosCode9  | O | 10 |  |
| SexCode                 | SexCode                 | O | 1  |  |
| SubjectAge              | SubjectAge              | O | 3  |  |
| SubjectAge2             | SubjectAge2             | O | 3  |  |
| SubjectEyeColorCode     | SubjectEyeColorCode     | O | 3  |  |
| SubjectHairColorCode    | SubjectHairColorCode    | O | 3  |  |
| SubjectHeight           | SubjectHeight           | O | 3  |  |
| SubjectHeight2          | SubjectHeight2          | O | 3  |  |
| SubjectWeight           | SubjectWeight           | O | 3  |  |
| SubjectWeight2          | SubjectWeight2          | O | 3  |  |

## Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SexCode, SubjectAge, SubjectAge2, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectHeight2, SubjectWeight, SubjectWeight2]

## WMPEUnidentifiedEntry

| Field Name | XML Tag Name | M/C/O | Size | Possible Values |
|------------|--------------|-------|------|-----------------|
|------------|--------------|-------|------|-----------------|

|                               |                               |   |     |  |
|-------------------------------|-------------------------------|---|-----|--|
| AgencyPhoneNumber             | AgencyPhoneNumber             | O | 10  |  |
| BodyPartStatusCode            | BodyPartStatusCode            | M | 14  |  |
| DeathCause                    | DeathCause                    | M | 3   |  |
| DeathTime                     | DeathTime                     | O | 4   |  |
| DentalXRaysIndicator          | DentalXRaysIndicator          | M | 1   |  |
| EstimatedDeathDate            | EstimatedDeathDate            | M | 8   |  |
| FingerprintClassificationCode | FingerprintClassificationCode | M | 20  |  |
| FoundDate                     | FoundDate                     | M | 8   |  |
| FoundTime                     | FoundTime                     | O | 4   |  |
| InvestigatorName              | InvestigatorName              | O | 30  |  |
| LinkageAgencyIdentifier       | LinkageAgencyIdentifier       | O | 9   |  |
| LinkageCaseNumber             | LinkageCaseNumber             | O | 20  |  |
| MiscellaneousDescriptiveText  | MiscellaneousDescriptiveText  | O | 500 |  |
| NotifiedOriginatingAgency     | NotifiedOriginatingAgency     | O | 1   |  |
| OriginatingAgencyCaseNumber   | OriginatingAgencyCaseNumber   | M | 20  |  |
| OriginatingAgencyORI          | OriginatingAgencyORI          | M | 9   |  |
| OriginatingReportingAgency    | OriginatingReportingAgency    | O | 30  |  |
| PersonFootPrint               | PersonFootPrint               | M | 1   |  |
| RaceCode                      | RaceCode                      | M | 1   |  |
| ReportTypeCode                | ReportTypeCode                | M | 1   |  |
| SexCode                       | SexCode                       | M | 1   |  |
| SubjectAge                    | SubjectAge                    | M | 3   |  |
| SubjectAge2                   | SubjectAge2                   | M | 3   |  |
| SubjectBodyXRayCode           | SubjectBodyXRayCode           | M | 1   |  |
| SubjectEyeColorCode           | SubjectEyeColorCode           | M | 3   |  |
| SubjectHairColorCode          | SubjectHairColorCode          | M | 3   |  |
| SubjectHeight                 | SubjectHeight                 | M | 3   |  |
| SubjectHeight2                | SubjectHeight2                | M | 3   |  |
| SubjectWeight                 | SubjectWeight                 | M | 3   |  |
| SubjectWeight2                | SubjectWeight2                | M | 3   |  |

## Possible Combinations

1. (In/Out) BodyPartStatusCode, DeathCause, DentalXRaysIndicator, EstimatedDeathDate, FingerprintClassificationCode, FoundDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonFootPrint, RaceCode, ReportTypeCode, SexCode, SubjectAge, SubjectAge2, SubjectBodyXRayCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectHeight2, SubjectWeight, SubjectWeight2, [AgencyPhoneNumber, DeathTime, FoundTime, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingReportingAgency]

## WMPEUnidentifiedIdentifiersEntry

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| CALifeStyleCode              | CALifeStyleCode              | O     | 2    |                 |
| CALifeStyleCode2             | CALifeStyleCode2             | O     | 2    |                 |
| CALifeStyleCode3             | CALifeStyleCode3             | O     | 2    |                 |
| CorrectiveVisionPerscription | CorrectiveVisionPerscription | O     | 40   |                 |

|                             |                             |   |     |  |
|-----------------------------|-----------------------------|---|-----|--|
| FileControlNumber           | FileControlNumber           | M | 13  |  |
| JewelryTypeCode             | JewelryTypeCode             | O | 2   |  |
| JewelryTypeCode10           | JewelryTypeCode10           | O | 2   |  |
| JewelryTypeCode11           | JewelryTypeCode11           | O | 2   |  |
| JewelryTypeCode12           | JewelryTypeCode12           | O | 2   |  |
| JewelryTypeCode13           | JewelryTypeCode13           | O | 2   |  |
| JewelryTypeCode14           | JewelryTypeCode14           | O | 2   |  |
| JewelryTypeCode15           | JewelryTypeCode15           | O | 2   |  |
| JewelryTypeCode16           | JewelryTypeCode16           | O | 2   |  |
| JewelryTypeCode17           | JewelryTypeCode17           | O | 2   |  |
| JewelryTypeCode2            | JewelryTypeCode2            | O | 2   |  |
| JewelryTypeCode3            | JewelryTypeCode3            | O | 2   |  |
| JewelryTypeCode4            | JewelryTypeCode4            | O | 2   |  |
| JewelryTypeCode5            | JewelryTypeCode5            | O | 2   |  |
| JewelryTypeCode6            | JewelryTypeCode6            | O | 2   |  |
| JewelryTypeCode7            | JewelryTypeCode7            | O | 2   |  |
| JewelryTypeCode8            | JewelryTypeCode8            | O | 2   |  |
| JewelryTypeCode9            | JewelryTypeCode9            | O | 2   |  |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M | 20  |  |
| PhysicalFeatureTypeCode     | PhysicalFeatureTypeCode     | O | 20  |  |
| PhysicalFeatureTypeCode10   | PhysicalFeatureTypeCode10   | O | 20  |  |
| PhysicalFeatureTypeCode11   | PhysicalFeatureTypeCode11   | O | 20  |  |
| PhysicalFeatureTypeCode12   | PhysicalFeatureTypeCode12   | O | 20  |  |
| PhysicalFeatureTypeCode13   | PhysicalFeatureTypeCode13   | O | 20  |  |
| PhysicalFeatureTypeCode14   | PhysicalFeatureTypeCode14   | O | 20  |  |
| PhysicalFeatureTypeCode15   | PhysicalFeatureTypeCode15   | O | 20  |  |
| PhysicalFeatureTypeCode2    | PhysicalFeatureTypeCode2    | O | 20  |  |
| PhysicalFeatureTypeCode3    | PhysicalFeatureTypeCode3    | O | 20  |  |
| PhysicalFeatureTypeCode4    | PhysicalFeatureTypeCode4    | O | 20  |  |
| PhysicalFeatureTypeCode5    | PhysicalFeatureTypeCode5    | O | 20  |  |
| PhysicalFeatureTypeCode6    | PhysicalFeatureTypeCode6    | O | 20  |  |
| PhysicalFeatureTypeCode7    | PhysicalFeatureTypeCode7    | O | 20  |  |
| PhysicalFeatureTypeCode8    | PhysicalFeatureTypeCode8    | O | 20  |  |
| PhysicalFeatureTypeCode9    | PhysicalFeatureTypeCode9    | O | 20  |  |
| PropertyDescriptionText     | PropertyDescriptionText     | O | 100 |  |
| ScarsMarksTattoosCode       | ScarsMarksTattoosCode       | O | 10  |  |
| ScarsMarksTattoosCode10     | ScarsMarksTattoosCode10     | O | 10  |  |
| ScarsMarksTattoosCode11     | ScarsMarksTattoosCode11     | O | 10  |  |
| ScarsMarksTattoosCode12     | ScarsMarksTattoosCode12     | O | 10  |  |
| ScarsMarksTattoosCode13     | ScarsMarksTattoosCode13     | O | 10  |  |
| ScarsMarksTattoosCode14     | ScarsMarksTattoosCode14     | O | 10  |  |
| ScarsMarksTattoosCode15     | ScarsMarksTattoosCode15     | O | 10  |  |
| ScarsMarksTattoosCode2      | ScarsMarksTattoosCode2      | O | 10  |  |
| ScarsMarksTattoosCode3      | ScarsMarksTattoosCode3      | O | 10  |  |
| ScarsMarksTattoosCode4      | ScarsMarksTattoosCode4      | O | 10  |  |
| ScarsMarksTattoosCode5      | ScarsMarksTattoosCode5      | O | 10  |  |
| ScarsMarksTattoosCode6      | ScarsMarksTattoosCode6      | O | 10  |  |
| ScarsMarksTattoosCode7      | ScarsMarksTattoosCode7      | O | 10  |  |
| ScarsMarksTattoosCode8      | ScarsMarksTattoosCode8      | O | 10  |  |

|                                   |                                   |   |     |  |
|-----------------------------------|-----------------------------------|---|-----|--|
| ScarsMarksTattoosCode9            | ScarsMarksTattoosCode9            | O | 10  |  |
| SubjectBloodTypeCode              | SubjectBloodTypeCode              | O | 5   |  |
| SubjectCircumcisionCode           | SubjectCircumcisionCode           | O | 1   |  |
| SuspectClothingDescription        | SuspectClothingDescription        | O | 100 |  |
| SuspectFacialHairDescription      | SuspectFacialHairDescription      | O | 2   |  |
| SuspectFacialHairDescription2     | SuspectFacialHairDescription2     | O | 2   |  |
| SuspectFacialHairDescription3     | SuspectFacialHairDescription3     | O | 2   |  |
| SuspectGlassesContactsDescription | SuspectGlassesContactsDescription | O | 1   |  |
| SuspectHairDescription            | SuspectHairDescription            | O | 2   |  |
| SuspectHairDescription2           | SuspectHairDescription2           | O | 2   |  |
| SuspectHairDescription3           | SuspectHairDescription3           | O | 2   |  |
| SuspectHairDescription4           | SuspectHairDescription4           | O | 2   |  |
| SuspectTeethDescription           | SuspectTeethDescription           | O | 2   |  |
| SuspectTeethDescription2          | SuspectTeethDescription2          | O | 2   |  |
| SuspectTeethDescription3          | SuspectTeethDescription3          | O | 2   |  |

## Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CorrectiveVisionPerscription, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, PropertyDescriptionText, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SubjectBloodTypeCode, SubjectCircumcisionCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectFacialHairDescription3, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3, SuspectHairDescription4, SuspectTeethDescription, SuspectTeethDescription2, SuspectTeethDescription3]

## WMPEUnidentifiedIdentifiersModify

| Field Name | XML Tag Name | M/C/O | Size | Possible Values |
|------------|--------------|-------|------|-----------------|
|------------|--------------|-------|------|-----------------|

|                               |                               |   |     |  |
|-------------------------------|-------------------------------|---|-----|--|
| CALifeStyleCode               | CALifeStyleCode               | O | 2   |  |
| CALifeStyleCode2              | CALifeStyleCode2              | O | 2   |  |
| CALifeStyleCode3              | CALifeStyleCode3              | O | 2   |  |
| CALifeStyleCode4              | CALifeStyleCode4              | O | 2   |  |
| CALifeStyleCode5              | CALifeStyleCode5              | O | 2   |  |
| CALifeStyleCode6              | CALifeStyleCode6              | O | 2   |  |
| CorrectiveVisionPerscription  | CorrectiveVisionPerscription  | O | 40  |  |
| FileControlNumber             | FileControlNumber             | M | 13  |  |
| JewelryTypeCode               | JewelryTypeCode               | O | 2   |  |
| JewelryTypeCode10             | JewelryTypeCode10             | O | 2   |  |
| JewelryTypeCode11             | JewelryTypeCode11             | O | 2   |  |
| JewelryTypeCode12             | JewelryTypeCode12             | O | 2   |  |
| JewelryTypeCode13             | JewelryTypeCode13             | O | 2   |  |
| JewelryTypeCode14             | JewelryTypeCode14             | O | 2   |  |
| JewelryTypeCode15             | JewelryTypeCode15             | O | 2   |  |
| JewelryTypeCode16             | JewelryTypeCode16             | O | 2   |  |
| JewelryTypeCode17             | JewelryTypeCode17             | O | 2   |  |
| JewelryTypeCode18             | JewelryTypeCode18             | O | 2   |  |
| JewelryTypeCode19             | JewelryTypeCode19             | O | 2   |  |
| JewelryTypeCode2              | JewelryTypeCode2              | O | 2   |  |
| JewelryTypeCode20             | JewelryTypeCode20             | O | 2   |  |
| JewelryTypeCode21             | JewelryTypeCode21             | O | 2   |  |
| JewelryTypeCode22             | JewelryTypeCode22             | O | 2   |  |
| JewelryTypeCode23             | JewelryTypeCode23             | O | 2   |  |
| JewelryTypeCode24             | JewelryTypeCode24             | O | 2   |  |
| JewelryTypeCode25             | JewelryTypeCode25             | O | 2   |  |
| JewelryTypeCode26             | JewelryTypeCode26             | O | 2   |  |
| JewelryTypeCode27             | JewelryTypeCode27             | O | 2   |  |
| JewelryTypeCode28             | JewelryTypeCode28             | O | 2   |  |
| JewelryTypeCode29             | JewelryTypeCode29             | O | 2   |  |
| JewelryTypeCode3              | JewelryTypeCode3              | O | 2   |  |
| JewelryTypeCode30             | JewelryTypeCode30             | O | 2   |  |
| JewelryTypeCode31             | JewelryTypeCode31             | O | 2   |  |
| JewelryTypeCode32             | JewelryTypeCode32             | O | 2   |  |
| JewelryTypeCode33             | JewelryTypeCode33             | O | 2   |  |
| JewelryTypeCode34             | JewelryTypeCode34             | O | 2   |  |
| JewelryTypeCode4              | JewelryTypeCode4              | O | 2   |  |
| JewelryTypeCode5              | JewelryTypeCode5              | O | 2   |  |
| JewelryTypeCode6              | JewelryTypeCode6              | O | 2   |  |
| JewelryTypeCode7              | JewelryTypeCode7              | O | 2   |  |
| JewelryTypeCode8              | JewelryTypeCode8              | O | 2   |  |
| JewelryTypeCode9              | JewelryTypeCode9              | O | 2   |  |
| OriginatingAgencyCaseNumber   | OriginatingAgencyCaseNumber   | M | 9   |  |
| PropertyDescriptionText       | PropertyDescriptionText       | O | 100 |  |
| SubjectBloodTypeCode          | SubjectBloodTypeCode          | O | 5   |  |
| SubjectCircumcisionCode       | SubjectCircumcisionCode       | O | 1   |  |
| SuspectClothingDescription    | SuspectClothingDescription    | O | 100 |  |
| SuspectFacialHairDescription  | SuspectFacialHairDescription  | O | 2   |  |
| SuspectFacialHairDescription2 | SuspectFacialHairDescription2 | O | 2   |  |

|                                   |                                   |   |   |  |
|-----------------------------------|-----------------------------------|---|---|--|
| SuspectFacialHairDescription3     | SuspectFacialHairDescription3     | O | 2 |  |
| SuspectFacialHairDescription4     | SuspectFacialHairDescription4     | O | 2 |  |
| SuspectFacialHairDescription5     | SuspectFacialHairDescription5     | O | 2 |  |
| SuspectFacialHairDescription6     | SuspectFacialHairDescription6     | O | 2 |  |
| SuspectGlassesContactsDescription | SuspectGlassesContactsDescription | O | 1 |  |
| SuspectHairDescription            | SuspectHairDescription            | O | 2 |  |
| SuspectHairDescription2           | SuspectHairDescription2           | O | 2 |  |
| SuspectHairDescription3           | SuspectHairDescription3           | O | 2 |  |
| SuspectHairDescription4           | SuspectHairDescription4           | O | 2 |  |
| SuspectHairDescription5           | SuspectHairDescription5           | O | 2 |  |
| SuspectHairDescription6           | SuspectHairDescription6           | O | 2 |  |
| SuspectHairDescription7           | SuspectHairDescription7           | O | 2 |  |
| SuspectHairDescription8           | SuspectHairDescription8           | O | 2 |  |
| SuspectTeethDescription           | SuspectTeethDescription           | O | 2 |  |
| SuspectTeethDescription2          | SuspectTeethDescription2          | O | 2 |  |
| SuspectTeethDescription3          | SuspectTeethDescription3          | O | 2 |  |
| SuspectTeethDescription4          | SuspectTeethDescription4          | O | 2 |  |
| SuspectTeethDescription5          | SuspectTeethDescription5          | O | 2 |  |
| SuspectTeethDescription6          | SuspectTeethDescription6          | O | 2 |  |

## Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CALifeStyleCode4, CALifeStyleCode5, CALifeStyleCode6, CorrectiveVisionPerscription, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode18, JewelryTypeCode19, JewelryTypeCode2, JewelryTypeCode20, JewelryTypeCode21, JewelryTypeCode22, JewelryTypeCode23, JewelryTypeCode24, JewelryTypeCode25, JewelryTypeCode26, JewelryTypeCode27, JewelryTypeCode28, JewelryTypeCode29, JewelryTypeCode3, JewelryTypeCode30, JewelryTypeCode31, JewelryTypeCode32, JewelryTypeCode33, JewelryTypeCode34, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, PropertyDescriptionText, SubjectBloodTypeCode, SubjectCircumcisionCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectFacialHairDescription3, SuspectFacialHairDescription4, SuspectFacialHairDescription5, SuspectFacialHairDescription6, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3, SuspectHairDescription4, SuspectHairDescription5, SuspectHairDescription6, SuspectHairDescription7, SuspectHairDescription8, SuspectTeethDescription, SuspectTeethDescription2, SuspectTeethDescription3, SuspectTeethDescription4, SuspectTeethDescription5, SuspectTeethDescription6]

## ***WMPEUnidentifiedModify***

| Field Name                    | XML Tag Name                  | M/C/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| AgencyPhoneNumber             | AgencyPhoneNumber             | O     | 10   |                 |
| BodyPartStatusCode            | BodyPartStatusCode            | O     | 14   |                 |
| DeathCause                    | DeathCause                    | O     | 3    |                 |
| DeathTime                     | DeathTime                     | O     | 4    |                 |
| DentalXRaysIndicator          | DentalXRaysIndicator          | O     | 1    |                 |
| EstimatedDeathDate            | EstimatedDeathDate            | O     | 8    |                 |
| FileControlNumber             | FileControlNumber             | M     | 13   |                 |
| FingerprintClassificationCode | FingerprintClassificationCode | O     | 20   |                 |
| FoundDate                     | FoundDate                     | O     | 8    |                 |
| FoundTime                     | FoundTime                     | O     | 4    |                 |
| InvestigatorName              | InvestigatorName              | O     | 30   |                 |
| LinkageAgencyIdentifier       | LinkageAgencyIdentifier       | O     | 9    |                 |
| LinkageCaseNumber             | LinkageCaseNumber             | O     | 20   |                 |
| MiscellaneousDescriptiveText  | MiscellaneousDescriptiveText  | O     | 500  |                 |
| NotifiedOriginatingAgency     | NotifiedOriginatingAgency     | O     | 1    |                 |
| OriginatingAgencyCaseNumber   | OriginatingAgencyCaseNumber   | M     | 20   |                 |
| OriginatingAgencyCaseNumber2  | OriginatingAgencyCaseNumber2  | O     | 20   |                 |
| OriginatingReportingAgency    | OriginatingReportingAgency    | O     | 30   |                 |
| PersonFootPrint               | PersonFootPrint               | O     | 1    |                 |
| SubjectBodyXRayCode           | SubjectBodyXRayCode           | O     | 1    |                 |
| ValidatorName                 | ValidatorName                 | O     | 30   |                 |

### **Possible Combinations**

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [AgencyPhoneNumber, BodyPartStatusCode, DeathCause, DeathTime, DentalXRaysIndicator, EstimatedDeathDate, FingerprintClassificationCode, FoundDate, FoundTime, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, OriginatingReportingAgency, PersonFootPrint, SubjectBodyXRayCode, ValidatorName]

## ***WMPEWarrantAbstractEntry***

| Field Name        | XML Tag Name      | M/C/O | Size | Possible Values |
|-------------------|-------------------|-------|------|-----------------|
| Address           | Address           | O     | 34   |                 |
| AgencyName        | AgencyName        | O     | 66   |                 |
| AlsoKnownAs       | AlsoKnownAs       | O     | 27   |                 |
| Attention         | Attention         | M     | 24   |                 |
| BadgeNumber       | BadgeNumber       | O     | 9    |                 |
| BailAmount        | BailAmount        | O     | 10   |                 |
| BirthDate         | BirthDate         | O     | 8    |                 |
| Charge            | Charge            | O     | 66   |                 |
| City              | City              | O     | 27   |                 |
| CourtCode         | CourtCode         | O     | 30   |                 |
| DateOfEntry       | DateOfEntry       | O     | 8    |                 |
| DestinationAgency | DestinationAgency | O     | 34   |                 |

|                              |                              |   |     |  |
|------------------------------|------------------------------|---|-----|--|
| DestinationMnemonic          | DestinationMnemonic          | C | 4   |  |
| DestinationMnemonic2         | DestinationMnemonic2         | O | 4   |  |
| DestinationMnemonic3         | DestinationMnemonic3         | O | 4   |  |
| DestinationMnemonic4         | DestinationMnemonic4         | O | 4   |  |
| DestinationMnemonic5         | DestinationMnemonic5         | O | 4   |  |
| DestinationORI               | DestinationORI               | C | 9   |  |
| DestinationORI2              | DestinationORI2              | O | 9   |  |
| DestinationORI3              | DestinationORI3              | O | 9   |  |
| DestinationORI4              | DestinationORI4              | O | 9   |  |
| DestinationORI5              | DestinationORI5              | O | 9   |  |
| DocketId                     | DocketId                     | O | 19  |  |
| FileControlNumber            | FileControlNumber            | O | 10  |  |
| InCustodyIndicator           | InCustodyIndicator           | M | 1   |  |
| IssueDate                    | IssueDate                    | O | 8   |  |
| JudgeName                    | JudgeName                    | O | 28  |  |
| MandatoryAppearanceCode      | MandatoryAppearanceCode      | O | 3   |  |
| MessageTime                  | MessageTime                  | O | 4   |  |
| MessageType                  | MessageType                  | M | 1   |  |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | O | 285 |  |
| Name                         | Name                         | M | 33  |  |
| NightServiceIndicator        | NightServiceIndicator        | O | 1   |  |
| PersonEyeColorCode           | PersonEyeColorCode           | O | 3   |  |
| PersonHairColorCode          | PersonHairColorCode          | O | 3   |  |
| PersonHeightMeasure          | PersonHeightMeasure          | O | 4   |  |
| PersonWeightMeasure          | PersonWeightMeasure          | O | 3   |  |
| RaceCode                     | RaceCode                     | O | 3   |  |
| ReferToName                  | ReferToName                  | O | 64  |  |
| SequenceNumber               | SequenceNumber               | M | 4   |  |
| ServiceIndicator             | ServiceIndicator             | O | 1   |  |
| SexCode                      | SexCode                      | O | 1   |  |

## Possible Combinations

1. (In/Out) Attention, DestinationMnemonic, InCustodyIndicator, MessageType, Name, SequenceNumber, [Address, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, City, CourtCode, DateOfEntry, DestinationAgency, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DocketId, FileControlNumber, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, PersonEyeColorCode, PersonHairColorCode, PersonHeightMeasure, PersonWeightMeasure, RaceCode, ReferToName, ServiceIndicator, SexCode]
2. (In/Out) Attention, DestinationORI, InCustodyIndicator, MessageType, Name, SequenceNumber, [Address, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, City, CourtCode, DateOfEntry, DestinationAgency, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, DocketId, FileControlNumber, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, PersonEyeColorCode, PersonHairColorCode,

PersonHeightMeasure, PersonWeightMeasure, RaceCode, ReferToName, ServiceIndicator, SexCode]

## Expanded Transactions Supported:

### CAAAdministrativeMessage

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| AgencyName           | AgencyName           | O     | 67   |                 |
| Attention            | Attention            | O     | 72   |                 |
| BadgeNumber          | BadgeNumber          | O     | 8    |                 |
| DestinationMnemonic  | DestinationMnemonic  | C     | 4    |                 |
| DestinationMnemonic2 | DestinationMnemonic2 | O     | 4    |                 |
| DestinationMnemonic3 | DestinationMnemonic3 | O     | 4    |                 |
| DestinationMnemonic4 | DestinationMnemonic4 | O     | 4    |                 |
| DestinationMnemonic5 | DestinationMnemonic5 | O     | 4    |                 |
| DestinationMnemonic6 | DestinationMnemonic6 | O     | 4    |                 |
| DestinationORI       | DestinationORI       | C     | 9    |                 |
| DestinationORI2      | DestinationORI2      | O     | 9    |                 |
| DestinationORI3      | DestinationORI3      | O     | 9    |                 |
| DestinationORI4      | DestinationORI4      | O     | 9    |                 |
| DestinationORI5      | DestinationORI5      | O     | 9    |                 |
| FreeText             | FreeText             | M     | 1120 |                 |
| MessageTypeCode      | MessageTypeCode      | O     | 1    |                 |
| ReferTo              | ReferTo              | O     | 67   |                 |
| SentDate             | SentDate             | O     | 8    |                 |
| SentTime             | SentTime             | O     | 4    |                 |
| SequenceNumber       | SequenceNumber       | O     | 4    |                 |

### Possible Combinations

1. (In/Out) DestinationMnemonic, FreeText, [AgencyName, Attention, BadgeNumber, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DestinationMnemonic6, MessageTypeCode, ReferTo, SentDate, SentTime, SequenceNumber]
2. (In/Out) DestinationORI, FreeText, [AgencyName, Attention, BadgeNumber, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, MessageTypeCode, ReferTo, SentDate, SentTime, SequenceNumber]

### CAAHitConfirmationRequest

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| AgencyMnemonic       | AgencyMnemonic       | O     | 4    |                 |
| ArticleBrandName     | ArticleBrandName     | O     | 6    |                 |
| ArticleSerialNumber  | ArticleSerialNumber  | O     | 20   |                 |
| ArticleTypeCode      | ArticleTypeCode      | O     | 7    |                 |
| BirthDate            | BirthDate            | O     | 8    |                 |
| BirthDate2           | BirthDate2           | O     | 8    |                 |
| BirthDate3           | BirthDate3           | O     | 8    |                 |
| BoatHullSerialNumber | BoatHullSerialNumber | O     | 20   |                 |

|                             |                             |   |     |  |
|-----------------------------|-----------------------------|---|-----|--|
| BoatMakeCode                | BoatMakeCode                | O | 4   |  |
| BoatRegistrationNumber      | BoatRegistrationNumber      | O | 8   |  |
| Category                    | Category                    | O | 2   |  |
| Denomination                | Denomination                | O | 9   |  |
| DestinationMnemonic         | DestinationMnemonic         | M | 4   |  |
| DOJMnemonic                 | DOJMnemonic                 | O | 4   |  |
| Extradition                 | Extradition                 | O | 4   |  |
| FaxNumber                   | FaxNumber                   | O | 10  |  |
| FreeText                    | FreeText                    | O | 500 |  |
| GunCaliber                  | GunCaliber                  | O | 4   |  |
| GunMake                     | GunMake                     | O | 3   |  |
| GunModel                    | GunModel                    | O | 20  |  |
| GunSerialNumber             | GunSerialNumber             | O | 14  |  |
| LicensePlateNumber          | LicensePlateNumber          | O | 10  |  |
| LicensePlateNumber2         | LicensePlateNumber2         | O | 10  |  |
| LicensePlateType            | LicensePlateType            | O | 2   |  |
| LicensePlateYear            | LicensePlateYear            | O | 4   |  |
| MessageTypeCode             | MessageTypeCode             | O | 1   |  |
| Name                        | Name                        | O | 30  |  |
| Name2                       | Name2                       | O | 30  |  |
| Name3                       | Name3                       | O | 30  |  |
| NCICNumber                  | NCICNumber                  | M | 10  |  |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M | 20  |  |
| PartBrandName               | PartBrandName               | O | 4   |  |
| PartSerialNumber            | PartSerialNumber            | O | 20  |  |
| PhoneNumber                 | PhoneNumber                 | O | 10  |  |
| PriorityCode                | PriorityCode                | M | 1   |  |
| RequestingAgencyName        | RequestingAgencyName        | M | 30  |  |
| RequestNumber               | RequestNumber               | M | 1   |  |
| RequestorName               | RequestorName               | M | 30  |  |
| SecuritySerialNumber        | SecuritySerialNumber        | O | 18  |  |
| SecurityTypeCode            | SecurityTypeCode            | O | 2   |  |
| SequenceNumber              | SequenceNumber              | O | 4   |  |
| SexCode                     | SexCode                     | O | 1   |  |
| SexCode2                    | SexCode2                    | O | 1   |  |
| SexCode3                    | SexCode3                    | O | 1   |  |
| State                       | State                       | O | 2   |  |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O | 20  |  |
| VehicleMakeCode             | VehicleMakeCode             | O | 24  |  |
| VehicleYear                 | VehicleYear                 | O | 4   |  |

### Possible Combinations

1. (In/Out) DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [AgencyMnemonic, ArticleBrandName, ArticleSerialNumber, ArticleTypeCode, BirthDate, BirthDate2, BirthDate3, BoatHullSerialNumber, BoatMakeCode, BoatRegistrationNumber, Category, Denomination, DOJMnemonic, Extradition, FaxNumber, FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber,

LicensePlateNumber, LicensePlateNumber, LicensePlateNumber2,  
LicensePlateType, LicensePlateYear, MessageTypeCode, Name, Name2,  
Name3, PartBrandName, PartSerialNumber, PhoneNumber,  
SecuritySerialNumber, SecurityTypeCode, SequenceNumber, SexCode,  
SexCode2, SexCode3, State, VehicleIdentificationNumber,  
VehicleIdentificationNumber, VehicleMakeCode, VehicleYear]

## CAAHitConfirmationResponse

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| AgencyMnemonic              | AgencyMnemonic              | O     | 4    |                 |
| ArticleBrandName            | ArticleBrandName            | O     | 6    |                 |
| ArticleSerialNumber         | ArticleSerialNumber         | O     | 20   |                 |
| ArticleTypeCode             | ArticleTypeCode             | O     | 7    |                 |
| BirthDate                   | BirthDate                   | O     | 8    |                 |
| BirthDate2                  | BirthDate2                  | O     | 8    |                 |
| BirthDate3                  | BirthDate3                  | O     | 8    |                 |
| BoatHullSerialNumber        | BoatHullSerialNumber        | O     | 20   |                 |
| BoatMakeCode                | BoatMakeCode                | O     | 4    |                 |
| BoatRegistrationNumber      | BoatRegistrationNumber      | O     | 8    |                 |
| Category                    | Category                    | O     | 2    |                 |
| ConfirmingAgency            | ConfirmingAgency            | M     | 30   |                 |
| ConfirmingName              | ConfirmingName              | M     | 30   |                 |
| ConfirmStatus               | ConfirmStatus               | M     | 1    |                 |
| Denomination                | Denomination                | O     | 9    |                 |
| DestinationMnemonic         | DestinationMnemonic         | M     | 4    |                 |
| Extradition                 | Extradition                 | O     | 4    |                 |
| FaxNumber                   | FaxNumber                   | O     | 10   |                 |
| FreeText                    | FreeText                    | O     | 500  |                 |
| GunCaliber                  | GunCaliber                  | O     | 4    |                 |
| GunMake                     | GunMake                     | O     | 3    |                 |
| GunModel                    | GunModel                    | O     | 20   |                 |
| GunSerialNumber             | GunSerialNumber             | O     | 14   |                 |
| Hours                       | Hours                       | O     | 3    |                 |
| LicensePlateNumber          | LicensePlateNumber          | O     | 10   |                 |
| LicensePlateNumber2         | LicensePlateNumber2         | O     | 10   |                 |
| LicensePlateType            | LicensePlateType            | O     | 2    |                 |
| LicensePlateYear            | LicensePlateYear            | O     | 4    |                 |
| MessageTypeCode             | MessageTypeCode             | O     | 1    |                 |
| Name                        | Name                        | O     | 30   |                 |
| Name2                       | Name2                       | O     | 30   |                 |
| Name3                       | Name3                       | O     | 30   |                 |
| NCICNumber                  | NCICNumber                  | M     | 10   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 20   |                 |
| PartBrandName               | PartBrandName               | O     | 4    |                 |
| PartSerialNumber            | PartSerialNumber            | O     | 20   |                 |
| PhoneNumber                 | PhoneNumber                 | O     | 10   |                 |
| SecuritySerialNumber        | SecuritySerialNumber        | O     | 18   |                 |
| SecurityTypeCode            | SecurityTypeCode            | O     | 2    |                 |
| SequenceNumber              | SequenceNumber              | O     | 4    |                 |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| SexCode                     | SexCode                     | O | 1  |  |
| SexCode2                    | SexCode2                    | O | 1  |  |
| SexCode3                    | SexCode3                    | O | 1  |  |
| State                       | State                       | O | 2  |  |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O | 20 |  |
| VehicleMakeCode             | VehicleMakeCode             | O | 24 |  |
| VehicleYear                 | VehicleYear                 | O | 4  |  |

### Possible Combinations

1. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, [AgencyMnemonic, ArticleBrandName, ArticleSerialNumber, ArticleTypeCode, BirthDate, BirthDate2, BirthDate3, BoatHullSerialNumber, BoatMakeCode, BoatRegistrationNumber, Category, Denomination, Extradition, FaxNumber, FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, Hours, LicensePlateNumber, LicensePlateNumber, LicensePlateNumber2, LicensePlateType, LicensePlateYear, MessageTypeCode, Name, Name2, Name3, PartBrandName, PartSerialNumber, PhoneNumber, SecuritySerialNumber, SecurityTypeCode, SequenceNumber, SexCode, SexCode2, SexCode3, State, VehicleIdentificationNumber, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear]

### CAAOrion

| Field Name       | XML Tag Name     | M/C/O | Size | Possible Values |
|------------------|------------------|-------|------|-----------------|
| DestinationORI   | DestinationORI   | C     | 9    |                 |
| FormORI          | FormORI          | C     | 9    |                 |
| Location         | Location         | C     | 20   |                 |
| LocationTypeCode | LocationTypeCode | O     | 2    |                 |
| State            | State            | O     | 2    |                 |

### Possible Combinations

1. (In/Out) DestinationORI, [State]
2. (In/Out) FormORI
3. (In/Out) Location, [LocationTypeCode, State]

### CAAVehicleRecoveryMessage

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| AgencyName           | AgencyName           | O     | 67   |                 |
| Attention            | Attention            | O     | 40   |                 |
| BadgeNumber          | BadgeNumber          | O     | 8    |                 |
| Date                 | Date                 | O     | 8    |                 |
| DestinationAgency    | DestinationAgency    | O     | 60   |                 |
| DestinationMnemonic  | DestinationMnemonic  | C     | 4    |                 |
| DestinationMnemonic2 | DestinationMnemonic2 | O     | 4    |                 |
| DestinationMnemonic3 | DestinationMnemonic3 | O     | 4    |                 |
| DestinationMnemonic4 | DestinationMnemonic4 | O     | 4    |                 |
| DestinationMnemonic5 | DestinationMnemonic5 | O     | 4    |                 |

|                             |                             |   |     |  |
|-----------------------------|-----------------------------|---|-----|--|
| DestinationMnemonic6        | DestinationMnemonic6        | O | 4   |  |
| DestinationORI              | DestinationORI              | C | 9   |  |
| DestinationORI2             | DestinationORI2             | O | 9   |  |
| DestinationORI3             | DestinationORI3             | O | 9   |  |
| DestinationORI4             | DestinationORI4             | O | 9   |  |
| DestinationORI5             | DestinationORI5             | O | 9   |  |
| Disposition                 | Disposition                 | O | 126 |  |
| LicensePlateNumber          | LicensePlateNumber          | O | 10  |  |
| MessageTime                 | MessageTime                 | O | 4   |  |
| MessageType                 | MessageType                 | O | 1   |  |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | O | 20  |  |
| RecoveringAgencyCaseNumber  | RecoveringAgencyCaseNumber  | O | 20  |  |
| RecoveryDate                | RecoveryDate                | O | 8   |  |
| ReferenceName               | ReferenceName               | O | 67  |  |
| SequenceNumber              | SequenceNumber              | O | 4   |  |
| Subject                     | Subject                     | O | 60  |  |
| VehicleStatusCode           | VehicleStatusCode           | O | 1   |  |
| VehicleStatusCode2          | VehicleStatusCode2          | O | 1   |  |
| VehicleStatusCode3          | VehicleStatusCode3          | O | 1   |  |

### Possible Combinations

1. (In/Out) DestinationMnemonic, [AgencyName, Attention, BadgeNumber, Date, DestinationAgency, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DestinationMnemonic6, Disposition, LicensePlateNumber, MessageTime, MessageType, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, ReferenceName, SequenceNumber, Subject, VehicleStatusCode, VehicleStatusCode2, VehicleStatusCode3]
2. (In/Out) DestinationORI, [AgencyName, Attention, BadgeNumber, Date, DestinationAgency, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, Disposition, LicensePlateNumber, MessageTime, MessageType, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, ReferenceName, SequenceNumber, Subject, VehicleStatusCode, VehicleStatusCode2, VehicleStatusCode3]

### CAEMissingPersonSuspectDescriptorModify

| Field Name    | XML Tag Name  | M/C/O | Size | Possible Values |
|---------------|---------------|-------|------|-----------------|
| AlsoKnownAs   | AlsoKnownAs   | O     | 61   |                 |
| AlsoKnownAs10 | AlsoKnownAs10 | O     | 61   |                 |
| AlsoKnownAs11 | AlsoKnownAs11 | O     | 61   |                 |
| AlsoKnownAs12 | AlsoKnownAs12 | O     | 61   |                 |
| AlsoKnownAs13 | AlsoKnownAs13 | O     | 61   |                 |
| AlsoKnownAs14 | AlsoKnownAs14 | O     | 61   |                 |
| AlsoKnownAs15 | AlsoKnownAs15 | O     | 61   |                 |
| AlsoKnownAs16 | AlsoKnownAs16 | O     | 61   |                 |
| AlsoKnownAs17 | AlsoKnownAs17 | O     | 61   |                 |
| AlsoKnownAs18 | AlsoKnownAs18 | O     | 61   |                 |

|                           |                           |   |    |  |
|---------------------------|---------------------------|---|----|--|
| AlsoKnownAs2              | AlsoKnownAs2              | O | 61 |  |
| AlsoKnownAs3              | AlsoKnownAs3              | O | 61 |  |
| AlsoKnownAs4              | AlsoKnownAs4              | O | 61 |  |
| AlsoKnownAs5              | AlsoKnownAs5              | O | 61 |  |
| AlsoKnownAs6              | AlsoKnownAs6              | O | 61 |  |
| AlsoKnownAs7              | AlsoKnownAs7              | O | 61 |  |
| AlsoKnownAs8              | AlsoKnownAs8              | O | 61 |  |
| AlsoKnownAs9              | AlsoKnownAs9              | O | 61 |  |
| BirthDate                 | BirthDate                 | O | 8  |  |
| BirthDate2                | BirthDate2                | O | 8  |  |
| BirthDate3                | BirthDate3                | O | 8  |  |
| BirthDate4                | BirthDate4                | O | 8  |  |
| BirthDate5                | BirthDate5                | O | 8  |  |
| FileControlNumber         | FileControlNumber         | M | 13 |  |
| Name                      | Name                      | M | 30 |  |
| Name2                     | Name2                     | O | 30 |  |
| PhysicalFeatureTypeCode   | PhysicalFeatureTypeCode   | O | 20 |  |
| PhysicalFeatureTypeCode10 | PhysicalFeatureTypeCode10 | O | 20 |  |
| PhysicalFeatureTypeCode11 | PhysicalFeatureTypeCode11 | O | 20 |  |
| PhysicalFeatureTypeCode12 | PhysicalFeatureTypeCode12 | O | 20 |  |
| PhysicalFeatureTypeCode13 | PhysicalFeatureTypeCode13 | O | 20 |  |
| PhysicalFeatureTypeCode14 | PhysicalFeatureTypeCode14 | O | 20 |  |
| PhysicalFeatureTypeCode15 | PhysicalFeatureTypeCode15 | O | 20 |  |
| PhysicalFeatureTypeCode2  | PhysicalFeatureTypeCode2  | O | 20 |  |
| PhysicalFeatureTypeCode3  | PhysicalFeatureTypeCode3  | O | 20 |  |
| PhysicalFeatureTypeCode4  | PhysicalFeatureTypeCode4  | O | 20 |  |
| PhysicalFeatureTypeCode5  | PhysicalFeatureTypeCode5  | O | 20 |  |
| PhysicalFeatureTypeCode6  | PhysicalFeatureTypeCode6  | O | 20 |  |
| PhysicalFeatureTypeCode7  | PhysicalFeatureTypeCode7  | O | 20 |  |
| PhysicalFeatureTypeCode8  | PhysicalFeatureTypeCode8  | O | 20 |  |
| PhysicalFeatureTypeCode9  | PhysicalFeatureTypeCode9  | O | 20 |  |
| ScarsMarksTattoosCode     | ScarsMarksTattoosCode     | O | 10 |  |
| ScarsMarksTattoosCode10   | ScarsMarksTattoosCode10   | O | 10 |  |
| ScarsMarksTattoosCode11   | ScarsMarksTattoosCode11   | O | 10 |  |
| ScarsMarksTattoosCode12   | ScarsMarksTattoosCode12   | O | 10 |  |
| ScarsMarksTattoosCode13   | ScarsMarksTattoosCode13   | O | 10 |  |
| ScarsMarksTattoosCode14   | ScarsMarksTattoosCode14   | O | 10 |  |
| ScarsMarksTattoosCode15   | ScarsMarksTattoosCode15   | O | 10 |  |
| ScarsMarksTattoosCode2    | ScarsMarksTattoosCode2    | O | 10 |  |
| ScarsMarksTattoosCode3    | ScarsMarksTattoosCode3    | O | 10 |  |
| ScarsMarksTattoosCode4    | ScarsMarksTattoosCode4    | O | 10 |  |
| ScarsMarksTattoosCode5    | ScarsMarksTattoosCode5    | O | 10 |  |
| ScarsMarksTattoosCode6    | ScarsMarksTattoosCode6    | O | 10 |  |
| ScarsMarksTattoosCode7    | ScarsMarksTattoosCode7    | O | 10 |  |
| ScarsMarksTattoosCode8    | ScarsMarksTattoosCode8    | O | 10 |  |
| ScarsMarksTattoosCode9    | ScarsMarksTattoosCode9    | O | 10 |  |
| SuspectAge                | SuspectAge                | O | 3  |  |
| SuspectAge2               | SuspectAge2               | O | 3  |  |
| SuspectEyeColorCode       | SuspectEyeColorCode       | O | 3  |  |

|                      |                      |   |   |  |
|----------------------|----------------------|---|---|--|
| SuspectHairColorCode | SuspectHairColorCode | O | 3 |  |
| SuspectHeight        | SuspectHeight        | O | 3 |  |
| SuspectHeight2       | SuspectHeight2       | O | 3 |  |
| SuspectNumber        | SuspectNumber        | M | 1 |  |
| SuspectRaceCode      | SuspectRaceCode      | O | 1 |  |
| SuspectSexCode       | SuspectSexCode       | O | 1 |  |
| SuspectWeight        | SuspectWeight        | O | 3 |  |
| SuspectWeight2       | SuspectWeight2       | O | 3 |  |

## Possible Combinations

1. (In/Out) FileControlNumber, Name, SuspectNumber, [AlsoKnownAs, AlsoKnownAs, AlsoKnownAs10, AlsoKnownAs11, AlsoKnownAs12, AlsoKnownAs13, AlsoKnownAs14, AlsoKnownAs15, AlsoKnownAs16, AlsoKnownAs17, AlsoKnownAs18, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, Name2, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SuspectAge, SuspectAge2, SuspectEyeColorCode, SuspectHairColorCode, SuspectHeight, SuspectHeight2, SuspectRaceCode, SuspectSexCode, SuspectWeight, SuspectWeight2]

## CAEMissingPersonSuspectModify

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| CriminalIdentificationNumber | CriminalIdentificationNumber | O     | 8    |                 |
| FBI Number                   | FBI Number                   | O     | 9    |                 |
| FileControlNumber            | FileControlNumber            | M     | 13   |                 |
| MiscellaneousNumber          | MiscellaneousNumber          | O     | 31   |                 |
| MiscellaneousNumber10        | MiscellaneousNumber10        | O     | 31   |                 |
| MiscellaneousNumber11        | MiscellaneousNumber11        | O     | 31   |                 |
| MiscellaneousNumber12        | MiscellaneousNumber12        | O     | 31   |                 |
| MiscellaneousNumber13        | MiscellaneousNumber13        | O     | 31   |                 |
| MiscellaneousNumber14        | MiscellaneousNumber14        | O     | 31   |                 |
| MiscellaneousNumber15        | MiscellaneousNumber15        | O     | 31   |                 |
| MiscellaneousNumber16        | MiscellaneousNumber16        | O     | 31   |                 |

|                                   |                                   |   |     |  |
|-----------------------------------|-----------------------------------|---|-----|--|
| MiscellaneousNumber17             | MiscellaneousNumber17             | O | 31  |  |
| MiscellaneousNumber18             | MiscellaneousNumber18             | O | 31  |  |
| MiscellaneousNumber2              | MiscellaneousNumber2              | O | 31  |  |
| MiscellaneousNumber3              | MiscellaneousNumber3              | O | 31  |  |
| MiscellaneousNumber4              | MiscellaneousNumber4              | O | 31  |  |
| MiscellaneousNumber5              | MiscellaneousNumber5              | O | 31  |  |
| MiscellaneousNumber6              | MiscellaneousNumber6              | O | 31  |  |
| MiscellaneousNumber7              | MiscellaneousNumber7              | O | 31  |  |
| MiscellaneousNumber8              | MiscellaneousNumber8              | O | 31  |  |
| MiscellaneousNumber9              | MiscellaneousNumber9              | O | 31  |  |
| Name                              | Name                              | M | 30  |  |
| OperatorLicenseExpirationYear     | OperatorLicenseExpirationYear     | O | 4   |  |
| OperatorLicenseExpirationYear2    | OperatorLicenseExpirationYear2    | O | 4   |  |
| OperatorLicenseExpirationYear3    | OperatorLicenseExpirationYear3    | O | 4   |  |
| OperatorLicenseExpirationYear4    | OperatorLicenseExpirationYear4    | O | 4   |  |
| OperatorLicenseExpirationYear5    | OperatorLicenseExpirationYear5    | O | 4   |  |
| OperatorLicenseNumber             | OperatorLicenseNumber             | O | 20  |  |
| OperatorLicenseNumber2            | OperatorLicenseNumber2            | O | 20  |  |
| OperatorLicenseNumber3            | OperatorLicenseNumber3            | O | 20  |  |
| OperatorLicenseNumber4            | OperatorLicenseNumber4            | O | 20  |  |
| OperatorLicenseNumber5            | OperatorLicenseNumber5            | O | 20  |  |
| OperatorLicenseState              | OperatorLicenseState              | O | 2   |  |
| OperatorLicenseState2             | OperatorLicenseState2             | O | 2   |  |
| OperatorLicenseState3             | OperatorLicenseState3             | O | 2   |  |
| OperatorLicenseState4             | OperatorLicenseState4             | O | 2   |  |
| OperatorLicenseState5             | OperatorLicenseState5             | O | 2   |  |
| PersonRelationship                | PersonRelationship                | O | 15  |  |
| SocialSecurityNumber              | SocialSecurityNumber              | O | 10  |  |
| SocialSecurityNumber10            | SocialSecurityNumber10            | O | 10  |  |
| SocialSecurityNumber2             | SocialSecurityNumber2             | O | 10  |  |
| SocialSecurityNumber3             | SocialSecurityNumber3             | O | 10  |  |
| SocialSecurityNumber4             | SocialSecurityNumber4             | O | 10  |  |
| SocialSecurityNumber5             | SocialSecurityNumber5             | O | 10  |  |
| SocialSecurityNumber6             | SocialSecurityNumber6             | O | 10  |  |
| SocialSecurityNumber7             | SocialSecurityNumber7             | O | 10  |  |
| SocialSecurityNumber8             | SocialSecurityNumber8             | O | 10  |  |
| SocialSecurityNumber9             | SocialSecurityNumber9             | O | 10  |  |
| SuspectBuild                      | SuspectBuild                      | O | 2   |  |
| SuspectClothingDescription        | SuspectClothingDescription        | O | 100 |  |
| SuspectFacialHairCode             | SuspectFacialHairCode             | O | 6   |  |
| SuspectFacialHairCode2            | SuspectFacialHairCode2            | O | 6   |  |
| SuspectFacialHairCode3            | SuspectFacialHairCode3            | O | 6   |  |
| SuspectFacialHairCode4            | SuspectFacialHairCode4            | O | 6   |  |
| SuspectFacialHairCode5            | SuspectFacialHairCode5            | O | 6   |  |
| SuspectFacialHairCode6            | SuspectFacialHairCode6            | O | 6   |  |
| SuspectGlassesContactsDescription | SuspectGlassesContactsDescription | O | 1   |  |
| SuspectHairColorCode              | SuspectHairColorCode              | O | 5   |  |
| SuspectHairColorCode2             | SuspectHairColorCode2             | O | 5   |  |
| SuspectHairColorCode3             | SuspectHairColorCode3             | O | 5   |  |

|                           |                           |   |     |  |
|---------------------------|---------------------------|---|-----|--|
| SuspectHairColorCode4     | SuspectHairColorCode4     | O | 5   |  |
| SuspectHairColorCode5     | SuspectHairColorCode5     | O | 5   |  |
| SuspectHairColorCode6     | SuspectHairColorCode6     | O | 5   |  |
| SuspectHairColorCode7     | SuspectHairColorCode7     | O | 5   |  |
| SuspectHairColorCode8     | SuspectHairColorCode8     | O | 5   |  |
| SuspectJewelryDescription | SuspectJewelryDescription | O | 100 |  |
| SuspectNumber             | SuspectNumber             | M | 1   |  |
| SuspectStatus             | SuspectStatus             | O | 2   |  |
| SuspectTeethCode          | SuspectTeethCode          | O | 5   |  |
| SuspectTeethCode2         | SuspectTeethCode2         | O | 5   |  |
| SuspectTeethCode3         | SuspectTeethCode3         | O | 5   |  |
| SuspectTeethCode4         | SuspectTeethCode4         | O | 5   |  |
| SuspectTeethCode5         | SuspectTeethCode5         | O | 5   |  |
| SuspectTeethCode6         | SuspectTeethCode6         | O | 5   |  |
| WeaponCode                | WeaponCode                | O | 5   |  |
| WeaponCode2               | WeaponCode2               | O | 5   |  |
| WeaponCode3               | WeaponCode3               | O | 5   |  |
| WeaponCode4               | WeaponCode4               | O | 5   |  |
| WeaponCode5               | WeaponCode5               | O | 5   |  |
| WeaponCode6               | WeaponCode6               | O | 5   |  |
| WeaponCode7               | WeaponCode7               | O | 5   |  |
| WeaponCode8               | WeaponCode8               | O | 5   |  |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, SuspectNumber, [CriminalIdentificationNumber, FBI Number, MiscellaneousNumber, MiscellaneousNumber10, MiscellaneousNumber11, MiscellaneousNumber12, MiscellaneousNumber13, MiscellaneousNumber14, MiscellaneousNumber15, MiscellaneousNumber16, MiscellaneousNumber17, MiscellaneousNumber18, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseState, OperatorLicenseState2, OperatorLicenseState3, OperatorLicenseState4, OperatorLicenseState5, PersonRelationship, SocialSecurityNumber, SocialSecurityNumber10, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6, SocialSecurityNumber7, SocialSecurityNumber8, SocialSecurityNumber9, SuspectBuild, SuspectClothingDescription, SuspectFacialHairCode, SuspectFacialHairCode2, SuspectFacialHairCode3, SuspectFacialHairCode4, SuspectFacialHairCode5, SuspectFacialHairCode6, SuspectGlassesContactsDescription, SuspectHairColorCode, SuspectHairColorCode2, SuspectHairColorCode3, SuspectHairColorCode4, SuspectHairColorCode5, SuspectHairColorCode6, SuspectHairColorCode7, SuspectHairColorCode8, SuspectJewelryDescription, SuspectStatus, SuspectTeethCode, SuspectTeethCode2, SuspectTeethCode3,

SuspectTeethCode4, SuspectTeethCode5, SuspectTeethCode6, WeaponCode, WeaponCode2, WeaponCode3, WeaponCode4, WeaponCode5, WeaponCode6, WeaponCode7, WeaponCode8]

### ***CAERestrainingOrderCancel***

| Field Name        | XML Tag Name      | M/C/O | Size | Possible Values |
|-------------------|-------------------|-------|------|-----------------|
| CancellationDate  | CancellationDate  | M     | 8    |                 |
| FileControlNumber | FileControlNumber | M     | 13   |                 |
| Name              | Name              | M     | 30   |                 |
| ReasonCode        | ReasonCode        | M     | 1    |                 |

#### **Possible Combinations**

1. (In/Out) CancellationDate, FileControlNumber, Name, ReasonCode

### ***CAERestrainingOrderEntry***

| Field Name             | XML Tag Name           | M/C/O | Size | Possible Values |
|------------------------|------------------------|-------|------|-----------------|
| Address                | Address                | O     | 30   |                 |
| AddressCity            | AddressCity            | O     | 30   |                 |
| AddressState           | AddressState           | O     | 2    |                 |
| AddressZipCode         | AddressZipCode         | O     | 9    |                 |
| AgencyName             | AgencyName             | O     | 30   |                 |
| AgentIdNumber          | AgentIdNumber          | O     | 5    |                 |
| AlsoKnownAs            | AlsoKnownAs            | O     | 30   |                 |
| AlsoKnownAs2           | AlsoKnownAs2           | O     | 30   |                 |
| AlsoKnownAs3           | AlsoKnownAs3           | O     | 30   |                 |
| AlsoKnownAs4           | AlsoKnownAs4           | O     | 30   |                 |
| AlsoKnownAs5           | AlsoKnownAs5           | O     | 30   |                 |
| AlsoKnownAs6           | AlsoKnownAs6           | O     | 30   |                 |
| AlsoKnownAs7           | AlsoKnownAs7           | O     | 30   |                 |
| AlsoKnownAs8           | AlsoKnownAs8           | O     | 30   |                 |
| AlsoKnownAs9           | AlsoKnownAs9           | O     | 30   |                 |
| BirthDate              | BirthDate              | M     | 8    |                 |
| CAContactIndicator     | CAContactIndicator     | M     | 1    |                 |
| CACustodyIndicator     | CACustodyIndicator     | O     | 2    |                 |
| CAStayAwayCode         | CAStayAwayCode         | O     | 4    |                 |
| CAStayAwayYards        | CAStayAwayYards        | O     | 4    |                 |
| CautionMedicalCode     | CautionMedicalCode     | O     | 2    |                 |
| CautionMedicalCode10   | CautionMedicalCode10   | O     | 2    |                 |
| CautionMedicalCode2    | CautionMedicalCode2    | O     | 2    |                 |
| CautionMedicalCode3    | CautionMedicalCode3    | O     | 2    |                 |
| CautionMedicalCode4    | CautionMedicalCode4    | O     | 2    |                 |
| CautionMedicalCode5    | CautionMedicalCode5    | O     | 2    |                 |
| CautionMedicalCode6    | CautionMedicalCode6    | O     | 2    |                 |
| CautionMedicalCode7    | CautionMedicalCode7    | O     | 2    |                 |
| CautionMedicalCode8    | CautionMedicalCode8    | O     | 2    |                 |
| CautionMedicalCode9    | CautionMedicalCode9    | O     | 2    |                 |
| CAVisitationRightsCode | CAVisitationRightsCode | O     | 1    |                 |

|                               |                               |   |     |  |
|-------------------------------|-------------------------------|---|-----|--|
| CourtCaseNumber               | CourtCaseNumber               | M | 20  |  |
| CourtCode                     | CourtCode                     | M | 5   |  |
| ExpirationDate                | ExpirationDate                | M | 8   |  |
| FBINumber                     | FBINumber                     | O | 9   |  |
| FingerprintClassificationCode | FingerprintClassificationCode | O | 20  |  |
| FireArmProvisions             | FireArmProvisions             | M | 1   |  |
| IssuanceState                 | IssuanceState                 | O | 2   |  |
| LicensePlateNumber            | LicensePlateNumber            | O | 8   |  |
| LicensePlateStateCode         | LicensePlateStateCode         | O | 2   |  |
| LicensePlateTypeCode          | LicensePlateTypeCode          | O | 2   |  |
| LicensePlateYear              | LicensePlateYear              | O | 4   |  |
| MiscellaneousDescriptiveText  | MiscellaneousDescriptiveText  | O | 500 |  |
| MiscellaneousNumber           | MiscellaneousNumber           | O | 15  |  |
| MiscellaneousNumber2          | MiscellaneousNumber2          | O | 15  |  |
| MiscellaneousNumber3          | MiscellaneousNumber3          | O | 15  |  |
| MiscellaneousNumber4          | MiscellaneousNumber4          | O | 15  |  |
| MiscellaneousNumber5          | MiscellaneousNumber5          | O | 15  |  |
| MiscellaneousNumber6          | MiscellaneousNumber6          | O | 15  |  |
| MiscellaneousNumber7          | MiscellaneousNumber7          | O | 15  |  |
| MiscellaneousNumber8          | MiscellaneousNumber8          | O | 15  |  |
| MiscellaneousNumber9          | MiscellaneousNumber9          | O | 15  |  |
| Name                          | Name                          | M | 30  |  |
| NotifiedOriginatingAgency     | NotifiedOriginatingAgency     | O | 1   |  |
| OperatorLicenseExpirationYear | OperatorLicenseExpirationYear | O | 4   |  |
| OperatorLicenseNumber         | OperatorLicenseNumber         | O | 20  |  |
| OperatorLicenseState          | OperatorLicenseState          | O | 2   |  |
| OriginatingAgencyCaseNumber   | OriginatingAgencyCaseNumber   | M | 20  |  |
| OriginatingAgencyORI          | OriginatingAgencyORI          | M | 9   |  |
| OtherOrders                   | OtherOrders                   | O | 500 |  |
| PresentInCourtIndicator       | PresentInCourtIndicator       | M | 1   |  |
| ProtectedPersonBirthDate      | ProtectedPersonBirthDate      | O | 8   |  |
| ProtectedPersonBirthDate10    | ProtectedPersonBirthDate10    | O | 8   |  |
| ProtectedPersonBirthDate2     | ProtectedPersonBirthDate2     | O | 8   |  |
| ProtectedPersonBirthDate3     | ProtectedPersonBirthDate3     | O | 8   |  |
| ProtectedPersonBirthDate4     | ProtectedPersonBirthDate4     | O | 8   |  |
| ProtectedPersonBirthDate5     | ProtectedPersonBirthDate5     | O | 8   |  |
| ProtectedPersonBirthDate6     | ProtectedPersonBirthDate6     | O | 8   |  |
| ProtectedPersonBirthDate7     | ProtectedPersonBirthDate7     | O | 8   |  |
| ProtectedPersonBirthDate8     | ProtectedPersonBirthDate8     | O | 8   |  |
| ProtectedPersonBirthDate9     | ProtectedPersonBirthDate9     | O | 8   |  |
| ProtectedPersonName           | ProtectedPersonName           | M | 30  |  |
| ProtectedPersonName10         | ProtectedPersonName10         | O | 30  |  |
| ProtectedPersonName2          | ProtectedPersonName2          | O | 30  |  |
| ProtectedPersonName3          | ProtectedPersonName3          | O | 30  |  |
| ProtectedPersonName4          | ProtectedPersonName4          | O | 30  |  |
| ProtectedPersonName5          | ProtectedPersonName5          | O | 30  |  |
| ProtectedPersonName6          | ProtectedPersonName6          | O | 30  |  |
| ProtectedPersonName7          | ProtectedPersonName7          | O | 30  |  |
| ProtectedPersonName8          | ProtectedPersonName8          | O | 30  |  |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| ProtectedPersonName9        | ProtectedPersonName9        | O | 30 |  |
| ProtectedPersonRaceCode     | ProtectedPersonRaceCode     | O | 1  |  |
| ProtectedPersonRaceCode10   | ProtectedPersonRaceCode10   | O | 1  |  |
| ProtectedPersonRaceCode2    | ProtectedPersonRaceCode2    | O | 1  |  |
| ProtectedPersonRaceCode3    | ProtectedPersonRaceCode3    | O | 1  |  |
| ProtectedPersonRaceCode4    | ProtectedPersonRaceCode4    | O | 1  |  |
| ProtectedPersonRaceCode5    | ProtectedPersonRaceCode5    | O | 1  |  |
| ProtectedPersonRaceCode6    | ProtectedPersonRaceCode6    | O | 1  |  |
| ProtectedPersonRaceCode7    | ProtectedPersonRaceCode7    | O | 1  |  |
| ProtectedPersonRaceCode8    | ProtectedPersonRaceCode8    | O | 1  |  |
| ProtectedPersonRaceCode9    | ProtectedPersonRaceCode9    | O | 1  |  |
| ProtectedPersonSexCode      | ProtectedPersonSexCode      | M | 1  |  |
| ProtectedPersonSexCode10    | ProtectedPersonSexCode10    | O | 1  |  |
| ProtectedPersonSexCode2     | ProtectedPersonSexCode2     | O | 1  |  |
| ProtectedPersonSexCode3     | ProtectedPersonSexCode3     | O | 1  |  |
| ProtectedPersonSexCode4     | ProtectedPersonSexCode4     | O | 1  |  |
| ProtectedPersonSexCode5     | ProtectedPersonSexCode5     | O | 1  |  |
| ProtectedPersonSexCode6     | ProtectedPersonSexCode6     | O | 1  |  |
| ProtectedPersonSexCode7     | ProtectedPersonSexCode7     | O | 1  |  |
| ProtectedPersonSexCode8     | ProtectedPersonSexCode8     | O | 1  |  |
| ProtectedPersonSexCode9     | ProtectedPersonSexCode9     | O | 1  |  |
| RaceCode                    | RaceCode                    | M | 1  |  |
| RestrainingOrderIssueDate   | RestrainingOrderIssueDate   | M | 8  |  |
| RestrainingOrderTypeCode    | RestrainingOrderTypeCode    | M | 3  |  |
| ScarsMarksTattoosCode       | ScarsMarksTattoosCode       | O | 10 |  |
| ScarsMarksTattoosCode2      | ScarsMarksTattoosCode2      | O | 10 |  |
| ScarsMarksTattoosCode3      | ScarsMarksTattoosCode3      | O | 10 |  |
| ScarsMarksTattoosCode4      | ScarsMarksTattoosCode4      | O | 10 |  |
| ScarsMarksTattoosCode5      | ScarsMarksTattoosCode5      | O | 10 |  |
| ScarsMarksTattoosCode6      | ScarsMarksTattoosCode6      | O | 10 |  |
| ScarsMarksTattoosCode7      | ScarsMarksTattoosCode7      | O | 10 |  |
| ScarsMarksTattoosCode8      | ScarsMarksTattoosCode8      | O | 10 |  |
| ScarsMarksTattoosCode9      | ScarsMarksTattoosCode9      | O | 10 |  |
| ServedBy                    | ServedBy                    | O | 30 |  |
| ServiceDate                 | ServiceDate                 | O | 8  |  |
| SexCode                     | SexCode                     | M | 1  |  |
| SocialSecurityNumber        | SocialSecurityNumber        | O | 9  |  |
| SubjectBirthPlaceCode       | SubjectBirthPlaceCode       | O | 2  |  |
| SubjectEyeColorCode         | SubjectEyeColorCode         | O | 3  |  |
| SubjectHairColorCode        | SubjectHairColorCode        | O | 3  |  |
| SubjectHeight               | SubjectHeight               | O | 3  |  |
| SubjectSkinToneCode         | SubjectSkinToneCode         | O | 3  |  |
| SubjectWeight               | SubjectWeight               | O | 3  |  |
| TimeServed                  | TimeServed                  | O | 4  |  |
| VacateAddress               | VacateAddress               | O | 60 |  |
| VehicleColorCode            | VehicleColorCode            | O | 7  |  |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O | 20 |  |
| VehicleMakeCode             | VehicleMakeCode             | O | 24 |  |
| VehicleModelCode            | VehicleModelCode            | O | 3  |  |

|                  |                  |   |   |  |
|------------------|------------------|---|---|--|
| VehicleStyleCode | VehicleStyleCode | O | 2 |  |
| VehicleYear      | VehicleYear      | O | 4 |  |

## Possible Combinations

1. (In/Out) BirthDate, CAContactIndicator, CourtCaseNumber, CourtCode, ExpirationDate, FireArmProvisions, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PresentInCourtIndicator, ProtectedPersonName, ProtectedPersonSexCode, RaceCode, RestrainingOrderIssueDate, RestrainingOrderTypeCode, SexCode, [Address, AddressCity, AddressState, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, CACustodyIndicator, CASTayAwayCode, CASTayAwayYards, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CAVisitationRightsCode, FBINumber, FingerprintClassificationCode, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OtherOrders, ProtectedPersonBirthDate, ProtectedPersonBirthDate10, ProtectedPersonBirthDate2, ProtectedPersonBirthDate3, ProtectedPersonBirthDate4, ProtectedPersonBirthDate5, ProtectedPersonBirthDate6, ProtectedPersonBirthDate7, ProtectedPersonBirthDate8, ProtectedPersonBirthDate9, ProtectedPersonName10, ProtectedPersonName2, ProtectedPersonName3, ProtectedPersonName4, ProtectedPersonName5, ProtectedPersonName6, ProtectedPersonName7, ProtectedPersonName8, ProtectedPersonName9, ProtectedPersonRaceCode, ProtectedPersonRaceCode10, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode10, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, ServiceDate, SocialSecurityNumber, SubjectBirthPlaceCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectSkinToneCode, SubjectWeight, TimeServed, VacateAddress, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

## CAERestrainingOrderModify

| Field Name                      | XML Tag Name                    | M/C/O | Size | Possible Values |
|---------------------------------|---------------------------------|-------|------|-----------------|
| Address                         | Address                         | O     | 30   |                 |
| AddressCity                     | AddressCity                     | O     | 30   |                 |
| AddressState                    | AddressState                    | O     | 2    |                 |
| AddressZipCode                  | AddressZipCode                  | O     | 9    |                 |
| AgencyName                      | AgencyName                      | O     | 30   |                 |
| AgentIdNumber                   | AgentIdNumber                   | O     | 5    |                 |
| AlsoKnownAs                     | AlsoKnownAs                     | O     | 30   |                 |
| AlsoKnownAs10                   | AlsoKnownAs10                   | O     | 30   |                 |
| AlsoKnownAs11                   | AlsoKnownAs11                   | O     | 30   |                 |
| AlsoKnownAs12                   | AlsoKnownAs12                   | O     | 30   |                 |
| AlsoKnownAs13                   | AlsoKnownAs13                   | O     | 30   |                 |
| AlsoKnownAs14                   | AlsoKnownAs14                   | O     | 30   |                 |
| AlsoKnownAs15                   | AlsoKnownAs15                   | O     | 30   |                 |
| AlsoKnownAs16                   | AlsoKnownAs16                   | O     | 30   |                 |
| AlsoKnownAs17                   | AlsoKnownAs17                   | O     | 30   |                 |
| AlsoKnownAs18                   | AlsoKnownAs18                   | O     | 30   |                 |
| AlsoKnownAs2                    | AlsoKnownAs2                    | O     | 30   |                 |
| AlsoKnownAs3                    | AlsoKnownAs3                    | O     | 30   |                 |
| AlsoKnownAs4                    | AlsoKnownAs4                    | O     | 30   |                 |
| AlsoKnownAs5                    | AlsoKnownAs5                    | O     | 30   |                 |
| AlsoKnownAs6                    | AlsoKnownAs6                    | O     | 30   |                 |
| AlsoKnownAs7                    | AlsoKnownAs7                    | O     | 30   |                 |
| AlsoKnownAs8                    | AlsoKnownAs8                    | O     | 30   |                 |
| AlsoKnownAs9                    | AlsoKnownAs9                    | O     | 30   |                 |
| BirthDate                       | BirthDate                       | O     | 8    |                 |
| CAContactIndicator              | CAContactIndicator              | O     | 1    |                 |
| CACustodyIndicator              | CACustodyIndicator              | O     | 2    |                 |
| CADeleteProofOfServiceIndicator | CADeleteProofOfServiceIndicator | O     | 1    |                 |
| CAStayAwayCode                  | CAStayAwayCode                  | O     | 4    |                 |
| CAStayAwayYards                 | CAStayAwayYards                 | O     | 4    |                 |
| CautionMedicalCode              | CautionMedicalCode              | O     | 2    |                 |
| CautionMedicalCode10            | CautionMedicalCode10            | O     | 2    |                 |
| CautionMedicalCode2             | CautionMedicalCode2             | O     | 2    |                 |
| CautionMedicalCode3             | CautionMedicalCode3             | O     | 2    |                 |
| CautionMedicalCode4             | CautionMedicalCode4             | O     | 2    |                 |
| CautionMedicalCode5             | CautionMedicalCode5             | O     | 2    |                 |
| CautionMedicalCode6             | CautionMedicalCode6             | O     | 2    |                 |
| CautionMedicalCode7             | CautionMedicalCode7             | O     | 2    |                 |
| CautionMedicalCode8             | CautionMedicalCode8             | O     | 2    |                 |
| CautionMedicalCode9             | CautionMedicalCode9             | O     | 2    |                 |
| CAVisitationRightsCode          | CAVisitationRightsCode          | O     | 1    |                 |
| CourtCaseNumber                 | CourtCaseNumber                 | O     | 20   |                 |
| CourtCode                       | CourtCode                       | O     | 5    |                 |
| ExpirationDate                  | ExpirationDate                  | O     | 8    |                 |
| FBINumber                       | FBINumber                       | O     | 9    |                 |
| FileControlNumber               | FileControlNumber               | M     | 13   |                 |

|                               |                               |   |     |  |
|-------------------------------|-------------------------------|---|-----|--|
| FingerprintClassificationCode | FingerprintClassificationCode | O | 20  |  |
| FireArmProvisions             | FireArmProvisions             | O | 1   |  |
| IssuanceState                 | IssuanceState                 | O | 2   |  |
| LicensePlateNumber            | LicensePlateNumber            | O | 8   |  |
| LicensePlateStateCode         | LicensePlateStateCode         | O | 2   |  |
| LicensePlateTypeCode          | LicensePlateTypeCode          | O | 2   |  |
| LicensePlateYear              | LicensePlateYear              | O | 4   |  |
| MiscellaneousDescriptiveText  | MiscellaneousDescriptiveText  | O | 500 |  |
| MiscellaneousNumber           | MiscellaneousNumber           | O | 31  |  |
| MiscellaneousNumber10         | MiscellaneousNumber10         | O | 31  |  |
| MiscellaneousNumber11         | MiscellaneousNumber11         | O | 31  |  |
| MiscellaneousNumber12         | MiscellaneousNumber12         | O | 31  |  |
| MiscellaneousNumber13         | MiscellaneousNumber13         | O | 31  |  |
| MiscellaneousNumber14         | MiscellaneousNumber14         | O | 31  |  |
| MiscellaneousNumber15         | MiscellaneousNumber15         | O | 31  |  |
| MiscellaneousNumber16         | MiscellaneousNumber16         | O | 31  |  |
| MiscellaneousNumber2          | MiscellaneousNumber2          | O | 31  |  |
| MiscellaneousNumber3          | MiscellaneousNumber3          | O | 31  |  |
| MiscellaneousNumber4          | MiscellaneousNumber4          | O | 31  |  |
| MiscellaneousNumber5          | MiscellaneousNumber5          | O | 31  |  |
| MiscellaneousNumber6          | MiscellaneousNumber6          | O | 31  |  |
| MiscellaneousNumber7          | MiscellaneousNumber7          | O | 31  |  |
| MiscellaneousNumber8          | MiscellaneousNumber8          | O | 31  |  |
| MiscellaneousNumber9          | MiscellaneousNumber9          | O | 31  |  |
| Name                          | Name                          | M | 30  |  |
| Name2                         | Name2                         | O | 30  |  |
| NotifiedOriginatingAgency     | NotifiedOriginatingAgency     | O | 1   |  |
| OperatorLicenseExpirationYear | OperatorLicenseExpirationYear | O | 4   |  |
| OperatorLicenseNumber         | OperatorLicenseNumber         | O | 20  |  |
| OperatorLicenseState          | OperatorLicenseState          | O | 2   |  |
| OriginatingAgencyCaseNumber   | OriginatingAgencyCaseNumber   | O | 20  |  |
| OtherOrders                   | OtherOrders                   | O | 500 |  |
| PresentInCourtIndicator       | PresentInCourtIndicator       | O | 1   |  |
| ProtectedPersonBirthDate      | ProtectedPersonBirthDate      | O | 8   |  |
| ProtectedPersonBirthDate10    | ProtectedPersonBirthDate10    | O | 8   |  |
| ProtectedPersonBirthDate2     | ProtectedPersonBirthDate2     | O | 8   |  |
| ProtectedPersonBirthDate3     | ProtectedPersonBirthDate3     | O | 8   |  |
| ProtectedPersonBirthDate4     | ProtectedPersonBirthDate4     | O | 8   |  |
| ProtectedPersonBirthDate5     | ProtectedPersonBirthDate5     | O | 8   |  |
| ProtectedPersonBirthDate6     | ProtectedPersonBirthDate6     | O | 8   |  |
| ProtectedPersonBirthDate7     | ProtectedPersonBirthDate7     | O | 8   |  |
| ProtectedPersonBirthDate8     | ProtectedPersonBirthDate8     | O | 8   |  |
| ProtectedPersonBirthDate9     | ProtectedPersonBirthDate9     | O | 8   |  |
| ProtectedPersonName           | ProtectedPersonName           | O | 30  |  |
| ProtectedPersonName10         | ProtectedPersonName10         | O | 30  |  |
| ProtectedPersonName2          | ProtectedPersonName2          | O | 30  |  |
| ProtectedPersonName3          | ProtectedPersonName3          | O | 30  |  |
| ProtectedPersonName4          | ProtectedPersonName4          | O | 30  |  |
| ProtectedPersonName5          | ProtectedPersonName5          | O | 30  |  |

|                           |                           |   |    |  |
|---------------------------|---------------------------|---|----|--|
| ProtectedPersonName6      | ProtectedPersonName6      | O | 30 |  |
| ProtectedPersonName7      | ProtectedPersonName7      | O | 30 |  |
| ProtectedPersonName8      | ProtectedPersonName8      | O | 30 |  |
| ProtectedPersonName9      | ProtectedPersonName9      | O | 30 |  |
| ProtectedPersonRaceCode   | ProtectedPersonRaceCode   | O | 1  |  |
| ProtectedPersonRaceCode10 | ProtectedPersonRaceCode10 | O | 1  |  |
| ProtectedPersonRaceCode2  | ProtectedPersonRaceCode2  | O | 1  |  |
| ProtectedPersonRaceCode3  | ProtectedPersonRaceCode3  | O | 1  |  |
| ProtectedPersonRaceCode4  | ProtectedPersonRaceCode4  | O | 1  |  |
| ProtectedPersonRaceCode5  | ProtectedPersonRaceCode5  | O | 1  |  |
| ProtectedPersonRaceCode6  | ProtectedPersonRaceCode6  | O | 1  |  |
| ProtectedPersonRaceCode7  | ProtectedPersonRaceCode7  | O | 1  |  |
| ProtectedPersonRaceCode8  | ProtectedPersonRaceCode8  | O | 1  |  |
| ProtectedPersonRaceCode9  | ProtectedPersonRaceCode9  | O | 1  |  |
| ProtectedPersonSexCode    | ProtectedPersonSexCode    | O | 1  |  |
| ProtectedPersonSexCode10  | ProtectedPersonSexCode10  | O | 1  |  |
| ProtectedPersonSexCode2   | ProtectedPersonSexCode2   | O | 1  |  |
| ProtectedPersonSexCode3   | ProtectedPersonSexCode3   | O | 1  |  |
| ProtectedPersonSexCode4   | ProtectedPersonSexCode4   | O | 1  |  |
| ProtectedPersonSexCode5   | ProtectedPersonSexCode5   | O | 1  |  |
| ProtectedPersonSexCode6   | ProtectedPersonSexCode6   | O | 1  |  |
| ProtectedPersonSexCode7   | ProtectedPersonSexCode7   | O | 1  |  |
| ProtectedPersonSexCode8   | ProtectedPersonSexCode8   | O | 1  |  |
| ProtectedPersonSexCode9   | ProtectedPersonSexCode9   | O | 1  |  |
| RaceCode                  | RaceCode                  | O | 1  |  |
| RestrainingOrderIssueDate | RestrainingOrderIssueDate | O | 8  |  |
| RestrainingOrderTypeCode  | RestrainingOrderTypeCode  | O | 3  |  |
| ScarsMarksTattoosCode     | ScarsMarksTattoosCode     | O | 21 |  |
| ScarsMarksTattoosCode10   | ScarsMarksTattoosCode10   | O | 21 |  |
| ScarsMarksTattoosCode11   | ScarsMarksTattoosCode11   | O | 21 |  |
| ScarsMarksTattoosCode12   | ScarsMarksTattoosCode12   | O | 21 |  |
| ScarsMarksTattoosCode13   | ScarsMarksTattoosCode13   | O | 21 |  |
| ScarsMarksTattoosCode14   | ScarsMarksTattoosCode14   | O | 21 |  |
| ScarsMarksTattoosCode15   | ScarsMarksTattoosCode15   | O | 21 |  |
| ScarsMarksTattoosCode16   | ScarsMarksTattoosCode16   | O | 21 |  |
| ScarsMarksTattoosCode17   | ScarsMarksTattoosCode17   | O | 21 |  |
| ScarsMarksTattoosCode18   | ScarsMarksTattoosCode18   | O | 21 |  |
| ScarsMarksTattoosCode2    | ScarsMarksTattoosCode2    | O | 21 |  |
| ScarsMarksTattoosCode3    | ScarsMarksTattoosCode3    | O | 21 |  |
| ScarsMarksTattoosCode4    | ScarsMarksTattoosCode4    | O | 21 |  |
| ScarsMarksTattoosCode5    | ScarsMarksTattoosCode5    | O | 21 |  |
| ScarsMarksTattoosCode6    | ScarsMarksTattoosCode6    | O | 21 |  |
| ScarsMarksTattoosCode7    | ScarsMarksTattoosCode7    | O | 21 |  |
| ScarsMarksTattoosCode8    | ScarsMarksTattoosCode8    | O | 21 |  |
| ScarsMarksTattoosCode9    | ScarsMarksTattoosCode9    | O | 21 |  |
| ServedBy                  | ServedBy                  | O | 30 |  |
| ServiceDate               | ServiceDate               | O | 8  |  |
| SexCode                   | SexCode                   | O | 1  |  |
| SocialSecurityNumber      | SocialSecurityNumber      | O | 9  |  |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| SubjectBirthPlaceCode       | SubjectBirthPlaceCode       | O | 2  |  |
| SubjectEyeColorCode         | SubjectEyeColorCode         | O | 3  |  |
| SubjectHairColorCode        | SubjectHairColorCode        | O | 3  |  |
| SubjectHeight               | SubjectHeight               | O | 3  |  |
| SubjectSkinToneCode         | SubjectSkinToneCode         | O | 3  |  |
| SubjectWeight               | SubjectWeight               | O | 3  |  |
| TimeServed                  | TimeServed                  | O | 4  |  |
| VacateAddress               | VacateAddress               | O | 60 |  |
| ValidatorName               | ValidatorName               | O | 30 |  |
| VehicleColorCode            | VehicleColorCode            | O | 7  |  |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O | 20 |  |
| VehicleMakeCode             | VehicleMakeCode             | O | 24 |  |
| VehicleModelCode            | VehicleModelCode            | O | 3  |  |
| VehicleStyleCode            | VehicleStyleCode            | O | 2  |  |
| VehicleYear                 | VehicleYear                 | O | 4  |  |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, [Address, AddressCity, AddressState, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs10, AlsoKnownAs11, AlsoKnownAs12, AlsoKnownAs13, AlsoKnownAs14, AlsoKnownAs15, AlsoKnownAs16, AlsoKnownAs17, AlsoKnownAs18, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, CAContactIndicator, CACustodyIndicator, CADeleteProofOfServiceIndicator, CASTayAwayCode, CASTayAwayYards, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CAVisitationRightsCode, CourtCaseNumber, CourtCode, ExpirationDate, FBINumber, FingerprintClassificationCode, FireArmProvisions, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber10, MiscellaneousNumber11, MiscellaneousNumber12, MiscellaneousNumber13, MiscellaneousNumber14, MiscellaneousNumber15, MiscellaneousNumber16, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, Name2, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyCaseNumber, OtherOrders, PresentInCourtIndicator, ProtectedPersonBirthDate, ProtectedPersonBirthDate10, ProtectedPersonBirthDate2, ProtectedPersonBirthDate3, ProtectedPersonBirthDate4, ProtectedPersonBirthDate5, ProtectedPersonBirthDate6, ProtectedPersonBirthDate7, ProtectedPersonBirthDate8, ProtectedPersonBirthDate9, ProtectedPersonName, ProtectedPersonName10, ProtectedPersonName2, ProtectedPersonName3, ProtectedPersonName4, ProtectedPersonName5, ProtectedPersonName6, ProtectedPersonName7, ProtectedPersonName8, ProtectedPersonName9, ProtectedPersonRaceCode,

ProtectedPersonRaceCode10, ProtectedPersonRaceCode2,  
ProtectedPersonRaceCode3, ProtectedPersonRaceCode4,  
ProtectedPersonRaceCode5, ProtectedPersonRaceCode6,  
ProtectedPersonRaceCode7, ProtectedPersonRaceCode8,  
ProtectedPersonRaceCode9, ProtectedPersonSexCode,  
ProtectedPersonSexCode10, ProtectedPersonSexCode2,  
ProtectedPersonSexCode3, ProtectedPersonSexCode4,  
ProtectedPersonSexCode5, ProtectedPersonSexCode6,  
ProtectedPersonSexCode7, ProtectedPersonSexCode8,  
ProtectedPersonSexCode9, RaceCode, RestrainingOrderIssueDate,  
RestrainingOrderTypeCode, ScarsMarksTattoosCode,  
ScarsMarksTattoosCode10, ScarsMarksTattoosCode11,  
ScarsMarksTattoosCode12, ScarsMarksTattoosCode13,  
ScarsMarksTattoosCode14, ScarsMarksTattoosCode15,  
ScarsMarksTattoosCode16, ScarsMarksTattoosCode17,  
ScarsMarksTattoosCode18, ScarsMarksTattoosCode2,  
ScarsMarksTattoosCode3, ScarsMarksTattoosCode4,  
ScarsMarksTattoosCode5, ScarsMarksTattoosCode6,  
ScarsMarksTattoosCode7, ScarsMarksTattoosCode8,  
ScarsMarksTattoosCode9, ServedBy, ServiceDate, SexCode,  
SocialSecurityNumber, SubjectBirthPlaceCode, SubjectEyeColorCode,  
SubjectHairColorCode, SubjectHeight, SubjectSkinToneCode, SubjectWeight,  
TimeServed, VacateAddress, ValidatorName, VehicleColorCode,  
VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode,  
VehicleStyleCode, VehicleYear]

### ***CAERestrainingOrderServiceEntry***

| Field Name                             | XML Tag Name                           | M/C/O | Size | Possible Values |
|----------------------------------------|----------------------------------------|-------|------|-----------------|
| AgencyName                             | AgencyName                             | M     | 30   |                 |
| AgentIdNumber                          | AgentIdNumber                          | O     | 5    |                 |
| FileControlNumber                      | FileControlNumber                      | M     | 13   |                 |
| MiscellaneousProofOfServiceInformation | MiscellaneousProofOfServiceInformation | O     | 500  |                 |
| Name                                   | Name                                   | M     | 30   |                 |
| OriginatingAgencyORI                   | OriginatingAgencyORI                   | M     | 9    |                 |
| RestrainingOrderIssueDate              | RestrainingOrderIssueDate              | M     | 8    |                 |
| ServedBy                               | ServedBy                               | M     | 30   |                 |
| ServingAgencyCaseNumber                | ServingAgencyCaseNumber                | M     | 20   |                 |
| TimeServed                             | TimeServed                             | M     | 4    |                 |

### **Possible Combinations**

1. (In/Out) AgencyName, FileControlNumber, Name, OriginatingAgencyORI, RestrainingOrderIssueDate, ServedBy, ServingAgencyCaseNumber, TimeServed, [AgentIdNumber, MiscellaneousProofOfServiceInformation]

### ***CAERestrainingOrderViolationClear***

| Field Name        | XML Tag Name      | M/C/O | Size | Possible Values |
|-------------------|-------------------|-------|------|-----------------|
| AdditionalComment | AdditionalComment | M     | 500  |                 |
| FileControlNumber | FileControlNumber | M     | 13   |                 |

|                      |                      |   |    |  |
|----------------------|----------------------|---|----|--|
| Name                 | Name                 | M | 30 |  |
| OriginatingAgencyORI | OriginatingAgencyORI | M | 9  |  |
| ViolationNumber      | ViolationNumber      | M | 3  |  |

### Possible Combinations

1. (In/Out) AdditionalComment, FileControlNumber, Name, OriginatingAgencyORI, ViolationNumber

### CAERestrainingOrderViolationEntry

| Field Name               | XML Tag Name             | M/C/O | Size | Possible Values |
|--------------------------|--------------------------|-------|------|-----------------|
| ChildPresentIndicator    | ChildPresentIndicator    | O     | 1    |                 |
| Comment                  | Comment                  | O     | 500  |                 |
| FileControlNumber        | FileControlNumber        | M     | 13   |                 |
| Name                     | Name                     | M     | 30   |                 |
| OriginatingAgencyORI     | OriginatingAgencyORI     | M     | 9    |                 |
| ProbationParoleIndicator | ProbationParoleIndicator | O     | 1    |                 |
| ReportNumber             | ReportNumber             | M     | 20   |                 |
| ViolationCode            | ViolationCode            | M     | 5    |                 |
| ViolationDate            | ViolationDate            | M     | 8    |                 |
| ViolationLocationCode    | ViolationLocationCode    | M     | 1    |                 |
| ViolationStatusCode      | ViolationStatusCode      | M     | 1    |                 |
| ViolationTime            | ViolationTime            | O     | 4    |                 |
| WeaponTypeCode           | WeaponTypeCode           | O     | 1    |                 |
| WeaponUsedIndicator      | WeaponUsedIndicator      | O     | 1    |                 |

### Possible Combinations

1. (In/Out) FileControlNumber, Name, OriginatingAgencyORI, ReportNumber, ViolationCode, ViolationDate, ViolationLocationCode, ViolationStatusCode, [ChildPresentIndicator, Comment, ProbationParoleIndicator, ViolationTime, WeaponTypeCode, WeaponUsedIndicator]

### CAERestrainingOrderViolationModify

| Field Name               | XML Tag Name             | M/C/O | Size | Possible Values |
|--------------------------|--------------------------|-------|------|-----------------|
| ChildPresentIndicator    | ChildPresentIndicator    | O     | 1    |                 |
| Comment                  | Comment                  | O     | 500  |                 |
| FileControlNumber        | FileControlNumber        | M     | 13   |                 |
| Name                     | Name                     | M     | 30   |                 |
| ProbationParoleIndicator | ProbationParoleIndicator | O     | 1    |                 |
| ReportNumber             | ReportNumber             | O     | 20   |                 |
| ViolationCode            | ViolationCode            | O     | 5    |                 |
| ViolationDate            | ViolationDate            | O     | 8    |                 |
| ViolationLocationCode    | ViolationLocationCode    | O     | 1    |                 |
| ViolationNumber          | ViolationNumber          | M     | 3    |                 |
| ViolationStatusCode      | ViolationStatusCode      | O     | 1    |                 |
| ViolationTime            | ViolationTime            | O     | 4    |                 |
| WeaponTypeCode           | WeaponTypeCode           | O     | 1    |                 |

|                     |                     |   |   |  |
|---------------------|---------------------|---|---|--|
| WeaponUsedIndicator | WeaponUsedIndicator | O | 1 |  |
|---------------------|---------------------|---|---|--|

### Possible Combinations

1. (In/Out) FileControlNumber, Name, ViolationNumber, [ChildPresentIndicator, Comment, ProbationParoleIndicator, ReportNumber, ViolationCode, ViolationDate, ViolationLocationCode, ViolationStatusCode, ViolationTime, WeaponTypeCode, WeaponUsedIndicator]

### **CAEStolenSecuritiesEntry**

| Field Name                       | XML Tag Name                     | M/C/O | Size | Possible Values |
|----------------------------------|----------------------------------|-------|------|-----------------|
| Denomination                     | Denomination                     | M     | 9    |                 |
| Issuer                           | Issuer                           | M     | 15   |                 |
| LinkageAgencyIdentifier          | LinkageAgencyIdentifier          | O     | 9    |                 |
| LinkageCaseNumber                | LinkageCaseNumber                | O     | 20   |                 |
| MiscellaneousDescriptiveText     | MiscellaneousDescriptiveText     | O     | 200  |                 |
| NotifyOriginatingAgencyIndicator | NotifyOriginatingAgencyIndicator | O     | 1    |                 |
| OriginatingAgencyCaseNumber      | OriginatingAgencyCaseNumber      | C     | 20   |                 |
| Owner                            | Owner                            | M     | 40   |                 |
| RansomMoneyIndicator             | RansomMoneyIndicator             | O     | 1    |                 |
| SecurityDate                     | SecurityDate                     | O     | 8    |                 |
| SecurityTypeCode                 | SecurityTypeCode                 | M     | 2    |                 |
| SerialNumber                     | SerialNumber                     | M     | 18   |                 |
| SerialNumber2                    | SerialNumber2                    | C     | 18   |                 |
| SocialSecurityNumber             | SocialSecurityNumber             | O     | 9    |                 |
| TheftDate                        | TheftDate                        | M     | 8    |                 |

### Possible Combinations

1. (In/Out) Denomination, Issuer, OriginatingAgencyCaseNumber, Owner, SecurityTypeCode, SerialNumber, SerialNumber2, TheftDate, [LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, RansomMoneyIndicator, SecurityDate, SocialSecurityNumber]
2. (In/Out) Denomination, Issuer, Owner, SecurityTypeCode, SerialNumber, TheftDate, [LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, RansomMoneyIndicator, SecurityDate, SocialSecurityNumber]

### **CAEStolenSecuritiesCancel**

| Field Name                       | XML Tag Name                     | M/C/O | Size | Possible Values                                                   |
|----------------------------------|----------------------------------|-------|------|-------------------------------------------------------------------|
| CancellationDate                 | CancellationDate                 | M     | 8    |                                                                   |
| ConsecutivelySerializedIndicator | ConsecutivelySerializedIndicator | C     | 1    | Must be 'Y' for consecutively serialized, 'N' or BLANK for single |
| NCICNumber                       | NCICNumber                       | C     | 10   |                                                                   |
| OriginatingAgencyCaseNumber      | OriginatingAgencyCaseNumber      | M     | 20   |                                                                   |
| PropertyRecordRemovalReason      | PropertyRecordRemovalReason      | O     | 21   |                                                                   |
| SecuritySerialNumber             | SecuritySerialNumber             | C     | 18   |                                                                   |

|                       |                       |   |    |  |
|-----------------------|-----------------------|---|----|--|
| SecuritySerialNumber2 | SecuritySerialNumber2 | O | 18 |  |
|-----------------------|-----------------------|---|----|--|

#### Possible Combinations

1. (In/Out) CancellationDate, ConsecutivelySerializedIndicator, NCICNumber, OriginatingAgencyCaseNumber
2. (In/Out) CancellationDate, ConsecutivelySerializedIndicator, OriginatingAgencyCaseNumber, SecuritySerialNumber, SecuritySerialNumber2
3. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber, [PropertyRecordRemovalReason]
4. (In/Out) CancellationDate, OriginatingAgencyCaseNumber, SecuritySerialNumber, [PropertyRecordRemovalReason]

### CAEStolenSecuritiesClear

| Field Name                       | XML Tag Name                     | M/C/O | Size | Possible Values                                                   |
|----------------------------------|----------------------------------|-------|------|-------------------------------------------------------------------|
| RecoveringAgencyCaseNumber       | RecoveringAgencyCaseNumber       | O     | 20   |                                                                   |
| ConsecutivelySerializedIndicator | ConsecutivelySerializedIndicator | C     | 1    | Must be 'Y' for consecutively serialized, 'N' or BLANK for single |
| ClearDate                        | ClearDate                        | M     | 8    |                                                                   |
| ContrabandRecoveredValue         | ContrabandRecoveredValue         | O     | 8    |                                                                   |
| NCICNumber                       | NCICNumber                       | C     | 10   |                                                                   |
| NumberMissingPersonsFound        | NumberMissingPersonsFound        | O     | 20   |                                                                   |
| NumberPersonsApprehended         | NumberPersonsApprehended         | O     | 3    |                                                                   |
| OriginatingAgencyCaseNumber      | OriginatingAgencyCaseNumber      | M     | 20   |                                                                   |
| OtherRecoveredPropertyValue      | OtherRecoveredPropertyValue      | O     | 8    |                                                                   |
| PropertyRecordRemovalReason      | PropertyRecordRemovalReason      | O     | 21   |                                                                   |
| PropertyRecoveredValue           | PropertyRecoveredValue           | O     | 8    |                                                                   |
| RecoveringAgencyCaseNumber       | RecoveringAgencyCaseNumber       | O     | 20   |                                                                   |
| RecoveringAgencyORI              | RecoveringAgencyORI              | O     | 9    |                                                                   |
| SecuritySerialNumber             | SecuritySerialNumber             | C     | 18   |                                                                   |
| SerialNumber                     | SerialNumber                     | O     | 18   |                                                                   |
| SerialNumber2                    | SerialNumber2                    | O     | 18   |                                                                   |

#### Possible Combinations

1. (In/Out) ClearDate, ConsecutivelySerializedIndicator, NCICNumber, OriginatingAgencyCaseNumber, [ RecoveringAgencyCaseNumber, RecoveringAgencyORI]
2. (In/Out) ClearDate, ConsecutivelySerializedIndicator, OriginatingAgencyCaseNumber, SecuritySerialNumber, [RecoveringAgencyCaseNumber, RecoveringAgencyORI, SerialNumber, SerialNumber2]
3. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
4. (In/Out) ClearDate, OriginatingAgencyCaseNumber, SecuritySerialNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

## CAEStolenSecuritiesLocate

| Field Name                       | XML Tag Name                     | M/C/O | Size | Possible Values                                                   |
|----------------------------------|----------------------------------|-------|------|-------------------------------------------------------------------|
| ConsecutivelySerializedIndicator | ConsecutivelySerializedIndicator | C     | 1    | Must be 'Y' for consecutively serialized, 'N' or BLANK for single |
| ContrabandRecoveredValue         | ContrabandRecoveredValue         | O     | 8    |                                                                   |
| NCICNumber                       | NCICNumber                       | C     | 10   |                                                                   |
| NumberMissingPersonsFound        | NumberMissingPersonsFound        | O     | 20   |                                                                   |
| NumberPersonsApprehended         | NumberPersonsApprehended         | O     | 3    |                                                                   |
| OriginatingAgencyCaseNumber      | OriginatingAgencyCaseNumber      | M     | 20   |                                                                   |
| OtherRecoveredPropertyValue      | OtherRecoveredPropertyValue      | O     | 8    |                                                                   |
| PropertyRecordRemovalReason      | PropertyRecordRemovalReason      | O     | 21   |                                                                   |
| PropertyRecoveredValue           | PropertyRecoveredValue           | O     | 8    |                                                                   |
| RecoveringAgencyCaseNumber       | RecoveringAgencyCaseNumber       | O     | 20   |                                                                   |
| RecoveryDate                     | RecoveryDate                     | M     | 8    |                                                                   |
| SecuritySerialNumber             | SecuritySerialNumber             | C     | 18   |                                                                   |
| SecuritySerialNumber2            | SecuritySerialNumber2            | O     | 18   |                                                                   |

### Possible Combinations

1. (In/Out) ConsecutivelySerializedIndicator, NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate, [RecoveringAgencyCaseNumber]
2. (In/Out) ConsecutivelySerializedIndicator, OriginatingAgencyCaseNumber, RecoveryDate, SecuritySerialNumber, [RecoveringAgencyCaseNumber, SecuritySerialNumber2]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
4. (In/Out) OriginatingAgencyCaseNumber, RecoveryDate, SecuritySerialNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

## CAEStolenSecuritiesModify

| Field Name                       | XML Tag Name                     | M/C/O | Size | Possible Values                                                   |
|----------------------------------|----------------------------------|-------|------|-------------------------------------------------------------------|
| ConsecutivelySerializedIndicator | ConsecutivelySerializedIndicator | C     | 1    | Must be 'Y' for consecutively serialized, 'N' or BLANK for single |
| Denomination                     | Denomination                     | O     | 9    |                                                                   |
| Issuer                           | Issuer                           | O     | 15   |                                                                   |
| LinkageAgencyIdentifier          | LinkageAgencyIdentifier          | O     | 9    |                                                                   |
| LinkageCaseNumber                | LinkageCaseNumber                | O     | 20   |                                                                   |
| MiscellaneousDescriptiveText     | MiscellaneousDescriptiveText     | O     | 200  |                                                                   |
| NCICNumber                       | NCICNumber                       | C     | 10   |                                                                   |
| NotifyOriginatingAgencyIndicator | NotifyOriginatingAgencyIndicator | O     | 1    |                                                                   |
| OriginatingAgencyIdentifier2     | OriginatingAgencyIdentifier2     | O     | 9    |                                                                   |
| OriginatingAgencyCaseNumber      | OriginatingAgencyCaseNumber      | M     | 20   |                                                                   |
| OriginatingAgencyCaseNumber2     | OriginatingAgencyCaseNumber2     | O     | 20   |                                                                   |
| Owner                            | Owner                            | O     | 40   |                                                                   |
| RansomMoneyIndicator             | RansomMoneyIndicator             | O     | 1    |                                                                   |
| SecurityDate                     | SecurityDate                     | O     | 8    |                                                                   |
| SecuritySerialNumber             | SecuritySerialNumber             | O     | 18   |                                                                   |
| SecuritySerialNumber2            | SecuritySerialNumber2            | O     | 18   |                                                                   |
| SecurityTypeCode                 | SecurityTypeCode                 | O     | 2    |                                                                   |
| SerialNumber                     | SerialNumber                     | C     | 18   |                                                                   |
| SocialSecurityNumber             | SocialSecurityNumber             | O     | 9    |                                                                   |
| TheftDate                        | TheftDate                        | O     | 8    |                                                                   |
| ValidatorName                    | ValidatorName                    | O     | 30   |                                                                   |

### Possible Combinations

1. (In/Out) ConsecutivelySerializedIndicator, NCICNumber, OriginatingAgencyCaseNumber, [Denomination, Issuer, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyIdentifier2, OriginatingAgencyCaseNumber2, Owner, RansomMoneyIndicator, SecurityDate, SecuritySerialNumber, SecuritySerialNumber2, SecurityTypeCode, SocialSecurityNumber, TheftDate, ValidatorName]
2. (In/Out) ConsecutivelySerializedIndicator, OriginatingAgencyCaseNumber, SerialNumber, [Denomination, Issuer, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NCICNumber, NotifyOriginatingAgencyIndicator, OriginatingAgencyIdentifier2, OriginatingAgencyCaseNumber2, Owner, RansomMoneyIndicator, SecurityDate, SecuritySerialNumber, SecuritySerialNumber2, SecurityTypeCode, SocialSecurityNumber, TheftDate, ValidatorName]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [Denomination, Issuer, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyIdentifier2, OriginatingAgencyCaseNumber2, Owner, RansomMoneyIndicator, SecurityDate, SecuritySerialNumber, SecuritySerialNumber2, SecurityTypeCode, SocialSecurityNumber, TheftDate, ValidatorName]

4. (In/Out) OriginatingAgencyCaseNumber, SerialNumber, [Denomination, Issuer, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NCICNumber, NotifyOriginatingAgencyIndicator, OriginatingAgencyIdentifier2, OriginatingAgencyCaseNumber2, Owner, RansomMoneyIndicator, SecurityDate, SecuritySerialNumber, SecurityTypeCode, SocialSecurityNumber, TheftDate, ValidatorName]

### ***CAESupervisedReleaseCancel***

| Field Name        | XML Tag Name      | M/C/O | Size | Possible Values |
|-------------------|-------------------|-------|------|-----------------|
| CancellationDate  | CancellationDate  | M     | 8    |                 |
| FileControlNumber | FileControlNumber | M     | 13   |                 |
| Name              | Name              | M     | 30   |                 |
| ReasonCode        | ReasonCode        | M     | 1    |                 |

#### **Possible Combinations**

1. (In/Out) CancellationDate, FileControlNumber, Name, ReasonCode

### ***CAESupervisedReleaseContact***

| Field Name             | XML Tag Name           | M/C/O | Size | Possible Values |
|------------------------|------------------------|-------|------|-----------------|
| ArticleTypeCode        | ArticleTypeCode        | C     | 3    |                 |
| ArticleTypeCode2       | ArticleTypeCode2       | O     | 3    |                 |
| ArticleTypeCode3       | ArticleTypeCode3       | O     | 3    |                 |
| ArticleTypeCode4       | ArticleTypeCode4       | O     | 3    |                 |
| ArticleTypeCode5       | ArticleTypeCode5       | O     | 3    |                 |
| CallRequestedIndicator | CallRequestedIndicator | O     | 1    |                 |
| Charge                 | Charge                 | O     | 20   |                 |
| Comment                | Comment                | O     | 120  |                 |
| ContactStatus          | ContactStatus          | M     | 1    |                 |
| FileControlNumber      | FileControlNumber      | C     | 13   |                 |
| FileControlNumber2     | FileControlNumber2     | O     | 13   |                 |
| FileControlNumber3     | FileControlNumber3     | O     | 13   |                 |
| FileControlNumber4     | FileControlNumber4     | O     | 13   |                 |
| FileControlNumber5     | FileControlNumber5     | O     | 13   |                 |
| IdentificationNumber   | IdentificationNumber   | C     | 20   |                 |
| IdentificationNumber2  | IdentificationNumber2  | O     | 20   |                 |
| IdentificationNumber3  | IdentificationNumber3  | O     | 20   |                 |
| IdentificationNumber4  | IdentificationNumber4  | O     | 20   |                 |
| IdentificationNumber5  | IdentificationNumber5  | O     | 20   |                 |
| LicensePlateNumber     | LicensePlateNumber     | O     | 10   |                 |
| LicensePlateStateCode  | LicensePlateStateCode  | O     | 2    |                 |
| LicensePlateTypeCode   | LicensePlateTypeCode   | O     | 4    |                 |
| LicensePlateYear       | LicensePlateYear       | O     | 4    |                 |
| Mnemonic               | Mnemonic               | C     | 4    |                 |
| Mnemonic2              | Mnemonic2              | O     | 4    |                 |
| Mnemonic3              | Mnemonic3              | O     | 4    |                 |
| Mnemonic4              | Mnemonic4              | O     | 4    |                 |
| Mnemonic5              | Mnemonic5              | O     | 4    |                 |
| OfficerName            | OfficerName            | M     | 30   |                 |
| PhoneNumber            | PhoneNumber            | O     | 20   |                 |

|                         |                         |   |    |  |
|-------------------------|-------------------------|---|----|--|
| VehicleColorPrimaryCode | VehicleColorPrimaryCode | O | 15 |  |
| VehicleMakeCode         | VehicleMakeCode         | O | 24 |  |
| VehicleModelCode        | VehicleModelCode        | O | 15 |  |
| VehicleYear             | VehicleYear             | O | 4  |  |

### Possible Combinations

1. (In/Out) ArticleTypeCode, ContactStatus, IdentificationNumber, Mnemonic, OfficerName, [ArticleTypeCode2, ArticleTypeCode3, ArticleTypeCode4, ArticleTypeCode5, CallRequestedIndicator, Charge, Comment, IdentificationNumber2, IdentificationNumber3, IdentificationNumber4, IdentificationNumber5, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Mnemonic2, Mnemonic3, Mnemonic4, Mnemonic5, PhoneNumber, VehicleColorPrimaryCode, VehicleMakeCode, VehicleModelCode, VehicleYear]
2. (In/Out) ContactStatus, FileControlNumber, OfficerName, [CallRequestedIndicator, Charge, Comment, FileControlNumber2, FileControlNumber3, FileControlNumber4, FileControlNumber5, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, PhoneNumber, VehicleColorPrimaryCode, VehicleMakeCode, VehicleModelCode, VehicleYear]

### CAESupervisedReleaseEntry

| Field Name                    | XML Tag Name                  | M/C/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| AddressCity                   | AddressCity                   | O     | 30   |                 |
| AddressCounty                 | AddressCounty                 | M     | 2    |                 |
| AgencyRecordNumber            | AgencyRecordNumber            | O     | 9    |                 |
| AlsoKnownAs                   | AlsoKnownAs                   | O     | 30   |                 |
| AlsoKnownAs2                  | AlsoKnownAs2                  | O     | 30   |                 |
| AlsoKnownAs3                  | AlsoKnownAs3                  | O     | 30   |                 |
| AlsoKnownAs4                  | AlsoKnownAs4                  | O     | 30   |                 |
| AlsoKnownAs5                  | AlsoKnownAs5                  | O     | 30   |                 |
| AlsoKnownAs6                  | AlsoKnownAs6                  | O     | 30   |                 |
| AlsoKnownAs7                  | AlsoKnownAs7                  | O     | 30   |                 |
| AlsoKnownAs8                  | AlsoKnownAs8                  | O     | 30   |                 |
| AlsoKnownAs9                  | AlsoKnownAs9                  | O     | 30   |                 |
| ArrestDate                    | ArrestDate                    | O     | 8    |                 |
| BirthDate                     | BirthDate                     | M     | 8    |                 |
| CASubjectInmateNumber         | CASubjectInmateNumber         | O     | 6    |                 |
| CautionMedicalCode            | CautionMedicalCode            | O     | 2    |                 |
| CourtCode                     | CourtCode                     | O     | 9    |                 |
| CourtORI                      | CourtORI                      | O     | 9    |                 |
| CriminalIdentificationNumber  | CriminalIdentificationNumber  | O     | 9    |                 |
| EntryLevel                    | EntryLevel                    | O     | 1    |                 |
| FBINumber                     | FBINumber                     | O     | 9    |                 |
| FingerprintClassificationCode | FingerprintClassificationCode | O     | 20   |                 |
| IncidentType                  | IncidentType                  | O     | 50   |                 |
| LicensePlateNumber            | LicensePlateNumber            | O     | 10   |                 |
| LicensePlateStateCode         | LicensePlateStateCode         | O     | 2    |                 |

|                               |                               |   |     |  |
|-------------------------------|-------------------------------|---|-----|--|
| LicensePlateTypeCode          | LicensePlateTypeCode          | O | 2   |  |
| LicensePlateYear              | LicensePlateYear              | O | 4   |  |
| Location                      | Location                      | O | 50  |  |
| MiscellaneousDescriptiveText  | MiscellaneousDescriptiveText  | O | 500 |  |
| MiscellaneousNumber           | MiscellaneousNumber           | O | 15  |  |
| Mnemonic                      | Mnemonic                      | M | 4   |  |
| Name                          | Name                          | M | 30  |  |
| OffenseCode                   | OffenseCode                   | M | 10  |  |
| OfficerName                   | OfficerName                   | M | 30  |  |
| OfficerPhoneNumber            | OfficerPhoneNumber            | M | 12  |  |
| OperatorLicenseExpirationYear | OperatorLicenseExpirationYear | O | 4   |  |
| OperatorLicenseNumber         | OperatorLicenseNumber         | O | 20  |  |
| OperatorLicenseState          | OperatorLicenseState          | O | 2   |  |
| OriginalOffenseCode           | OriginalOffenseCode           | O | 4   |  |
| OriginatingAgencyCaseNumber   | OriginatingAgencyCaseNumber   | O | 20  |  |
| OriginatingAgencyORI          | OriginatingAgencyORI          | M | 9   |  |
| ProbationRevokedDate          | ProbationRevokedDate          | O | 8   |  |
| RaceCode                      | RaceCode                      | M | 1   |  |
| RevocationReason              | RevocationReason              | O | 20  |  |
| ScarsMarksTattoosCode         | ScarsMarksTattoosCode         | O | 10  |  |
| SexCode                       | SexCode                       | M | 1   |  |
| SexOffenderIndicator          | SexOffenderIndicator          | O | 1   |  |
| SocialSecurityNumber          | SocialSecurityNumber          | O | 9   |  |
| StolenBirthDate               | StolenBirthDate               | O | 8   |  |
| StolenBirthDate2              | StolenBirthDate2              | O | 8   |  |
| StolenBirthDate3              | StolenBirthDate3              | O | 8   |  |
| StolenBirthDate4              | StolenBirthDate4              | O | 8   |  |
| StolenBirthDate5              | StolenBirthDate5              | O | 8   |  |
| StolenBirthDate6              | StolenBirthDate6              | O | 8   |  |
| StolenBirthDate7              | StolenBirthDate7              | O | 8   |  |
| StolenBirthDate8              | StolenBirthDate8              | O | 8   |  |
| StolenBirthDate9              | StolenBirthDate9              | O | 8   |  |
| StolenDriversLicenseNumber    | StolenDriversLicenseNumber    | O | 9   |  |
| StolenDriversLicenseNumber2   | StolenDriversLicenseNumber2   | O | 9   |  |
| StolenDriversLicenseNumber3   | StolenDriversLicenseNumber3   | O | 9   |  |
| StolenDriversLicenseNumber4   | StolenDriversLicenseNumber4   | O | 9   |  |
| StolenDriversLicenseNumber5   | StolenDriversLicenseNumber5   | O | 9   |  |
| StolenDriversLicenseNumber6   | StolenDriversLicenseNumber6   | O | 9   |  |
| StolenDriversLicenseNumber7   | StolenDriversLicenseNumber7   | O | 9   |  |
| StolenDriversLicenseNumber8   | StolenDriversLicenseNumber8   | O | 9   |  |
| StolenDriversLicenseNumber9   | StolenDriversLicenseNumber9   | O | 9   |  |
| StolenLicenseYear             | StolenLicenseYear             | O | 4   |  |
| StolenLicenseYear2            | StolenLicenseYear2            | O | 4   |  |
| StolenLicenseYear3            | StolenLicenseYear3            | O | 4   |  |
| StolenLicenseYear4            | StolenLicenseYear4            | O | 4   |  |
| StolenLicenseYear5            | StolenLicenseYear5            | O | 4   |  |
| StolenLicenseYear6            | StolenLicenseYear6            | O | 4   |  |
| StolenLicenseYear7            | StolenLicenseYear7            | O | 4   |  |
| StolenLicenseYear8            | StolenLicenseYear8            | O | 4   |  |

|                                 |                                 |   |    |  |
|---------------------------------|---------------------------------|---|----|--|
| StolenLicenseYear9              | StolenLicenseYear9              | O | 4  |  |
| StolenMiscellaneousNumber       | StolenMiscellaneousNumber       | O | 15 |  |
| StolenMiscellaneousNumber2      | StolenMiscellaneousNumber2      | O | 15 |  |
| StolenMiscellaneousNumber3      | StolenMiscellaneousNumber3      | O | 15 |  |
| StolenMiscellaneousNumber4      | StolenMiscellaneousNumber4      | O | 15 |  |
| StolenMiscellaneousNumber5      | StolenMiscellaneousNumber5      | O | 15 |  |
| StolenMiscellaneousNumber6      | StolenMiscellaneousNumber6      | O | 15 |  |
| StolenMiscellaneousNumber7      | StolenMiscellaneousNumber7      | O | 15 |  |
| StolenMiscellaneousNumber8      | StolenMiscellaneousNumber8      | O | 15 |  |
| StolenMiscellaneousNumber9      | StolenMiscellaneousNumber9      | O | 15 |  |
| StolenName                      | StolenName                      | O | 30 |  |
| StolenName2                     | StolenName2                     | O | 30 |  |
| StolenName3                     | StolenName3                     | O | 30 |  |
| StolenName4                     | StolenName4                     | O | 30 |  |
| StolenName5                     | StolenName5                     | O | 30 |  |
| StolenName6                     | StolenName6                     | O | 30 |  |
| StolenName7                     | StolenName7                     | O | 30 |  |
| StolenName8                     | StolenName8                     | O | 30 |  |
| StolenName9                     | StolenName9                     | O | 30 |  |
| StolenOperatorLicenseNumber     | StolenOperatorLicenseNumber     | O | 20 |  |
| StolenOperatorLicenseNumber2    | StolenOperatorLicenseNumber2    | O | 20 |  |
| StolenOperatorLicenseNumber3    | StolenOperatorLicenseNumber3    | O | 20 |  |
| StolenOperatorLicenseNumber4    | StolenOperatorLicenseNumber4    | O | 20 |  |
| StolenOperatorLicenseNumber5    | StolenOperatorLicenseNumber5    | O | 20 |  |
| StolenOperatorLicenseNumber6    | StolenOperatorLicenseNumber6    | O | 20 |  |
| StolenOperatorLicenseNumber7    | StolenOperatorLicenseNumber7    | O | 20 |  |
| StolenOperatorLicenseNumber8    | StolenOperatorLicenseNumber8    | O | 20 |  |
| StolenOperatorLicenseNumber9    | StolenOperatorLicenseNumber9    | O | 20 |  |
| StolenOperatorLicenseStateCode  | StolenOperatorLicenseStateCode  | O | 2  |  |
| StolenOperatorLicenseStateCode2 | StolenOperatorLicenseStateCode2 | O | 2  |  |
| StolenOperatorLicenseStateCode3 | StolenOperatorLicenseStateCode3 | O | 2  |  |
| StolenOperatorLicenseStateCode4 | StolenOperatorLicenseStateCode4 | O | 2  |  |
| StolenOperatorLicenseStateCode5 | StolenOperatorLicenseStateCode5 | O | 2  |  |
| StolenOperatorLicenseStateCode6 | StolenOperatorLicenseStateCode6 | O | 2  |  |
| StolenOperatorLicenseStateCode7 | StolenOperatorLicenseStateCode7 | O | 2  |  |
| StolenOperatorLicenseStateCode8 | StolenOperatorLicenseStateCode8 | O | 2  |  |
| StolenOperatorLicenseStateCode9 | StolenOperatorLicenseStateCode9 | O | 2  |  |
| SubjectBirthPlaceCode           | SubjectBirthPlaceCode           | O | 2  |  |
| SubjectEyeColorCode             | SubjectEyeColorCode             | O | 3  |  |
| SubjectHairColorCode            | SubjectHairColorCode            | O | 3  |  |
| SubjectHeight                   | SubjectHeight                   | M | 3  |  |
| SubjectSkinToneCode             | SubjectSkinToneCode             | O | 3  |  |
| SubjectWeight                   | SubjectWeight                   | O | 3  |  |
| SupervisionReleaseDate          | SupervisionReleaseDate          | M | 8  |  |
| SupervisionStartDate            | SupervisionStartDate            | M | 8  |  |
| UnitName                        | UnitName                        | O | 20 |  |
| VehicleColorCode                | VehicleColorCode                | O | 10 |  |
| VehicleIdentificationNumber     | VehicleIdentificationNumber     | O | 20 |  |
| VehicleMakeCode                 | VehicleMakeCode                 | O | 24 |  |

|                  |                  |   |    |  |
|------------------|------------------|---|----|--|
| VehicleModelCode | VehicleModelCode | O | 3  |  |
| VehicleStyleCode | VehicleStyleCode | O | 2  |  |
| VehicleYear      | VehicleYear      | O | 4  |  |
| WarrantNumber    | WarrantNumber    | O | 15 |  |

## Possible Combinations

1. (In/Out) AddressCounty, BirthDate, Mnemonic, Name, OffenseCode, OfficerName, OfficerPhoneNumber, OriginatingAgencyORI, RaceCode, SexCode, SubjectHeight, SupervisionReleaseDate, SupervisionStartDate, [AddressCity, AgencyRecordNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, ArrestDate, CASubjectInmateNumber, CautionMedicalCode, CourtCode, CourtORI, CriminalIdentificationNumber, EntryLevel, FBINumber, FingerprintClassificationCode, IncidentType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Location, MiscellaneousDescriptiveText, MiscellaneousNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginalOffenseCode, OriginatingAgencyCaseNumber, ProbationRevokedDate, RevocationReason, ScarsMarksTattoosCode, SexOffenderIndicator, SocialSecurityNumber, StolenBirthDate, StolenBirthDate2, StolenBirthDate3, StolenBirthDate4, StolenBirthDate5, StolenBirthDate6, StolenBirthDate7, StolenBirthDate8, StolenBirthDate9, StolenDriversLicenseNumber, StolenDriversLicenseNumber2, StolenDriversLicenseNumber3, StolenDriversLicenseNumber4, StolenDriversLicenseNumber5, StolenDriversLicenseNumber6, StolenDriversLicenseNumber7, StolenDriversLicenseNumber8, StolenDriversLicenseNumber9, StolenLicenseYear, StolenLicenseYear2, StolenLicenseYear3, StolenLicenseYear4, StolenLicenseYear5, StolenLicenseYear6, StolenLicenseYear7, StolenLicenseYear8, StolenLicenseYear9, StolenMiscellaneousNumber, StolenMiscellaneousNumber2, StolenMiscellaneousNumber3, StolenMiscellaneousNumber4, StolenMiscellaneousNumber5, StolenMiscellaneousNumber6, StolenMiscellaneousNumber7, StolenMiscellaneousNumber8, StolenMiscellaneousNumber9, StolenName, StolenName2, StolenName3, StolenName4, StolenName5, StolenName6, StolenName7, StolenName8, StolenName9, StolenOperatorLicenseNumber, StolenOperatorLicenseNumber2, StolenOperatorLicenseNumber3, StolenOperatorLicenseNumber4, StolenOperatorLicenseNumber5, StolenOperatorLicenseNumber6, StolenOperatorLicenseNumber7, StolenOperatorLicenseNumber8, StolenOperatorLicenseNumber9, StolenOperatorLicenseStateCode, StolenOperatorLicenseStateCode2, StolenOperatorLicenseStateCode3, StolenOperatorLicenseStateCode4, StolenOperatorLicenseStateCode5, StolenOperatorLicenseStateCode6, StolenOperatorLicenseStateCode7, StolenOperatorLicenseStateCode8, StolenOperatorLicenseStateCode9, SubjectBirthPlaceCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectSkinToneCode, SubjectWeight, UnitName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantNumber]

## CAESupervisedReleaseModify

| Field Name                    | XML Tag Name                  | M/C/O | Size | Possible Values |
|-------------------------------|-------------------------------|-------|------|-----------------|
| AddressCity                   | AddressCity                   | O     | 30   |                 |
| AddressCounty                 | AddressCounty                 | O     | 2    |                 |
| AgencyRecordNumber            | AgencyRecordNumber            | O     | 9    |                 |
| AlsoKnownAs                   | AlsoKnownAs                   | O     | 30   |                 |
| AlsoKnownAs10                 | AlsoKnownAs10                 | O     | 30   |                 |
| AlsoKnownAs11                 | AlsoKnownAs11                 | O     | 30   |                 |
| AlsoKnownAs12                 | AlsoKnownAs12                 | O     | 30   |                 |
| AlsoKnownAs13                 | AlsoKnownAs13                 | O     | 30   |                 |
| AlsoKnownAs14                 | AlsoKnownAs14                 | O     | 30   |                 |
| AlsoKnownAs15                 | AlsoKnownAs15                 | O     | 30   |                 |
| AlsoKnownAs16                 | AlsoKnownAs16                 | O     | 30   |                 |
| AlsoKnownAs17                 | AlsoKnownAs17                 | O     | 30   |                 |
| AlsoKnownAs18                 | AlsoKnownAs18                 | O     | 30   |                 |
| AlsoKnownAs2                  | AlsoKnownAs2                  | O     | 30   |                 |
| AlsoKnownAs3                  | AlsoKnownAs3                  | O     | 30   |                 |
| AlsoKnownAs4                  | AlsoKnownAs4                  | O     | 30   |                 |
| AlsoKnownAs5                  | AlsoKnownAs5                  | O     | 30   |                 |
| AlsoKnownAs6                  | AlsoKnownAs6                  | O     | 30   |                 |
| AlsoKnownAs7                  | AlsoKnownAs7                  | O     | 30   |                 |
| AlsoKnownAs8                  | AlsoKnownAs8                  | O     | 30   |                 |
| AlsoKnownAs9                  | AlsoKnownAs9                  | O     | 30   |                 |
| ArrestDate                    | ArrestDate                    | O     | 8    |                 |
| BirthDate                     | BirthDate                     | O     | 8    |                 |
| CASubjectInmateNumber         | CASubjectInmateNumber         | O     | 6    |                 |
| CautionMedicalCode            | CautionMedicalCode            | O     | 2    |                 |
| CourtCode                     | CourtCode                     | O     | 9    |                 |
| CourtORI                      | CourtORI                      | O     | 9    |                 |
| CriminalIdentificationNumber  | CriminalIdentificationNumber  | O     | 9    |                 |
| EntryLevel                    | EntryLevel                    | O     | 1    |                 |
| FBINumber                     | FBINumber                     | O     | 9    |                 |
| FileControlNumber             | FileControlNumber             | M     | 13   |                 |
| FingerprintClassificationCode | FingerprintClassificationCode | O     | 20   |                 |
| IncidentType                  | IncidentType                  | O     | 50   |                 |
| LicensePlateNumber            | LicensePlateNumber            | O     | 10   |                 |
| LicensePlateStateCode         | LicensePlateStateCode         | O     | 2    |                 |
| LicensePlateTypeCode          | LicensePlateTypeCode          | O     | 2    |                 |
| LicensePlateYear              | LicensePlateYear              | O     | 4    |                 |
| Location                      | Location                      | O     | 50   |                 |
| MiscellaneousDescriptiveText  | MiscellaneousDescriptiveText  | O     | 500  |                 |
| MiscellaneousNumber           | MiscellaneousNumber           | O     | 15   |                 |
| Mnemonic                      | Mnemonic                      | O     | 4    |                 |
| Name                          | Name                          | M     | 30   |                 |
| Name2                         | Name2                         | O     | 30   |                 |
| OffenseCode                   | OffenseCode                   | O     | 10   |                 |
| OfficerName                   | OfficerName                   | O     | 30   |                 |
| OfficerPhoneNumber            | OfficerPhoneNumber            | O     | 12   |                 |

|                                 |                                 |   |    |  |
|---------------------------------|---------------------------------|---|----|--|
| OperatorLicenseExpirationYear   | OperatorLicenseExpirationYear   | O | 4  |  |
| OperatorLicenseNumber           | OperatorLicenseNumber           | O | 20 |  |
| OperatorLicenseState            | OperatorLicenseState            | O | 2  |  |
| OriginalOffenseCode             | OriginalOffenseCode             | O | 4  |  |
| OriginatingAgencyCaseNumber     | OriginatingAgencyCaseNumber     | O | 20 |  |
| ProbationRevokedDate            | ProbationRevokedDate            | O | 8  |  |
| RaceCode                        | RaceCode                        | O | 1  |  |
| ReasonRevoked                   | ReasonRevoked                   | O | 20 |  |
| ScarsMarksTattoosCode           | ScarsMarksTattoosCode           | O | 10 |  |
| SexCode                         | SexCode                         | O | 1  |  |
| SexOffenderIndicator            | SexOffenderIndicator            | O | 1  |  |
| SocialSecurityNumber            | SocialSecurityNumber            | O | 9  |  |
| StolenBirthDate                 | StolenBirthDate                 | O | 8  |  |
| StolenBirthDate2                | StolenBirthDate2                | O | 8  |  |
| StolenDriversLicenseNumber      | StolenDriversLicenseNumber      | O | 9  |  |
| StolenDriversLicenseNumber2     | StolenDriversLicenseNumber2     | O | 9  |  |
| StolenLicenseYear               | StolenLicenseYear               | O | 4  |  |
| StolenLicenseYear2              | StolenLicenseYear2              | O | 4  |  |
| StolenMiscellaneousNumber       | StolenMiscellaneousNumber       | O | 15 |  |
| StolenMiscellaneousNumber2      | StolenMiscellaneousNumber2      | O | 15 |  |
| StolenName                      | StolenName                      | O | 30 |  |
| StolenName2                     | StolenName2                     | O | 30 |  |
| StolenOperatorLicenseNumber     | StolenOperatorLicenseNumber     | O | 20 |  |
| StolenOperatorLicenseNumber2    | StolenOperatorLicenseNumber2    | O | 20 |  |
| StolenOperatorLicenseStateCode  | StolenOperatorLicenseStateCode  | O | 2  |  |
| StolenOperatorLicenseStateCode2 | StolenOperatorLicenseStateCode2 | O | 2  |  |
| SubjectBirthPlaceCode           | SubjectBirthPlaceCode           | O | 2  |  |
| SubjectEyeColorCode             | SubjectEyeColorCode             | O | 3  |  |
| SubjectHairColorCode            | SubjectHairColorCode            | O | 3  |  |
| SubjectHeight                   | SubjectHeight                   | O | 3  |  |
| SubjectSkinToneCode             | SubjectSkinToneCode             | O | 3  |  |
| SubjectWeight                   | SubjectWeight                   | O | 3  |  |
| SupervisionReleaseDate          | SupervisionReleaseDate          | O | 8  |  |
| SupervisionStartDate            | SupervisionStartDate            | O | 8  |  |
| UnitName                        | UnitName                        | O | 20 |  |
| VehicleColorCode                | VehicleColorCode                | O | 7  |  |
| VehicleIdentificationNumber     | VehicleIdentificationNumber     | O | 20 |  |
| VehicleMakeCode                 | VehicleMakeCode                 | O | 24 |  |
| VehicleModelCode                | VehicleModelCode                | O | 3  |  |
| VehicleStyleCode                | VehicleStyleCode                | O | 2  |  |
| VehicleYear                     | VehicleYear                     | O | 4  |  |
| WarrantNumber                   | WarrantNumber                   | O | 15 |  |

## Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AgencyRecordNumber, AlsoKnownAs, AlsoKnownAs10, AlsoKnownAs11, AlsoKnownAs12, AlsoKnownAs13, AlsoKnownAs14, AlsoKnownAs15, AlsoKnownAs16, AlsoKnownAs17, AlsoKnownAs18, AlsoKnownAs2,

AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6,  
AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, ArrestDate, BirthDate,  
CASSubjectInmateNumber, CautionMedicalCode, CourtCode, CourtORI,  
CriminalIdentificationNumber, EntryLevel, FBINumber,  
FingerprintClassificationCode, IncidentType, LicensePlateNumber,  
LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Location,  
MiscellaneousDescriptiveText, MiscellaneousNumber, Mnemonic, Name2,  
OffenseCode, OfficerName, OfficerPhoneNumber,  
OperatorLicenseExpirationYear, OperatorLicenseNumber,  
OperatorLicenseState, OriginalOffenseCode, OriginatingAgencyCaseNumber,  
ProbationRevokedDate, RaceCode, ReasonRevoked, ScarsMarksTattoosCode,  
SexCode, SexOffenderIndicator, SocialSecurityNumber, StolenBirthDate,  
StolenBirthDate2, StolenDriversLicenseNumber, StolenDriversLicenseNumber2,  
StolenLicenseYear, StolenLicenseYear2, StolenMiscellaneousNumber,  
StolenMiscellaneousNumber2, StolenName, StolenName2,  
StolenOperatorLicenseNumber, StolenOperatorLicenseNumber2,  
StolenOperatorLicenseStateCode, StolenOperatorLicenseStateCode2,  
SubjectBirthPlaceCode, SubjectEyeColorCode, SubjectHairColorCode,  
SubjectHeight, SubjectSkinToneCode, SubjectWeight, SupervisionReleaseDate,  
SupervisionStartDate, UnitName, VehicleColorCode,  
VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode,  
VehicleStyleCode, VehicleYear, WarrantNumber]

### **CAEVehicleStolenPartEntry**

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| Category                     | Category                     | M     | 2    |                 |
| CautionEntryIndicator        | CautionEntryIndicator        | O     | 2    |                 |
| CrossReferenceNumber         | CrossReferenceNumber         | O     | 13   |                 |
| EnginePower                  | EnginePower                  | O     | 5    |                 |
| EntryLevel                   | EntryLevel                   | O     | 1    |                 |
| LinkageAgencyIdentifier      | LinkageAgencyIdentifier      | O     | 9    |                 |
| LinkageCaseNumber            | LinkageCaseNumber            | O     | 20   |                 |
| MessageKeyModifier           | MessageKeyModifier           | O     | 2    |                 |
| MiscellaneousDescriptiveText | MiscellaneousDescriptiveText | M     | 200  |                 |
| NotifiedOriginatingAgency    | NotifiedOriginatingAgency    | O     | 1    |                 |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | M     | 20   |                 |
| OriginatingAgencyORI         | OriginatingAgencyORI         | M     | 9    |                 |
| OwnerAppliedNumber           | OwnerAppliedNumber           | O     | 20   |                 |
| PropertyBrandName            | PropertyBrandName            | M     | 4    |                 |
| SerialNumber                 | SerialNumber                 | O     | 20   |                 |
| SupplementalCaseNumber       | SupplementalCaseNumber       | O     | 20   |                 |
| TheftDate                    | TheftDate                    | M     | 8    |                 |
| VehicleYear                  | VehicleYear                  | O     | 4    |                 |
| VictimAddress                | VictimAddress                | O     | 30   |                 |
| VictimAddressCity            | VictimAddressCity            | O     | 20   |                 |
| VictimAddressState           | VictimAddressState           | O     | 2    |                 |
| VictimAddressZipCode         | VictimAddressZipCode         | O     | 9    |                 |
| VictimDaytimePhone           | VictimDaytimePhone           | O     | 10   |                 |
| VictimEveningPhone           | VictimEveningPhone           | O     | 10   |                 |

|            |            |   |    |  |
|------------|------------|---|----|--|
| VictimName | VictimName | O | 30 |  |
|------------|------------|---|----|--|

### Possible Combinations

1. (In/Out) Category, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, TheftDate, [CautionEntryIndicator, CrossReferenceNumber, EnginePower, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, NotifiedOriginatingAgency, OwnerAppliedNumber, SerialNumber, SupplementalCaseNumber, VehicleYear, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

### CAIAircraftRegistrationQuery

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| AircraftSerialNumber | AircraftSerialNumber | C     | 16   |                 |
| AircraftSightedDate  | AircraftSightedDate  | O     | 8    |                 |
| AircraftSightedFlag  | AircraftSightedFlag  | O     | 1    |                 |
| Attention            | Attention            | M     | 30   |                 |
| Name                 | Name                 | C     | 40   |                 |
| TailNumber           | TailNumber           | C     | 8    |                 |

### Possible Combinations

1. (In/Out) Attention, TailNumber, [AircraftSightedDate, AircraftSightedFlag]
2. (In/Out) AircraftSerialNumber, Attention
3. (In/Out) Attention, Name

### CAIAircraftTrackingQuery

| Field Name          | XML Tag Name        | M/C/O | Size | Possible Values |
|---------------------|---------------------|-------|------|-----------------|
| AircraftSightedDate | AircraftSightedDate | O     | 8    |                 |
| AircraftSightedFlag | AircraftSightedFlag | O     | 1    |                 |
| AircraftType        | AircraftType        | C     | 4    |                 |
| AirportCode         | AirportCode         | O     | 5    |                 |
| Attention           | Attention           | M     | 30   |                 |
| Date                | Date                | C     | 8    |                 |
| Date2               | Date2               | C     | 8    |                 |
| TailNumber          | TailNumber          | C     | 8    |                 |

### Possible Combinations

1. (In/Out) Attention, TailNumber, [AircraftSightedDate, AircraftSightedFlag, AirportCode]
2. (In/Out) AircraftType, Attention, Date, Date2, [AirportCode]

### CAIMissingPersonQuery

| Field Name | XML Tag Name | M/C/O | Size | Possible Values |
|------------|--------------|-------|------|-----------------|
| Age        | Age          | C     | 2    |                 |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| Area                        | Area                        | O | 3  |  |
| BirthDate                   | BirthDate                   | C | 8  |  |
| DentalCharacteristics       | DentalCharacteristics       | C | 64 |  |
| ExpandedNameSearchCode      | ExpandedNameSearchCode      | O | 1  |  |
| EyeColorCode                | EyeColorCode                | C | 4  |  |
| FBINumber                   | FBINumber                   | O | 9  |  |
| FileControlNumber           | FileControlNumber           | C | 13 |  |
| HairColorCode               | HairColorCode               | C | 4  |  |
| Height                      | Height                      | C | 3  |  |
| LastContactDate             | LastContactDate             | O | 8  |  |
| LicensePlateNumber          | LicensePlateNumber          | C | 10 |  |
| MiscellaneousNumber         | MiscellaneousNumber         | O | 15 |  |
| Name                        | Name                        | C | 30 |  |
| NCICNumber                  | NCICNumber                  | C | 10 |  |
| NcicOnlyIndicator           | NcicOnlyIndicator           | C | 1  |  |
| OperatorLicenseNumber       | OperatorLicenseNumber       | C | 20 |  |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | C | 20 |  |
| RaceCode                    | RaceCode                    | C | 1  |  |
| RelatedHitSearchIndicator   | RelatedHitSearchIndicator   | O | 1  |  |
| ScarsMarksTattoosCode       | ScarsMarksTattoosCode       | O | 10 |  |
| SexCode                     | SexCode                     | C | 1  |  |
| SocialSecurityNumber        | SocialSecurityNumber        | O | 9  |  |
| VehicleColorPrimaryCode     | VehicleColorPrimaryCode     | C | 7  |  |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O | 20 |  |
| VehicleMakeCode             | VehicleMakeCode             | C | 24 |  |
| VehicleModelCode            | VehicleModelCode            | O | 3  |  |
| VehicleStyleCode            | VehicleStyleCode            | O | 2  |  |
| VehicleYear                 | VehicleYear                 | O | 4  |  |
| Weight                      | Weight                      | C | 3  |  |

### Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, Name, NcicOnlyIndicator, RaceCode, SexCode, Weight, [ExpandedNameSearchCode]
2. (In/Out) Age, Height, RaceCode, SexCode, [Area, EyeColorCode, HairColorCode, LastContactDate, ScarsMarksTattoosCode, Weight]
3. (In/Out) Name, SexCode, [Age, BirthDate, ExpandedNameSearchCode, EyeColorCode, HairColorCode, Height, LastContactDate, RaceCode, RelatedHitSearchIndicator, Weight]
4. (In/Out) BirthDate, Name, NcicOnlyIndicator, SexCode, [ExpandedNameSearchCode]
5. (In/Out) DentalCharacteristics
6. (In/Out) Name, NcicOnlyIndicator, SexCode, [ExpandedNameSearchCode, FBINumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, SocialSecurityNumber, VehicleIdentificationNumber]
7. (In/Out) FileControlNumber
8. (In/Out) LicensePlateNumber
9. (In/Out) LicensePlateNumber, NcicOnlyIndicator

10. (In/Out) Name, SexCode, [ExpandedNameSearchCode, EyeColorCode, HairColorCode, Height, LastContactDate, RaceCode, RelatedHitSearchIndicator, Weight]
11. (In/Out) NCICNumber, NcicOnlyIndicator
12. (In/Out) OperatorLicenseNumber
13. (In/Out) OriginatingAgencyCaseNumber
14. (In/Out) VehicleColorPrimaryCode, VehicleMakeCode, [VehicleModelCode, VehicleStyleCode, VehicleYear]

### ***CAINICBAIFilesQuery***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| VehicleIdentificationNumber | VehicleIdentificationNumber | M     | 20   |                 |

#### **Possible Combinations**

1. (In/Out) VehicleIdentificationNumber

### ***CAINICBImportExportQuery***

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| VehicleIdentificationNumber | VehicleIdentificationNumber | M     | 20   |                 |

#### **Possible Combinations**

1. (In/Out) VehicleIdentificationNumber

### ***CAIOregonBoatQuery***

| Field Name         | XML Tag Name       | M/C/O | Size | Possible Values |
|--------------------|--------------------|-------|------|-----------------|
| RegistrationNumber | RegistrationNumber | M     | 20   |                 |

#### **Possible Combinations**

1. (In/Out) RegistrationNumber

### ***CAIOregonDriverLicenseQuery***

| Field Name            | XML Tag Name          | M/C/O | Size | Possible Values |
|-----------------------|-----------------------|-------|------|-----------------|
| BirthDate             | BirthDate             | C     | 6    |                 |
| Name                  | Name                  | C     | 30   |                 |
| OperatorLicenseNumber | OperatorLicenseNumber | C     | 20   |                 |
| SexCode               | SexCode               | O     | 1    |                 |

#### **Possible Combinations**

1. (In/Out) BirthDate, Name, [SexCode]
2. (In/Out) OperatorLicenseNumber

### ***CAIOregonVehicleRegistrationQuery***

| Field Name         | XML Tag Name       | M/C/O | Size | Possible Values |
|--------------------|--------------------|-------|------|-----------------|
| LicensePlateNumber | LicensePlateNumber | C     | 10   |                 |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| VehicleIdentificationNumber | VehicleIdentificationNumber | C | 20 |  |
|-----------------------------|-----------------------------|---|----|--|

### Possible Combinations

1. (In/Out) LicensePlateNumber
2. (In/Out) VehicleIdentificationNumber

### CAIRestrainingOrderQuery

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| AddressCountyCode           | AddressCountyCode           | O     | 2    |                 |
| Age                         | Age                         | O     | 2    |                 |
| BirthDate                   | BirthDate                   | O     | 8    |                 |
| FileControlNumber           | FileControlNumber           | C     | 13   |                 |
| Height                      | Height                      | O     | 3    |                 |
| MessageKeyModifier          | MessageKeyModifier          | C     | 1    |                 |
| Name                        | Name                        | C     | 30   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | C     | 20   |                 |
| RaceCode                    | RaceCode                    | O     | 1    |                 |
| SexCode                     | SexCode                     | C     | 1    |                 |

### Possible Combinations

1. (In/Out) Name, SexCode, [AddressCountyCode, Age, BirthDate, Height, MessageKeyModifier, RaceCode]
2. (In/Out) FileControlNumber, [MessageKeyModifier]
3. (In/Out) MessageKeyModifier, Name, SexCode
4. (In/Out) MessageKeyModifier, Name, SexCode
5. (In/Out) Name, SexCode, [AddressCountyCode, Height, MessageKeyModifier, RaceCode]
6. (In/Out) OriginatingAgencyCaseNumber, [MessageKeyModifier]

### CAISecuritiesQuery

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| Denomination                | Denomination                | C     | 9    |                 |
| Issuer                      | Issuer                      | O     | 15   |                 |
| NCICNumber                  | NCICNumber                  | C     | 10   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | C     | 20   |                 |
| Owner                       | Owner                       | C     | 40   |                 |
| RelatedHitSearchIndicator   | RelatedHitSearchIndicator   | O     | 1    |                 |
| SecuritySerialNumber        | SecuritySerialNumber        | C     | 18   |                 |
| SecurityTypeCode            | SecurityTypeCode            | C     | 2    |                 |
| SocialSecurityNumber        | SocialSecurityNumber        | C     | 9    |                 |

### Possible Combinations

1. (In/Out) NCICNumber
2. (In/Out) Denomination, SecuritySerialNumber, SecurityTypeCode, [Issuer, RelatedHitSearchIndicator]

3. (In/Out) OriginatingAgencyCaseNumber, Owner, SocialSecurityNumber, [RelatedHitSearchIndicator, SecurityTypeCode]
4. (In/Out) SocialSecurityNumber, [RelatedHitSearchIndicator]

### **CAISupervisedReleaseQuery**

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| AddressCountyCode            | AddressCountyCode            | O     | 2    |                 |
| Age                          | Age                          | O     | 2    |                 |
| BirthDate                    | BirthDate                    | O     | 8    |                 |
| CriminalIdentificationNumber | CriminalIdentificationNumber | O     | 9    |                 |
| ExpandedNameSearchCode       | ExpandedNameSearchCode       | O     | 1    |                 |
| FileControlNumber            | FileControlNumber            | C     | 13   |                 |
| Height                       | Height                       | O     | 3    |                 |
| InmateNumber                 | InmateNumber                 | O     | 6    |                 |
| InstitutionNumber            | InstitutionNumber            | O     | 6    |                 |
| MessageKeyModifier           | MessageKeyModifier           | M     | 3    |                 |
| Name                         | Name                         | C     | 30   |                 |
| OperatorLicenseNumber        | OperatorLicenseNumber        | O     | 20   |                 |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | O     | 20   |                 |
| RaceCode                     | RaceCode                     | O     | 1    |                 |
| SexCode                      | SexCode                      | C     | 1    |                 |
| SocialSecurityNumber         | SocialSecurityNumber         | O     | 9    |                 |

#### **Possible Combinations**

1. (In/Out) MessageKeyModifier, Name, SexCode, [AddressCountyCode, Age, BirthDate, ExpandedNameSearchCode, Height, RaceCode]
2. (In/Out) FileControlNumber, MessageKeyModifier
3. (In/Out) MessageKeyModifier, [CriminalIdentificationNumber, InmateNumber, InstitutionNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, SocialSecurityNumber]

### **CAIVCINEntry**

| Field Name             | XML Tag Name           | M/C/O | Size | Possible Values |
|------------------------|------------------------|-------|------|-----------------|
| AddressApartmentNumber | AddressApartmentNumber | M     | 10   |                 |
| AddressCity            | AddressCity            | M     | 30   |                 |
| AddressCounty          | AddressCounty          | M     | 2    |                 |
| AddressSource          | AddressSource          | M     | 3    |                 |
| AddressStreetName      | AddressStreetName      | M     | 35   |                 |
| AddressStreetNumber    | AddressStreetNumber    | M     | 10   |                 |
| AddressType            | AddressType            | M     | 3    |                 |
| AddressZipCode         | AddressZipCode         | M     | 9    |                 |
| AlsoKnownAs            | AlsoKnownAs            | O     | 30   |                 |
| AlsoKnownAs2           | AlsoKnownAs2           | O     | 30   |                 |
| AlsoKnownAs3           | AlsoKnownAs3           | O     | 30   |                 |
| AlsoKnownAs4           | AlsoKnownAs4           | O     | 30   |                 |
| AlsoKnownAs5           | AlsoKnownAs5           | O     | 30   |                 |

|                                                |                                                |   |     |  |
|------------------------------------------------|------------------------------------------------|---|-----|--|
| AlsoKnownAs6                                   | AlsoKnownAs6                                   | O | 30  |  |
| BirthDate                                      | BirthDate                                      | M | 8   |  |
| CAMapPage                                      | CAMapPage                                      | O | 4   |  |
| CASubjectInmateNumber                          | CASubjectInmateNumber                          | O | 6   |  |
| CASubjectYouthInstitutionNumber                | CASubjectYouthInstitutionNumber                | O | 6   |  |
| CATattoosDescription                           | CATattoosDescription                           | O | 20  |  |
| CATattoosDescription2                          | CATattoosDescription2                          | O | 20  |  |
| CATattoosDescription3                          | CATattoosDescription3                          | O | 20  |  |
| CATattoosDescription4                          | CATattoosDescription4                          | O | 20  |  |
| CATattoosDescription5                          | CATattoosDescription5                          | O | 20  |  |
| ContactName                                    | ContactName                                    | M | 29  |  |
| ContactPhoneNumber                             | ContactPhoneNumber                             | M | 10  |  |
| ConvictionDate                                 | ConvictionDate                                 | O | 8   |  |
| CriminalIdentificationNumber                   | CriminalIdentificationNumber                   | O | 9   |  |
| LicensePlateNumber                             | LicensePlateNumber                             | O | 10  |  |
| LicensePlateState                              | LicensePlateState                              | O | 2   |  |
| LicensePlateTypeCode                           | LicensePlateTypeCode                           | O | 2   |  |
| LicensePlateYear                               | LicensePlateYear                               | O | 4   |  |
| MapGridCoordinates                             | MapGridCoordinates                             | O | 3   |  |
| MiscellaneousDescriptiveText                   | MiscellaneousDescriptiveText                   | O | 500 |  |
| Mnemonic                                       | Mnemonic                                       | M | 4   |  |
| Moniker                                        | Moniker                                        | O | 30  |  |
| Name                                           | Name                                           | M | 81  |  |
| Occupation                                     | Occupation                                     | O | 30  |  |
| OffenseCode                                    | OffenseCode                                    | O | 20  |  |
| OperatorLicenseExpirationYear                  | OperatorLicenseExpirationYear                  | O | 4   |  |
| OperatorLicenseNumber                          | OperatorLicenseNumber                          | O | 20  |  |
| OperatorLicenseState                           | OperatorLicenseState                           | O | 2   |  |
| OriginatingAgencyCaseNumber                    | OriginatingAgencyCaseNumber                    | O | 20  |  |
| OriginatingAgencyORI                           | OriginatingAgencyORI                           | M | 9   |  |
| PhotoAvailableIndicator                        | PhotoAvailableIndicator                        | M | 1   |  |
| RaceCode                                       | RaceCode                                       | M | 1   |  |
| RegistrationDate                               | RegistrationDate                               | M | 8   |  |
| RegistrationType                               | RegistrationType                               | M | 1   |  |
| ScarsMarksTattoosCode                          | ScarsMarksTattoosCode                          | O | 10  |  |
| ScarsMarksTattoosCode2                         | ScarsMarksTattoosCode2                         | O | 10  |  |
| ScarsMarksTattoosCode3                         | ScarsMarksTattoosCode3                         | O | 10  |  |
| ScarsMarksTattoosCode4                         | ScarsMarksTattoosCode4                         | O | 10  |  |
| ScarsMarksTattoosCode5                         | ScarsMarksTattoosCode5                         | O | 10  |  |
| ScarsMarksTattoosPictureDescription            | ScarsMarksTattoosPictureDescription            | O | 20  |  |
| ScarsMarksTattoosPictureDescription2           | ScarsMarksTattoosPictureDescription2           | O | 20  |  |
| ScarsMarksTattoosPictureDescription3           | ScarsMarksTattoosPictureDescription3           | O | 20  |  |
| ScarsMarksTattoosPictureDescription4           | ScarsMarksTattoosPictureDescription4           | O | 20  |  |
| ScarsMarksTattoosPictureDescription5           | ScarsMarksTattoosPictureDescription5           | O | 20  |  |
| ScarsMarksTattoosTableDescriptionCategoryCode  | ScarsMarksTattoosTableDescriptionCategoryCode  | O | 20  |  |
| ScarsMarksTattoosTableDescriptionCategoryCode2 | ScarsMarksTattoosTableDescriptionCategoryCode2 | O | 20  |  |
| ScarsMarksTattoosTableDescriptionCategoryCode3 | ScarsMarksTattoosTableDescriptionCategoryCode3 | O | 20  |  |

|                                                |                                                |   |    |  |
|------------------------------------------------|------------------------------------------------|---|----|--|
| ScarsMarksTattoosTableDescriptionCategoryCode4 | ScarsMarksTattoosTableDescriptionCategoryCode4 | O | 20 |  |
| ScarsMarksTattoosTableDescriptionCategoryCode5 | ScarsMarksTattoosTableDescriptionCategoryCode5 | O | 20 |  |
| SexCode                                        | SexCode                                        | M | 1  |  |
| SocialSecurityNumber                           | SocialSecurityNumber                           | O | 9  |  |
| State                                          | State                                          | M | 2  |  |
| SubjectEyeColorCode                            | SubjectEyeColorCode                            | M | 3  |  |
| SubjectHairColorCode                           | SubjectHairColorCode                           | M | 3  |  |
| SubjectHeight                                  | SubjectHeight                                  | M | 3  |  |
| SubjectWeight                                  | SubjectWeight                                  | M | 3  |  |
| UpdateDate                                     | UpdateDate                                     | O | 8  |  |
| VehicleColorCode                               | VehicleColorCode                               | O | 7  |  |
| VehicleIdentificationNumber                    | VehicleIdentificationNumber                    | O | 20 |  |
| VehicleMakeCode                                | VehicleMakeCode                                | O | 4  |  |
| VehicleModelCode                               | VehicleModelCode                               | O | 3  |  |
| VehicleStyleCode                               | VehicleStyleCode                               | O | 4  |  |
| VehicleYear                                    | VehicleYear                                    | O | 4  |  |

### Possible Combinations

1. (In/Out) AddressApartmentNumber, AddressCity, AddressCounty, AddressSource, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthDate, ContactName, ContactPhoneNumber, Mnemonic, Name, OriginatingAgencyORI, PhotoAvailableIndicator, RaceCode, RegistrationDate, RegistrationType, SexCode, State, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectWeight, [AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, CAMapPage, CASubjectInmateNumber, CASubjectYouthInstitutionNumber, CATattoosDescription, CATattoosDescription2, CATattoosDescription3, CATattoosDescription4, CATattoosDescription5, ConvictionDate, CriminalIdentificationNumber, LicensePlateNumber, LicensePlateState, LicensePlateTypeCode, LicensePlateYear, MapGridCoordinates, MiscellaneousDescriptiveText, Moniker, Occupation, OffenseCode, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyCaseNumber, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosPictureDescription, ScarsMarksTattoosPictureDescription2, ScarsMarksTattoosPictureDescription3, ScarsMarksTattoosPictureDescription4, ScarsMarksTattoosPictureDescription5, ScarsMarksTattoosTableDescriptionCategoryCode, ScarsMarksTattoosTableDescriptionCategoryCode2, ScarsMarksTattoosTableDescriptionCategoryCode3, ScarsMarksTattoosTableDescriptionCategoryCode4, ScarsMarksTattoosTableDescriptionCategoryCode5, SocialSecurityNumber, UpdateDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

## CAIVCINModify

| Field Name                      | XML Tag Name                    | M/C/O | Size | Possible Values |
|---------------------------------|---------------------------------|-------|------|-----------------|
| AddressApartmentNumber          | AddressApartmentNumber          | O     | 10   |                 |
| AddressCity                     | AddressCity                     | O     | 30   |                 |
| AddressCounty                   | AddressCounty                   | O     | 2    |                 |
| AddressSource                   | AddressSource                   | O     | 3    |                 |
| AddressState                    | AddressState                    | O     | 2    |                 |
| AddressStreetName               | AddressStreetName               | O     | 35   |                 |
| AddressStreetNumber             | AddressStreetNumber             | O     | 10   |                 |
| AddressType                     | AddressType                     | O     | 3    |                 |
| AddressZipCode                  | AddressZipCode                  | O     | 9    |                 |
| AlsoKnownAs                     | AlsoKnownAs                     | O     | 30   |                 |
| AlsoKnownAs2                    | AlsoKnownAs2                    | O     | 30   |                 |
| AlsoKnownAs3                    | AlsoKnownAs3                    | O     | 30   |                 |
| AlsoKnownAs4                    | AlsoKnownAs4                    | O     | 30   |                 |
| AlsoKnownAs5                    | AlsoKnownAs5                    | O     | 30   |                 |
| AlsoKnownAs6                    | AlsoKnownAs6                    | O     | 30   |                 |
| BirthDate                       | BirthDate                       | O     | 8    |                 |
| CAMapPage                       | CAMapPage                       | O     | 4    |                 |
| CASubjectInmateNumber           | CASubjectInmateNumber           | O     | 6    |                 |
| CASubjectYouthInstitutionNumber | CASubjectYouthInstitutionNumber | O     | 6    |                 |
| CATattoosDescription            | CATattoosDescription            | O     | 20   |                 |
| CATattoosDescription2           | CATattoosDescription2           | O     | 20   |                 |
| CATattoosDescription3           | CATattoosDescription3           | O     | 20   |                 |
| CATattoosDescription4           | CATattoosDescription4           | O     | 20   |                 |
| CATattoosDescription5           | CATattoosDescription5           | O     | 20   |                 |
| ContactName                     | ContactName                     | O     | 29   |                 |
| ContactPhoneNumber              | ContactPhoneNumber              | O     | 10   |                 |
| ConvictionDate                  | ConvictionDate                  | O     | 8    |                 |
| CriminalIdentificationNumber    | CriminalIdentificationNumber    | O     | 9    |                 |
| FileControlNumber               | FileControlNumber               | M     | 13   |                 |
| LicensePlateNumber              | LicensePlateNumber              | O     | 10   |                 |
| LicensePlateStateCode           | LicensePlateStateCode           | O     | 2    |                 |
| LicensePlateTypeCode            | LicensePlateTypeCode            | O     | 2    |                 |
| LicensePlateYear                | LicensePlateYear                | O     | 4    |                 |
| MapGridCoordinates              | MapGridCoordinates              | O     | 3    |                 |
| MiscellaneousDescriptiveText    | MiscellaneousDescriptiveText    | O     | 500  |                 |
| Mnemonic                        | Mnemonic                        | O     | 4    |                 |
| Moniker                         | Moniker                         | O     | 30   |                 |
| Name                            | Name                            | M     | 81   |                 |
| Occupation                      | Occupation                      | O     | 30   |                 |
| OffenseCode                     | OffenseCode                     | O     | 20   |                 |
| OperatorLicenseExpirationYear   | OperatorLicenseExpirationYear   | O     | 4    |                 |
| OperatorLicenseNumber           | OperatorLicenseNumber           | O     | 20   |                 |
| OperatorLicenseState            | OperatorLicenseState            | O     | 2    |                 |
| OriginatingAgencyCaseNumber     | OriginatingAgencyCaseNumber     | O     | 20   |                 |
| OriginatingAgencyORI            | OriginatingAgencyORI            | M     | 9    |                 |

|                                                |                                                |   |    |  |
|------------------------------------------------|------------------------------------------------|---|----|--|
| PhotoAvailableIndicator                        | PhotoAvailableIndicator                        | O | 1  |  |
| RaceCode                                       | RaceCode                                       | O | 1  |  |
| RegistrationDate                               | RegistrationDate                               | O | 8  |  |
| RegistrationType                               | RegistrationType                               | O | 1  |  |
| ScarsMarksTattoosCode                          | ScarsMarksTattoosCode                          | O | 10 |  |
| ScarsMarksTattoosCode2                         | ScarsMarksTattoosCode2                         | O | 10 |  |
| ScarsMarksTattoosCode3                         | ScarsMarksTattoosCode3                         | O | 10 |  |
| ScarsMarksTattoosCode4                         | ScarsMarksTattoosCode4                         | O | 10 |  |
| ScarsMarksTattoosCode5                         | ScarsMarksTattoosCode5                         | O | 10 |  |
| ScarsMarksTattoosPictureDescription            | ScarsMarksTattoosPictureDescription            | O | 20 |  |
| ScarsMarksTattoosPictureDescription2           | ScarsMarksTattoosPictureDescription2           | O | 20 |  |
| ScarsMarksTattoosPictureDescription3           | ScarsMarksTattoosPictureDescription3           | O | 20 |  |
| ScarsMarksTattoosPictureDescription4           | ScarsMarksTattoosPictureDescription4           | O | 20 |  |
| ScarsMarksTattoosPictureDescription5           | ScarsMarksTattoosPictureDescription5           | O | 20 |  |
| ScarsMarksTattoosTableDescriptionCategoryCode  | ScarsMarksTattoosTableDescriptionCategoryCode  | O | 20 |  |
| ScarsMarksTattoosTableDescriptionCategoryCode2 | ScarsMarksTattoosTableDescriptionCategoryCode2 | O | 20 |  |
| ScarsMarksTattoosTableDescriptionCategoryCode3 | ScarsMarksTattoosTableDescriptionCategoryCode3 | O | 20 |  |
| ScarsMarksTattoosTableDescriptionCategoryCode4 | ScarsMarksTattoosTableDescriptionCategoryCode4 | O | 20 |  |
| ScarsMarksTattoosTableDescriptionCategoryCode5 | ScarsMarksTattoosTableDescriptionCategoryCode5 | O | 20 |  |
| SexCode                                        | SexCode                                        | O | 1  |  |
| SocialSecurityNumber                           | SocialSecurityNumber                           | O | 9  |  |
| SubjectEyeColorCode                            | SubjectEyeColorCode                            | O | 3  |  |
| SubjectHairColorCode                           | SubjectHairColorCode                           | O | 3  |  |
| SubjectHeight                                  | SubjectHeight                                  | O | 3  |  |
| SubjectWeight                                  | SubjectWeight                                  | O | 3  |  |
| UpdateDate                                     | UpdateDate                                     | O | 8  |  |
| VehicleColorCode                               | VehicleColorCode                               | O | 7  |  |
| VehicleIdentificationNumber                    | VehicleIdentificationNumber                    | O | 20 |  |
| VehicleMakeCode                                | VehicleMakeCode                                | O | 4  |  |
| VehicleModelCode                               | VehicleModelCode                               | O | 3  |  |
| VehicleStyleCode                               | VehicleStyleCode                               | O | 4  |  |
| VehicleYear                                    | VehicleYear                                    | O | 4  |  |

## Possible Combinations

1. (In/Out) FileControlNumber, Name, OriginatingAgencyORI, [AddressApartmentNumber, AddressCity, AddressCounty, AddressSource, AddressState, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, BirthDate, CAMapPage, CASubjectInmateNumber, CASubjectYouthInstitutionNumber, CATattoosDescription, CATattoosDescription2, CATattoosDescription3, CATattoosDescription4, CATattoosDescription5, ContactName, ContactPhoneNumber, ConvictionDate, CriminalIdentificationNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MapGridCoordinates, MiscellaneousDescriptiveText,

Mnemonic, Moniker, Occupation, OffenseCode, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyCaseNumber, PhotoAvailableIndicator, RaceCode, RegistrationDate, RegistrationType, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosPictureDescription, ScarsMarksTattoosPictureDescription2, ScarsMarksTattoosPictureDescription3, ScarsMarksTattoosPictureDescription4, ScarsMarksTattoosPictureDescription5, ScarsMarksTattoosTableDescriptionCategoryCode, ScarsMarksTattoosTableDescriptionCategoryCode2, ScarsMarksTattoosTableDescriptionCategoryCode3, ScarsMarksTattoosTableDescriptionCategoryCode4, ScarsMarksTattoosTableDescriptionCategoryCode5, SexCode, SocialSecurityNumber, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectWeight, UpdateDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

## CAIVCINQuery

| Field Name                      | XML Tag Name                    | M/C/O | Size | Possible Values |
|---------------------------------|---------------------------------|-------|------|-----------------|
| BirthDate                       | BirthDate                       | O     | 8    |                 |
| CASubjectInmateNumber           | CASubjectInmateNumber           | C     | 6    |                 |
| CASubjectYouthInstitutionNumber | CASubjectYouthInstitutionNumber | C     | 6    |                 |
| CriminalIdentificationINumber   | CriminalIdentificationINumber   | C     | 9    |                 |
| FileControlNumber               | FileControlNumber               | C     | 13   |                 |
| LicensePlateNumber              | LicensePlateNumber              | C     | 10   |                 |
| Name                            | Name                            | C     | 65   |                 |
| OperatorLicenseNumber           | OperatorLicenseNumber           | C     | 20   |                 |
| RaceCode                        | RaceCode                        | O     | 1    |                 |
| RegistrationType                | RegistrationType                | O     | 1    |                 |
| SexCode                         | SexCode                         | C     | 1    |                 |
| SocialSecurityNumber            | SocialSecurityNumber            | C     | 9    |                 |
| SubjectEyeColorCode             | SubjectEyeColorCode             | O     | 3    |                 |
| SubjectHairColorCode            | SubjectHairColorCode            | O     | 3    |                 |
| SubjectHeight                   | SubjectHeight                   | O     | 3    |                 |
| SubjectWeight                   | SubjectWeight                   | O     | 3    |                 |

## Possible Combinations

1. (In/Out) CASubjectInmateNumber
2. (In/Out) CASubjectYouthInstitutionNumber
3. (In/Out) CriminalIdentificationINumber
4. (In/Out) FileControlNumber
5. (In/Out) LicensePlateNumber
6. (In/Out) Name, SexCode, [BirthDate, RaceCode, RegistrationType, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectWeight]
7. (In/Out) OperatorLicenseNumber
8. (In/Out) SocialSecurityNumber

## CAIWantedPersonQuery

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| Age                          | Age                          | O     | 2    |                 |
| BirthDate                    | BirthDate                    | C     | 8    |                 |
| CriminalIdentificationNumber | CriminalIdentificationNumber | C     | 9    |                 |
| ExpandedNameSearchCode       | ExpandedNameSearchCode       | O     | 1    |                 |
| FBI Number                   | FBI Number                   | C     | 9    |                 |
| FileControlNumber            | FileControlNumber            | C     | 13   |                 |
| Height                       | Height                       | O     | 3    |                 |
| LicensePlateNumber           | LicensePlateNumber           | O     | 10   |                 |
| MiscellaneousNumber          | MiscellaneousNumber          | O     | 15   |                 |
| Name                         | Name                         | C     | 30   |                 |
| NCICNumber                   | NCICNumber                   | C     | 10   |                 |
| NcicOnlyIndicator            | NcicOnlyIndicator            | C     | 1    |                 |
| OperatorLicenseNumber        | OperatorLicenseNumber        | C     | 20   |                 |
| OriginatingAgencyCaseNumber  | OriginatingAgencyCaseNumber  | C     | 20   |                 |
| RaceCode                     | RaceCode                     | O     | 1    |                 |
| RelatedHitSearchIndicator    | RelatedHitSearchIndicator    | O     | 1    |                 |
| SexCode                      | SexCode                      | C     | 1    |                 |
| SocialSecurityNumber         | SocialSecurityNumber         | C     | 9    |                 |
| VehicleIdentificationNumber  | VehicleIdentificationNumber  | O     | 20   |                 |
| WarrantNumber                | WarrantNumber                | C     | 15   |                 |

### Possible Combinations

1. (In/Out) Name, SexCode, [Age, BirthDate, Height, RaceCode]
2. (In/Out) BirthDate, Name, NcicOnlyIndicator, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
3. (In/Out) CriminalIdentificationNumber
4. (In/Out) FBI Number
5. (In/Out) Name, NcicOnlyIndicator, [ExpandedNameSearchCode, FBI Number, LicensePlateNumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RelatedHitSearchIndicator, SocialSecurityNumber, VehicleIdentificationNumber]
6. (In/Out) FileControlNumber
7. (In/Out) NCICNumber
8. (In/Out) OperatorLicenseNumber
9. (In/Out) OriginatingAgencyCaseNumber
10. (In/Out) SocialSecurityNumber
11. (In/Out) WarrantNumber

## CaWandaAbstractCancel

| Field Name                | XML Tag Name              | M/C/O | Size | Possible Values |
|---------------------------|---------------------------|-------|------|-----------------|
| DueDiligenceMessageLine1  | DueDiligenceMessageLine1  | M     | 74   |                 |
| DueDiligenceMessageLine10 | DueDiligenceMessageLine10 | O     | 74   |                 |
| DueDiligenceMessageLine2  | DueDiligenceMessageLine2  | O     | 74   |                 |
| DueDiligenceMessageLine3  | DueDiligenceMessageLine3  | O     | 74   |                 |
| DueDiligenceMessageLine4  | DueDiligenceMessageLine4  | O     | 74   |                 |
| DueDiligenceMessageLine5  | DueDiligenceMessageLine5  | O     | 74   |                 |

|                          |                          |   |    |  |
|--------------------------|--------------------------|---|----|--|
| DueDiligenceMessageLine6 | DueDiligenceMessageLine6 | O | 74 |  |
| DueDiligenceMessageLine8 | DueDiligenceMessageLine8 | O | 74 |  |
| DueDiligenceMessageLine9 | DueDiligenceMessageLine9 | O | 74 |  |
| PersonNumber             | PersonNumber             | M | 8  |  |
| PersonNumber2            | PersonNumber2            | O | 8  |  |
| PersonNumber3            | PersonNumber3            | O | 8  |  |
| PersonNumber4            | PersonNumber4            | O | 8  |  |
| PersonNumber5            | PersonNumber5            | O | 8  |  |
| PersonNumber6            | PersonNumber6            | O | 8  |  |
| PersonSequenceNumber     | PersonSequenceNumber     | M | 3  |  |
| PersonSequenceNumber2    | PersonSequenceNumber2    | O | 3  |  |
| PersonSequenceNumber3    | PersonSequenceNumber3    | O | 3  |  |
| PersonSequenceNumber4    | PersonSequenceNumber4    | O | 3  |  |
| PersonSequenceNumber5    | PersonSequenceNumber5    | O | 3  |  |
| PersonSequenceNumber6    | PersonSequenceNumber6    | O | 3  |  |

### Possible Combinations

1. (In/Out) DueDiligenceMessageLine1, PersonNumber, PersonSequenceNumber, [DueDiligenceMessageLine10, DueDiligenceMessageLine2, DueDiligenceMessageLine3, DueDiligenceMessageLine4, DueDiligenceMessageLine5, DueDiligenceMessageLine6, DueDiligenceMessageLine8, DueDiligenceMessageLine9, PersonNumber2, PersonNumber3, PersonNumber4, PersonNumber5, PersonNumber6, PersonSequenceNumber2, PersonSequenceNumber3, PersonSequenceNumber4, PersonSequenceNumber5, PersonSequenceNumber6]

## CaWandaAbstractClear

| Field Name               | XML Tag Name             | M/C/O | Size | Possible Values |
|--------------------------|--------------------------|-------|------|-----------------|
| AgencyName               | AgencyName               | M     | 22   |                 |
| BookingNumber            | BookingNumber            | M     | 8    |                 |
| Date                     | Date                     | M     | 8    | MMDDYYYY        |
| DispositionCode          | DispositionCode          | M     | 2    |                 |
| DueDiligenceMessageLine1 | DueDiligenceMessageLine1 | M     | 74   |                 |
| DueDiligenceMessageLine2 | DueDiligenceMessageLine2 | O     | 74   |                 |
| DueDiligenceMessageLine3 | DueDiligenceMessageLine3 | O     | 74   |                 |
| DueDiligenceMessageLine4 | DueDiligenceMessageLine4 | O     | 74   |                 |
| DueDiligenceMessageLine5 | DueDiligenceMessageLine5 | O     | 74   |                 |
| DueDiligenceMessageLine6 | DueDiligenceMessageLine6 | O     | 74   |                 |
| DueDiligenceMessageLine7 | DueDiligenceMessageLine7 | O     | 74   |                 |
| DueDiligenceMessageLine8 | DueDiligenceMessageLine8 | O     | 74   |                 |
| ExtraditionIndicator     | ExtraditionIndicator     | M     | 1    | Y or N          |
| PersonNumber             | PersonNumber             | M     | 8    |                 |
| PersonSequenceNumber     | PersonSequenceNumber     | M     | 3    |                 |
| Time                     | Time                     | M     | 4    | HHMM            |

### Possible Combinations

1. (In/Out) AgencyName, BookingNumber, Date, DispositionCode, DueDiligenceMessageLine1, ExtraditionIndicator, PersonNumber, PersonSequenceNumber, Time, [DueDiligenceMessageLine2, DueDiligenceMessageLine3, DueDiligenceMessageLine4, DueDiligenceMessageLine5, DueDiligenceMessageLine6, DueDiligenceMessageLine7, DueDiligenceMessageLine8]

## CaWandaAbstractRequest

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| AgencyCode           | AgencyCode           | M     | 7    |                 |
| PersonNumber         | PersonNumber         | M     | 8    |                 |
| PersonSequenceNumber | PersonSequenceNumber | M     | 3    |                 |
| PrinterCode          | PrinterCode          | M     | 32   |                 |
| RoutedToCode         | RoutedToCode         | M     | 22   |                 |

### Possible Combinations

1. (In/Out) AgencyCode, PersonNumber, PersonSequenceNumber, PrinterCode, RoutedToCode

## CaWandaAdultProbationQuery

| Field Name    | XML Tag Name  | M/C/O | Size | Possible Values |
|---------------|---------------|-------|------|-----------------|
| BirthDate     | BirthDate     | O     | 8    |                 |
| EyeColorCode  | EyeColorCode  | O     | 3    |                 |
| HairColorCode | HairColorCode | O     | 3    |                 |
| Height        | Height        | O     | 1    |                 |
| Height2       | Height2       | O     | 2    |                 |
| Name          | Name          | M     | 12   |                 |
| RaceCode      | RaceCode      | O     | 1    |                 |
| SexCode       | SexCode       | O     | 1    |                 |
| Weight        | Weight        | O     | 3    |                 |

### Possible Combinations

1. (In/Out) Name, [BirthDate, EyeColorCode, HairColorCode, Height, Height2, RaceCode, SexCode, Weight]

## CaWandaDueDiligenceEntry

| Field Name                | XML Tag Name              | M/C/O | Size | Possible Values |
|---------------------------|---------------------------|-------|------|-----------------|
| AgencyCode                | AgencyCode                | M     | 7    |                 |
| Date                      | Date                      | M     | 8    |                 |
| DueDiligenceMessageLine1  | DueDiligenceMessageLine1  | M     | 74   |                 |
| DueDiligenceMessageLine10 | DueDiligenceMessageLine10 | O     | 74   |                 |
| DueDiligenceMessageLine11 | DueDiligenceMessageLine11 | O     | 74   |                 |
| DueDiligenceMessageLine12 | DueDiligenceMessageLine12 | O     | 74   |                 |
| DueDiligenceMessageLine13 | DueDiligenceMessageLine13 | O     | 74   |                 |
| DueDiligenceMessageLine14 | DueDiligenceMessageLine14 | O     | 74   |                 |
| DueDiligenceMessageLine15 | DueDiligenceMessageLine15 | O     | 74   |                 |
| DueDiligenceMessageLine16 | DueDiligenceMessageLine16 | O     | 74   |                 |
| DueDiligenceMessageLine17 | DueDiligenceMessageLine17 | O     | 74   |                 |
| DueDiligenceMessageLine2  | DueDiligenceMessageLine2  | O     | 74   |                 |
| DueDiligenceMessageLine3  | DueDiligenceMessageLine3  | O     | 74   |                 |
| DueDiligenceMessageLine4  | DueDiligenceMessageLine4  | O     | 74   |                 |
| DueDiligenceMessageLine5  | DueDiligenceMessageLine5  | O     | 74   |                 |
| DueDiligenceMessageLine6  | DueDiligenceMessageLine6  | O     | 74   |                 |
| DueDiligenceMessageLine8  | DueDiligenceMessageLine8  | O     | 74   |                 |

|                          |                          |   |    |  |
|--------------------------|--------------------------|---|----|--|
| DueDiligenceMessageLine9 | DueDiligenceMessageLine9 | O | 74 |  |
| PersonNumber             | PersonNumber             | M | 8  |  |
| PersonSequenceNumber     | PersonSequenceNumber     | M | 3  |  |
| Time                     | Time                     | M | 4  |  |

#### Possible Combinations

1. (In/Out) AgencyCode, Date, DueDiligenceMessageLine1, PersonNumber, PersonSequenceNumber, Time, [DueDiligenceMessageLine10, DueDiligenceMessageLine11, DueDiligenceMessageLine12, DueDiligenceMessageLine13, DueDiligenceMessageLine14, DueDiligenceMessageLine15, DueDiligenceMessageLine16, DueDiligenceMessageLine17, DueDiligenceMessageLine2, DueDiligenceMessageLine3, DueDiligenceMessageLine4, DueDiligenceMessageLine5, DueDiligenceMessageLine6, DueDiligenceMessageLine8, DueDiligenceMessageLine9]

### CaWandaDueDiligenceQuery

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| PersonNumber         | PersonNumber         | M     | 8    |                 |
| PersonSequenceNumber | PersonSequenceNumber | M     | 3    |                 |

#### Possible Combinations

1. (In/Out) PersonNumber, PersonSequenceNumber

### CaWandaJuvenileProbationQuery

| Field Name | XML Tag Name | M/C/O | Size | Possible Values |
|------------|--------------|-------|------|-----------------|
| BirthDate  | BirthDate    | O     | 8    |                 |
| Name       | Name         | M     | 12   |                 |
| RaceCode   | RaceCode     | O     | 1    |                 |
| SexCode    | SexCode      | O     | 1    |                 |

#### Possible Combinations

1. (In/Out) Name, [BirthDate, RaceCode, SexCode]

### CaWandaSearchAndSeizureQuery

| Field Name | XML Tag Name | M/C/O | Size | Possible Values |
|------------|--------------|-------|------|-----------------|
| BirthDate  | BirthDate    | O     | 8    |                 |
| Name       | Name         | M     | 12   |                 |
| RaceCode   | RaceCode     | O     | 1    |                 |
| SexCode    | SexCode      | O     | 1    |                 |

#### Possible Combinations

1. (In/Out) Name, [BirthDate, RaceCode, SexCode]

### CaWandaServiceListRequest

| Field Name | XML Tag Name | M/C/O | Size | Possible Values |
|------------|--------------|-------|------|-----------------|
| AgencyCode | AgencyCode   | M     | 7    |                 |
| FromDate   | FromDate     | M     | 8    |                 |

### Possible Combinations

1. (In/Out) AgencyCode, FromDate

### CaWandaSuperQuery

| Field Name            | XML Tag Name          | M/C/O | Size | Possible Values |
|-----------------------|-----------------------|-------|------|-----------------|
| BirthDate             | BirthDate             | O     | 8    |                 |
| CaWandaIncludeAp22    | CaWandaIncludeAp22    | O     | 1    |                 |
| CaWandaIncludeAp32    | CaWandaIncludeAp32    | O     | 1    |                 |
| CaWandaIncludeId02    | CaWandaIncludeId02    | O     | 1    |                 |
| CaWandaIncludeJp32    | CaWandaIncludeJp32    | O     | 1    |                 |
| CaWandaIncludeWw32    | CaWandaIncludeWw32    | O     | 1    |                 |
| EyeColorCode          | EyeColorCode          | O     | 3    |                 |
| HairColorCode         | HairColorCode         | O     | 3    |                 |
| Height                | Height                | O     | 1    |                 |
| Height2               | Height2               | O     | 2    |                 |
| LicensePlateNumber    | LicensePlateNumber    | C     | 15   |                 |
| Name                  | Name                  | C     | 12   |                 |
| OperatorLicenseNumber | OperatorLicenseNumber | C     | 22   |                 |
| RaceCode              | RaceCode              | O     | 1    |                 |
| SexCode               | SexCode               | O     | 1    |                 |
| Weight                | Weight                | O     | 3    |                 |

### Possible Combinations

1. (In/Out) Name, [BirthDate, CaWandaIncludeAp22, CaWandaIncludeAp32, CaWandaIncludeId02, CaWandaIncludeJp32, CaWandaIncludeWw32, EyeColorCode, HairColorCode, Height, Height2, RaceCode, SexCode, Weight]
2. (In/Out) LicensePlateNumber
3. (In/Out) OperatorLicenseNumber

### CaWandaWantFullDisplayQuery

| Field Name           | XML Tag Name         | M/C/O | Size | Possible Values |
|----------------------|----------------------|-------|------|-----------------|
| PersonNumber         | PersonNumber         | M     | 8    |                 |
| PersonSequenceNumber | PersonSequenceNumber | M     | 3    |                 |

### Possible Combinations

1. (In/Out) PersonNumber, PersonSequenceNumber

### CaWandaWeightedRetrievalQuery

| Field Name                   | XML Tag Name                 | M/C/O | Size | Possible Values |
|------------------------------|------------------------------|-------|------|-----------------|
| Age                          | Age                          | C     | 2    |                 |
| BirthDate                    | BirthDate                    | C     | 8    |                 |
| CaWandaSbidNumber            | CaWandaSbidNumber            | C     | 9    |                 |
| CriminalIdentificationNumber | CriminalIdentificationNumber | C     | 9    |                 |
| EyeColorCode                 | EyeColorCode                 | O     | 3    |                 |
| FBINumber                    | FBINumber                    | C     | 9    |                 |
| FileControlNumber            | FileControlNumber            | C     | 13   |                 |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| HairColorCode               | HairColorCode               | O | 3  |  |
| Height                      | Height                      | O | 1  |  |
| Height2                     | Height2                     | O | 2  |  |
| LicensePlateNumber          | LicensePlateNumber          | C | 15 |  |
| Name                        | Name                        | C | 12 |  |
| OperatorLicenseNumber       | OperatorLicenseNumber       | C | 22 |  |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | C | 9  |  |
| RaceCode                    | RaceCode                    | O | 1  |  |
| SexCode                     | SexCode                     | O | 1  |  |
| SocialSecurityNumber        | SocialSecurityNumber        | C | 9  |  |
| WarrantNumber               | WarrantNumber               | C | 25 |  |
| Weight                      | Weight                      | O | 3  |  |

### Possible Combinations

1. (In/Out) BirthDate, Name, [EyeColorCode, HairColorCode, Height, Height2, RaceCode, SexCode, Weight]
2. (In/Out) Age, Name, [EyeColorCode, HairColorCode, Height, Height2, RaceCode, SexCode, Weight]
3. (In/Out) Name, [EyeColorCode, HairColorCode, Height, Height2, RaceCode, SexCode, Weight]
4. (In/Out) LicensePlateNumber
5. (In/Out) OperatorLicenseNumber
6. (In/Out) SocialSecurityNumber
7. (In/Out) CriminalIdentificationNumber
8. (In/Out) FBINumber
9. (In/Out) CaWandaSbidNumber
10. (In/Out) OriginatingAgencyCaseNumber
11. (In/Out) WarrantNumber
12. (In/Out) FileControlNumber

### ***NLTSHitConfirmationRequest***

| Field Name             | XML Tag Name           | M/C/O | Size | Possible Values |
|------------------------|------------------------|-------|------|-----------------|
| ArticleBrandName       | ArticleBrandName       | O     | 6    |                 |
| ArticleSerialNumber    | ArticleSerialNumber    | O     | 20   |                 |
| ArticleTypeCode        | ArticleTypeCode        | O     | 7    |                 |
| BirthDate              | BirthDate              | O     | 8    |                 |
| BirthDate2             | BirthDate2             | O     | 8    |                 |
| BirthDate3             | BirthDate3             | O     | 8    |                 |
| BoatHullSerialNumber   | BoatHullSerialNumber   | O     | 20   |                 |
| BoatMakeCode           | BoatMakeCode           | O     | 4    |                 |
| BoatRegistrationNumber | BoatRegistrationNumber | O     | 8    |                 |
| Category               | Category               | O     | 2    |                 |
| CourtOrderNumber       | CourtOrderNumber       | O     | 20   |                 |
| Denomination           | Denomination           | O     | 9    |                 |
| DestinationORI         | DestinationORI         | M     | 9    |                 |
| DestinationORI2        | DestinationORI2        | O     | 9    |                 |
| DestinationORI3        | DestinationORI3        | O     | 9    |                 |
| Extradition            | Extradition            | O     | 4    |                 |

|                             |                             |   |     |  |
|-----------------------------|-----------------------------|---|-----|--|
| FaxNumber                   | FaxNumber                   | O | 10  |  |
| FreeText                    | FreeText                    | O | 500 |  |
| GunCaliber                  | GunCaliber                  | O | 4   |  |
| GunMake                     | GunMake                     | O | 3   |  |
| GunModel                    | GunModel                    | O | 20  |  |
| GunSerialNumber             | GunSerialNumber             | O | 14  |  |
| LicensePlateNumber          | LicensePlateNumber          | O | 10  |  |
| LicensePlateNumber2         | LicensePlateNumber2         | O | 10  |  |
| LicensePlateType            | LicensePlateType            | O | 2   |  |
| LicensePlateYear            | LicensePlateYear            | O | 4   |  |
| MessageTypeCode             | MessageTypeCode             | O | 1   |  |
| Name                        | Name                        | O | 30  |  |
| Name2                       | Name2                       | O | 30  |  |
| Name3                       | Name3                       | O | 30  |  |
| NCICNumber                  | NCICNumber                  | M | 10  |  |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M | 20  |  |
| OriginatingAgencyORI        | OriginatingAgencyORI        | M | 9   |  |
| PartBrandName               | PartBrandName               | O | 4   |  |
| PartSerialNumber            | PartSerialNumber            | O | 20  |  |
| PhoneNumber                 | PhoneNumber                 | O | 10  |  |
| PriorityCode                | PriorityCode                | M | 1   |  |
| RequestingAgencyName        | RequestingAgencyName        | M | 30  |  |
| RequestNumber               | RequestNumber               | M | 1   |  |
| RequestorName               | RequestorName               | M | 30  |  |
| SecuritySerialNumber        | SecuritySerialNumber        | O | 18  |  |
| SecurityTypeCode            | SecurityTypeCode            | O | 2   |  |
| SequenceNumber              | SequenceNumber              | O | 4   |  |
| SexCode                     | SexCode                     | O | 1   |  |
| SexCode2                    | SexCode2                    | O | 1   |  |
| SexCode3                    | SexCode3                    | O | 1   |  |
| State                       | State                       | O | 2   |  |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O | 20  |  |
| VehicleMakeCode             | VehicleMakeCode             | O | 24  |  |
| VehicleYear                 | VehicleYear                 | O | 4   |  |
| WarrantNumber               | WarrantNumber               | O | 20  |  |

## Possible Combinations

1. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [ArticleBrandName, ArticleSerialNumber, ArticleTypeCode, BirthDate, BirthDate2, BirthDate3, BoatHullSerialNumber, BoatMakeCode, BoatRegistrationNumber, Category, CourtOrderNumber, Denomination, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, LicensePlateNumber, LicensePlateNumber2, LicensePlateType, LicensePlateYear, MessageTypeCode, Name, Name2, Name3, PartBrandName, PartSerialNumber, PhoneNumber, SecuritySerialNumber, SecurityTypeCode, SequenceNumber, SexCode, SexCode2, SexCode3, State, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

## NLTSHitConfirmationResponse

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| ArticleBrandName            | ArticleBrandName            | O     | 6    |                 |
| ArticleSerialNumber         | ArticleSerialNumber         | O     | 20   |                 |
| ArticleTypeCode             | ArticleTypeCode             | O     | 7    |                 |
| BirthDate                   | BirthDate                   | O     | 8    |                 |
| BirthDate2                  | BirthDate2                  | O     | 8    |                 |
| BirthDate3                  | BirthDate3                  | O     | 8    |                 |
| BoatHullSerialNumber        | BoatHullSerialNumber        | O     | 20   |                 |
| BoatMakeCode                | BoatMakeCode                | O     | 4    |                 |
| BoatRegistrationNumber      | BoatRegistrationNumber      | O     | 8    |                 |
| Category                    | Category                    | O     | 2    |                 |
| ConfirmingAgency            | ConfirmingAgency            | M     | 30   |                 |
| ConfirmingName              | ConfirmingName              | M     | 30   |                 |
| ConfirmStatus               | ConfirmStatus               | M     | 1    |                 |
| CourtOrderNumber            | CourtOrderNumber            | O     | 20   |                 |
| Denomination                | Denomination                | O     | 9    |                 |
| DestinationORI              | DestinationORI              | M     | 9    |                 |
| DestinationORI2             | DestinationORI2             | O     | 9    |                 |
| DestinationORI3             | DestinationORI3             | O     | 9    |                 |
| Extradition                 | Extradition                 | O     | 4    |                 |
| FaxNumber                   | FaxNumber                   | O     | 10   |                 |
| FreeText                    | FreeText                    | O     | 500  |                 |
| GunCaliber                  | GunCaliber                  | O     | 4    |                 |
| GunMake                     | GunMake                     | O     | 3    |                 |
| GunModel                    | GunModel                    | O     | 20   |                 |
| GunSerialNumber             | GunSerialNumber             | O     | 14   |                 |
| Hours                       | Hours                       | O     | 3    |                 |
| LicensePlateNumber          | LicensePlateNumber          | O     | 10   |                 |
| LicensePlateNumber2         | LicensePlateNumber2         | O     | 10   |                 |
| LicensePlateType            | LicensePlateType            | O     | 2    |                 |
| LicensePlateYear            | LicensePlateYear            | O     | 4    |                 |
| MessageTypeCode             | MessageTypeCode             | O     | 1    |                 |
| Name                        | Name                        | O     | 30   |                 |
| Name2                       | Name2                       | O     | 30   |                 |
| Name3                       | Name3                       | O     | 30   |                 |
| NCICNumber                  | NCICNumber                  | M     | 10   |                 |
| OriginatingAgencyCaseNumber | OriginatingAgencyCaseNumber | M     | 20   |                 |
| OriginatingAgencyORI        | OriginatingAgencyORI        | O     | 9    |                 |
| PartBrandName               | PartBrandName               | O     | 4    |                 |
| PartSerialNumber            | PartSerialNumber            | O     | 20   |                 |
| PhoneNumber                 | PhoneNumber                 | O     | 10   |                 |
| SecuritySerialNumber        | SecuritySerialNumber        | O     | 18   |                 |
| SecurityTypeCode            | SecurityTypeCode            | O     | 2    |                 |
| SequenceNumber              | SequenceNumber              | O     | 4    |                 |
| SexCode                     | SexCode                     | O     | 1    |                 |
| SexCode2                    | SexCode2                    | O     | 1    |                 |
| SexCode3                    | SexCode3                    | O     | 1    |                 |

|                             |                             |   |    |  |
|-----------------------------|-----------------------------|---|----|--|
| State                       | State                       | O | 2  |  |
| VehicleIdentificationNumber | VehicleIdentificationNumber | O | 20 |  |
| VehicleMakeCode             | VehicleMakeCode             | O | 24 |  |
| VehicleYear                 | VehicleYear                 | O | 4  |  |
| WarrantNumber               | WarrantNumber               | O | 20 |  |

### Possible Combinations

1. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, [ArticleBrandName, ArticleSerialNumber, ArticleTypeCode, BirthDate, BirthDate2, BirthDate3, BoatHullSerialNumber, BoatMakeCode, BoatRegistrationNumber, Category, CourtOrderNumber, Denomination, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, Hours, LicensePlateNumber, LicensePlateNumber2, LicensePlateType, LicensePlateYear, MessageTypeCode, Name, Name2, Name3, OriginatingAgencyORI, PartBrandName, PartSerialNumber, PhoneNumber, SecuritySerialNumber, SecurityTypeCode, SequenceNumber, SexCode, SexCode2, SexCode3, State, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

### *NLTSInterpolStolenTravelDocumentQuery*

| Field Name        | XML Tag Name      | M/C/O | Size | Possible Values |
|-------------------|-------------------|-------|------|-----------------|
| DocumentIdNumber  | DocumentIdNumber  | C     | 60   |                 |
| DocumentTypeCode  | DocumentTypeCode  | O     | 3    |                 |
| InterpolIdNumber  | InterpolIdNumber  | C     | 60   |                 |
| IssuerCountryCode | IssuerCountryCode | O     | 2    |                 |

### Possible Combinations

1. (In/Out) DocumentIdNumber, [DocumentTypeCode, IssuerCountryCode]
2. (In/Out) InterpolIdNumber

### *NLTSInterpolStolenVehicleQuery*

| Field Name                  | XML Tag Name                | M/C/O | Size | Possible Values |
|-----------------------------|-----------------------------|-------|------|-----------------|
| EngineNumber                | EngineNumber                | O     | 62   |                 |
| InterpolIdNumber            | InterpolIdNumber            | C     | 60   |                 |
| VehicleIdentificationNumber | VehicleIdentificationNumber | C     | 62   |                 |

### Possible Combinations

1. (In/Out) InterpolIdNumber
2. (In/Out) VehicleIdentificationNumber, [EngineNumber]

### *NLTSInterpolWantedPersonQuery*

| Field Name       | XML Tag Name     | M/C/O | Size | Possible Values |
|------------------|------------------|-------|------|-----------------|
| BirthDate        | BirthDate        | C     | 8    |                 |
| InterpolIdNumber | InterpolIdNumber | C     | 60   |                 |
| Name             | Name             | C     | 100  |                 |

### Possible Combinations

1. (In/Out) BirthDate, Name

(In/Out) InterpollIdNumber

### **Hardware/Software Requirements:**

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

### **Notes:**

None

### **References:**

- NCIC 2000 Operations Manual
- NLETS User Guide
- CLETS System TCP/IP Spec.
- CLETS CLEW Website Documentation
- Various supporting documents including NCIC 2000 message switch/implementation updates