

California (CA) Santa Barbara County (WANDA) [Disclaimer Statement](#)

Transport:

TCP/IP (Unique to Santa Barbara)

Routing and Configuration Information:

Save Bytes (Primary)

Mnemonic (Secondary)

- The Santa Barbara assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The Santa Barbara assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.
- The Santa Barbara assigned User ID should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.
- The agency assigned Terminal Identifier should be placed in the **<Authentication>/<DeviceId>** field in the ConnectCIC header. This field is required only when CLETS mnemonic pooling is used. If this field is not provided, the IP Address of the ConnectCIC server on the state network is used.

Security Requirements:

Agency must adhere to all requirements set forth by CLETS for operation of a direct connection. This includes network security including remote access and support of extensive logging requirements. Agencies can obtain this information from their CLETS contact.

Logon Requirements:

None

Transaction Requirements:

Beginning July 21, 2021 CLETS requires a “Purpose Code” field to be supplied with every CLETS transaction. The information regarding this purpose code was published by CLETS in Information Bulletin 20-03-CJIS and covers the “Purpose Code” field added to satisfy Assembly Bill (AB) 1747.

Any transaction which does not supply a valid Purpose Code value will be rejected by CLETS. ConnectCIC does not default the value of field; it must be provided by the partner implementation as a user selectable field.

The CLETS “Purpose Code” value must be supplied to ConnectCIC via the **<CaRequestPurposeCode>** element as a sibling to the transaction-specific elements covered in this document. The **<CaRequestPurposeCode>** element is mandatory for all transactions.

The element is a single character value which may be one of the following:

- C – Criminal Justice
- I – Immigration Enforcement
- U – Investigate Violations of Title 8, section 1325 of the United States Code

Certification Requirements:

1. None

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleCategory	ArticleCategory	O	1	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	O	6	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	

Possible Combinations

1. (In/Out) ArticleSerialNumber, **and at least one of** [ArticleBrand, ArticleCategory, ArticleTypeCode]
2. (In/Out) OwnerAppliedNumber, **and at least one of** [ArticleBrand, ArticleCategory, ArticleTypeCode]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
BoatHullIdNumber	BoatHullIdNumber	C	20	
Name	Name	C	30	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	
State	State	C	2	

Possible Combinations

1. (In/Out) BoatHullIdNumber
2. (In/Out) OwnerAppliedNumber
3. (In/Out) RegistrationNumber, [State]
4. (In) RegistrationNumber
5. (Out) BirthDate, Name, State
6. (Out) BoatHullIdNumber, State

7. (Out) RegistrationNumber, State

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (Out) BirthDate, Name, SexCode, [Attention, PurposeCode, State]
2. (Out) OperatorLicenseNumber, [Attention, PurposeCode, State]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCounty	AddressCounty	O	3	
Age	Age	O	2	
BirthDate	BirthDate	O	8	
CriminalIdNumber	CriminalIdNumber	C	11	
Height	Height	O	3	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	C	2	

Possible Combinations

1. (In) Name, [BirthDate]
2. (In) OperatorLicenseNumber
3. (In/Out) Name, SexCode [AddressCounty, Age, BirthDate, Height, RaceCode]
4. (In/Out) OperatorLicenseNumber, [CriminalIdNumber, SocialSecurityNumber]
5. (In/Out) CriminalIdNumber, [OperatorLicenseNumber, SocialSecurityNumber]
6. (In/Out) SocialSecurityNumber, [CriminalIdNumber, OperatorLicenseNumber]
7. (Out) BirthDate, Name, SexCode, State
8. (Out) OperatorLicenseNumber, State

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BirthDate	BirthDate	C	8	
FileControlNumber	FileControlNumber	C	13	
GunCaliber	GunCaliber	O	4	

GunMake	GunMake	O	3	
GunSerialNumber	GunSerialNumber	C	20	
GunTypeCode	GunTypeCode	O	2	
Name	Name	C	30	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunTypeCode]
2. (In/Out) BirthDate, Name, [Age]
3. (In/Out) Age, Name, [BirthDate]
4. (In/Out) FileControlNumber
5. (In/Out) OriginatingAgencyCaseNumber

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	13	
AddressStreetNumber	AddressStreetNumber	O	3	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
Name	Name	C	35	
State	State	C	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	30	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) LicensePlateNumber, [State]
2. (In/Out) VehicleIdentificationNumber, [VehicleMakeCode]
3. (In) LicensePlateNumber, [LicensePlateTypeCode]
4. (In) VehicleIdentificationNumber
5. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State, [VehicleMakeCode, VehicleYear]
6. (Out) State, VehicleIdentificationNumber, [VehicleMakeCode, VehicleYear]
7. (In) Name, [AddressCity, AddressStreetNumber]

Transactions Supported:

Basic Entry Package (BEP)

BEArticleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, [PropertyRecordRemovalReason]

BEArticleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

BEArticleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleType	ArticleType	O	6	
ArticleTypeCode	ArticleTypeCode	O	7	
CategoryCode	CategoryCode	O	1	
CrossReferenceNumber	CrossReferenceNumber	O	13	
DocumentCode	DocumentCode	M	1	
EntryLevel	EntryLevel	M	1	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
Inscription	Inscription	O	15	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PartialLotIndicator	PartialLotIndicator	O	1	
PropertyBrandName	PropertyBrandName	M	6	
PropertyModelName	PropertyModelName	O	15	
SerialNumber	SerialNumber	O	20	

TheftDate	TheftDate	M	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) DocumentCode, EntryLevel, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, TheftDate, [ArticleType, ArticleTypeCode, CategoryCode, CrossReferenceNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OwnerAppliedNumber, PartialLotIndicator, PropertyModelName, SerialNumber, UnitedNationsNumber]

BEArticleGroupCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
SerialNumber	SerialNumber	M	20	
SerialNumber2	SerialNumber2	M	20	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, SerialNumber, SerialNumber2

BEArticleGroupClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleSerialNumber2	ArticleSerialNumber2	M	20	
ClearDate	ClearDate	M	8	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleSerialNumber2, ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, [RecoveringAgencyCaseNumber, RecoveringAgencyORI]

BEArticleGroupEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleType	ArticleType	O	6	
ArticleTypeCode	ArticleTypeCode	O	7	
CategoryCode	CategoryCode	O	1	

CrossReferenceNumber	CrossReferenceNumber	O	13	
DocumentCode	DocumentCode	M	1	
EntryLevel	EntryLevel	M	1	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
Inscription	Inscription	O	15	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PartialLotIndicator	PartialLotIndicator	O	1	
PropertyBrandName	PropertyBrandName	M	6	
PropertyModelName	PropertyModelName	O	15	
SerialNumber	SerialNumber	M	20	
SerialNumber2	SerialNumber2	M	20	
TheftDate	TheftDate	M	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) DocumentCode, EntryLevel, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, SerialNumber, SerialNumber2, TheftDate, [ArticleType, ArticleTypeCode, CategoryCode, CrossReferenceNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, PartialLotIndicator, PropertyModelName, UnitedNationsNumber]

BEArticleGroupLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
SerialNumber	SerialNumber	M	20	
SerialNumber2	SerialNumber2	M	20	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, SerialNumber, SerialNumber2

BEArticleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	

FileControlNumber	FileControlNumber	M	13	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]

BEArticleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleType	ArticleType	O	6	
ArticleTypeCode	ArticleTypeCode	O	7	
CategoryCode	CategoryCode	O	1	
EntryLevel	EntryLevel	O	1	
EstablishmentNumber	EstablishmentNumber	O	4	
FileControlNumber	FileControlNumber	M	13	
HazardousMaterialsContainer	HazardousMaterialsContainer	O	25	
Inscription	Inscription	O	15	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
MiscellaneousNumber	MiscellaneousNumber	O	15	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
PartialLotIndicator	PartialLotIndicator	O	1	
PropertyBrandName	PropertyBrandName	O	6	
PropertyModelName	PropertyModelName	O	15	
PropertyRecoveredValue	PropertyRecoveredValue	O	5	
TheftDate	TheftDate	O	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [ArticleType, ArticleTypeCode, CategoryCode, EntryLevel, EstablishmentNumber, HazardousMaterialsContainer, Inscription, LinkageAgencyIdentifier, LinkageCaseNumber, LotNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, PartialLotIndicator, PropertyBrandName, PropertyModelName, PropertyRecoveredValue, TheftDate, UnitedNationsNumber, ValidatorName]

BEBoatCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
ReasonCode	ReasonCode	M	9	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonCode, [PropertyRecordRemovalReason]

BEBoatClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	50	
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	
StatusCode	StatusCode	C	3	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber
2. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyORI, StatusCode, [Attention, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

BEBoatEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColorCode	BoatColorCode	O	7	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullSerialNumber	BoatHullSerialNumber	O	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	M	24	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	M	2	
BoatTypeCode	BoatTypeCode	O	3	
CautionEntryIndicator	CautionEntryIndicator	O	2	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EngineNumber	EngineNumber	O	20	
EntryLevel	EntryLevel	O	1	
HomePort	HomePort	O	20	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	2	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyModelName	PropertyModelName	O	20	
PropertyYearDate	PropertyYearDate	M	4	
RegistrationExpirationYear	RegistrationExpirationYear	O	4	
RegistrationJurisdictionName	RegistrationJurisdictionName	O	2	
RegistrationNumber	RegistrationNumber	O	8	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VictimAddress	VictimAddress	O	30	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) BoatMakeCode, BoatPropulsionCode, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyYearDate, TheftDate, [BoatColorCode, BoatHullMaterialCode, BoatHullSerialNumber, BoatHullShapeCode, BoatLength, BoatName, BoatTypeCode, CautionEntryIndicator, CoastGuardDocumentNumber, CrossReferenceNumber, EngineNumber, EntryLevel, HomePort, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, NotifiedOriginatingAgency,

OwnerAppliedNumber, PropertyModelName, RegistrationExpirationYear, RegistrationJurisdictionName, RegistrationNumber, SupplementalCaseNumber, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEBoatLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	50	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
MessageKeyModifier	MessageKeyModifier	O	1	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
StatusCode	StatusCode	M	3	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, StatusCode, [Attention, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]

BEBoatModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColorCode	BoatColorCode	O	7	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullSerialNumber	BoatHullSerialNumber	O	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
Category	Category	O	2	
CautionEntryIndicator	CautionEntryIndicator	O	1	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
EngineNumber	EngineNumber	O	20	
EnginePowerCode	EnginePowerCode	O	5	
EntryLevel	EntryLevel	O	1	

FileControlNumber	FileControlNumber	M	13	
HomePort	HomePort	O	20	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyBrandName	PropertyBrandName	O	4	
PropertyModelName	PropertyModelName	O	20	
PropertyYearDate	PropertyYearDate	O	4	
RegistrationExpirationYear	RegistrationExpirationYear	O	4	
RegistrationJurisdictionName	RegistrationJurisdictionName	O	2	
RegistrationNumber	RegistrationNumber	O	8	
SerialNumber	SerialNumber	O	20	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VictimAddress	VictimAddress	O	30	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [BoatColorCode, BoatHullMaterialCode, BoatHullSerialNumber, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatName, BoatPropulsionCode, BoatTypeCode, Category, CautionEntryIndicator, CoastGuardDocumentNumber, EngineNumber, EnginePowerCode, EntryLevel, HomePort, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, OwnerAppliedNumber, PropertyBrandName, PropertyModelName, PropertyYearDate, RegistrationExpirationYear, RegistrationJurisdictionName, RegistrationNumber, SerialNumber, TheftDate, ValidatorName, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEGunCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	M	21	
SerialNumber	SerialNumber	M	20	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, PropertyRecordRemovalReason, SerialNumber

BEGunClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
GunSerialNumber	GunSerialNumber	M	20	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, GunSerialNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

BEGunEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
BarrelLength	BarrelLength	O	6	
BirthDate	BirthDate	O	8	
CACrimeGunIndicator	CACrimeGunIndicator	O	1	
CAIllegallyPossessedIndicator	CAIllegallyPossessedIndicator	O	1	
CAReportedStolenIndicator	CAReportedStolenIndicator	O	1	
CategoryCode	CategoryCode	O	1	
CrossReferenceNumber	CrossReferenceNumber	O	14	
DocumentCode	DocumentCode	M	2	
EntryLevel	EntryLevel	M	1	
FirearmReferenceFlag	FirearmReferenceFlag	O	1	
Firearm Transfer Address	FirearmTransferAddressStreet	O	30	
Firearm Transfer Address Zip Code	FirearmTransferAddressZipCode	O	9	
Firearm Transfer Business Name	FirearmTransferName	O	30	
Firearm Transfer Telephone Number	FirearmTransferTelephoneNumber	O	10	
Firearm Transfer Address	FirearmTransferAddressStreet	O	30	
Firearm Transfer Address Zip Code	FirearmTransferAddressZipCode	O	9	
GunCaliber	GunCaliber	M	4	
GunMake	GunMake	M	3	

GunType	GunType	AirO	1	
GunTypeCode	GunTypeCode	O	2	
Importer	Importer	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
Name	Name	O	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OccurenceCounty	OccurenceCounty	O	2	
OffenseCode	OffenseCode	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	8	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PropertyModelName	PropertyModelName	M	20	
RecoveryAddressApartmentNumber	RecoveryAddressApartmentNumber	O	6	
RecoveryAddressRouteNumber	RecoveryAddressRouteNumber	O	6	
RecoveryAddressStreetDirection	RecoveryAddressStreetDirection	O	2	
RecoveryAddressStreetName	RecoveryAddressStreetName	O	30	
RecoveryAddressStreetNumber	RecoveryAddressStreetNumber	O	6	
RecoveryAddressStreetSuffix	RecoveryAddressStreetSuffix	O	2	
RecoveryAddressZip	RecoveryAddressZip	O	9	
RecoveryOfficerName	RecoveryOfficerName	O	22	
SerialNumber	SerialNumber	M	20	
SuspectAddressApartmentNumber	SuspectAddressApartmentNumber	O	6	
SuspectAddressCity	SuspectAddressCity	O	20	
SuspectAddressRouteNumber	SuspectAddressRouteNumber	O	6	
SuspectAddressStateCode	SuspectAddressStateCode	O	2	
SuspectAddressStreetDirection	SuspectAddressStreetDirection	O	2	
SuspectAddressStreetName	SuspectAddressStreetName	O	30	
SuspectAddressStreetNumber	SuspectAddressStreetNumber	O	6	
SuspectAddressStreetSuffix	SuspectAddressStreetSuffix	O	2	
SuspectAddressZip	SuspectAddressZip	O	9	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) DocumentCode, EntryLevel, GunCaliber, GunMake, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyModelName, SerialNumber, TheftDate, [AddressCity, BarrelLength, BirthDate, CACrimeGunIndicator, CAIllegallyPossessedIndicator, CAReportedStolenIndicator, CategoryCode, CrossReferenceNumber, FirearmReferenceFlag, FirearmTransferAddressStreet, FirearmTransferAddressZipCode, FirearmTransferName, FirearmTransferTelephoneNumber GunType, GunTypeCode, Importer, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, Name, NotifiedOriginatingAgency, OccurenceCounty, OffenseCode, OperatorLicenseNumber, RecoveryAddressApartmentNumber, RecoveryAddressRouteNumber, RecoveryAddressStreetDirection, RecoveryAddressStreetName, RecoveryAddressStreetNumber, RecoveryAddressStreetSuffix, RecoveryAddressZip, RecoveryOfficerName,

SuspectAddressApartmentNumber, SuspectAddressCity,
 SuspectAddressRouteNumber, SuspectAddressStateCode,
 SuspectAddressStreetDirection, SuspectAddressStreetName,
 SuspectAddressStreetNumber, SuspectAddressStreetSuffix,
 SuspectAddressZip]

BEGunLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
SerialNumber	SerialNumber	M	20	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyORI,
 RecoveringAgencyCaseNumber, RecoveryDate, SerialNumber,
 [ContrabandRecoveredValue, NumberMissingPersonsFound,
 NumberPersonsApprehended, OtherRecoveredPropertyValue,
 PropertyRecordRemovalReason, PropertyRecoveredValue]

BEGunModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
BarrelLength	BarrelLength	O	6	
BirthDate	BirthDate	O	8	
CAIllegallyPossessedIndicator	CAIllegallyPossessedIndicator	O	1	
CAReportedStolenIndicator	CAReportedStolenIndicator	O	1	
CategoryCode	CategoryCode	O	1	
CrossReferenceNumber	CrossReferenceNumber	O	14	
EntryLevel	EntryLevel	O	1	
FileControlNumber	FileControlNumber	M	13	
FirearmReferenceFlag	FirearmReferenceFlag	O	1	
Firearm Transfer Address City	FirearmTransferAddressCity	O	30	
Firearm Transfer Address State	FirearmTransferAddressStateCode	O	2	
Firearm Transfer Address	FirearmTransferAddressStreet	O	30	
Firearm Transfer Address Zip Code	FirearmTransferAddressZipCode	O	9	
Firearm Transfer Business Name	FirearmTransferName	O	30	
Firearm Transfer Telephone Number	FirearmTransferTelephoneNumber	O	10	

GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunType	GunType	O	1	
GunTypeCode	GunTypeCode	O	2	
Importer	Importer	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
Name	Name	O	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OccurrenceCounty	OccurrenceCounty	O	2	
OffenseCode	OffenseCode	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	8	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
PropertyModelName	PropertyModelName	O	20	
RecoveryAddressApartmentNumber	RecoveryAddressApartmentNumber	O	6	
RecoveryAddressRouteNumber	RecoveryAddressRouteNumber	O	6	
RecoveryAddressStreetDirection	RecoveryAddressStreetDirection	O	2	
RecoveryAddressStreetName	RecoveryAddressStreetName	O	30	
RecoveryAddressStreetNumber	RecoveryAddressStreetNumber	O	6	
RecoveryAddressStreetSuffix	RecoveryAddressStreetSuffix	O	2	
RecoveryAddressZip	RecoveryAddressZip	O	9	
RecoveryOfficerName	RecoveryOfficerName	O	22	
SerialNumber	SerialNumber	M	20	
SerialNumber2	SerialNumber2	O	20	
SuspectAddressApartmentNumber	SuspectAddressApartmentNumber	O	6	
SuspectAddressCity	SuspectAddressCity	O	20	
SuspectAddressRouteNumber	SuspectAddressRouteNumber	O	6	
SuspectAddressStateCode	SuspectAddressStateCode	O	2	
SuspectAddressStreetDirection	SuspectAddressStreetDirection	O	2	
SuspectAddressStreetName	SuspectAddressStreetName	O	30	
SuspectAddressStreetNumber	SuspectAddressStreetNumber	O	6	
SuspectAddressStreetSuffix	SuspectAddressStreetSuffix	O	2	
SuspectAddressZip	SuspectAddressZip	O	9	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	20	

Possible Combinations

1. (In/Out) FileControlNumber, SerialNumber, [AddressCity, BarrelLength, BirthDate, CAIllegallyPossessedIndicator, CARportedStolenIndicator, CategoryCode, CrossReferenceNumber, EntryLevel, FirearmReferenceFlag, FirearmTransferAddressStreet, FirearmTransferAddressZipCode, FirearmTransferName, FirearmTransferTelephoneNumber, GunCaliber, GunMake, GunType, GunTypeCode, Importer, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, Name, NotifiedOriginatingAgency, OccurrenceCounty, OffenseCode, OperatorLicenseNumber, OriginatingAgencyCaseNumber, PropertyModelName, RecoveryAddressApartmentNumber, RecoveryAddressRouteNumber, RecoveryAddressStreetDirection, RecoveryAddressStreetName,

RecoveryAddressStreetNumber, RecoveryAddressStreetSuffix,
RecoveryAddressZip, RecoveryOfficerName, SerialNumber2,
SuspectAddressApartmentNumber, SuspectAddressCity,
SuspectAddressRouteNumber, SuspectAddressStateCode,
SuspectAddressStreetDirection, SuspectAddressStreetName,
SuspectAddressStreetNumber, SuspectAddressStreetSuffix,
SuspectAddressZip, TheftDate, ValidatorName]

BELicensePlateEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CautionEntryIndicator	CautionEntryIndicator	O	2	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EntryLevel	EntryLevel	O	1	
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateStateCode	LicensePlateStateCode	M	2	
LicensePlateTypeCode	LicensePlateTypeCode	M	2	
LicensePlateYear	LicensePlateYear	M	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	M	2	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddressStateCode	VictimAddressStateCode	O	30	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MessageKeyModifier, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, [CautionEntryIndicator, CrossReferenceNumber, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, SupplementalCaseNumber, VictimAddressCity, VictimAddressState, VictimAddressStateCode, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	

CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
MessageKeyModifier	MessageKeyModifier	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
ReasonCode	ReasonCode	M	9	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, OriginatingAgencyCaseNumber, ReasonCode, [AssociateRecordIdentifier, MessageKeyModifier, PropertyRecordRemovalReason]

BEVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
MessageKeyModifier	MessageKeyModifier	O	1	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	
Reference	Reference	O	50	
StatusCode	StatusCode	C	3	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, [AssociateRecordIdentifier, MessageKeyModifier]
2. (In/Out) ClearDate, FileControlNumber, OriginatingAgencyCaseNumber, RecoveringAgencyORI, StatusCode, [AssociateRecordIdentifier, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, Reference]

BEVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CautionEntryIndicator	CautionEntryIndicator	O	2	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EngineNumber	EngineNumber	O	20	
EntryLevel	EntryLevel	O	1	Blank,1
LicensePlateNumber	LicensePlateNumber	O	10	

LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	2	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
Reference	Reference	O	50	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	M	3	
VehicleStyleCode	VehicleStyleCode	M	2	
VehicleYear	VehicleYear	M	4	
VictimAddress	VictimAddress	O	30	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, [CautionEntryIndicator, CrossReferenceNumber, EngineNumber, EngineNumber, EntryLevel, LicensePlateNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateTypeCode, LicensePlateYear, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OwnerAppliedNumber, OwnerAppliedNumber, Reference, SupplementalCaseNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleIdentificationNumber, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEVehicleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	C	13	
LicensePlateNumber	LicensePlateNumber	C	10	

MessageKeyModifier	MessageKeyModifier	O	1	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	
RecoveryDate	RecoveryDate	M	8	
Reference	Reference	O	50	
StatusCode	StatusCode	C	3	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	10	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, StatusCode, [AssociateRecordIdentifier, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, Reference]
2. (In/Out) LicensePlateNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]
4. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, VehicleIdentificationNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue]

BEVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AssociateRecordIdentifier	AssociateRecordIdentifier	O	2	
Category	Category	O	2	
CautionEntryIndicator	CautionEntryIndicator	O	1	
EngineNumber	EngineNumber	O	20	
EnginePowerCode	EnginePowerCode	O	5	
EntryLevel	EntryLevel	O	1	
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	

LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyBrandName	PropertyBrandName	O	4	
Reference	Reference	O	50	
SerialNumber	SerialNumber	O	20	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
VictimAddress	VictimAddress	O	30	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [AssociateRecordIdentifier, Category, CautionEntryIndicator, EngineNumber, EnginePowerCode, EntryLevel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, OwnerAppliedNumber, PropertyBrandName, Reference, SerialNumber, TheftDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

BEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	

PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
-----------------------------	-----------------------------	---	----	--

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, [PersonalRecordRemovalReason]

BEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
FileControlNumber	FileControlNumber	M	13	
IsPersonArmed	IsPersonArmed	O	1	
Name	Name	M	30	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, FileControlNumber, Name, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

BEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalBirthDate	AdditionalBirthDate	O	8	
AdditionalBirthDate2	AdditionalBirthDate2	O	8	
AdditionalBirthDate3	AdditionalBirthDate3	O	8	
AdditionalBirthDate4	AdditionalBirthDate4	O	8	
AdditionalBirthDate5	AdditionalBirthDate5	O	8	
AdditionalBirthDate6	AdditionalBirthDate6	O	8	
AdditionalBirthDate7	AdditionalBirthDate7	O	8	
AdditionalBirthDate8	AdditionalBirthDate8	O	8	
AdditionalBirthDate9	AdditionalBirthDate9	O	8	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	

AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
Bail	Bail	M	9	
BirthDate	BirthDate	M	8	
BirthPlace	BirthPlace	O	2	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
CautionMedicalCode9	CautionMedicalCode9	O	2	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryLevel	EntryLevel	M	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	M	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	M	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Name	Name	M	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OffenseCode	OffenseCode	M	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	

Reference	Reference	O	20	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SocialSecurityNumber6	SocialSecurityNumber6	O	9	
SocialSecurityNumber7	SocialSecurityNumber7	O	9	
SocialSecurityNumber8	SocialSecurityNumber8	O	9	
SocialSecurityNumber9	SocialSecurityNumber9	O	9	
StolenBirthDate	StolenBirthDate	O	8	
StolenBirthDate2	StolenBirthDate2	O	8	
StolenBirthDate3	StolenBirthDate3	O	8	
StolenBirthDate4	StolenBirthDate4	O	8	
StolenBirthDate5	StolenBirthDate5	O	8	
StolenBirthDate6	StolenBirthDate6	O	8	
StolenBirthDate7	StolenBirthDate7	O	8	
StolenBirthDate8	StolenBirthDate8	O	8	
StolenBirthDate9	StolenBirthDate9	O	8	
StolenMiscellaneousNumber	StolenMiscellaneousNumber	O	15	
StolenMiscellaneousNumber2	StolenMiscellaneousNumber2	O	15	
StolenMiscellaneousNumber3	StolenMiscellaneousNumber3	O	15	
StolenMiscellaneousNumber4	StolenMiscellaneousNumber4	O	15	
StolenMiscellaneousNumber5	StolenMiscellaneousNumber5	O	15	
StolenMiscellaneousNumber6	StolenMiscellaneousNumber6	O	15	
StolenMiscellaneousNumber7	StolenMiscellaneousNumber7	O	15	
StolenMiscellaneousNumber8	StolenMiscellaneousNumber8	O	15	
StolenMiscellaneousNumber9	StolenMiscellaneousNumber9	O	15	
StolenName	StolenName	O	30	
StolenName2	StolenName2	O	30	
StolenName3	StolenName3	O	30	
StolenName4	StolenName4	O	30	
StolenName5	StolenName5	O	30	
StolenName6	StolenName6	O	30	
StolenName7	StolenName7	O	30	
StolenName8	StolenName8	O	30	
StolenName9	StolenName9	O	30	
StolenOperatorLicenseNumber	StolenOperatorLicenseNumber	O	20	

StolenOperatorLicenseYear	StolenOperatorLicenseYear	O	4	
StolenOperatorStateCode	StolenOperatorStateCode	O	2	
StolenSocialSecurityNumber	StolenSocialSecurityNumber	O	9	
StolenSocialSecurityNumber2	StolenSocialSecurityNumber2	O	9	
StolenSocialSecurityNumber3	StolenSocialSecurityNumber3	O	9	
StolenSocialSecurityNumber4	StolenSocialSecurityNumber4	O	9	
StolenSocialSecurityNumber5	StolenSocialSecurityNumber5	O	9	
StolenSocialSecurityNumber6	StolenSocialSecurityNumber6	O	9	
StolenSocialSecurityNumber7	StolenSocialSecurityNumber7	O	9	
StolenSocialSecurityNumber8	StolenSocialSecurityNumber8	O	9	
StolenSocialSecurityNumber9	StolenSocialSecurityNumber9	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	M	8	
WarrantNumber	WarrantNumber	M	15	
WarrantTypeCode	WarrantTypeCode	M	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Bail, BirthDate, EntryLevel, Height, MessageKeyModifier, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, SexCode, WarrantDate, WarrantNumber, WarrantTypeCode, [AdditionalBirthDate, AdditionalBirthDate2, AdditionalBirthDate3, AdditionalBirthDate4, AdditionalBirthDate5, AdditionalBirthDate6, AdditionalBirthDate7, AdditionalBirthDate8, AdditionalBirthDate9, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlace, CautionMedicalCode, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CourtORI, CriminalIdentificationNumber, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NotifiedOriginatingAgency, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, Reference, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SkinToneCode, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4,

SocialSecurityNumber5, SocialSecurityNumber6, SocialSecurityNumber7, SocialSecurityNumber8, SocialSecurityNumber9, StolenBirthDate, StolenBirthDate2, StolenBirthDate3, StolenBirthDate4, StolenBirthDate5, StolenBirthDate6, StolenBirthDate7, StolenBirthDate8, StolenBirthDate9, StolenMiscellaneousNumber, StolenMiscellaneousNumber2, StolenMiscellaneousNumber3, StolenMiscellaneousNumber4, StolenMiscellaneousNumber5, StolenMiscellaneousNumber6, StolenMiscellaneousNumber7, StolenMiscellaneousNumber8, StolenMiscellaneousNumber9, StolenName, StolenName2, StolenName3, StolenName4, StolenName5, StolenName6, StolenName7, StolenName8, StolenName9, StolenOperatorLicenseNumber, StolenOperatorLicenseYear, StolenOperatorStateCode, StolenSocialSecurityNumber, StolenSocialSecurityNumber2, StolenSocialSecurityNumber3, StolenSocialSecurityNumber4, StolenSocialSecurityNumber5, StolenSocialSecurityNumber6, StolenSocialSecurityNumber7, StolenSocialSecurityNumber8, StolenSocialSecurityNumber9, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

BEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
Extradition	Extradition	C	4	
FileControlNumber	FileControlNumber	C	13	
IsPersonArmed	IsPersonArmed	O	1	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	C	20	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

1. (In/Out) Extradition, Name, NCICNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue]
2. (In/Out) FileControlNumber, Name, OriginatingAgencyORI, RecoveryDate, [ContrabandRecoveredValue, Extradition, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

BEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Bail	Bail	O	9	
BirthDate	BirthDate	O	8	
BirthPlace	BirthPlace	O	2	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryLevel	EntryLevel	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	M	30	
Name2	Name2	O	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OffenseCode	OffenseCode	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
RaceCode	RaceCode	O	1	
Reference	Reference	O	20	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
ValidatorName	ValidatorName	O	30	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
WarrantTypeCode	WarrantTypeCode	O	1	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [Bail, BirthDate, BirthPlace, CourtORI, CriminalIdentificationNumber, EntryLevel, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, Name2, NotifiedOriginatingAgency, OffenseCode, OriginalOffenseCode, OriginatingAgencyCaseNumber, RaceCode, Reference, SexCode, SkinToneCode, ValidatorName, WarrantDate, WarrantNumber, WarrantTypeCode, Weight]

Computerized Criminal History (CCH)

CCHCaliforniaOnlyCriminalHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

CriminalIdentificationNumber	CriminalIdentificationNumber	C	8	
DispositionRecordNumber	DispositionRecordNumber	C	9	
RequestorName	RequestorName	M	30	

Possible Combinations

1. (In/Out) CriminalIdentificationNumber, RequestorName
2. (In/Out) DispositionRecordNumber, RequestorName

CCHCaWandaAgencyBookingReportQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyCode	AgencyCode	M	8	
FromDate	FromDate	M	6	MMDDYY
FromTime	FromTime	M	4	HHMM
OutputLocationCode	OutputLocationCode	M	4	
ToDate	ToDate	M	6	MMDDYY
ToTime	ToTime	M	4	HHMM

Possible Combinations

1. (In/Out) AgencyCode, FromDate, FromTime, OutputLocationCode, ToDate, ToTime

CCHCaWandaCriminalRecordsSearchQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	6	MMDDYY
BookingNumber	BookingNumber	O	7	
CIINumber	CIINumber	O	13	
CountyIdNumber	CountyIdNumber	O	6	
DocketNumber	DocketNumber	O	11	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	1	Height in feet
Height2	Height2	O	2	Height in inches
INSAlienNumber	INSAlienNumber	O	12	
LastTenEncountersIndicator	LastTenEncountersIndicator	O	1	Y or N
Name	Name	C	12	
OperatorLicenseNumber	OperatorLicenseNumber	O	13	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
Percent	Percent	O	2	
PersonNumber	PersonNumber	O	8	
PersonSequenceNumber	PersonSequenceNumber	O	3	
ProbationCaseNumber	ProbationCaseNumber	O	10	
Qualifier	Qualifier	O	4	
RaceCode	RaceCode	O	1	
ReportNumber	ReportNumber	O	9	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, [BookingNumber, CIINumber, CountIdNumber, DocketNumber, EyeColorCode, FBINumber, HairColorCode, Height, Height2, INSAlienNumber, LastTenEncountersIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, Percent, PersonNumber, PersonSequenceNumber, ProbationCaseNumber, Qualifier, RaceCode, ReportNumber, SexCode, SocialSecurityNumber, Weight]

CCHCriminalHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressBuilding	AddressBuilding	C	30	
AddressCityState	AddressCityState	O	30	
AddressStreet	AddressStreet	C	30	
AddressZipCode	AddressZipCode	C	9	
Age	Age	O	2	
Attention	Attention	C	32	
BirthDate	BirthDate	C	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	8	
DepartmentName	DepartmentName	C	30	
DestinationORI	DestinationORI	C	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
DispositionRecordNumber	DispositionRecordNumber	C	9	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	C	9	
FBINumber2	FBINumber2	O	9	
FBINumber3	FBINumber3	O	9	
FBINumber4	FBINumber4	O	9	
FBINumber5	FBINumber5	O	9	
FBINumber6	FBINumber6	O	9	
FreeText	FreeText	C	1938	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
InstitutionNumber	InstitutionNumber	O	7	
InstitutionNumber2	InstitutionNumber2	O	7	
InstitutionNumber3	InstitutionNumber3	O	7	
InstitutionNumber4	InstitutionNumber4	O	7	
InstitutionNumber5	InstitutionNumber5	O	7	
InstitutionNumber6	InstitutionNumber6	O	7	
MessageKeyModifier	MessageKeyModifier	C	1	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	8	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	8	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	8	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	8	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	8	
OperatorLicenseNumber6	OperatorLicenseNumber6	O	8	

PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
RequestorName	RequestorName	C	30	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SocialSecurityNumber6	SocialSecurityNumber6	O	9	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In) Attention, DestinationORI, FreeText, PurposeCode, [DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5]
2. (In/Out) Name, RequestorName, SexCode, [Age, BirthDate, EyeColorCode, HairColorCode, Height, RaceCode]
3. (In/Out) Attention, BirthDate, Name, PurposeCode, RaceCode, SexCode
4. (In/Out) Attention, FBINumber, PurposeCode
5. (In/Out) Attention, PurposeCode, StateIdNumber
6. (In/Out) CriminalIdentificationNumber, MessageKeyModifier, RequestorName
7. (In/Out) CriminalIdentificationNumber, RequestorName
8. (In/Out) DispositionRecordNumber, MessageKeyModifier, RequestorName
9. (In/Out) RequestorName, [FBINumber, FBINumber2, FBINumber3, FBINumber4, FBINumber5, FBINumber6, InstitutionNumber, InstitutionNumber2, InstitutionNumber3, InstitutionNumber4, InstitutionNumber5, InstitutionNumber6, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseNumber6, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6]
10. (In/Out) Attention, BirthDate, Name, PurposeCode, SexCode, [MiscellaneousNumber, RaceCode, State, State2, State3, State4, State5]
11. (Out) AddressBuilding, AddressStreet, AddressZipCode, Attention, DepartmentName, PurposeCode, State, StateIdNumber, [AddressCityState]
12. (Out) Attention, FreeText, PurposeCode, State, [State2, State3, State4, State5]
13. (Out) Attention, PurposeCode, State, StateIdNumber

CCHMentalHealthFirearmProhibitQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
PersonAge	PersonAge	C	2	
RecordNumber	RecordNumber	C	10	

Requestor	Requestor	M	30	
-----------	-----------	---	----	--

Possible Combinations

1. (In/Out) BirthDate, Name, Requestor
2. (In/Out) Name, PersonAge, Requestor
3. (In/Out) RecordNumber, Requestor

Canadian Basic Inquiry (CBI)

CPICBICanadianArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	23	
ArticleTypeCode	ArticleTypeCode	M	2	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	M	1	
ReasonCode	ReasonCode	M	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, PersonPropertyInSiteIndicator, ReasonCode

CPICBICanadianBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullNumber	BoatHullNumber	C	12	
BoatName	BoatName	C	13	
BoatSerialNumber	BoatSerialNumber	C	18	
BoatTypeCode	BoatTypeCode	C	5	
LicensePlateNumber	LicensePlateNumber	C	10	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	M	1	
ReasonCode	ReasonCode	M	1	
RegistrationNumber	RegistrationNumber	C	7	

Possible Combinations

1. (In/Out) LicensePlateNumber, PersonPropertyInSiteIndicator, ReasonCode
2. (In/Out) BoatHullNumber, PersonPropertyInSiteIndicator, ReasonCode
3. (In/Out) PersonPropertyInSiteIndicator, ReasonCode, RegistrationNumber
4. (In/Out) BoatName, PersonPropertyInSiteIndicator, ReasonCode
5. (In/Out) BoatSerialNumber, BoatTypeCode, PersonPropertyInSiteIndicator, ReasonCode

CPICBICanadianDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	
Name	Name	M	30	
NletsDestination	NletsDestination	C	2	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	

PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	M	1	
ReasonCode	ReasonCode	M	1	
SexCode	SexCode	M	1	

Possible Combinations

1. (In/Out) BirthDate, Name, NletsDestination, PersonPropertyInSiteIndicator, ReasonCode, SexCode, [OperatorLicenseNumber]
2. (In/Out) BirthDate, Name, PersonPropertyInSiteIndicator, ReasonCode, SexCode

CPICBICanadianGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	M	23	
GunTypeCode	GunTypeCode	M	2	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	M	1	
ReasonCode	ReasonCode	M	1	

Possible Combinations

1. (In/Out) GunSerialNumber, GunTypeCode, PersonPropertyInSiteIndicator, ReasonCode

CPICBICanadianVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	M	10	
NletsDestination	NletsDestination	M	2	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	M	1	
ReasonCode	ReasonCode	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	M	17	

Possible Combinations

1. (In/Out) LicensePlateNumber, NletsDestination, PersonPropertyInSiteIndicator, ReasonCode, VehicleIdentificationNumber
2. (In/Out) LicensePlateNumber, NletsDestination, PersonPropertyInSiteIndicator, ReasonCode, VehicleIdentificationNumber

CPICCanadianSecuritiesStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Issuer	Issuer	C	30	
Name	Name	C	14	
Owner	Owner	C	30	
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	M	1	
ReasonCode	ReasonCode	M	1	
SecuritySerialNumber	SecuritySerialNumber	C	23	
SecurityTypeCode	SecurityTypeCode	C	2	

Possible Combinations

1. (In/Out) PersonPropertyInSiteIndicator, ReasonCode, SecuritySerialNumber
2. (In/Out) Issuer, PersonPropertyInSiteIndicator, ReasonCode
3. (In/Out) Owner, PersonPropertyInSiteIndicator, ReasonCode
4. (In/Out) Name, PersonPropertyInSiteIndicator, ReasonCode, SecurityTypeCode

NLTSHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrandName	ArticleBrandName	O	6	
ArticleSerialNumber	ArticleSerialNumber	O	20	
ArticleTypeCode	ArticleTypeCode	O	7	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BoatHullSerialNumber	BoatHullSerialNumber	O	20	
BoatMakeCode	BoatMakeCode	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	O	8	
Category	Category	O	2	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	O	9	
DestinationORI	DestinationORI	M	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
Extradition	Extradition	O	4	
FaxNumber	FaxNumber	O	10	
FreeText	FreeText	O	500	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	O	14	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateNumber2	LicensePlateNumber2	O	10	
LicensePlateType	LicensePlateType	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MessageTypeCode	MessageTypeCode	O	1	
Name	Name	O	30	
Name2	Name2	O	30	
Name3	Name3	O	30	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PartBrandName	PartBrandName	O	4	
PartSerialNumber	PartSerialNumber	O	20	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RequestingAgencyName	RequestingAgencyName	M	30	
RequestNumber	RequestNumber	M	1	
RequestorName	RequestorName	M	30	
SecuritySerialNumber	SecuritySerialNumber	O	18	
SecurityTypeCode	SecurityTypeCode	O	2	

SequenceNumber	SequenceNumber	O	4	
SexCode	SexCode	O	1	
SexCode2	SexCode2	O	1	
SexCode3	SexCode3	O	1	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [ArticleBrandName, ArticleSerialNumber, ArticleTypeCode, BirthDate, BirthDate2, BirthDate3, BoatHullSerialNumber, BoatMakeCode, BoatRegistrationNumber, Category, CourtOrderNumber, Denomination, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, LicensePlateNumber, LicensePlateNumber2, LicensePlateType, LicensePlateYear, MessageTypeCode, Name, Name2, Name3, PartBrandName, PartSerialNumber, PhoneNumber, SecuritySerialNumber, SecurityTypeCode, SequenceNumber, SexCode, SexCode2, SexCode3, State, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

NLTSHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrandName	ArticleBrandName	O	6	
ArticleSerialNumber	ArticleSerialNumber	O	20	
ArticleTypeCode	ArticleTypeCode	O	7	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BoatHullSerialNumber	BoatHullSerialNumber	O	20	
BoatMakeCode	BoatMakeCode	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	O	8	
Category	Category	O	2	
ConfirmingAgency	ConfirmingAgency	M	30	
ConfirmingName	ConfirmingName	M	30	
ConfirmStatus	ConfirmStatus	M	1	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	O	9	
DestinationORI	DestinationORI	M	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
Extradition	Extradition	O	4	
FaxNumber	FaxNumber	O	10	
FreeText	FreeText	O	500	
GunCaliber	GunCaliber	O	4	

GunMake	GunMake	O	3	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	O	14	
Hours	Hours	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateNumber2	LicensePlateNumber2	O	10	
LicensePlateType	LicensePlateType	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MessageTypeCode	MessageTypeCode	O	1	
Name	Name	O	30	
Name2	Name2	O	30	
Name3	Name3	O	30	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PartBrandName	PartBrandName	O	4	
PartSerialNumber	PartSerialNumber	O	20	
PhoneNumber	PhoneNumber	O	10	
SecuritySerialNumber	SecuritySerialNumber	O	18	
SecurityTypeCode	SecurityTypeCode	O	2	
SequenceNumber	SequenceNumber	O	4	
SexCode	SexCode	O	1	
SexCode2	SexCode2	O	1	
SexCode3	SexCode3	O	1	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationORI, NCICNumber, OriginatingAgencyCaseNumber, [ArticleBrandName, ArticleSerialNumber, ArticleTypeCode, BirthDate, BirthDate2, BirthDate3, BoatHullSerialNumber, BoatMakeCode, BoatRegistrationNumber, Category, CourtOrderNumber, Denomination, DestinationORI2, DestinationORI3, Extradition, FaxNumber, FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, Hours, LicensePlateNumber, LicensePlateNumber2, LicensePlateType, LicensePlateYear, MessageTypeCode, Name, Name2, Name3, OriginatingAgencyORI, PartBrandName, PartSerialNumber, PhoneNumber, SecuritySerialNumber, SecurityTypeCode, SequenceNumber, SexCode, SexCode2, SexCode3, State, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

NLTSInterpolStolenTravelDocumentQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DocumentIdNumber	DocumentIdNumber	C	60	
DocumentTypeCode	DocumentTypeCode	O	3	

InterpolIdNumber	InterpolIdNumber	C	60	
IssuerCountryCode	IssuerCountryCode	O	2	

Possible Combinations

1. (In/Out) DocumentIdNumber, [DocumentTypeCode, IssuerCountryCode]
2. (In/Out) InterpolIdNumber

NLTSInterpolStolenVehicleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
EngineNumber	EngineNumber	O	62	
InterpolIdNumber	InterpolIdNumber	C	60	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	62	

Possible Combinations

1. (In/Out) InterpolIdNumber
2. (In/Out) VehicleIdentificationNumber, [EngineNumber]

Wanted Missing Person Entry (WMPE)

WMPEMissingPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CAInactivatedReasonCode	CAInactivatedReasonCode	M	1	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
DateReportInactivated	DateReportInactivated	M	8	
FileControlNumber	FileControlNumber	M	13	
IsPersonArmed	IsPersonArmed	O	1	
Name	Name	M	30	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	

Possible Combinations

1. (In/Out) [CAInactivatedReasonCode, DateReportInactivated, FileControlNumber, Name]
ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound,
NumberPersonsApprehended, OtherRecoveredPropertyValue,
PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue,
RecoveringAgencyCaseNumber, RecoveringAgencyORI

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
IsPersonArmed	IsPersonArmed	O	1	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	

OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	

Possible Combinations

1. (In/Out) [ClearDate, Name, NCICNumber, OriginatingAgencyORI], ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI
2. (In/Out) [ClearDate, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI], ContrabandRecoveredValue, IsPersonArmed, Name, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI
3. (In/Out) [ClearDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI], ContrabandRecoveredValue, IsPersonArmed, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI

WMPEMissingPersonDentalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DentalCharacteristics	DentalCharacteristics	M	1599	
DentalModelPhotoAvailableIndicator	DentalModelPhotoAvailableIndicator	M	1	
DentistNameAndPhoneNumber	DentistNameAndPhoneNumber	O	30	
DentistNameAndPhoneNumber2	DentistNameAndPhoneNumber2	O	30	
DentistRemarks	DentistRemarks	O	50	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	

Possible Combinations

1. (In/Out) DentalCharacteristics, DentalModelPhotoAvailableIndicator, FileControlNumber, Name, [DentistNameAndPhoneNumber, DentistNameAndPhoneNumber2, DentistRemarks]

WMPEMissingPersonDentalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DentalCharacteristics	DentalCharacteristics	M	1599	
DentalModelPhotoAvailableIndicator	DentalModelPhotoAvailableIndicator	M	1	
DentistNameAndPhoneNumber	DentistNameAndPhoneNumber	O	30	
DentistNameAndPhoneNumber2	DentistNameAndPhoneNumber2	O	30	
DentistRemarks	DentistRemarks	O	50	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	

Possible Combinations

1. (In/Out) [CAInactivatedReasonCode, DateReportInactivated, FileControlNumber, Name] ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI

WMPEMissingPersonDescriptorsModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
Name2	Name2	O	30	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SexCode	SexCode	O	1	
SubjectAge	SubjectAge	O	3	

SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	O	3	
SubjectWeight	SubjectWeight	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AlsoKnownAs, AlsoKnownAs2, BirthDate, BirthDate2, Name2, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SexCode, SubjectAge, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectWeight]

WMPEMissingPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
Category	Category	O	1	
Category2	Category2	O	1	
Category3	Category3	O	1	
Category4	Category4	O	1	
Category5	Category5	O	1	
CautionMedicalCode	CautionMedicalCode	O	1	
CautionMedicalCode10	CautionMedicalCode10	O	1	
CautionMedicalCode2	CautionMedicalCode2	O	1	
CautionMedicalCode3	CautionMedicalCode3	O	1	
CautionMedicalCode4	CautionMedicalCode4	O	1	
CautionMedicalCode5	CautionMedicalCode5	O	1	
CautionMedicalCode6	CautionMedicalCode6	O	1	
CautionMedicalCode7	CautionMedicalCode7	O	1	
CautionMedicalCode8	CautionMedicalCode8	O	1	
CautionMedicalCode9	CautionMedicalCode9	O	1	
DentalXRaysIndicator	DentalXRaysIndicator	M	1	

EmancipationDate	EmancipationDate	O	8	
InvestigatorName	InvestigatorName	O	30	
LastContactDate	LastContactDate	M	8	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	10	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	M	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OriginatingReportingAgency	OriginatingReportingAgency	O	30	
RaceCode	RaceCode	M	1	
ReportDate	ReportDate	O	8	
ReportTypeCode	ReportTypeCode	M	1	
SexCode	SexCode	M	1	
SubjectAge	SubjectAge	O	3	
SubjectAppearanceAge	SubjectAppearanceAge	O	3	
SubjectEyeColorCode	SubjectEyeColorCode	M	3	
SubjectHairColorCode	SubjectHairColorCode	M	3	
SubjectHeight	SubjectHeight	M	3	
SubjectWeight	SubjectWeight	M	3	

Possible Combinations

1. (In/Out) DentalXRaysIndicator, LastContactDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, ReportTypeCode, SexCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectWeight, [AgencyPhoneNumber, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, Category, Category2, Category3, Category4, Category5, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, EmancipationDate, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingReportingAgency, ReportDate, SubjectAge, SubjectAppearanceAge]

WMPEMissingPersonIdentifiersEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AddressState	AddressState	O	2	
AddressStreetNumber	AddressStreetNumber	O	30	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	

AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthPlace	BirthPlace	O	2	
CALifeStyleCode	CALifeStyleCode	O	2	
CALifeStyleCode2	CALifeStyleCode2	O	2	
CALifeStyleCode3	CALifeStyleCode3	O	2	
CAPossessedWeaponCode	CAPossessedWeaponCode	O	2	
CAPossessedWeaponCode2	CAPossessedWeaponCode2	O	2	
CAPossessedWeaponCode3	CAPossessedWeaponCode3	O	2	
CAPossessedWeaponCode4	CAPossessedWeaponCode4	O	2	
CAProbableDestination	CAProbableDestination	O	30	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
KnownAssociates	KnownAssociates	O	30	
KnownAssociates2	KnownAssociates2	O	30	
KnownAssociates3	KnownAssociates3	O	30	
LastKnownLocation	LastKnownLocation	O	2	
LastKnownLocation2	LastKnownLocation2	O	2	
LastKnownLocation3	LastKnownLocation3	O	2	
LastKnownLocation4	LastKnownLocation4	O	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	

MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Moniker	Moniker	O	20	
Name	Name	M	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseExpirationYear3	OperatorLicenseExpirationYear3	O	4	
OperatorLicenseExpirationYear4	OperatorLicenseExpirationYear4	O	4	
OperatorLicenseExpirationYear5	OperatorLicenseExpirationYear5	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OperatorLicenseState2	OperatorLicenseState2	O	2	
OperatorLicenseState3	OperatorLicenseState3	O	2	
OperatorLicenseState4	OperatorLicenseState4	O	2	
OperatorLicenseState5	OperatorLicenseState5	O	2	
PersonFingerPrintAvailableIndicator	PersonFingerPrintAvailableIndicator	O	1	
PersonFootPrint	PersonFootPrint	O	1	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
PropertyDescriptionText	PropertyDescriptionText	O	100	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	

ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SubjectBloodTypeCode	SubjectBloodTypeCode	O	5	
SubjectBodyXRayCode	SubjectBodyXRayCode	O	1	
SubjectCircumcisionCode	SubjectCircumcisionCode	O	1	
SubjectSkinToneCode	SubjectSkinToneCode	O	3	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectFacialHairDescription3	SuspectFacialHairDescription3	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectHairDescription3	SuspectHairDescription3	O	2	
SuspectHairDescription4	SuspectHairDescription4	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	
SuspectTeethDescription3	SuspectTeethDescription3	O	2	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AddressState, AddressStreetNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthPlace, CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CAPossessedWeaponCode, CAPossessedWeaponCode2, CAPossessedWeaponCode3, CAPossessedWeaponCode4, CAProbableDestination, CorrectiveVisionPerscription, CriminalIdentificationNumber, FBI Number, FingerprintClassificationCode, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, KnownAssociates, KnownAssociates2, KnownAssociates3, LastKnownLocation, LastKnownLocation2, LastKnownLocation3, LastKnownLocation4, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, Moniker, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseState, OperatorLicenseState2,

OperatorLicenseState3, OperatorLicenseState4, OperatorLicenseState5,
 PersonFingerPrintAvailableIndicator, PersonFootPrint,
 PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10,
 PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12,
 PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14,
 PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2,
 PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4,
 PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6,
 PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8,
 PhysicalFeatureTypeCode9, PropertyDescriptionText, ScarsMarksTattoosCode,
 ScarsMarksTattoosCode10, ScarsMarksTattoosCode11,
 ScarsMarksTattoosCode12, ScarsMarksTattoosCode13,
 ScarsMarksTattoosCode14, ScarsMarksTattoosCode15,
 ScarsMarksTattoosCode2, ScarsMarksTattoosCode3,
 ScarsMarksTattoosCode4, ScarsMarksTattoosCode5,
 ScarsMarksTattoosCode6, ScarsMarksTattoosCode7,
 ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SocialSecurityNumber,
 SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4,
 SocialSecurityNumber5, SubjectBloodTypeCode, SubjectBodyXRayCode,
 SubjectCircumcisionCode, SubjectSkinToneCode, SuspectClothingDescription,
 SuspectFacialHairDescription, SuspectFacialHairDescription2,
 SuspectFacialHairDescription3, SuspectGlassesContactsDescription,
 SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3,
 SuspectHairDescription4, SuspectTeethDescription, SuspectTeethDescription2,
 SuspectTeethDescription3]

WMPEMissingPersonIdentifiersModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AddressState	AddressState	O	2	
AddressStreetNumber	AddressStreetNumber	O	30	
CALifeStyleCode	CALifeStyleCode	O	2	
CALifeStyleCode2	CALifeStyleCode2	O	2	
CAPossessedWeaponCode	CAPossessedWeaponCode	O	2	
CAPossessedWeaponCode2	CAPossessedWeaponCode2	O	2	
CAProbableDestination	CAProbableDestination	O	30	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
KnownAssociates	KnownAssociates	O	30	
KnownAssociates2	KnownAssociates2	O	30	
LastKnownLocation	LastKnownLocation	O	2	
LastKnownLocation2	LastKnownLocation2	O	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	

MiscellaneousNumber2	MiscellaneousNumber2	O	15	
Moniker	Moniker	O	20	
Name	Name	M	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseExpirationYear3	OperatorLicenseExpirationYear3	O	4	
OperatorLicenseExpirationYear4	OperatorLicenseExpirationYear4	O	4	
OperatorLicenseExpirationYear5	OperatorLicenseExpirationYear5	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OperatorLicenseState2	OperatorLicenseState2	O	2	
OperatorLicenseState3	OperatorLicenseState3	O	2	
OperatorLicenseState4	OperatorLicenseState4	O	2	
OperatorLicenseState5	OperatorLicenseState5	O	2	
PersonBirthPlaceCode	PersonBirthPlaceCode	O	2	
PersonFingerPrintAvailableIndicator	PersonFingerPrintAvailableIndicator	O	1	
PersonFootPrint	PersonFootPrint	O	1	
PropertyDescriptionText	PropertyDescriptionText	O	100	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SubjectBloodTypeCode	SubjectBloodTypeCode	O	5	
SubjectBodyXRayCode	SubjectBodyXRayCode	O	1	
SubjectCircumcisionCode	SubjectCircumcisionCode	O	1	
SubjectSkinToneCode	SubjectSkinToneCode	O	3	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AddressState, AddressStreetNumber, CALifeStyleCode, CALifeStyleCode2, CAPossessedWeaponCode, CAPossessedWeaponCode2, CAProbableDestination, CorrectiveVisionPerscription, CriminalIdentificationNumber, FBINumber, FingerprintClassificationCode, JewelryTypeCode, JewelryTypeCode2, KnownAssociates, KnownAssociates2, LastKnownLocation, LastKnownLocation2, MiscellaneousNumber, MiscellaneousNumber2, Moniker, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3,

OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseState, OperatorLicenseState2, OperatorLicenseState3, OperatorLicenseState4, OperatorLicenseState5, PersonBirthPlaceCode, PersonFingerPrintAvailableIndicator, PersonFootPrint, PropertyDescriptionText, SocialSecurityNumber, SocialSecurityNumber2, SubjectBloodTypeCode, SubjectBodyXRayCode, SubjectCircumcisionCode, SubjectSkinToneCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectTeethDescription, SuspectTeethDescription2]

WMPEMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CAInactivatedReasonCode	CAInactivatedReasonCode	M	1	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
DateReportInactivated	DateReportInactivated	M	8	
FileControlNumber	FileControlNumber	C	13	
IsPersonArmed	IsPersonArmed	O	1	
Name	Name	M	30	
NCICNumber	NCICNumber	C	11	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonalRecordRemovalReason	PersonalRecordRemovalReason	O	21	
PersonHitResults	PersonHitResults	O	2	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	M	20	

Possible Combinations

1. (In/Out) CAInactivatedReasonCode, DateReportInactivated, Name, NCICNumber, OriginatingAgencyORI, RecoveringAgencyCaseNumber, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue]
2. (In/Out) CAInactivatedReasonCode, DateReportInactivated, FileControlNumber, Name, OriginatingAgencyORI, RecoveringAgencyCaseNumber, [ContrabandRecoveredValue, IsPersonArmed, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonalRecordRemovalReason, PersonHitResults, PropertyRecoveredValue]

WMPEMissingPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
AppearanceAge	AppearanceAge	O	3	
Category	Category	O	1	
Category2	Category2	O	1	
Category3	Category3	O	1	

Category4	Category4	O	1	
Category5	Category5	O	1	
Category6	Category6	O	1	
Category7	Category7	O	1	
Category8	Category8	O	1	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode2	CautionMedicalCode10	O	2	
CautionMedicalCode3	CautionMedicalCode11	O	2	
CautionMedicalCode4	CautionMedicalCode12	O	2	
CautionMedicalCode5	CautionMedicalCode13	O	2	
CautionMedicalCode6	CautionMedicalCode14	O	2	
CautionMedicalCode7	CautionMedicalCode15	O	2	
CautionMedicalCode8	CautionMedicalCode16	O	2	
CautionMedicalCode9	CautionMedicalCode17	O	2	
CautionMedicalCode10	CautionMedicalCode18	O	2	
CautionMedicalCode11	CautionMedicalCode19	O	2	
CautionMedicalCode12	CautionMedicalCode2	O	2	
CautionMedicalCode13	CautionMedicalCode20	O	2	
CautionMedicalCode14	CautionMedicalCode3	O	2	
CautionMedicalCode15	CautionMedicalCode4	O	2	
CautionMedicalCode16	CautionMedicalCode5	O	2	
CautionMedicalCode17	CautionMedicalCode6	O	2	
CautionMedicalCode18	CautionMedicalCode7	O	2	
CautionMedicalCode19	CautionMedicalCode8	O	2	
CautionMedicalCode20	CautionMedicalCode9	O	2	
DentalXRaysIndicator	DentalXRaysIndicator	O	1	
EmancipationDate	EmancipationDate	O	8	
FileControlNumber	FileControlNumber	M	13	
InvestigatorName	InvestigatorName	O	30	
LastContactDate	LastContactDate	O	8	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Name	Name	M	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingReportingAgency	OriginatingReportingAgency	O	30	
ReportDate	ReportDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AgencyPhoneNumber, AppearanceAge, Category, Category2, Category3, Category4, Category5, Category6, Category7, Category8, CautionMedicalCode, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CautionMedicalCode10, CautionMedicalCode11, CautionMedicalCode12, CautionMedicalCode13, CautionMedicalCode14, CautionMedicalCode15, CautionMedicalCode16, CautionMedicalCode17, CautionMedicalCode18, CautionMedicalCode19, CautionMedicalCode20, DentalXRaysIndicator, EmancipationDate, InvestigatorName, LastContactDate, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber, OriginatingReportingAgency, ReportDate, ValidatorName]

WMPEMissingPersonSuspectEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
CAPossessedWeaponCode	CAPossessedWeaponCode	O	2	
CAPossessedWeaponCode2	CAPossessedWeaponCode2	O	2	
CAPossessedWeaponCode3	CAPossessedWeaponCode3	O	2	
CAPossessedWeaponCode4	CAPossessedWeaponCode4	O	2	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
FBI Number	FBI Number	O	9	
FileControlNumber	FileControlNumber	M	13	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	
MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Name	Name	M	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseExpirationYear3	OperatorLicenseExpirationYear3	O	4	
OperatorLicenseExpirationYear4	OperatorLicenseExpirationYear4	O	4	
OperatorLicenseExpirationYear5	OperatorLicenseExpirationYear5	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OperatorLicenseState2	OperatorLicenseState2	O	2	
OperatorLicenseState3	OperatorLicenseState3	O	2	
OperatorLicenseState4	OperatorLicenseState4	O	2	
OperatorLicenseState5	OperatorLicenseState5	O	2	

PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
PropertyDescriptionText	PropertyDescriptionText	O	100	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SexCode	SexCode	M	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SocialSecurityNumber2	SocialSecurityNumber2	O	9	
SocialSecurityNumber3	SocialSecurityNumber3	O	9	
SocialSecurityNumber4	SocialSecurityNumber4	O	9	
SocialSecurityNumber5	SocialSecurityNumber5	O	9	
SubjectAge	SubjectAge	O	3	
SubjectAge2	SubjectAge2	O	3	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	M	3	
SubjectHeight2	SubjectHeight2	M	3	
SubjectWeight	SubjectWeight	O	3	
SubjectWeight2	SubjectWeight2	O	3	
SuspectBuildDescription	SuspectBuildDescription	O	2	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	

SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectFacialHairDescription3	SuspectFacialHairDescription3	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectHairDescription3	SuspectHairDescription3	O	2	
SuspectHairDescription4	SuspectHairDescription4	O	2	
SuspectName	SuspectName	M	30	
SuspectRelation	SuspectRelation	O	15	
SuspectStatus	SuspectStatus	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	
SuspectTeethDescription3	SuspectTeethDescription3	O	2	

Possible Combinations

1. (In/Out) FileControlNumber, Name, RaceCode, SexCode, SubjectHeight, SubjectHeight2, SuspectName, [AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, CAPossessedWeaponCode, CAPossessedWeaponCode2, CAPossessedWeaponCode3, CAPossessedWeaponCode4, CriminalIdentificationNumber, FBINumber, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseState, OperatorLicenseState2, OperatorLicenseState3, OperatorLicenseState4, OperatorLicenseState5, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, PropertyDescriptionText, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SocialSecurityNumber, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SubjectAge, SubjectAge2, SubjectEyeColorCode, SubjectHairColorCode, SubjectWeight, SubjectWeight2,

SuspectBuildDescription, SuspectClothingDescription,
 SuspectFacialHairDescription, SuspectFacialHairDescription2,
 SuspectFacialHairDescription3, SuspectGlassesContactsDescription,
 SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3,
 SuspectHairDescription4, SuspectRelation, SuspectStatus,
 SuspectTeethDescription, SuspectTeethDescription2,
 SuspectTeethDescription3]

WMPEMissingPersonVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FileControlNumber	FileControlNumber	M	13	
VehicleColorCode	VehicleColorCode	M	7	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleNumber	VehicleNumber	M	1	

Possible Combinations

1. (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber

WMPEMissingPersonVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CAVehicleOwnerCode	CAVehicleOwnerCode	M	2	
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	2	
Name	Name	M	30	
VehicleColorCode	VehicleColorCode	M	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) CAVehicleOwnerCode, FileControlNumber, Name, VehicleColorCode, VehicleMakeCode, [LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, VehicleIdentificationNumber, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEMissingPersonVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	

LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
VehicleBelongsTo	VehicleBelongsTo	O	2	
VehicleColorCode	VehicleColorCode	M	7	
VehicleColorCode2	VehicleColorCode2	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleMakeCode2	VehicleMakeCode2	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleNumber	VehicleNumber	M	1	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, VehicleColorCode, VehicleMakeCode, VehicleNumber, [LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, VehicleBelongsTo, VehicleColorCode2, VehicleIdentificationNumber, VehicleMakeCode2, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEUnidentifiedDescriptionModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FileControlNumber	FileControlNumber	M	13	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	

ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SexCode	SexCode	O	1	
SubjectAge	SubjectAge	O	3	
SubjectAge2	SubjectAge2	O	3	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	O	3	
SubjectHeight2	SubjectHeight2	O	3	
SubjectWeight	SubjectWeight	O	3	
SubjectWeight2	SubjectWeight2	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, RaceCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SexCode, SubjectAge, SubjectAge2, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectHeight2, SubjectWeight, SubjectWeight2]

WMPEUnidentifiedEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
BodyPartStatusCode	BodyPartStatusCode	M	14	
DeathCause	DeathCause	M	3	
DeathTime	DeathTime	O	4	
DentalXRaysIndicator	DentalXRaysIndicator	M	1	
EstimatedDeathDate	EstimatedDeathDate	M	8	
FingerprintClassificationCode	FingerprintClassificationCode	M	20	
FoundDate	FoundDate	M	8	
FoundTime	FoundTime	O	4	

InvestigatorName	InvestigatorName	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OriginatingReportingAgency	OriginatingReportingAgency	O	30	
PersonFootPrint	PersonFootPrint	M	1	
RaceCode	RaceCode	M	1	
ReportTypeCode	ReportTypeCode	M	1	
SexCode	SexCode	M	1	
SubjectAge	SubjectAge	M	3	
SubjectAge2	SubjectAge2	M	3	
SubjectBodyXRayCode	SubjectBodyXRayCode	M	1	
SubjectEyeColorCode	SubjectEyeColorCode	M	3	
SubjectHairColorCode	SubjectHairColorCode	M	3	
SubjectHeight	SubjectHeight	M	3	
SubjectHeight2	SubjectHeight2	M	3	
SubjectWeight	SubjectWeight	M	3	
SubjectWeight2	SubjectWeight2	M	3	

Possible Combinations

1. (In/Out) BodyPartStatusCode, DeathCause, DentalXRaysIndicator, EstimatedDeathDate, FingerprintClassificationCode, FoundDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonFootPrint, RaceCode, ReportTypeCode, SexCode, SubjectAge, SubjectAge2, SubjectBodyXRayCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectHeight2, SubjectWeight, SubjectWeight2, [AgencyPhoneNumber, DeathTime, FoundTime, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingReportingAgency]

WMPEUnidentifiedIdentifiersEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CALifeStyleCode	CALifeStyleCode	O	2	
CALifeStyleCode2	CALifeStyleCode2	O	2	
CALifeStyleCode3	CALifeStyleCode3	O	2	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
FileControlNumber	FileControlNumber	M	13	
JewelryTypeCode	JewelryTypeCode	O	2	
JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	

JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
PropertyDescriptionText	PropertyDescriptionText	O	100	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SubjectBloodTypeCode	SubjectBloodTypeCode	O	5	
SubjectCircumcisionCode	SubjectCircumcisionCode	O	1	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectFacialHairDescription3	SuspectFacialHairDescription3	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	

SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectHairDescription3	SuspectHairDescription3	O	2	
SuspectHairDescription4	SuspectHairDescription4	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	
SuspectTeethDescription3	SuspectTeethDescription3	O	2	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CorrectiveVisionPerscription, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, PropertyDescriptionText, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SubjectBloodTypeCode, SubjectCircumcisionCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectFacialHairDescription3, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3, SuspectHairDescription4, SuspectTeethDescription, SuspectTeethDescription2, SuspectTeethDescription3]

WMPEUnidentifiedIdentifiersModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CALifeStyleCode	CALifeStyleCode	O	2	
CALifeStyleCode2	CALifeStyleCode2	O	2	
CALifeStyleCode3	CALifeStyleCode3	O	2	
CALifeStyleCode4	CALifeStyleCode4	O	2	
CALifeStyleCode5	CALifeStyleCode5	O	2	
CALifeStyleCode6	CALifeStyleCode6	O	2	
CorrectiveVisionPerscription	CorrectiveVisionPerscription	O	40	
FileControlNumber	FileControlNumber	M	13	
JewelryTypeCode	JewelryTypeCode	O	2	

JewelryTypeCode10	JewelryTypeCode10	O	2	
JewelryTypeCode11	JewelryTypeCode11	O	2	
JewelryTypeCode12	JewelryTypeCode12	O	2	
JewelryTypeCode13	JewelryTypeCode13	O	2	
JewelryTypeCode14	JewelryTypeCode14	O	2	
JewelryTypeCode15	JewelryTypeCode15	O	2	
JewelryTypeCode16	JewelryTypeCode16	O	2	
JewelryTypeCode17	JewelryTypeCode17	O	2	
JewelryTypeCode18	JewelryTypeCode18	O	2	
JewelryTypeCode19	JewelryTypeCode19	O	2	
JewelryTypeCode2	JewelryTypeCode2	O	2	
JewelryTypeCode20	JewelryTypeCode20	O	2	
JewelryTypeCode21	JewelryTypeCode21	O	2	
JewelryTypeCode22	JewelryTypeCode22	O	2	
JewelryTypeCode23	JewelryTypeCode23	O	2	
JewelryTypeCode24	JewelryTypeCode24	O	2	
JewelryTypeCode25	JewelryTypeCode25	O	2	
JewelryTypeCode26	JewelryTypeCode26	O	2	
JewelryTypeCode27	JewelryTypeCode27	O	2	
JewelryTypeCode28	JewelryTypeCode28	O	2	
JewelryTypeCode29	JewelryTypeCode29	O	2	
JewelryTypeCode3	JewelryTypeCode3	O	2	
JewelryTypeCode30	JewelryTypeCode30	O	2	
JewelryTypeCode31	JewelryTypeCode31	O	2	
JewelryTypeCode32	JewelryTypeCode32	O	2	
JewelryTypeCode33	JewelryTypeCode33	O	2	
JewelryTypeCode34	JewelryTypeCode34	O	2	
JewelryTypeCode4	JewelryTypeCode4	O	2	
JewelryTypeCode5	JewelryTypeCode5	O	2	
JewelryTypeCode6	JewelryTypeCode6	O	2	
JewelryTypeCode7	JewelryTypeCode7	O	2	
JewelryTypeCode8	JewelryTypeCode8	O	2	
JewelryTypeCode9	JewelryTypeCode9	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	9	
PropertyDescriptionText	PropertyDescriptionText	O	100	
SubjectBloodTypeCode	SubjectBloodTypeCode	O	5	
SubjectCircumcisionCode	SubjectCircumcisionCode	O	1	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairDescription	SuspectFacialHairDescription	O	2	
SuspectFacialHairDescription2	SuspectFacialHairDescription2	O	2	
SuspectFacialHairDescription3	SuspectFacialHairDescription3	O	2	
SuspectFacialHairDescription4	SuspectFacialHairDescription4	O	2	
SuspectFacialHairDescription5	SuspectFacialHairDescription5	O	2	
SuspectFacialHairDescription6	SuspectFacialHairDescription6	O	2	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairDescription	SuspectHairDescription	O	2	
SuspectHairDescription2	SuspectHairDescription2	O	2	
SuspectHairDescription3	SuspectHairDescription3	O	2	
SuspectHairDescription4	SuspectHairDescription4	O	2	

SuspectHairDescription5	SuspectHairDescription5	O	2	
SuspectHairDescription6	SuspectHairDescription6	O	2	
SuspectHairDescription7	SuspectHairDescription7	O	2	
SuspectHairDescription8	SuspectHairDescription8	O	2	
SuspectTeethDescription	SuspectTeethDescription	O	2	
SuspectTeethDescription2	SuspectTeethDescription2	O	2	
SuspectTeethDescription3	SuspectTeethDescription3	O	2	
SuspectTeethDescription4	SuspectTeethDescription4	O	2	
SuspectTeethDescription5	SuspectTeethDescription5	O	2	
SuspectTeethDescription6	SuspectTeethDescription6	O	2	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [CALifeStyleCode, CALifeStyleCode2, CALifeStyleCode3, CALifeStyleCode4, CALifeStyleCode5, CALifeStyleCode6, CorrectiveVisionPerscription, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode18, JewelryTypeCode19, JewelryTypeCode2, JewelryTypeCode20, JewelryTypeCode21, JewelryTypeCode22, JewelryTypeCode23, JewelryTypeCode24, JewelryTypeCode25, JewelryTypeCode26, JewelryTypeCode27, JewelryTypeCode28, JewelryTypeCode29, JewelryTypeCode3, JewelryTypeCode30, JewelryTypeCode31, JewelryTypeCode32, JewelryTypeCode33, JewelryTypeCode34, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, PropertyDescriptionText, SubjectBloodTypeCode, SubjectCircumcisionCode, SuspectClothingDescription, SuspectFacialHairDescription, SuspectFacialHairDescription2, SuspectFacialHairDescription3, SuspectFacialHairDescription4, SuspectFacialHairDescription5, SuspectFacialHairDescription6, SuspectGlassesContactsDescription, SuspectHairDescription, SuspectHairDescription2, SuspectHairDescription3, SuspectHairDescription4, SuspectHairDescription5, SuspectHairDescription6, SuspectHairDescription7, SuspectHairDescription8, SuspectTeethDescription, SuspectTeethDescription2, SuspectTeethDescription3, SuspectTeethDescription4, SuspectTeethDescription5, SuspectTeethDescription6]

WMPEUnidentifiedModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyPhoneNumber	AgencyPhoneNumber	O	10	
BodyPartStatusCode	BodyPartStatusCode	O	14	
DeathCause	DeathCause	O	3	
DeathTime	DeathTime	O	4	
DentalXRaysIndicator	DentalXRaysIndicator	O	1	
EstimatedDeathDate	EstimatedDeathDate	O	8	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	

FoundDate	FoundDate	O	8	
FoundTime	FoundTime	O	4	
InvestigatorName	InvestigatorName	O	30	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
OriginatingReportingAgency	OriginatingReportingAgency	O	30	
PersonFootPrint	PersonFootPrint	O	1	
SubjectBodyXRayCode	SubjectBodyXRayCode	O	1	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) FileControlNumber, OriginatingAgencyCaseNumber, [AgencyPhoneNumber, BodyPartStatusCode, DeathCause, DeathTime, DentalXRaysIndicator, EstimatedDeathDate, FingerprintClassificationCode, FoundDate, FoundTime, InvestigatorName, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifiedOriginatingAgency, OriginatingAgencyCaseNumber2, OriginatingReportingAgency, PersonFootPrint, SubjectBodyXRayCode, ValidatorName]

WMPEWarrantAbstractEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	34	
AgencyName	AgencyName	O	66	
AlsoKnownAs	AlsoKnownAs	O	27	
Attention	Attention	M	24	
BadgeNumber	BadgeNumber	O	9	
BailAmount	BailAmount	O	10	
BirthDate	BirthDate	O	8	
Charge	Charge	O	66	
City	City	O	27	
CourtCode	CourtCode	O	30	
DateOfEntry	DateOfEntry	O	8	
DestinationAgency	DestinationAgency	O	34	
DestinationMnemonic	DestinationMnemonic	C	4	
DestinationMnemonic2	DestinationMnemonic2	O	4	
DestinationMnemonic3	DestinationMnemonic3	O	4	
DestinationMnemonic4	DestinationMnemonic4	O	4	
DestinationMnemonic5	DestinationMnemonic5	O	4	
DestinationORI	DestinationORI	C	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
DocketId	DocketId	O	19	

FileControlNumber	FileControlNumber	O	10	
InCustodyIndicator	InCustodyIndicator	M	1	
IssueDate	IssueDate	O	8	
JudgeName	JudgeName	O	28	
MandatoryAppearanceCode	MandatoryAppearanceCode	O	3	
MessageTime	MessageTime	O	4	
MessageType	MessageType	M	1	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	285	
Name	Name	M	33	
NightServiceIndicator	NightServiceIndicator	O	1	
PersonEyeColorCode	PersonEyeColorCode	O	3	
PersonHairColorCode	PersonHairColorCode	O	3	
PersonHeightMeasure	PersonHeightMeasure	O	4	
PersonWeightMeasure	PersonWeightMeasure	O	3	
RaceCode	RaceCode	O	3	
ReferToName	ReferToName	O	64	
SequenceNumber	SequenceNumber	M	4	
ServiceIndicator	ServiceIndicator	O	1	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) Attention, DestinationMnemonic, InCustodyIndicator, MessageType, Name, SequenceNumber, [Address, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, City, CourtCode, DateOfEntry, DestinationAgency, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DocketId, FileControlNumber, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, PersonEyeColorCode, PersonHairColorCode, PersonHeightMeasure, PersonWeightMeasure, RaceCode, ReferToName, ServiceIndicator, SexCode]
2. (In/Out) Attention, DestinationORI, InCustodyIndicator, MessageType, Name, SequenceNumber, [Address, AgencyName, AlsoKnownAs, BadgeNumber, BailAmount, BirthDate, Charge, City, CourtCode, DateOfEntry, DestinationAgency, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, DocketId, FileControlNumber, IssueDate, JudgeName, MandatoryAppearanceCode, MessageTime, MiscellaneousDescriptiveText, NightServiceIndicator, PersonEyeColorCode, PersonHairColorCode, PersonHeightMeasure, PersonWeightMeasure, RaceCode, ReferToName, ServiceIndicator, SexCode]

Expanded Transactions Supported:

CAAAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	O	67	
Attention	Attention	O	72	
BadgeNumber	BadgeNumber	O	8	
DestinationMnemonic	DestinationMnemonic	C	4	

DestinationMnemonic2	DestinationMnemonic2	O	4	
DestinationMnemonic3	DestinationMnemonic3	O	4	
DestinationMnemonic4	DestinationMnemonic4	O	4	
DestinationMnemonic5	DestinationMnemonic5	O	4	
DestinationMnemonic6	DestinationMnemonic6	O	4	
DestinationORI	DestinationORI	C	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
FreeText	FreeText	M	1120	
MessageTypeCode	MessageTypeCode	O	1	
ReferTo	ReferTo	O	67	
SentDate	SentDate	O	8	
SentTime	SentTime	O	4	
SequenceNumber	SequenceNumber	O	4	

Possible Combinations

1. (In/Out) DestinationMnemonic, FreeText, [AgencyName, Attention, BadgeNumber, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DestinationMnemonic6, MessageTypeCode, ReferTo, SentDate, SentTime, SequenceNumber]
2. (In/Out) DestinationORI, FreeText, [AgencyName, Attention, BadgeNumber, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, MessageTypeCode, ReferTo, SentDate, SentTime, SequenceNumber]

CAAHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyMnemonic	AgencyMnemonic	O	4	
ArticleBrandName	ArticleBrandName	O	6	
ArticleSerialNumber	ArticleSerialNumber	O	20	
ArticleTypeCode	ArticleTypeCode	O	7	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BoatHullSerialNumber	BoatHullSerialNumber	O	20	
BoatMakeCode	BoatMakeCode	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	O	8	
Category	Category	O	2	
Denomination	Denomination	O	9	
DestinationMnemonic	DestinationMnemonic	M	4	
DOJMnemonic	DOJMnemonic	O	4	
Extradition	Extradition	O	4	
FaxNumber	FaxNumber	O	10	
FreeText	FreeText	O	500	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunModel	GunModel	O	20	

GunSerialNumber	GunSerialNumber	O	14	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateNumber2	LicensePlateNumber2	O	10	
LicensePlateType	LicensePlateType	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MessageTypeCode	MessageTypeCode	O	1	
Name	Name	O	30	
Name2	Name2	O	30	
Name3	Name3	O	30	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PartBrandName	PartBrandName	O	4	
PartSerialNumber	PartSerialNumber	O	20	
PhoneNumber	PhoneNumber	O	10	
PriorityCode	PriorityCode	M	1	
RequestingAgencyName	RequestingAgencyName	M	30	
RequestNumber	RequestNumber	M	1	
RequestorName	RequestorName	M	30	
SecuritySerialNumber	SecuritySerialNumber	O	18	
SecurityTypeCode	SecurityTypeCode	O	2	
SequenceNumber	SequenceNumber	O	4	
SexCode	SexCode	O	1	
SexCode2	SexCode2	O	1	
SexCode3	SexCode3	O	1	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber, PriorityCode, RequestingAgencyName, RequestNumber, RequestorName, [AgencyMnemonic, ArticleBrandName, ArticleSerialNumber, ArticleTypeCode, BirthDate, BirthDate2, BirthDate3, BoatHullSerialNumber, BoatMakeCode, BoatRegistrationNumber, Category, Denomination, DOJMnemonic, Extradition, FaxNumber, FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, LicensePlateNumber, LicensePlateNumber, LicensePlateNumber2, LicensePlateType, LicensePlateYear, MessageTypeCode, Name, Name2, Name3, PartBrandName, PartSerialNumber, PhoneNumber, SecuritySerialNumber, SecurityTypeCode, SequenceNumber, SexCode, SexCode2, SexCode3, State, VehicleIdentificationNumber, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear]

CAAHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyMnemonic	AgencyMnemonic	O	4	
ArticleBrandName	ArticleBrandName	O	6	
ArticleSerialNumber	ArticleSerialNumber	O	20	

ArticleTypeCode	ArticleTypeCode	O	7	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BoatHullSerialNumber	BoatHullSerialNumber	O	20	
BoatMakeCode	BoatMakeCode	O	4	
BoatRegistrationNumber	BoatRegistrationNumber	O	8	
Category	Category	O	2	
ConfirmingAgency	ConfirmingAgency	M	30	
ConfirmingName	ConfirmingName	M	30	
ConfirmStatus	ConfirmStatus	M	1	
Denomination	Denomination	O	9	
DestinationMnemonic	DestinationMnemonic	M	4	
Extradition	Extradition	O	4	
FaxNumber	FaxNumber	O	10	
FreeText	FreeText	O	500	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	O	14	
Hours	Hours	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateNumber2	LicensePlateNumber2	O	10	
LicensePlateType	LicensePlateType	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MessageTypeCode	MessageTypeCode	O	1	
Name	Name	O	30	
Name2	Name2	O	30	
Name3	Name3	O	30	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PartBrandName	PartBrandName	O	4	
PartSerialNumber	PartSerialNumber	O	20	
PhoneNumber	PhoneNumber	O	10	
SecuritySerialNumber	SecuritySerialNumber	O	18	
SecurityTypeCode	SecurityTypeCode	O	2	
SequenceNumber	SequenceNumber	O	4	
SexCode	SexCode	O	1	
SexCode2	SexCode2	O	1	
SexCode3	SexCode3	O	1	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) ConfirmingAgency, ConfirmingName, ConfirmStatus, DestinationMnemonic, NCICNumber, OriginatingAgencyCaseNumber,

[AgencyMnemonic, ArticleBrandName, ArticleSerialNumber, ArticleTypeCode, BirthDate, BirthDate2, BirthDate3, BoatHullSerialNumber, BoatMakeCode, BoatRegistrationNumber, Category, Denomination, Extradition, FaxNumber, FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, Hours, LicensePlateNumber, LicensePlateNumber, LicensePlateNumber2, LicensePlateType, LicensePlateYear, MessageTypeCode, Name, Name2, Name3, PartBrandName, PartSerialNumber, PhoneNumber, SecuritySerialNumber, SecurityTypeCode, SequenceNumber, SexCode, SexCode2, SexCode3, State, VehicleIdentificationNumber, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear]

CAAOrion

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationORI	DestinationORI	C	9	
FormORI	FormORI	C	9	
Location	Location	C	20	
LocationTypeCode	LocationTypeCode	O	2	
State	State	O	2	

Possible Combinations

1. (In/Out) DestinationORI, [State]
2. (In/Out) FormORI
3. (In/Out) Location, [LocationTypeCode, State]

CAAVehicleRecoveryMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	O	67	
Attention	Attention	O	40	
BadgeNumber	BadgeNumber	O	8	
Date	Date	O	8	
DestinationAgency	DestinationAgency	O	60	
DestinationMnemonic	DestinationMnemonic	C	4	
DestinationMnemonic2	DestinationMnemonic2	O	4	
DestinationMnemonic3	DestinationMnemonic3	O	4	
DestinationMnemonic4	DestinationMnemonic4	O	4	
DestinationMnemonic5	DestinationMnemonic5	O	4	
DestinationMnemonic6	DestinationMnemonic6	O	4	
DestinationORI	DestinationORI	C	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
Disposition	Disposition	O	126	
LicensePlateNumber	LicensePlateNumber	O	10	
MessageTime	MessageTime	O	4	
MessageType	MessageType	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	

RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	O	8	
ReferenceName	ReferenceName	O	67	
SequenceNumber	SequenceNumber	O	4	
Subject	Subject	O	60	
VehicleStatusCode	VehicleStatusCode	O	1	
VehicleStatusCode2	VehicleStatusCode2	O	1	
VehicleStatusCode3	VehicleStatusCode3	O	1	

Possible Combinations

1. (In/Out) DestinationMnemonic, [AgencyName, Attention, BadgeNumber, Date, DestinationAgency, DestinationMnemonic2, DestinationMnemonic3, DestinationMnemonic4, DestinationMnemonic5, DestinationMnemonic6, Disposition, LicensePlateNumber, MessageTime, MessageType, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, ReferenceName, SequenceNumber, Subject, VehicleStatusCode, VehicleStatusCode2, VehicleStatusCode3]
2. (In/Out) DestinationORI, [AgencyName, Attention, BadgeNumber, Date, DestinationAgency, DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5, Disposition, LicensePlateNumber, MessageTime, MessageType, OriginatingAgencyCaseNumber, RecoveringAgencyCaseNumber, RecoveryDate, ReferenceName, SequenceNumber, Subject, VehicleStatusCode, VehicleStatusCode2, VehicleStatusCode3]

CaCletsArticleQANQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	Numeric
AgencyCode	AgencyCode	O	4	Numeric
BirthDate	BirthDate	C	8	Numeric, Date
MiscellaneousNumber	MiscellaneousNumber	C	16	Alphanumeric
Name	Name	C	20	Alphanumeric

Possible Combinations

1. (In) Age, Name, [AgencyCode]
2. (In) BirthDate, Name, [AgencyCode]
3. (In) MiscellaneousNumber, [AgencyCode]

CAEMissingPersonSuspectCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
Name2	Name2	O	30	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SubjectAge	SubjectAge	C	3	

SubjectAge2	SubjectAge2	C	3	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	O	3	
SubjectHeight2	SubjectHeight2	O	3	
SubjectWeight	SubjectWeight	O	3	
SubjectWeight2	SubjectWeight2	O	3	
SuspectNumber	SuspectNumber	M	1	

Possible Combinations

(In/Out)[BirthDate,FileControlNumber,Name,SuspectNumber]Name2,RaceCode,SexCode,SubjectEyeColorCode,SubjectHairColorCode,SubjectHeight,SubjectHeight2,SubjectWeight,SubjectWeight2

(In/Out)[FileControlNumber,Name,SuspectNumber,SubjectAge,SubjectAge2]Name2,RaceCode,SexCodeSubjectEyeColorCode,SubjectHairColorCode,SubjectHeight,SubjectHeight2,SubjectWeight,SubjectWeight2,

CAEMissingPersonSuspectDescriptorModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	61	
AlsoKnownAs10	AlsoKnownAs10	O	61	
AlsoKnownAs11	AlsoKnownAs11	O	61	
AlsoKnownAs12	AlsoKnownAs12	O	61	
AlsoKnownAs13	AlsoKnownAs13	O	61	
AlsoKnownAs14	AlsoKnownAs14	O	61	
AlsoKnownAs15	AlsoKnownAs15	O	61	
AlsoKnownAs16	AlsoKnownAs16	O	61	
AlsoKnownAs17	AlsoKnownAs17	O	61	
AlsoKnownAs18	AlsoKnownAs18	O	61	
AlsoKnownAs2	AlsoKnownAs2	O	61	
AlsoKnownAs3	AlsoKnownAs3	O	61	
AlsoKnownAs4	AlsoKnownAs4	O	61	
AlsoKnownAs5	AlsoKnownAs5	O	61	
AlsoKnownAs6	AlsoKnownAs6	O	61	
AlsoKnownAs7	AlsoKnownAs7	O	61	
AlsoKnownAs8	AlsoKnownAs8	O	61	
AlsoKnownAs9	AlsoKnownAs9	O	61	
BirthDate	BirthDate	O	8	
BirthDate2	BirthDate2	O	8	
BirthDate3	BirthDate3	O	8	
BirthDate4	BirthDate4	O	8	
BirthDate5	BirthDate5	O	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	

Name2	Name2	O	30	
PhysicalFeatureTypeCode	PhysicalFeatureTypeCode	O	20	
PhysicalFeatureTypeCode10	PhysicalFeatureTypeCode10	O	20	
PhysicalFeatureTypeCode11	PhysicalFeatureTypeCode11	O	20	
PhysicalFeatureTypeCode12	PhysicalFeatureTypeCode12	O	20	
PhysicalFeatureTypeCode13	PhysicalFeatureTypeCode13	O	20	
PhysicalFeatureTypeCode14	PhysicalFeatureTypeCode14	O	20	
PhysicalFeatureTypeCode15	PhysicalFeatureTypeCode15	O	20	
PhysicalFeatureTypeCode2	PhysicalFeatureTypeCode2	O	20	
PhysicalFeatureTypeCode3	PhysicalFeatureTypeCode3	O	20	
PhysicalFeatureTypeCode4	PhysicalFeatureTypeCode4	O	20	
PhysicalFeatureTypeCode5	PhysicalFeatureTypeCode5	O	20	
PhysicalFeatureTypeCode6	PhysicalFeatureTypeCode6	O	20	
PhysicalFeatureTypeCode7	PhysicalFeatureTypeCode7	O	20	
PhysicalFeatureTypeCode8	PhysicalFeatureTypeCode8	O	20	
PhysicalFeatureTypeCode9	PhysicalFeatureTypeCode9	O	20	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	10	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	10	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	10	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	10	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	10	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
SuspectAge	SuspectAge	O	3	
SuspectAge2	SuspectAge2	O	3	
SuspectEyeColorCode	SuspectEyeColorCode	O	3	
SuspectHairColorCode	SuspectHairColorCode	O	3	
SuspectHeight	SuspectHeight	O	3	
SuspectHeight2	SuspectHeight2	O	3	
SuspectNumber	SuspectNumber	M	1	
SuspectRaceCode	SuspectRaceCode	O	1	
SuspectSexCode	SuspectSexCode	O	1	
SuspectWeight	SuspectWeight	O	3	
SuspectWeight2	SuspectWeight2	O	3	

Possible Combinations

1. (In/Out) FileControlNumber, Name, SuspectNumber, [AlsoKnownAs, AlsoKnownAs, AlsoKnownAs10, AlsoKnownAs11, AlsoKnownAs12, AlsoKnownAs13, AlsoKnownAs14, AlsoKnownAs15, AlsoKnownAs16, AlsoKnownAs17, AlsoKnownAs18, AlsoKnownAs2, AlsoKnownAs3,

AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, BirthDate2, BirthDate3, BirthDate4, BirthDate5, Name2, PhysicalFeatureTypeCode, PhysicalFeatureTypeCode10, PhysicalFeatureTypeCode11, PhysicalFeatureTypeCode12, PhysicalFeatureTypeCode13, PhysicalFeatureTypeCode14, PhysicalFeatureTypeCode15, PhysicalFeatureTypeCode2, PhysicalFeatureTypeCode3, PhysicalFeatureTypeCode4, PhysicalFeatureTypeCode5, PhysicalFeatureTypeCode6, PhysicalFeatureTypeCode7, PhysicalFeatureTypeCode8, PhysicalFeatureTypeCode9, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14, ScarsMarksTattoosCode15, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, SuspectAge, SuspectAge2, SuspectEyeColorCode, SuspectHairColorCode, SuspectHeight, SuspectHeight2, SuspectRaceCode, SuspectSexCode, SuspectWeight, SuspectWeight2]

CAEMissingPersonSuspectModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CriminalIdentificationNumber	CriminalIdentificationNumber	O	8	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
MiscellaneousNumber	MiscellaneousNumber	O	31	
MiscellaneousNumber10	MiscellaneousNumber10	O	31	
MiscellaneousNumber11	MiscellaneousNumber11	O	31	
MiscellaneousNumber12	MiscellaneousNumber12	O	31	
MiscellaneousNumber13	MiscellaneousNumber13	O	31	
MiscellaneousNumber14	MiscellaneousNumber14	O	31	
MiscellaneousNumber15	MiscellaneousNumber15	O	31	
MiscellaneousNumber16	MiscellaneousNumber16	O	31	
MiscellaneousNumber17	MiscellaneousNumber17	O	31	
MiscellaneousNumber18	MiscellaneousNumber18	O	31	
MiscellaneousNumber2	MiscellaneousNumber2	O	31	
MiscellaneousNumber3	MiscellaneousNumber3	O	31	
MiscellaneousNumber4	MiscellaneousNumber4	O	31	
MiscellaneousNumber5	MiscellaneousNumber5	O	31	
MiscellaneousNumber6	MiscellaneousNumber6	O	31	
MiscellaneousNumber7	MiscellaneousNumber7	O	31	
MiscellaneousNumber8	MiscellaneousNumber8	O	31	
MiscellaneousNumber9	MiscellaneousNumber9	O	31	
Name	Name	M	30	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseExpirationYear2	OperatorLicenseExpirationYear2	O	4	
OperatorLicenseExpirationYear3	OperatorLicenseExpirationYear3	O	4	
OperatorLicenseExpirationYear4	OperatorLicenseExpirationYear4	O	4	

OperatorLicenseExpirationYear5	OperatorLicenseExpirationYear5	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseNumber2	OperatorLicenseNumber2	O	20	
OperatorLicenseNumber3	OperatorLicenseNumber3	O	20	
OperatorLicenseNumber4	OperatorLicenseNumber4	O	20	
OperatorLicenseNumber5	OperatorLicenseNumber5	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OperatorLicenseState2	OperatorLicenseState2	O	2	
OperatorLicenseState3	OperatorLicenseState3	O	2	
OperatorLicenseState4	OperatorLicenseState4	O	2	
OperatorLicenseState5	OperatorLicenseState5	O	2	
PersonRelationship	PersonRelationship	O	15	
SocialSecurityNumber	SocialSecurityNumber	O	10	
SocialSecurityNumber10	SocialSecurityNumber10	O	10	
SocialSecurityNumber2	SocialSecurityNumber2	O	10	
SocialSecurityNumber3	SocialSecurityNumber3	O	10	
SocialSecurityNumber4	SocialSecurityNumber4	O	10	
SocialSecurityNumber5	SocialSecurityNumber5	O	10	
SocialSecurityNumber6	SocialSecurityNumber6	O	10	
SocialSecurityNumber7	SocialSecurityNumber7	O	10	
SocialSecurityNumber8	SocialSecurityNumber8	O	10	
SocialSecurityNumber9	SocialSecurityNumber9	O	10	
SuspectBuild	SuspectBuild	O	2	
SuspectClothingDescription	SuspectClothingDescription	O	100	
SuspectFacialHairCode	SuspectFacialHairCode	O	6	
SuspectFacialHairCode2	SuspectFacialHairCode2	O	6	
SuspectFacialHairCode3	SuspectFacialHairCode3	O	6	
SuspectFacialHairCode4	SuspectFacialHairCode4	O	6	
SuspectFacialHairCode5	SuspectFacialHairCode5	O	6	
SuspectFacialHairCode6	SuspectFacialHairCode6	O	6	
SuspectGlassesContactsDescription	SuspectGlassesContactsDescription	O	1	
SuspectHairColorCode	SuspectHairColorCode	O	5	
SuspectHairColorCode2	SuspectHairColorCode2	O	5	
SuspectHairColorCode3	SuspectHairColorCode3	O	5	
SuspectHairColorCode4	SuspectHairColorCode4	O	5	
SuspectHairColorCode5	SuspectHairColorCode5	O	5	
SuspectHairColorCode6	SuspectHairColorCode6	O	5	
SuspectHairColorCode7	SuspectHairColorCode7	O	5	
SuspectHairColorCode8	SuspectHairColorCode8	O	5	
SuspectJewelryDescription	SuspectJewelryDescription	O	100	
SuspectNumber	SuspectNumber	M	1	
SuspectStatus	SuspectStatus	O	2	
SuspectTeethCode	SuspectTeethCode	O	5	
SuspectTeethCode2	SuspectTeethCode2	O	5	
SuspectTeethCode3	SuspectTeethCode3	O	5	
SuspectTeethCode4	SuspectTeethCode4	O	5	
SuspectTeethCode5	SuspectTeethCode5	O	5	
SuspectTeethCode6	SuspectTeethCode6	O	5	
WeaponCode	WeaponCode	O	5	

WeaponCode2	WeaponCode2	O	5	
WeaponCode3	WeaponCode3	O	5	
WeaponCode4	WeaponCode4	O	5	
WeaponCode5	WeaponCode5	O	5	
WeaponCode6	WeaponCode6	O	5	
WeaponCode7	WeaponCode7	O	5	
WeaponCode8	WeaponCode8	O	5	

Possible Combinations

1. (In/Out) FileControlNumber, Name, SuspectNumber, [CriminalIdentificationNumber, FBINumber, MiscellaneousNumber, MiscellaneousNumber10, MiscellaneousNumber11, MiscellaneousNumber12, MiscellaneousNumber13, MiscellaneousNumber14, MiscellaneousNumber15, MiscellaneousNumber16, MiscellaneousNumber17, MiscellaneousNumber18, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, OperatorLicenseExpirationYear, OperatorLicenseExpirationYear2, OperatorLicenseExpirationYear3, OperatorLicenseExpirationYear4, OperatorLicenseExpirationYear5, OperatorLicenseNumber, OperatorLicenseNumber2, OperatorLicenseNumber3, OperatorLicenseNumber4, OperatorLicenseNumber5, OperatorLicenseState, OperatorLicenseState2, OperatorLicenseState3, OperatorLicenseState4, OperatorLicenseState5, PersonRelationship, SocialSecurityNumber, SocialSecurityNumber10, SocialSecurityNumber2, SocialSecurityNumber3, SocialSecurityNumber4, SocialSecurityNumber5, SocialSecurityNumber6, SocialSecurityNumber7, SocialSecurityNumber8, SocialSecurityNumber9, SuspectBuild, SuspectClothingDescription, SuspectFacialHairCode, SuspectFacialHairCode2, SuspectFacialHairCode3, SuspectFacialHairCode4, SuspectFacialHairCode5, SuspectFacialHairCode6, SuspectGlassesContactsDescription, SuspectHairColorCode, SuspectHairColorCode2, SuspectHairColorCode3, SuspectHairColorCode4, SuspectHairColorCode5, SuspectHairColorCode6, SuspectHairColorCode7, SuspectHairColorCode8, SuspectJewelryDescription, SuspectStatus, SuspectTeethCode, SuspectTeethCode2, SuspectTeethCode3, SuspectTeethCode4, SuspectTeethCode5, SuspectTeethCode6, WeaponCode, WeaponCode2, WeaponCode3, WeaponCode4, WeaponCode5, WeaponCode6, WeaponCode7, WeaponCode8]

CAERestrainingOrderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
ReasonCode	ReasonCode	M	1	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, ReasonCode

CAERestrainingOrderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	30	
AddressCity	AddressCity	O	30	
AddressState	AddressState	O	2	
AddressZipCode	AddressZipCode	O	9	
AgencyName	AgencyName	O	30	
AgentIdNumber	AgentIdNumber	O	5	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	M	8	
CAContactIndicator	CAContactIndicator	M	1	
CACustodyIndicator	CACustodyIndicator	O	2	
CAStayAwayCode	CAStayAwayCode	O	4	
CAStayAwayYards	CAStayAwayYards	O	4	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode10	CautionMedicalCode10	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
CautionMedicalCode9	CautionMedicalCode9	O	2	
CAVisitationRightsCode	CAVisitationRightsCode	O	1	
CourtCaseNumber	CourtCaseNumber	M	20	
CourtCode	CourtCode	M	5	
ExpirationDate	ExpirationDate	M	8	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FireArmProvisions	FireArmProvisions	M	1	
IssuanceState	IssuanceState	O	2	
LicensePlateNumber	LicensePlateNumber	O	8	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MiscellaneousNumber2	MiscellaneousNumber2	O	15	
MiscellaneousNumber3	MiscellaneousNumber3	O	15	

MiscellaneousNumber4	MiscellaneousNumber4	O	15	
MiscellaneousNumber5	MiscellaneousNumber5	O	15	
MiscellaneousNumber6	MiscellaneousNumber6	O	15	
MiscellaneousNumber7	MiscellaneousNumber7	O	15	
MiscellaneousNumber8	MiscellaneousNumber8	O	15	
MiscellaneousNumber9	MiscellaneousNumber9	O	15	
Name	Name	M	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherOrders	OtherOrders	O	500	
PresentInCourtIndicator	PresentInCourtIndicator	M	1	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonBirthDate10	ProtectedPersonBirthDate10	O	8	
ProtectedPersonBirthDate2	ProtectedPersonBirthDate2	O	8	
ProtectedPersonBirthDate3	ProtectedPersonBirthDate3	O	8	
ProtectedPersonBirthDate4	ProtectedPersonBirthDate4	O	8	
ProtectedPersonBirthDate5	ProtectedPersonBirthDate5	O	8	
ProtectedPersonBirthDate6	ProtectedPersonBirthDate6	O	8	
ProtectedPersonBirthDate7	ProtectedPersonBirthDate7	O	8	
ProtectedPersonBirthDate8	ProtectedPersonBirthDate8	O	8	
ProtectedPersonBirthDate9	ProtectedPersonBirthDate9	O	8	
ProtectedPersonName	ProtectedPersonName	M	30	
ProtectedPersonName10	ProtectedPersonName10	O	30	
ProtectedPersonName2	ProtectedPersonName2	O	30	
ProtectedPersonName3	ProtectedPersonName3	O	30	
ProtectedPersonName4	ProtectedPersonName4	O	30	
ProtectedPersonName5	ProtectedPersonName5	O	30	
ProtectedPersonName6	ProtectedPersonName6	O	30	
ProtectedPersonName7	ProtectedPersonName7	O	30	
ProtectedPersonName8	ProtectedPersonName8	O	30	
ProtectedPersonName9	ProtectedPersonName9	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonRaceCode10	ProtectedPersonRaceCode10	O	1	
ProtectedPersonRaceCode2	ProtectedPersonRaceCode2	O	1	
ProtectedPersonRaceCode3	ProtectedPersonRaceCode3	O	1	
ProtectedPersonRaceCode4	ProtectedPersonRaceCode4	O	1	
ProtectedPersonRaceCode5	ProtectedPersonRaceCode5	O	1	
ProtectedPersonRaceCode6	ProtectedPersonRaceCode6	O	1	
ProtectedPersonRaceCode7	ProtectedPersonRaceCode7	O	1	
ProtectedPersonRaceCode8	ProtectedPersonRaceCode8	O	1	
ProtectedPersonRaceCode9	ProtectedPersonRaceCode9	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	M	1	
ProtectedPersonSexCode10	ProtectedPersonSexCode10	O	1	
ProtectedPersonSexCode2	ProtectedPersonSexCode2	O	1	
ProtectedPersonSexCode3	ProtectedPersonSexCode3	O	1	

ProtectedPersonSexCode4	ProtectedPersonSexCode4	O	1	
ProtectedPersonSexCode5	ProtectedPersonSexCode5	O	1	
ProtectedPersonSexCode6	ProtectedPersonSexCode6	O	1	
ProtectedPersonSexCode7	ProtectedPersonSexCode7	O	1	
ProtectedPersonSexCode8	ProtectedPersonSexCode8	O	1	
ProtectedPersonSexCode9	ProtectedPersonSexCode9	O	1	
RaceCode	RaceCode	M	1	
RecordCommunicationIndicator	RecordCommunicationIndicator	O	1	Yes or blank
RestrainingOrderIssueDate	RestrainingOrderIssueDate	M	8	
RestrainingOrderTypeCode	RestrainingOrderTypeCode	M	3	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	
ServedBy	ServedBy	O	30	
ServiceDate	ServiceDate	O	8	
SexCode	SexCode	M	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SubjectBirthPlaceCode	SubjectBirthPlaceCode	O	2	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	O	3	
SubjectSkinToneCode	SubjectSkinToneCode	O	3	
SubjectWeight	SubjectWeight	O	3	
TimeServed	TimeServed	O	4	
VacateAddress	VacateAddress	O	60	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) BirthDate, CAContactIndicator, CourtCaseNumber, CourtCode, ExpirationDate, FireArmProvisions, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PresentInCourtIndicator, ProtectedPersonName, ProtectedPersonSexCode, RaceCode, RestrainingOrderIssueDate, RestrainingOrderTypeCode, SexCode, [Address, AddressCity, AddressState, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, CACustodyIndicator, CASTayAwayCode, CASTayAwayYards, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode2, CautionMedicalCode3,

CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CAVisitationRightsCode, FBINumber, FingerprintClassificationCode, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OtherOrders, ProtectedPersonBirthDate, ProtectedPersonBirthDate10, ProtectedPersonBirthDate2, ProtectedPersonBirthDate3, ProtectedPersonBirthDate4, ProtectedPersonBirthDate5, ProtectedPersonBirthDate6, ProtectedPersonBirthDate7, ProtectedPersonBirthDate8, ProtectedPersonBirthDate9, ProtectedPersonName10, ProtectedPersonName2, ProtectedPersonName3, ProtectedPersonName4, ProtectedPersonName5, ProtectedPersonName6, ProtectedPersonName7, ProtectedPersonName8, ProtectedPersonName9, ProtectedPersonRaceCode, ProtectedPersonRaceCode10, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode10, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, RecordCommunicationIndicator, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosCode6, ScarsMarksTattoosCode7, ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, ServiceDate, SocialSecurityNumber, SubjectBirthPlaceCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectSkinToneCode, SubjectWeight, TimeServed, VacateAddress, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

CAERestrainingOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	30	
AddressCity	AddressCity	O	30	
AddressState	AddressState	O	2	
AddressZipCode	AddressZipCode	O	9	
AgencyName	AgencyName	O	30	
AgentIdNumber	AgentIdNumber	O	5	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs10	AlsoKnownAs10	O	30	
AlsoKnownAs11	AlsoKnownAs11	O	30	
AlsoKnownAs12	AlsoKnownAs12	O	30	
AlsoKnownAs13	AlsoKnownAs13	O	30	

AlsoKnownAs14	AlsoKnownAs14	O	30	
AlsoKnownAs15	AlsoKnownAs15	O	30	
AlsoKnownAs16	AlsoKnownAs16	O	30	
AlsoKnownAs17	AlsoKnownAs17	O	30	
AlsoKnownAs18	AlsoKnownAs18	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
BirthDate	BirthDate	O	8	
CAContactIndicator	CAContactIndicator	O	1	
CACustodyIndicator	CACustodyIndicator	O	2	
CADeleteProofOfServiceIndicator	CADeleteProofOfServiceIndicator	O	1	
CAStayAwayCode	CAStayAwayCode	O	4	
CAStayAwayYards	CAStayAwayYards	O	4	
CautionMedicalCode	CautionMedicalCode	O	2	
CautionMedicalCode10	CautionMedicalCode10	O	2	
CautionMedicalCode2	CautionMedicalCode2	O	2	
CautionMedicalCode3	CautionMedicalCode3	O	2	
CautionMedicalCode4	CautionMedicalCode4	O	2	
CautionMedicalCode5	CautionMedicalCode5	O	2	
CautionMedicalCode6	CautionMedicalCode6	O	2	
CautionMedicalCode7	CautionMedicalCode7	O	2	
CautionMedicalCode8	CautionMedicalCode8	O	2	
CautionMedicalCode9	CautionMedicalCode9	O	2	
CAVisitationRightsCode	CAVisitationRightsCode	O	1	
CourtCaseNumber	CourtCaseNumber	O	20	
CourtCode	CourtCode	O	5	
ExpirationDate	ExpirationDate	O	8	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FireArmProvisions	FireArmProvisions	O	1	
IssuanceState	IssuanceState	O	2	
LicensePlateNumber	LicensePlateNumber	O	8	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	31	
MiscellaneousNumber10	MiscellaneousNumber10	O	31	
MiscellaneousNumber11	MiscellaneousNumber11	O	31	
MiscellaneousNumber12	MiscellaneousNumber12	O	31	
MiscellaneousNumber13	MiscellaneousNumber13	O	31	
MiscellaneousNumber14	MiscellaneousNumber14	O	31	

MiscellaneousNumber15	MiscellaneousNumber15	O	31	
MiscellaneousNumber16	MiscellaneousNumber16	O	31	
MiscellaneousNumber2	MiscellaneousNumber2	O	31	
MiscellaneousNumber3	MiscellaneousNumber3	O	31	
MiscellaneousNumber4	MiscellaneousNumber4	O	31	
MiscellaneousNumber5	MiscellaneousNumber5	O	31	
MiscellaneousNumber6	MiscellaneousNumber6	O	31	
MiscellaneousNumber7	MiscellaneousNumber7	O	31	
MiscellaneousNumber8	MiscellaneousNumber8	O	31	
MiscellaneousNumber9	MiscellaneousNumber9	O	31	
Name	Name	M	30	
Name2	Name2	O	30	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OtherOrders	OtherOrders	O	500	
PresentInCourtIndicator	PresentInCourtIndicator	O	1	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	8	
ProtectedPersonBirthDate10	ProtectedPersonBirthDate10	O	8	
ProtectedPersonBirthDate2	ProtectedPersonBirthDate2	O	8	
ProtectedPersonBirthDate3	ProtectedPersonBirthDate3	O	8	
ProtectedPersonBirthDate4	ProtectedPersonBirthDate4	O	8	
ProtectedPersonBirthDate5	ProtectedPersonBirthDate5	O	8	
ProtectedPersonBirthDate6	ProtectedPersonBirthDate6	O	8	
ProtectedPersonBirthDate7	ProtectedPersonBirthDate7	O	8	
ProtectedPersonBirthDate8	ProtectedPersonBirthDate8	O	8	
ProtectedPersonBirthDate9	ProtectedPersonBirthDate9	O	8	
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectedPersonName10	ProtectedPersonName10	O	30	
ProtectedPersonName2	ProtectedPersonName2	O	30	
ProtectedPersonName3	ProtectedPersonName3	O	30	
ProtectedPersonName4	ProtectedPersonName4	O	30	
ProtectedPersonName5	ProtectedPersonName5	O	30	
ProtectedPersonName6	ProtectedPersonName6	O	30	
ProtectedPersonName7	ProtectedPersonName7	O	30	
ProtectedPersonName8	ProtectedPersonName8	O	30	
ProtectedPersonName9	ProtectedPersonName9	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonRaceCode10	ProtectedPersonRaceCode10	O	1	
ProtectedPersonRaceCode2	ProtectedPersonRaceCode2	O	1	
ProtectedPersonRaceCode3	ProtectedPersonRaceCode3	O	1	
ProtectedPersonRaceCode4	ProtectedPersonRaceCode4	O	1	
ProtectedPersonRaceCode5	ProtectedPersonRaceCode5	O	1	
ProtectedPersonRaceCode6	ProtectedPersonRaceCode6	O	1	
ProtectedPersonRaceCode7	ProtectedPersonRaceCode7	O	1	
ProtectedPersonRaceCode8	ProtectedPersonRaceCode8	O	1	
ProtectedPersonRaceCode9	ProtectedPersonRaceCode9	O	1	

ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSexCode10	ProtectedPersonSexCode10	O	1	
ProtectedPersonSexCode2	ProtectedPersonSexCode2	O	1	
ProtectedPersonSexCode3	ProtectedPersonSexCode3	O	1	
ProtectedPersonSexCode4	ProtectedPersonSexCode4	O	1	
ProtectedPersonSexCode5	ProtectedPersonSexCode5	O	1	
ProtectedPersonSexCode6	ProtectedPersonSexCode6	O	1	
ProtectedPersonSexCode7	ProtectedPersonSexCode7	O	1	
ProtectedPersonSexCode8	ProtectedPersonSexCode8	O	1	
ProtectedPersonSexCode9	ProtectedPersonSexCode9	O	1	
RaceCode	RaceCode	O	1	
RecordCommunicationIndicator	RecordCommunicationIndicator	O	1	Yes or blank
RestrainingOrderIssueDate	RestrainingOrderIssueDate	O	8	
RestrainingOrderTypeCode	RestrainingOrderTypeCode	O	3	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	21	
ScarsMarksTattoosCode10	ScarsMarksTattoosCode10	O	21	
ScarsMarksTattoosCode11	ScarsMarksTattoosCode11	O	21	
ScarsMarksTattoosCode12	ScarsMarksTattoosCode12	O	21	
ScarsMarksTattoosCode13	ScarsMarksTattoosCode13	O	21	
ScarsMarksTattoosCode14	ScarsMarksTattoosCode14	O	21	
ScarsMarksTattoosCode15	ScarsMarksTattoosCode15	O	21	
ScarsMarksTattoosCode16	ScarsMarksTattoosCode16	O	21	
ScarsMarksTattoosCode17	ScarsMarksTattoosCode17	O	21	
ScarsMarksTattoosCode18	ScarsMarksTattoosCode18	O	21	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	21	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	21	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	21	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	21	
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	21	
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	21	
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	21	
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	21	
ServedBy	ServedBy	O	30	
ServiceDate	ServiceDate	O	8	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SubjectBirthPlaceCode	SubjectBirthPlaceCode	O	2	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	O	3	
SubjectSkinToneCode	SubjectSkinToneCode	O	3	
SubjectWeight	SubjectWeight	O	3	
TimeServed	TimeServed	O	4	
VacateAddress	VacateAddress	O	60	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	

VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [Address, AddressCity, AddressState, AddressZipCode, AgencyName, AgentIdNumber, AlsoKnownAs, AlsoKnownAs10, AlsoKnownAs11, AlsoKnownAs12, AlsoKnownAs13, AlsoKnownAs14, AlsoKnownAs15, AlsoKnownAs16, AlsoKnownAs17, AlsoKnownAs18, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, BirthDate, CAContactIndicator, CACustodyIndicator, CADeleteProofOfServiceIndicator, CASTayAwayCode, CASTayAwayYards, CautionMedicalCode, CautionMedicalCode10, CautionMedicalCode2, CautionMedicalCode3, CautionMedicalCode4, CautionMedicalCode5, CautionMedicalCode6, CautionMedicalCode7, CautionMedicalCode8, CautionMedicalCode9, CAVisitationRightsCode, CourtCaseNumber, CourtCode, ExpirationDate, FBINumber, FingerprintClassificationCode, FireArmProvisions, IssuanceState, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousDescriptiveText, MiscellaneousNumber, MiscellaneousNumber10, MiscellaneousNumber11, MiscellaneousNumber12, MiscellaneousNumber13, MiscellaneousNumber14, MiscellaneousNumber15, MiscellaneousNumber16, MiscellaneousNumber2, MiscellaneousNumber3, MiscellaneousNumber4, MiscellaneousNumber5, MiscellaneousNumber6, MiscellaneousNumber7, MiscellaneousNumber8, MiscellaneousNumber9, Name2, NotifiedOriginatingAgency, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyCaseNumber, OtherOrders, PresentInCourtIndicator, ProtectedPersonBirthDate, ProtectedPersonBirthDate10, ProtectedPersonBirthDate2, ProtectedPersonBirthDate3, ProtectedPersonBirthDate4, ProtectedPersonBirthDate5, ProtectedPersonBirthDate6, ProtectedPersonBirthDate7, ProtectedPersonBirthDate8, ProtectedPersonBirthDate9, ProtectedPersonName, ProtectedPersonName10, ProtectedPersonName2, ProtectedPersonName3, ProtectedPersonName4, ProtectedPersonName5, ProtectedPersonName6, ProtectedPersonName7, ProtectedPersonName8, ProtectedPersonName9, ProtectedPersonRaceCode, ProtectedPersonRaceCode10, ProtectedPersonRaceCode2, ProtectedPersonRaceCode3, ProtectedPersonRaceCode4, ProtectedPersonRaceCode5, ProtectedPersonRaceCode6, ProtectedPersonRaceCode7, ProtectedPersonRaceCode8, ProtectedPersonRaceCode9, ProtectedPersonSexCode, ProtectedPersonSexCode10, ProtectedPersonSexCode2, ProtectedPersonSexCode3, ProtectedPersonSexCode4, ProtectedPersonSexCode5, ProtectedPersonSexCode6, ProtectedPersonSexCode7, ProtectedPersonSexCode8, ProtectedPersonSexCode9, RaceCode, RecordCommunicationIndicator, RestrainingOrderIssueDate, RestrainingOrderTypeCode, ScarsMarksTattoosCode, ScarsMarksTattoosCode10, ScarsMarksTattoosCode11, ScarsMarksTattoosCode12, ScarsMarksTattoosCode13, ScarsMarksTattoosCode14,

ScarsMarksTattoosCode15, ScarsMarksTattoosCode16,
 ScarsMarksTattoosCode17, ScarsMarksTattoosCode18,
 ScarsMarksTattoosCode2, ScarsMarksTattoosCode3,
 ScarsMarksTattoosCode4, ScarsMarksTattoosCode5,
 ScarsMarksTattoosCode6, ScarsMarksTattoosCode7,
 ScarsMarksTattoosCode8, ScarsMarksTattoosCode9, ServedBy, ServiceDate,
 SexCode, SocialSecurityNumber, SubjectBirthPlaceCode,
 SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight,
 SubjectSkinToneCode, SubjectWeight, TimeServed, VacateAddress,
 ValidatorName, VehicleColorCode, VehicleIdentificationNumber,
 VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

CAERestrainingOrderServiceEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	30	
AgentIdNumber	AgentIdNumber	O	5	
FileControlNumber	FileControlNumber	M	13	
MiscellaneousProofOfServiceInformation	MiscellaneousProofOfServiceInformation	O	500	
Name	Name	M	30	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
RestrainingOrderIssueDate	RestrainingOrderIssueDate	M	8	
ServedBy	ServedBy	M	30	
ServingAgencyCaseNumber	ServingAgencyCaseNumber	M	20	
TimeServed	TimeServed	M	4	

Possible Combinations

1. (In/Out) AgencyName, FileControlNumber, Name, OriginatingAgencyORI, RestrainingOrderIssueDate, ServedBy, ServingAgencyCaseNumber, TimeServed, [AgentIdNumber, MiscellaneousProofOfServiceInformation]

CAERestrainingOrderViolationClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalComment	AdditionalComment	M	500	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ViolationNumber	ViolationNumber	M	3	

Possible Combinations

1. (In/Out) AdditionalComment, FileControlNumber, Name, OriginatingAgencyORI, ViolationNumber

CAERestrainingOrderViolationEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ChildPresentIndicator	ChildPresentIndicator	O	1	
Comment	Comment	O	500	

FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ProbationParoleIndicator	ProbationParoleIndicator	O	1	
ReportNumber	ReportNumber	M	20	
ViolationCode	ViolationCode	M	5	
ViolationDate	ViolationDate	M	8	
ViolationLocationCode	ViolationLocationCode	M	1	
ViolationStatusCode	ViolationStatusCode	M	1	
ViolationTime	ViolationTime	O	4	
WeaponTypeCode	WeaponTypeCode	O	1	
WeaponUsedIndicator	WeaponUsedIndicator	O	1	

Possible Combinations

1. (In/Out) FileControlNumber, Name, OriginatingAgencyORI, ReportNumber, ViolationCode, ViolationDate, ViolationLocationCode, ViolationStatusCode, [ChildPresentIndicator, Comment, ProbationParoleIndicator, ViolationTime, WeaponTypeCode, WeaponUsedIndicator]

CAERestrainingOrderViolationModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ChildPresentIndicator	ChildPresentIndicator	O	1	
Comment	Comment	O	500	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
ProbationParoleIndicator	ProbationParoleIndicator	O	1	
ReportNumber	ReportNumber	O	20	
ViolationCode	ViolationCode	O	5	
ViolationDate	ViolationDate	O	8	
ViolationLocationCode	ViolationLocationCode	O	1	
ViolationNumber	ViolationNumber	M	3	
ViolationStatusCode	ViolationStatusCode	O	1	
ViolationTime	ViolationTime	O	4	
WeaponTypeCode	WeaponTypeCode	O	1	
WeaponUsedIndicator	WeaponUsedIndicator	O	1	

Possible Combinations

1. (In/Out) FileControlNumber, Name, ViolationNumber, [ChildPresentIndicator, Comment, ProbationParoleIndicator, ReportNumber, ViolationCode, ViolationDate, ViolationLocationCode, ViolationStatusCode, ViolationTime, WeaponTypeCode, WeaponUsedIndicator]

CAEStolenSecuritiesEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Denomination	Denomination	M	9	
Issuer	Issuer	M	15	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	

LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
Owner	Owner	M	40	
RansomMoneyIndicator	RansomMoneyIndicator	O	1	
SecurityDate	SecurityDate	O	8	
SecurityTypeCode	SecurityTypeCode	M	2	
SerialNumber	SerialNumber	M	18	
SerialNumber2	SerialNumber2	C	18	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) Denomination, Issuer, OriginatingAgencyCaseNumber, Owner, SecurityTypeCode, SerialNumber, SerialNumber2, TheftDate, [LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, RansomMoneyIndicator, SecurityDate, SocialSecurityNumber]
2. (In/Out) Denomination, Issuer, Owner, SecurityTypeCode, SerialNumber, TheftDate, [LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, RansomMoneyIndicator, SecurityDate, SocialSecurityNumber]

CAEStolenSecuritiesCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
ConsecutivelySerializedIndicator	ConsecutivelySerializedIndicator	C	1	Must be 'Y' for consecutively serialized, 'N' or BLANK for single
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
SecuritySerialNumber	SecuritySerialNumber	C	18	
SecuritySerialNumber2	SecuritySerialNumber2	O	18	

Possible Combinations

1. (In/Out) CancellationDate, ConsecutivelySerializedIndicator, NCICNumber, OriginatingAgencyCaseNumber
2. (In/Out) CancellationDate, ConsecutivelySerializedIndicator, OriginatingAgencyCaseNumber, SecuritySerialNumber, SecuritySerialNumber2
3. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber, [PropertyRecordRemovalReason]
4. (In/Out) CancellationDate, OriginatingAgencyCaseNumber, SecuritySerialNumber, [PropertyRecordRemovalReason]

CAEStolenSecuritiesClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	

ConsecutivelySerializedIndicator	ConsecutivelySerializedIndicator	C	1	Must be 'Y' for consecutively serialized, 'N' or BLANK for single
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
SecuritySerialNumber	SecuritySerialNumber	C	18	
SerialNumber	SerialNumber	O	18	
SerialNumber2	SerialNumber2	O	18	

Possible Combinations

1. (In/Out) ClearDate, ConsecutivelySerializedIndicator, NCICNumber, OriginatingAgencyCaseNumber, [RecoveringAgencyCaseNumber, RecoveringAgencyORI]
2. (In/Out) ClearDate, ConsecutivelySerializedIndicator, OriginatingAgencyCaseNumber, SecuritySerialNumber, [RecoveringAgencyCaseNumber, RecoveringAgencyORI, SerialNumber, SerialNumber2]
3. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
4. (In/Out) ClearDate, OriginatingAgencyCaseNumber, SecuritySerialNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

CAEStolenSecuritiesLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ConsecutivelySerializedIndicator	ConsecutivelySerializedIndicator	C	1	Must be 'Y' for consecutively serialized, 'N' or BLANK for single
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	

NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	
SecuritySerialNumber	SecuritySerialNumber	C	18	
SecuritySerialNumber2	SecuritySerialNumber2	O	18	

Possible Combinations

1. (In/Out) ConsecutivelySerializedIndicator, NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate, [RecoveringAgencyCaseNumber]
2. (In/Out) ConsecutivelySerializedIndicator, OriginatingAgencyCaseNumber, RecoveryDate, SecuritySerialNumber, [RecoveringAgencyCaseNumber, SecuritySerialNumber2]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
4. (In/Out) OriginatingAgencyCaseNumber, RecoveryDate, SecuritySerialNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

CAEStolenSecuritiesModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ConsecutivelySerializedIndicator	ConsecutivelySerializedIndicator	C	1	Must be 'Y' for consecutively serialized, 'N' or BLANK for single
Denomination	Denomination	O	9	
Issuer	Issuer	O	15	

LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	C	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyIdentifier2	OriginatingAgencyIdentifier2	O	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	
Owner	Owner	O	40	
RansomMoneyIndicator	RansomMoneyIndicator	O	1	
SecurityDate	SecurityDate	O	8	
SecuritySerialNumber	SecuritySerialNumber	O	18	
SecuritySerialNumber2	SecuritySerialNumber2	O	18	
SecurityTypeCode	SecurityTypeCode	O	2	
SerialNumber	SerialNumber	C	18	
SocialSecurityNumber	SocialSecurityNumber	O	9	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) ConsecutivelySerializedIndicator, NCICNumber, OriginatingAgencyCaseNumber, [Denomination, Issuer, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyIdentifier2, OriginatingAgencyCaseNumber2, Owner, RansomMoneyIndicator, SecurityDate, SecuritySerialNumber, SecuritySerialNumber2, SecurityTypeCode, SocialSecurityNumber, TheftDate, ValidatorName]
2. (In/Out) ConsecutivelySerializedIndicator, OriginatingAgencyCaseNumber, SerialNumber, [Denomination, Issuer, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NCICNumber, NotifyOriginatingAgencyIndicator, OriginatingAgencyIdentifier2, OriginatingAgencyCaseNumber2, Owner, RansomMoneyIndicator, SecurityDate, SecuritySerialNumber, SecuritySerialNumber2, SecurityTypeCode, SocialSecurityNumber, TheftDate, ValidatorName]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [Denomination, Issuer, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyIdentifier2, OriginatingAgencyCaseNumber2, Owner, RansomMoneyIndicator, SecurityDate, SecuritySerialNumber, SecuritySerialNumber2, SecurityTypeCode, SocialSecurityNumber, TheftDate, ValidatorName]
4. (In/Out) OriginatingAgencyCaseNumber, SerialNumber, [Denomination, Issuer, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, NCICNumber, NotifyOriginatingAgencyIndicator, OriginatingAgencyIdentifier2, OriginatingAgencyCaseNumber2, Owner, RansomMoneyIndicator, SecurityDate, SecuritySerialNumber, SecurityTypeCode, SocialSecurityNumber, TheftDate, ValidatorName]

CAESupervisedReleaseCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FileControlNumber	FileControlNumber	M	13	
Name	Name	M	30	
ReasonCode	ReasonCode	M	1	

Possible Combinations

1. (In/Out) CancellationDate, FileControlNumber, Name, ReasonCode

CAESupervisedReleaseContact

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleTypeCode	ArticleTypeCode	C	3	
ArticleTypeCode2	ArticleTypeCode2	O	3	
ArticleTypeCode3	ArticleTypeCode3	O	3	
ArticleTypeCode4	ArticleTypeCode4	O	3	
ArticleTypeCode5	ArticleTypeCode5	O	3	
CallRequestedIndicator	CallRequestedIndicator	O	1	
Charge	Charge	O	20	
Comment	Comment	O	120	
ContactStatus	ContactStatus	M	1	
FileControlNumber	FileControlNumber	C	13	
FileControlNumber2	FileControlNumber2	O	13	
FileControlNumber3	FileControlNumber3	O	13	
FileControlNumber4	FileControlNumber4	O	13	
FileControlNumber5	FileControlNumber5	O	13	
IdentificationNumber	IdentificationNumber	C	20	
IdentificationNumber2	IdentificationNumber2	O	20	
IdentificationNumber3	IdentificationNumber3	O	20	
IdentificationNumber4	IdentificationNumber4	O	20	
IdentificationNumber5	IdentificationNumber5	O	20	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	4	
LicensePlateYear	LicensePlateYear	O	4	
Mnemonic	Mnemonic	C	4	
Mnemonic2	Mnemonic2	O	4	
Mnemonic3	Mnemonic3	O	4	
Mnemonic4	Mnemonic4	O	4	
Mnemonic5	Mnemonic5	O	4	
OfficerName	OfficerName	M	30	
PhoneNumber	PhoneNumber	O	20	
VehicleColorPrimaryCode	VehicleColorPrimaryCode	O	15	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	15	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) ArticleTypeCode, ContactStatus, IdentificationNumber, Mnemonic, OfficerName, [ArticleTypeCode2, ArticleTypeCode3, ArticleTypeCode4, ArticleTypeCode5, CallRequestedIndicator, Charge, Comment, IdentificationNumber2, IdentificationNumber3, IdentificationNumber4, IdentificationNumber5, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Mnemonic2, Mnemonic3, Mnemonic4, Mnemonic5, PhoneNumber, VehicleColorPrimaryCode, VehicleMakeCode, VehicleModelCode, VehicleYear]
2. (In/Out) ContactStatus, FileControlNumber, OfficerName, [CallRequestedIndicator, Charge, Comment, FileControlNumber2,

FileControlNumber3, FileControlNumber4, FileControlNumber5,
LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode,
LicensePlateYear, PhoneNumber, VehicleColorPrimaryCode, VehicleMakeCode,
VehicleModelCode, VehicleYear]

CAESupervisedReleaseEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	M	2	
AgencyRecordNumber	AgencyRecordNumber	O	9	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
ArrestDate	ArrestDate	O	8	
BirthDate	BirthDate	M	8	
CASubjectInmateNumber	CASubjectInmateNumber	O	6	
CautionMedicalCode	CautionMedicalCode	O	2	
CourtCode	CourtCode	O	9	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryLevel	EntryLevel	O	1	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
IncidentType	IncidentType	O	50	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Location	Location	O	50	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Mnemonic	Mnemonic	M	4	
Name	Name	M	30	
OffenseCode	OffenseCode	M	10	
OfficerName	OfficerName	M	30	
OfficerPhoneNumber	OfficerPhoneNumber	M	12	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
ProbationRevokedDate	ProbationRevokedDate	O	8	

RaceCode	RaceCode	M	1	
RevocationReason	RevocationReason	O	20	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SexOffenderIndicator	SexOffenderIndicator	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StolenBirthDate	StolenBirthDate	O	8	
StolenBirthDate2	StolenBirthDate2	O	8	
StolenBirthDate3	StolenBirthDate3	O	8	
StolenBirthDate4	StolenBirthDate4	O	8	
StolenBirthDate5	StolenBirthDate5	O	8	
StolenBirthDate6	StolenBirthDate6	O	8	
StolenBirthDate7	StolenBirthDate7	O	8	
StolenBirthDate8	StolenBirthDate8	O	8	
StolenBirthDate9	StolenBirthDate9	O	8	
StolenDriversLicenseNumber	StolenDriversLicenseNumber	O	9	
StolenDriversLicenseNumber2	StolenDriversLicenseNumber2	O	9	
StolenDriversLicenseNumber3	StolenDriversLicenseNumber3	O	9	
StolenDriversLicenseNumber4	StolenDriversLicenseNumber4	O	9	
StolenDriversLicenseNumber5	StolenDriversLicenseNumber5	O	9	
StolenDriversLicenseNumber6	StolenDriversLicenseNumber6	O	9	
StolenDriversLicenseNumber7	StolenDriversLicenseNumber7	O	9	
StolenDriversLicenseNumber8	StolenDriversLicenseNumber8	O	9	
StolenDriversLicenseNumber9	StolenDriversLicenseNumber9	O	9	
StolenLicenseYear	StolenLicenseYear	O	4	
StolenLicenseYear2	StolenLicenseYear2	O	4	
StolenLicenseYear3	StolenLicenseYear3	O	4	
StolenLicenseYear4	StolenLicenseYear4	O	4	
StolenLicenseYear5	StolenLicenseYear5	O	4	
StolenLicenseYear6	StolenLicenseYear6	O	4	
StolenLicenseYear7	StolenLicenseYear7	O	4	
StolenLicenseYear8	StolenLicenseYear8	O	4	
StolenLicenseYear9	StolenLicenseYear9	O	4	
StolenMiscellaneousNumber	StolenMiscellaneousNumber	O	15	
StolenMiscellaneousNumber2	StolenMiscellaneousNumber2	O	15	
StolenMiscellaneousNumber3	StolenMiscellaneousNumber3	O	15	
StolenMiscellaneousNumber4	StolenMiscellaneousNumber4	O	15	
StolenMiscellaneousNumber5	StolenMiscellaneousNumber5	O	15	
StolenMiscellaneousNumber6	StolenMiscellaneousNumber6	O	15	
StolenMiscellaneousNumber7	StolenMiscellaneousNumber7	O	15	
StolenMiscellaneousNumber8	StolenMiscellaneousNumber8	O	15	
StolenMiscellaneousNumber9	StolenMiscellaneousNumber9	O	15	
StolenName	StolenName	O	30	
StolenName2	StolenName2	O	30	
StolenName3	StolenName3	O	30	
StolenName4	StolenName4	O	30	
StolenName5	StolenName5	O	30	
StolenName6	StolenName6	O	30	
StolenName7	StolenName7	O	30	

StolenName8	StolenName8	O	30	
StolenName9	StolenName9	O	30	
StolenOperatorLicenseNumber	StolenOperatorLicenseNumber	O	20	
StolenOperatorLicenseNumber2	StolenOperatorLicenseNumber2	O	20	
StolenOperatorLicenseNumber3	StolenOperatorLicenseNumber3	O	20	
StolenOperatorLicenseNumber4	StolenOperatorLicenseNumber4	O	20	
StolenOperatorLicenseNumber5	StolenOperatorLicenseNumber5	O	20	
StolenOperatorLicenseNumber6	StolenOperatorLicenseNumber6	O	20	
StolenOperatorLicenseNumber7	StolenOperatorLicenseNumber7	O	20	
StolenOperatorLicenseNumber8	StolenOperatorLicenseNumber8	O	20	
StolenOperatorLicenseNumber9	StolenOperatorLicenseNumber9	O	20	
StolenOperatorLicenseStateCode	StolenOperatorLicenseStateCode	O	2	
StolenOperatorLicenseStateCode2	StolenOperatorLicenseStateCode2	O	2	
StolenOperatorLicenseStateCode3	StolenOperatorLicenseStateCode3	O	2	
StolenOperatorLicenseStateCode4	StolenOperatorLicenseStateCode4	O	2	
StolenOperatorLicenseStateCode5	StolenOperatorLicenseStateCode5	O	2	
StolenOperatorLicenseStateCode6	StolenOperatorLicenseStateCode6	O	2	
StolenOperatorLicenseStateCode7	StolenOperatorLicenseStateCode7	O	2	
StolenOperatorLicenseStateCode8	StolenOperatorLicenseStateCode8	O	2	
StolenOperatorLicenseStateCode9	StolenOperatorLicenseStateCode9	O	2	
SubjectBirthPlaceCode	SubjectBirthPlaceCode	O	2	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	M	3	
SubjectSkinToneCode	SubjectSkinToneCode	O	3	
SubjectWeight	SubjectWeight	O	3	
SupervisionReleaseDate	SupervisionReleaseDate	M	8	
SupervisionStartDate	SupervisionStartDate	M	8	
UnitName	UnitName	O	20	
VehicleColorCode	VehicleColorCode	O	10	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	15	

Possible Combinations

1. (In/Out) AddressCounty, BirthDate, Mnemonic, Name, OffenseCode, OfficerName, OfficerPhoneNumber, OriginatingAgencyORI, RaceCode, SexCode, SubjectHeight, SupervisionReleaseDate, SupervisionStartDate, [AddressCity, AgencyRecordNumber, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, ArrestDate, CASubjectInmateNumber, CautionMedicalCode, CourtCode, CourtORI, CriminalIdentificationNumber, EntryLevel, FBINumber, FingerprintClassificationCode, IncidentType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Location, MiscellaneousDescriptiveText, MiscellaneousNumber,

OperatorLicenseExpirationYear, OperatorLicenseNumber,
 OperatorLicenseState, OriginalOffenseCode, OriginatingAgencyCaseNumber,
 ProbationRevokedDate, RevocationReason, ScarsMarksTattoosCode,
 SexOffenderIndicator, SocialSecurityNumber, StolenBirthDate, StolenBirthDate2,
 StolenBirthDate3, StolenBirthDate4, StolenBirthDate5, StolenBirthDate6,
 StolenBirthDate7, StolenBirthDate8, StolenBirthDate9,
 StolenDriversLicenseNumber, StolenDriversLicenseNumber2,
 StolenDriversLicenseNumber3, StolenDriversLicenseNumber4,
 StolenDriversLicenseNumber5, StolenDriversLicenseNumber6,
 StolenDriversLicenseNumber7, StolenDriversLicenseNumber8,
 StolenDriversLicenseNumber9, StolenLicenseYear, StolenLicenseYear2,
 StolenLicenseYear3, StolenLicenseYear4, StolenLicenseYear5,
 StolenLicenseYear6, StolenLicenseYear7, StolenLicenseYear8,
 StolenLicenseYear9, StolenMiscellaneousNumber,
 StolenMiscellaneousNumber2, StolenMiscellaneousNumber3,
 StolenMiscellaneousNumber4, StolenMiscellaneousNumber5,
 StolenMiscellaneousNumber6, StolenMiscellaneousNumber7,
 StolenMiscellaneousNumber8, StolenMiscellaneousNumber9, StolenName,
 StolenName2, StolenName3, StolenName4, StolenName5, StolenName6,
 StolenName7, StolenName8, StolenName9, StolenOperatorLicenseNumber,
 StolenOperatorLicenseNumber2, StolenOperatorLicenseNumber3,
 StolenOperatorLicenseNumber4, StolenOperatorLicenseNumber5,
 StolenOperatorLicenseNumber6, StolenOperatorLicenseNumber7,
 StolenOperatorLicenseNumber8, StolenOperatorLicenseNumber9,
 StolenOperatorLicenseStateCode, StolenOperatorLicenseStateCode2,
 StolenOperatorLicenseStateCode3, StolenOperatorLicenseStateCode4,
 StolenOperatorLicenseStateCode5, StolenOperatorLicenseStateCode6,
 StolenOperatorLicenseStateCode7, StolenOperatorLicenseStateCode8,
 StolenOperatorLicenseStateCode9, SubjectBirthPlaceCode,
 SubjectEyeColorCode, SubjectHairColorCode, SubjectSkinToneCode,
 SubjectWeight, UnitName, VehicleColorCode, VehicleIdentificationNumber,
 VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear,
 WarrantNumber]

CAESupervisedReleaseModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AgencyRecordNumber	AgencyRecordNumber	O	9	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs10	AlsoKnownAs10	O	30	
AlsoKnownAs11	AlsoKnownAs11	O	30	
AlsoKnownAs12	AlsoKnownAs12	O	30	
AlsoKnownAs13	AlsoKnownAs13	O	30	
AlsoKnownAs14	AlsoKnownAs14	O	30	
AlsoKnownAs15	AlsoKnownAs15	O	30	
AlsoKnownAs16	AlsoKnownAs16	O	30	
AlsoKnownAs17	AlsoKnownAs17	O	30	
AlsoKnownAs18	AlsoKnownAs18	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	

AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
AlsoKnownAs7	AlsoKnownAs7	O	30	
AlsoKnownAs8	AlsoKnownAs8	O	30	
AlsoKnownAs9	AlsoKnownAs9	O	30	
ArrestDate	ArrestDate	O	8	
BirthDate	BirthDate	O	8	
CASubjectInmateNumber	CASubjectInmateNumber	O	6	
CautionMedicalCode	CautionMedicalCode	O	2	
CourtCode	CourtCode	O	9	
CourtORI	CourtORI	O	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
EntryLevel	EntryLevel	O	1	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	M	13	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
IncidentType	IncidentType	O	50	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Location	Location	O	50	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Mnemonic	Mnemonic	O	4	
Name	Name	M	30	
Name2	Name2	O	30	
OffenseCode	OffenseCode	O	10	
OfficerName	OfficerName	O	30	
OfficerPhoneNumber	OfficerPhoneNumber	O	12	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
ProbationRevokedDate	ProbationRevokedDate	O	8	
RaceCode	RaceCode	O	1	
ReasonRevoked	ReasonRevoked	O	20	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
SexOffenderIndicator	SexOffenderIndicator	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StolenBirthDate	StolenBirthDate	O	8	
StolenBirthDate2	StolenBirthDate2	O	8	
StolenDriversLicenseNumber	StolenDriversLicenseNumber	O	9	
StolenDriversLicenseNumber2	StolenDriversLicenseNumber2	O	9	
StolenLicenseYear	StolenLicenseYear	O	4	

StolenLicenseYear2	StolenLicenseYear2	O	4	
StolenMiscellaneousNumber	StolenMiscellaneousNumber	O	15	
StolenMiscellaneousNumber2	StolenMiscellaneousNumber2	O	15	
StolenName	StolenName	O	30	
StolenName2	StolenName2	O	30	
StolenOperatorLicenseNumber	StolenOperatorLicenseNumber	O	20	
StolenOperatorLicenseNumber2	StolenOperatorLicenseNumber2	O	20	
StolenOperatorLicenseStateCode	StolenOperatorLicenseStateCode	O	2	
StolenOperatorLicenseStateCode2	StolenOperatorLicenseStateCode2	O	2	
SubjectBirthPlaceCode	SubjectBirthPlaceCode	O	2	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	O	3	
SubjectSkinToneCode	SubjectSkinToneCode	O	3	
SubjectWeight	SubjectWeight	O	3	
SupervisionReleaseDate	SupervisionReleaseDate	O	8	
SupervisionStartDate	SupervisionStartDate	O	8	
UnitName	UnitName	O	20	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	15	

Possible Combinations

1. (In/Out) FileControlNumber, Name, [AddressCity, AddressCounty, AgencyRecordNumber, AlsoKnownAs, AlsoKnownAs10, AlsoKnownAs11, AlsoKnownAs12, AlsoKnownAs13, AlsoKnownAs14, AlsoKnownAs15, AlsoKnownAs16, AlsoKnownAs17, AlsoKnownAs18, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, AlsoKnownAs7, AlsoKnownAs8, AlsoKnownAs9, ArrestDate, BirthDate, CASubjectInmateNumber, CautionMedicalCode, CourtCode, CourtORI, CriminalIdentificationNumber, EntryLevel, FBINumber, FingerprintClassificationCode, IncidentType, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Location, MiscellaneousDescriptiveText, MiscellaneousNumber, Mnemonic, Name2, OffenseCode, OfficerName, OfficerPhoneNumber, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginalOffenseCode, OriginatingAgencyCaseNumber, ProbationRevokedDate, RaceCode, ReasonRevoked, ScarsMarksTattoosCode, SexCode, SexOffenderIndicator, SocialSecurityNumber, StolenBirthDate, StolenBirthDate2, StolenDriversLicenseNumber, StolenDriversLicenseNumber2, StolenLicenseYear, StolenLicenseYear2, StolenMiscellaneousNumber, StolenMiscellaneousNumber2, StolenName, StolenName2, StolenOperatorLicenseNumber, StolenOperatorLicenseNumber2, StolenOperatorLicenseStateCode, StolenOperatorLicenseStateCode2, SubjectBirthPlaceCode, SubjectEyeColorCode, SubjectHairColorCode,

SubjectHeight, SubjectSkinToneCode, SubjectWeight, SupervisionReleaseDate, SupervisionStartDate, UnitName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantNumber]

CAEVehicleStolenPartEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Category	Category	M	2	
CautionEntryIndicator	CautionEntryIndicator	O	2	
CrossReferenceNumber	CrossReferenceNumber	O	13	
EnginePower	EnginePower	O	5	
EntryLevel	EntryLevel	O	1	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	2	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	200	
NotifiedOriginatingAgency	NotifiedOriginatingAgency	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyBrandName	PropertyBrandName	M	4	
SerialNumber	SerialNumber	O	20	
SupplementalCaseNumber	SupplementalCaseNumber	O	20	
TheftDate	TheftDate	M	8	
VehicleYear	VehicleYear	O	4	
VictimAddress	VictimAddress	O	30	
VictimAddressCity	VictimAddressCity	O	20	
VictimAddressState	VictimAddressState	O	2	
VictimAddressZipCode	VictimAddressZipCode	O	9	
VictimDaytimePhone	VictimDaytimePhone	O	10	
VictimEveningPhone	VictimEveningPhone	O	10	
VictimName	VictimName	O	30	

Possible Combinations

1. (In/Out) Category, MiscellaneousDescriptiveText, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PropertyBrandName, TheftDate, [CautionEntryIndicator, CrossReferenceNumber, EnginePower, EntryLevel, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKeyModifier, NotifiedOriginatingAgency, OwnerAppliedNumber, SerialNumber, SupplementalCaseNumber, VehicleYear, VictimAddress, VictimAddressCity, VictimAddressState, VictimAddressZipCode, VictimDaytimePhone, VictimEveningPhone, VictimName]

CAIAircraftRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AircraftSerialNumber	AircraftSerialNumber	C	16	
AircraftSightedDate	AircraftSightedDate	O	8	

AircraftSightedFlag	AircraftSightedFlag	O	1	
Attention	Attention	M	30	
Name	Name	C	40	
TailNumber	TailNumber	C	8	

Possible Combinations

1. (In/Out) Attention, TailNumber, [AircraftSightedDate, AircraftSightedFlag]
2. (In/Out) AircraftSerialNumber, Attention
3. (In/Out) Attention, Name

CAIAircraftTrackingQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AircraftSightedDate	AircraftSightedDate	O	8	
AircraftSightedFlag	AircraftSightedFlag	O	1	
AircraftType	AircraftType	C	4	
AirportCode	AirportCode	O	5	
Attention	Attention	M	30	
Date	Date	C	8	
Date2	Date2	C	8	
TailNumber	TailNumber	C	8	

Possible Combinations

1. (In/Out) Attention, TailNumber, [AircraftSightedDate, AircraftSightedFlag, AirportCode]
2. (In/Out) AircraftType, Attention, Date, Date2, [AirportCode]

CAIArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityCode	AddressCityCode	O	4	
Age	Age	C	2	
ArticleBrand	ArticleBrand	C	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleType	ArticleType	C	6	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	8	
CategoryCode	CategoryCode	C	1	
FileControlNumber	FileControlNumber	C	13	
MessageKeyModifier	MessageKeyModifier	O	1	<Blank> - Stolen, Lost, Found, Under Observation, and Evidence B – The above, Pawn, and Buy H – Pawn and Buy only N – Any Pawn and Buy transaction hits
Name	Name	C	30	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y – Yes N - No

Possible Combinations

1. (In/Out) Age, Name, [AddressCityCode]

2. (In/Out) ArticleBrand, ArticleSerialNumber, [MessageKeyModifier, RelatedHitSearchIndicator]
3. (In/Out) ArticleBrand, OwnerAppliedNumber, [MessageKeyModifier, RelatedHitSearchIndicator]
4. (In/Out) ArticleSerialNumber, ArticleType, CategoryCode, [MessageKeyModifier, RelatedHitSearchIndicator]
5. (In/Out) ArticleSerialNumber, ArticleTypeCode, [MessageKeyModifier, RelatedHitSearchIndicator]
6. (In/Out) ArticleType, CategoryCode, OwnerAppliedNumber, [MessageKeyModifier, RelatedHitSearchIndicator]
7. (In/Out) ArticleTypeCode, OwnerAppliedNumber, [MessageKeyModifier, RelatedHitSearchIndicator]
8. (In/Out) BirthDate, Name, [AddressCityCode]
9. (In/Out) FileControlNumber, [MessageKeyModifier]

CAIBoatCheckQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMakeCode	BoatMakeCode	O	4	
Category	Category	O	2	
EngineNumber	EngineNumber	C	20	
FileControlNumber	FileControlNumber	C	13	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropertyBrandName	PropertyBrandName	O	4	
RegistrationNumber	RegistrationNumber	C	8	
RegistrationStateCode	RegistrationStateCode	O	2	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SerialNumber	SerialNumber	C	20	

Possible Combinations

1. (In) RegistrationNumber, [RelatedHitSearchIndicator]
2. (In/Out) BoatHullIdNumber, [BoatMakeCode, RelatedHitSearchIndicator]
3. (In/Out) EngineNumber, [RelatedHitSearchIndicator]
4. (In/Out) FileControlNumber
5. (In/Out) OwnerAppliedNumber, [Category, PropertyBrandName, RelatedHitSearchIndicator]
6. (In/Out) SerialNumber, [Category, PropertyBrandName, RelatedHitSearchIndicator]
7. (Out) RegistrationNumber, [RelatedHitSearchIndicator, RegistrationStateCode]

CAIGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BirthDate	BirthDate	C	8	
CategoryCode	CategoryCode	C	1	
FileControlNumber	FileControlNumber	C	13	
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunSerialNumber	GunSerialNumber	C	20	
GunType	GunType	O	1	
GunTypeCode	GunTypeCode	O	2	
IDNumber	IDNumber	C	20	
MessageKeyModifier	MessageKeyModifier	C	2	B – NCIC & Law Enforcement & Historical H – Historical HX – Historical Exact

				M – Mail Historical, NCIC, and Law Enforcement MX – Mail Historical Exact
Name	Name	C	30	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
Reference	Reference	C	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) Age, MessageKeyModifier, Name
2. (In/Out) Age, MessageKeyModifier, Name, Reference
3. (In/Out) BirthDate, MessageKeyModifier, Name
4. (In/Out) BirthDate, MessageKeyModifier, Name, Reference
5. (In/Out) FileControlNumber
6. (In/Out) GunSerialNumber, MessageKeyModifier, [CategoryCode, GunCaliber, GunMake, GunType, GunTypeCode, Reference, RelatedHitSearchIndicator]
7. (In/Out) GunSerialNumber, MessageKeyModifier, [GunCaliber, GunMake, GunTypeCode, Reference, RelatedHitSearchIndicator]
8. (In/Out) GunSerialNumber, MessageKeyModifier, Reference, [CategoryCode, GunCaliber, GunMake, GunType, GunTypeCode, RelatedHitSearchIndicator]
9. (In/Out) GunSerialNumber, MessageKeyModifier, Reference, [GunCaliber, GunMake, GunTypeCode, RelatedHitSearchIndicator]
10. (In/Out) GunSerialNumber, [CategoryCode, GunCaliber, GunMake, GunType, GunTypeCode, RelatedHitSearchIndicator]
11. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunTypeCode, RelatedHitSearchIndicator]
12. (In/Out) IDNumber, MessageKeyModifier
13. (In/Out) OriginatingAgencyCaseNumber

CAIHazardousMaterialsQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
UnitedNationsNumber	UnitedNationsNumber	M	4	

Possible Combinations

1. (In/Out) UnitedNationsNumber

CAIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
Area	Area	O	3	
BirthDate	BirthDate	C	8	
DentalCharacteristics	DentalCharacteristics	C	64	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
EyeColorCode	EyeColorCode	C	4	
FBINumber	FBINumber	O	9	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	C	4	
Height	Height	C	3	
LastContactDate	LastContactDate	O	8	
LicensePlateNumber	LicensePlateNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	O	15	

Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NcicOnlyIndicator	NcicOnlyIndicator	C	1	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorPrimaryCode	VehicleColorPrimaryCode	C	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	C	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, Name, NcicOnlyIndicator, RaceCode, SexCode, Weight, [ExpandedNameSearchCode]
2. (In/Out) Age, Height, RaceCode, SexCode, [Area, EyeColorCode, HairColorCode, LastContactDate, ScarsMarksTattoosCode, Weight]
3. (In/Out) Name, SexCode, [Age, BirthDate, ExpandedNameSearchCode, EyeColorCode, HairColorCode, Height, LastContactDate, RaceCode, RelatedHitSearchIndicator, Weight]
4. (In/Out) BirthDate, Name, NcicOnlyIndicator, SexCode, [ExpandedNameSearchCode]
5. (In/Out) DentalCharacteristics
6. (In/Out) Name, NcicOnlyIndicator, SexCode, [ExpandedNameSearchCode, FBI Number, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, SocialSecurityNumber, VehicleIdentificationNumber]
7. (In/Out) FileControlNumber
8. (In/Out) LicensePlateNumber
9. (In/Out) LicensePlateNumber, NcicOnlyIndicator
10. (In/Out) Name, SexCode, [ExpandedNameSearchCode, EyeColorCode, HairColorCode, Height, LastContactDate, RaceCode, RelatedHitSearchIndicator, Weight]
11. (In/Out) NCICNumber, NcicOnlyIndicator
12. (In/Out) OperatorLicenseNumber
13. (In/Out) OriginatingAgencyCaseNumber
14. (In/Out) VehicleColorPrimaryCode, VehicleMakeCode, [VehicleModelCode, VehicleStyleCode, VehicleYear]

CAINICBAIFilesQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
VehicleIdentificationNumber	VehicleIdentificationNumber	M	20	

Possible Combinations

1. (In/Out) VehicleIdentificationNumber

CAINICBImportExportQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
VehicleIdentificationNumber	VehicleIdentificationNumber	M	20	

Possible Combinations

1. (In/Out) VehicleIdentificationNumber

CAIOregonBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
RegistrationNumber	RegistrationNumber	M	20	

Possible Combinations

1. (In/Out) RegistrationNumber

CAIOregonDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	6	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) BirthDate, Name, [SexCode]
2. (In/Out) OperatorLicenseNumber

CAIOregonVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) LicensePlateNumber
2. (In/Out) VehicleIdentificationNumber

CAIRestrainingOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCountyCode	AddressCountyCode	O	2	
Age	Age	O	2	
BirthDate	BirthDate	O	8	

FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
MessageKeyModifier	MessageKeyModifier	C	1	
Name	Name	C	30	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	

Possible Combinations

1. (In/Out) Name, SexCode, [AddressCountyCode, Age, BirthDate, Height, MessageKeyModifier, RaceCode]
2. (In/Out) FileControlNumber, [MessageKeyModifier]
3. (In/Out) MessageKeyModifier, Name, SexCode
4. (In/Out) MessageKeyModifier, Name, SexCode
5. (In/Out) Name, SexCode, [AddressCountyCode, Height, MessageKeyModifier, RaceCode]
6. (In/Out) OriginatingAgencyCaseNumber, [MessageKeyModifier]

CAISecuritiesQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Denomination	Denomination	C	9	
Issuer	Issuer	O	15	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
Owner	Owner	C	40	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SecuritySerialNumber	SecuritySerialNumber	C	18	
SecurityTypeCode	SecurityTypeCode	C	2	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) NCICNumber
2. (In/Out) Denomination, SecuritySerialNumber, SecurityTypeCode, [Issuer, RelatedHitSearchIndicator]
3. (In/Out) OriginatingAgencyCaseNumber, Owner, SocialSecurityNumber, [RelatedHitSearchIndicator, SecurityTypeCode]
4. (In/Out) SocialSecurityNumber, [RelatedHitSearchIndicator]

CAISupervisedReleaseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCountyCode	AddressCountyCode	O	2	
Age	Age	O	2	
BirthDate	BirthDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	

InmateNumber	InmateNumber	O	6	
InstitutionNumber	InstitutionNumber	O	6	
MessageKeyModifier	MessageKeyModifier	M	3	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	

Possible Combinations

1. (In/Out) MessageKeyModifier, Name, SexCode, [AddressCountyCode, Age, BirthDate, ExpandedNameSearchCode, Height, RaceCode]
2. (In/Out) FileControlNumber, MessageKeyModifier
3. (In/Out) MessageKeyModifier, [CriminalIdentificationNumber, InmateNumber, InstitutionNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, SocialSecurityNumber]

CAIVCINEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressApartmentNumber	AddressApartmentNumber	M	10	
AddressCity	AddressCity	M	30	
AddressCounty	AddressCounty	M	2	
AddressSource	AddressSource	M	3	
AddressStateCode	AddressStateCode	M	2	
AddressStreetName	AddressStreetName	M	35	
AddressStreetNumber	AddressStreetNumber	M	10	
AddressType	AddressType	M	3	
AddressZipCode	AddressZipCode	M	9	
AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
BirthDate	BirthDate	M	8	
CAMapPage	CAMapPage	O	4	
CASubjectInmateNumber	CASubjectInmateNumber	O	6	
CASubjectYouthInstitutionNumber	CASubjectYouthInstitutionNumber	O	6	
CATattoosDescription	CATattoosDescription	O	20	
CATattoosDescription2	CATattoosDescription2	O	20	
CATattoosDescription3	CATattoosDescription3	O	20	
CATattoosDescription4	CATattoosDescription4	O	20	
CATattoosDescription5	CATattoosDescription5	O	20	
ContactName	ContactName	M	29	
ContactPhoneNumber	ContactPhoneNumber	M	10	

ConvictionDate	ConvictionDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateState	LicensePlateState	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MapGridCoordinates	MapGridCoordinates	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Mnemonic	Mnemonic	M	4	
Moniker	Moniker	O	30	
Name	Name	M	81	
Occupation	Occupation	O	30	
OffenseCode	OffenseCode	O	20	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PhotoAvailableIndicator	PhotoAvailableIndicator	M	1	
RaceCode	RaceCode	M	1	
RegistrationDate	RegistrationDate	M	8	
RegistrationType	RegistrationType	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosPictureDescription	ScarsMarksTattoosPictureDescription	O	20	
ScarsMarksTattoosPictureDescription2	ScarsMarksTattoosPictureDescription2	O	20	
ScarsMarksTattoosPictureDescription3	ScarsMarksTattoosPictureDescription3	O	20	
ScarsMarksTattoosPictureDescription4	ScarsMarksTattoosPictureDescription4	O	20	
ScarsMarksTattoosPictureDescription5	ScarsMarksTattoosPictureDescription5	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode	ScarsMarksTattoosTableDescriptionCategoryCode	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode2	ScarsMarksTattoosTableDescriptionCategoryCode2	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode3	ScarsMarksTattoosTableDescriptionCategoryCode3	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode4	ScarsMarksTattoosTableDescriptionCategoryCode4	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode5	ScarsMarksTattoosTableDescriptionCategoryCode5	O	20	
SexCode	SexCode	M	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SubjectEyeColorCode	SubjectEyeColorCode	M	3	
SubjectHairColorCode	SubjectHairColorCode	M	3	
SubjectHeight	SubjectHeight	M	3	
SubjectWeight	SubjectWeight	M	3	
UpdateDate	UpdateDate	O	8	
VehicleColorCode	VehicleColorCode	O	7	

VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) AddressApartmentNumber, AddressCity, AddressCounty, AddressSource, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, BirthDate, ContactName, ContactPhoneNumber, Mnemonic, Name, OriginatingAgencyORI, PhotoAvailableIndicator, RaceCode, RegistrationDate, RegistrationType, SexCode, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectWeight, [AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, CAMapPage, CASubjectInmateNumber, CASubjectYouthInstitutionNumber, CATattoosDescription, CATattoosDescription2, CATattoosDescription3, CATattoosDescription4, CATattoosDescription5, ConvictionDate, CriminalIdentificationNumber, LicensePlateNumber, LicensePlateState, LicensePlateTypeCode, LicensePlateYear, MapGridCoordinates, MiscellaneousDescriptiveText, Moniker, Occupation, OffenseCode, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyCaseNumber, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosPictureDescription, ScarsMarksTattoosPictureDescription2, ScarsMarksTattoosPictureDescription3, ScarsMarksTattoosPictureDescription4, ScarsMarksTattoosPictureDescription5, ScarsMarksTattoosTableDescriptionCategoryCode, ScarsMarksTattoosTableDescriptionCategoryCode2, ScarsMarksTattoosTableDescriptionCategoryCode3, ScarsMarksTattoosTableDescriptionCategoryCode4, ScarsMarksTattoosTableDescriptionCategoryCode5, SocialSecurityNumber, UpdateDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

CAIVCINModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressApartmentNumber	AddressApartmentNumber	O	10	
AddressCity	AddressCity	O	30	
AddressCounty	AddressCounty	O	2	
AddressSource	AddressSource	O	3	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	35	
AddressStreetNumber	AddressStreetNumber	O	10	
AddressType	AddressType	O	3	
AddressZipCode	AddressZipCode	O	9	

AlsoKnownAs	AlsoKnownAs	O	30	
AlsoKnownAs2	AlsoKnownAs2	O	30	
AlsoKnownAs3	AlsoKnownAs3	O	30	
AlsoKnownAs4	AlsoKnownAs4	O	30	
AlsoKnownAs5	AlsoKnownAs5	O	30	
AlsoKnownAs6	AlsoKnownAs6	O	30	
BirthDate	BirthDate	O	8	
CAMapPage	CAMapPage	O	4	
CASubjectInmateNumber	CASubjectInmateNumber	O	6	
CASubjectYouthInstitutionNumber	CASubjectYouthInstitutionNumber	O	6	
CATattoosDescription	CATattoosDescription	O	20	
CATattoosDescription2	CATattoosDescription2	O	20	
CATattoosDescription3	CATattoosDescription3	O	20	
CATattoosDescription4	CATattoosDescription4	O	20	
CATattoosDescription5	CATattoosDescription5	O	20	
ContactName	ContactName	O	29	
ContactPhoneNumber	ContactPhoneNumber	O	10	
ConvictionDate	ConvictionDate	O	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	O	9	
FileControlNumber	FileControlNumber	M	13	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MapGridCoordinates	MapGridCoordinates	O	3	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
Mnemonic	Mnemonic	O	4	
Moniker	Moniker	O	30	
Name	Name	M	81	
Occupation	Occupation	O	30	
OffenseCode	OffenseCode	O	20	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseState	OperatorLicenseState	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PhotoAvailableIndicator	PhotoAvailableIndicator	O	1	
RaceCode	RaceCode	O	1	
RegistrationDate	RegistrationDate	O	8	
RegistrationType	RegistrationType	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	
ScarsMarksTattoosPictureDescription	ScarsMarksTattoosPictureDescription	O	20	
ScarsMarksTattoosPictureDescription2	ScarsMarksTattoosPictureDescription2	O	20	
ScarsMarksTattoosPictureDescription3	ScarsMarksTattoosPictureDescription3	O	20	
ScarsMarksTattoosPictureDescription4	ScarsMarksTattoosPictureDescription4	O	20	

ScarsMarksTattoosPictureDescription5	ScarsMarksTattoosPictureDescription5	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode	ScarsMarksTattoosTableDescriptionCategoryCode	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode2	ScarsMarksTattoosTableDescriptionCategoryCode2	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode3	ScarsMarksTattoosTableDescriptionCategoryCode3	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode4	ScarsMarksTattoosTableDescriptionCategoryCode4	O	20	
ScarsMarksTattoosTableDescriptionCategoryCode5	ScarsMarksTattoosTableDescriptionCategoryCode5	O	20	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	O	3	
SubjectWeight	SubjectWeight	O	3	
UpdateDate	UpdateDate	O	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) FileControlNumber, Name, OriginatingAgencyORI, [AddressApartmentNumber, AddressCity, AddressCounty, AddressSource, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressType, AddressZipCode, AlsoKnownAs, AlsoKnownAs2, AlsoKnownAs3, AlsoKnownAs4, AlsoKnownAs5, AlsoKnownAs6, BirthDate, CAMapPage, CASubjectInmateNumber, CASubjectYouthInstitutionNumber, CATattoosDescription, CATattoosDescription2, CATattoosDescription3, CATattoosDescription4, CATattoosDescription5, ContactName, ContactPhoneNumber, ConvictionDate, CriminalIdentificationNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MapGridCoordinates, MiscellaneousDescriptiveText, Mnemonic, Moniker, Occupation, OffenseCode, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseState, OriginatingAgencyCaseNumber, PhotoAvailableIndicator, RaceCode, RegistrationDate, RegistrationType, ScarsMarksTattoosCode, ScarsMarksTattoosCode2, ScarsMarksTattoosCode3, ScarsMarksTattoosCode4, ScarsMarksTattoosCode5, ScarsMarksTattoosPictureDescription, ScarsMarksTattoosPictureDescription2, ScarsMarksTattoosPictureDescription3, ScarsMarksTattoosPictureDescription4, ScarsMarksTattoosPictureDescription5, ScarsMarksTattoosTableDescriptionCategoryCode, ScarsMarksTattoosTableDescriptionCategoryCode2, ScarsMarksTattoosTableDescriptionCategoryCode3, ScarsMarksTattoosTableDescriptionCategoryCode4, ScarsMarksTattoosTableDescriptionCategoryCode5, SexCode,

SocialSecurityNumber, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectWeight, UpdateDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

CAIVCINQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
CASubjectInmateNumber	CASubjectInmateNumber	C	6	
CASubjectYouthInstitutionNumber	CASubjectYouthInstitutionNumber	C	6	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	9	
FileControlNumber	FileControlNumber	C	13	
LicensePlateNumber	LicensePlateNumber	C	10	
Name	Name	C	65	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RaceCode	RaceCode	O	1	
RegistrationType	RegistrationType	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
SubjectEyeColorCode	SubjectEyeColorCode	O	3	
SubjectHairColorCode	SubjectHairColorCode	O	3	
SubjectHeight	SubjectHeight	O	3	
SubjectWeight	SubjectWeight	O	3	

Possible Combinations

1. (In/Out) CASubjectInmateNumber
2. (In/Out) CASubjectYouthInstitutionNumber
3. (In/Out) CriminalIdentificationNumber
4. (In/Out) FileControlNumber
5. (In/Out) LicensePlateNumber
6. (In/Out) Name, SexCode, [BirthDate, RaceCode, RegistrationType, SubjectEyeColorCode, SubjectHairColorCode, SubjectHeight, SubjectWeight]
7. (In/Out) OperatorLicenseNumber
8. (In/Out) SocialSecurityNumber

CAIVehicleCheckQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Category	Category	O	2	
EngineNumber	EngineNumber	C	20	
FileControlNumber	FileControlNumber	C	13	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LojackIdentifier	LojackIdentifier	C	5	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
PropertyBrandName	PropertyBrandName	O	4	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SerialNumber	SerialNumber	C	20	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

VehicleMakeCode	VehicleMakeCode	O	4	
-----------------	-----------------	---	---	--

Possible Combinations

1. (In) LicensePlateNumber, [RelatedHitSearchIndicator]
2. (In/Out) EngineNumber, [RelatedHitSearchIndicator]
3. (In/Out) FileControlNumber
4. (In/Out) LojackIdentifier, [RelatedHitSearchIndicator]
5. (In/Out) OwnerAppliedNumber, [Category, PropertyBrandName, RelatedHitSearchIndicator]
6. (In/Out) SerialNumber, [Category, PropertyBrandName, RelatedHitSearchIndicator]
7. (In/Out) VehicleIdentificationNumber, [RelatedHitSearchIndicator, VehicleMakeCode]
8. (Out) LicensePlateNumber, [LicensePlateStateCode, RelatedHitSearchIndicator]

CAIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	2	
BirthDate	BirthDate	C	8	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	9	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
FBI Number	FBI Number	C	9	
FileControlNumber	FileControlNumber	C	13	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NcicOnlyIndicator	NcicOnlyIndicator	C	1	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
WarrantNumber	WarrantNumber	C	15	

Possible Combinations

1. (In/Out) Name, SexCode, [Age, BirthDate, Height, RaceCode]
2. (In/Out) BirthDate, Name, NcicOnlyIndicator, [ExpandedNameSearchCode, RelatedHitSearchIndicator]
3. (In/Out) CriminalIdentificationNumber
4. (In/Out) FBI Number
5. (In/Out) Name, NcicOnlyIndicator, [ExpandedNameSearchCode, FBI Number, LicensePlateNumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RelatedHitSearchIndicator, SocialSecurityNumber, VehicleIdentificationNumber]
6. (In/Out) FileControlNumber
7. (In/Out) NCICNumber
8. (In/Out) OperatorLicenseNumber
9. (In/Out) OriginatingAgencyCaseNumber
10. (In/Out) SocialSecurityNumber

11. (In/Out) WarrantNumber

CaWandaAbstractCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DueDiligenceMessageLine1	DueDiligenceMessageLine1	M	74	
DueDiligenceMessageLine10	DueDiligenceMessageLine10	O	74	
DueDiligenceMessageLine2	DueDiligenceMessageLine2	O	74	
DueDiligenceMessageLine3	DueDiligenceMessageLine3	O	74	
DueDiligenceMessageLine4	DueDiligenceMessageLine4	O	74	
DueDiligenceMessageLine5	DueDiligenceMessageLine5	O	74	
DueDiligenceMessageLine6	DueDiligenceMessageLine6	O	74	
DueDiligenceMessageLine8	DueDiligenceMessageLine8	O	74	
DueDiligenceMessageLine9	DueDiligenceMessageLine9	O	74	
PersonNumber	PersonNumber	M	8	
PersonNumber2	PersonNumber2	O	8	
PersonNumber3	PersonNumber3	O	8	
PersonNumber4	PersonNumber4	O	8	
PersonNumber5	PersonNumber5	O	8	
PersonNumber6	PersonNumber6	O	8	
PersonSequenceNumber	PersonSequenceNumber	M	3	
PersonSequenceNumber2	PersonSequenceNumber2	O	3	
PersonSequenceNumber3	PersonSequenceNumber3	O	3	
PersonSequenceNumber4	PersonSequenceNumber4	O	3	
PersonSequenceNumber5	PersonSequenceNumber5	O	3	
PersonSequenceNumber6	PersonSequenceNumber6	O	3	

Possible Combinations

1. (In/Out) DueDiligenceMessageLine1, PersonNumber, PersonSequenceNumber, [DueDiligenceMessageLine10, DueDiligenceMessageLine2, DueDiligenceMessageLine3, DueDiligenceMessageLine4, DueDiligenceMessageLine5, DueDiligenceMessageLine6, DueDiligenceMessageLine8, DueDiligenceMessageLine9, PersonNumber2, PersonNumber3, PersonNumber4, PersonNumber5, PersonNumber6, PersonSequenceNumber2, PersonSequenceNumber3, PersonSequenceNumber4, PersonSequenceNumber5, PersonSequenceNumber6]

CaWandaAbstractClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	M	22	
BookingNumber	BookingNumber	M	8	
Date	Date	M	8	MMDDYYYY
DispositionCode	DispositionCode	M	2	
DueDiligenceMessageLine1	DueDiligenceMessageLine1	M	74	
DueDiligenceMessageLine2	DueDiligenceMessageLine2	O	74	
DueDiligenceMessageLine3	DueDiligenceMessageLine3	O	74	
DueDiligenceMessageLine4	DueDiligenceMessageLine4	O	74	
DueDiligenceMessageLine5	DueDiligenceMessageLine5	O	74	
DueDiligenceMessageLine6	DueDiligenceMessageLine6	O	74	
DueDiligenceMessageLine7	DueDiligenceMessageLine7	O	74	
DueDiligenceMessageLine8	DueDiligenceMessageLine8	O	74	
ExtraditionIndicator	ExtraditionIndicator	M	1	Y or N
PersonNumber	PersonNumber	M	8	

PersonSequenceNumber	PersonSequenceNumber	M	3	
Time	Time	M	4	HHMM

Possible Combinations

- (In/Out) AgencyName, BookingNumber, Date, DispositionCode, DueDiligenceMessageLine1, ExtraditionIndicator, PersonNumber, PersonSequenceNumber, Time, [DueDiligenceMessageLine2, DueDiligenceMessageLine3, DueDiligenceMessageLine4, DueDiligenceMessageLine5, DueDiligenceMessageLine6, DueDiligenceMessageLine7, DueDiligenceMessageLine8]

CaWandaAbstractRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyCode	AgencyCode	M	7	
PersonNumber	PersonNumber	M	8	
PersonSequenceNumber	PersonSequenceNumber	M	3	
PrinterCode	PrinterCode	M	32	
RoutedToCode	RoutedToCode	M	22	

Possible Combinations

- (In/Out) AgencyCode, PersonNumber, PersonSequenceNumber, PrinterCode, RoutedToCode

CaWandaAdultProbationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
EyeColorCode	EyeColorCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	1	
Height2	Height2	O	2	
Name	Name	M	12	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
Weight	Weight	O	3	

Possible Combinations

- (In/Out) Name, [BirthDate, EyeColorCode, HairColorCode, Height, Height2, RaceCode, SexCode, Weight]

CaWandaDueDiligenceEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyCode	AgencyCode	M	7	
Date	Date	M	8	
DueDiligenceMessageLine1	DueDiligenceMessageLine1	M	74	
DueDiligenceMessageLine10	DueDiligenceMessageLine10	O	74	
DueDiligenceMessageLine11	DueDiligenceMessageLine11	O	74	
DueDiligenceMessageLine12	DueDiligenceMessageLine12	O	74	
DueDiligenceMessageLine13	DueDiligenceMessageLine13	O	74	
DueDiligenceMessageLine14	DueDiligenceMessageLine14	O	74	

DueDiligenceMessageLine15	DueDiligenceMessageLine15	O	74	
DueDiligenceMessageLine16	DueDiligenceMessageLine16	O	74	
DueDiligenceMessageLine17	DueDiligenceMessageLine17	O	74	
DueDiligenceMessageLine2	DueDiligenceMessageLine2	O	74	
DueDiligenceMessageLine3	DueDiligenceMessageLine3	O	74	
DueDiligenceMessageLine4	DueDiligenceMessageLine4	O	74	
DueDiligenceMessageLine5	DueDiligenceMessageLine5	O	74	
DueDiligenceMessageLine6	DueDiligenceMessageLine6	O	74	
DueDiligenceMessageLine8	DueDiligenceMessageLine8	O	74	
DueDiligenceMessageLine9	DueDiligenceMessageLine9	O	74	
PersonNumber	PersonNumber	M	8	
PersonSequenceNumber	PersonSequenceNumber	M	3	
Time	Time	M	4	

Possible Combinations

1. (In/Out) AgencyCode, Date, DueDiligenceMessageLine1, PersonNumber, PersonSequenceNumber, Time, [DueDiligenceMessageLine10, DueDiligenceMessageLine11, DueDiligenceMessageLine12, DueDiligenceMessageLine13, DueDiligenceMessageLine14, DueDiligenceMessageLine15, DueDiligenceMessageLine16, DueDiligenceMessageLine17, DueDiligenceMessageLine2, DueDiligenceMessageLine3, DueDiligenceMessageLine4, DueDiligenceMessageLine5, DueDiligenceMessageLine6, DueDiligenceMessageLine8, DueDiligenceMessageLine9]

CaWandaDueDiligenceQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
PersonNumber	PersonNumber	M	8	
PersonSequenceNumber	PersonSequenceNumber	M	3	

Possible Combinations

1. (In/Out) PersonNumber, PersonSequenceNumber

CaWandaJuvenileProbationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
Name	Name	M	12	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) Name, [BirthDate, RaceCode, SexCode]

CaWandaSearchAndSeizureQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
Name	Name	M	12	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) Name, [BirthDate, RaceCode, SexCode]

CaWandaServiceListRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyCode	AgencyCode	M	7	
FromDate	FromDate	M	8	

Possible Combinations

1. (In/Out) AgencyCode, FromDate

CaWandaWantFullDisplayQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
PersonNumber	PersonNumber	M	8	
PersonSequenceNumber	PersonSequenceNumber	M	3	

Possible Combinations

1. (In/Out) PersonNumber, PersonSequenceNumber

CaWandaWeightedRetrievalQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
BirthDate	BirthDate	C	8	
CaWandaSbidNumber	CaWandaSbidNumber	C	9	
CriminalIdentificationNumber	CriminalIdentificationNumber	C	9	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	C	9	
FileControlNumber	FileControlNumber	C	13	
HairColorCode	HairColorCode	O	3	
Height	Height	O	1	
Height2	Height2	O	2	
LicensePlateNumber	LicensePlateNumber	C	15	
Name	Name	C	12	
OperatorLicenseNumber	OperatorLicenseNumber	C	22	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	9	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
WarrantNumber	WarrantNumber	C	25	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) BirthDate, Name, [EyeColorCode, HairColorCode, Height, Height2, RaceCode, SexCode, Weight]
2. (In/Out) Age, Name, [EyeColorCode, HairColorCode, Height, Height2, RaceCode, SexCode, Weight]

3. (In/Out) Name, [EyeColorCode, HairColorCode, Height, Height2, RaceCode, SexCode, Weight]
4. (In/Out) LicensePlateNumber
5. (In/Out) OperatorLicenseNumber
6. (In/Out) SocialSecurityNumber
7. (In/Out) CriminalIdentificationNumber
8. (In/Out) FBI Number
9. (In/Out) CaWandaSbidNumber
10. (In/Out) OriginatingAgencyCaseNumber
11. (In/Out) WarrantNumber
12. (In/Out) FileControlNumber

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- CLETS System TCP/IP Spec.
- CLETS CLEW Website Documentation
- Various supporting documents including NCIC 2000 message switch/implementation updates