

Transport:

TCPIP
FoxTalk

Routing and Configuration Information:

- The CBI assigned ORI for a device (or for the site) should be placed in the <Authentication>/<ORI> field in the ConnectCIC header.
- The CBI assigned Mnemonic for a device should be placed in the <Authentication>/<Mnemonic> field in the ConnectCIC header.
- The CBI assigned Login ID should be placed in the <Authentication>/<UserName> field in the ConnectCIC header.
- Optional: the Requestor should be placed in the <Authentication>/< Requestor> field in the ConnectCIC header.

Security Requirements:

Vendor employees who could be exposed to CJIS data must be fingerprinted for background checks for sponsor site (i.e. first agency in state).

Logon Requirements:

LogoffRequest

No fields necessary, just send the transaction.

LogonRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
NewPassword	NewPassword	C	30	
Password	Password	M	30	
ReTypeNewPassword	ReTypeNewPassword	C	30	
UserName	UserName	C	30	

Possible Combinations

1. LOGON: Password, UserName
2. VOLUNTARY PWD CHANGE: NewPassword, Password, ReTypeNewPassword
3. FORCED PWD CHANGE: NewPassword, Password, ReTypeNewPassword, UserName

Certification Requirements:

Unknown.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [UnitId]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	
State	State	O	2	
UnitId	UnitId	O	5	
ImageIndicator	ImageIndicator	O	1	'Y' and blank

Possible Combinations

1. (In/Out) BoatHullIdNumber, [State, UnitId, ImageIndicator]
2. (In/Out) RegistrationNumber, [State, UnitId, ImageIndicator]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	'Y' and blank
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
PurposeCode	PurposeCode	O	1	
SexCode	SexCode	C	1	
State	State	C	2	
UnitId	UnitId	O	5	

Possible Combinations

1. (In) BirthDate, Name, [OperatorLicenseStateCode, SexCode, UnitId]
2. (In) OperatorLicenseNumber, [OperatorLicenseStateCode, UnitId]
3. (Out) BirthDate, Name, SexCode, State, [Attention, ImageIndicator, OperatorLicenseStateCode, PurposeCode, UnitId]
4. (Out) OperatorLicenseNumber, State, [Attention, ImageIndicator, OperatorLicenseStateCode, PurposeCode, UnitId]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	'Y' and blank
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
UnitId	UnitId	O	5	

Possible Combinations

1. (In) Name
2. (In/Out) BirthDate, Name, SexCode, [ImageIndicator, State, State2, State3, State4, State5, UnitId]
3. (In/Out) OperatorLicenseNumber, [ImageIndicator, State, State2, State3, State4, State5, UnitId]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	10	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	M	20	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunModel, UnitId]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
UnitId	UnitId	O	5	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	20	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) LicensePlateNumber, [LicensePlateTypeCode, LicensePlateYear, State, State2, State3, State4, State5, UnitId]
2. (In/Out) VehicleIdentificationNumber, [State, State2, State3, State4, State5, UnitId, VehicleMakeCode, VehicleYear]

Transactions Supported:

Agency Operations and Support

AOSAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	M	14400	Alphanumeric, special chars; See NLETS manual
NletsDestination	NletsDestination	M	9	ORI, mnemonic, distribution list, etc.
NletsDestination2	NletsDestination2	O	9	ORI, mnemonic, distribution list, etc.
NletsDestination3	NletsDestination3	O	9	ORI, mnemonic, distribution list, etc.
NletsDestination4	NletsDestination4	O	9	ORI, mnemonic, distribution list, etc.
NletsDestination5	NletsDestination5	O	9	ORI, mnemonic, distribution list, etc.
MessageKeyModifier	MessageKeyModifier	O	1	Enter L for law enforcement only; blank if not

Possible Combinations

1. (In/Out) FreeText, NletsDestination, [MessageKeyModifier, NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

AOSAircraftRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AircraftSightedDate	AircraftSightedDate	O	8	
AircraftSightedFlag	AircraftSightedFlag	C	1	
Attention	Attention	M	30	
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	O	10	
SerialNumber	SerialNumber	O	30	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) AircraftSightedFlag, Attention, RegistrationNumber, [AircraftSightedDate, Name, SerialNumber, UnitId]
2. Attention, Name, [UnitId]
3. Attention, SerialNumber, [UnitId]

AOSHazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
NletsDestination	NletsDestination	M	9	
UnitedNationsNumber	UnitedNationsNumber	M	4	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) UnitedNationsNumber, NletsDestination, [UnitId]

AOSHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyIdNumber	AgencyIdNumber	O	20	
AgencyName	AgencyName	O	30	
ArticleTypeCode	ArticleTypeCode	O	7	
BirthDate	BirthDate	C	8	
BoatHullNumber	BoatHullNumber	C	20	
BoatMakeCode	BoatMakeCode	O	20	

BoatRegistrationNumber	BoatRegistrationNumber	O	8	
BrandName	BrandName	O	4	
CCICNumber	CCICNumber	O	10	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	O	9	
ExtensionNumber	ExtensionNumber	O	4	
FaxNumber	FaxNumber	O	10	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	3	
GunModel	GunModel	O	20	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PartCategoryCode	PartCategoryCode	O	2	
PhoneNumber	PhoneNumber	O	10	
PriorityDestinationCode	PriorityDestinationCode	M	1	
Remarks	Remarks	O	500	
RequesterName	RequesterName	M	30	
RequestingAgency	RequestingAgency	M	30	
RequestNumber	RequestNumber	M	1	
RequestTypeCode	RequestTypeCode	M	2	
SerialNumber	SerialNumber	C	20	
SexCode	SexCode	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	20	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgency, RequestNumber, RequestTypeCode, [AgencyIdNumber, AgencyName, ArticleTypeCode, BirthDate, BoatHullNumber, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PartCategoryCode, PhoneNumber, Remarks, SerialNumber, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
2. (In/Out) BirthDate, Name, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgency, RequestNumber, RequestTypeCode, [AgencyIdNumber, AgencyName, ArticleTypeCode, BoatHullNumber, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, NCICNumber, PartCategoryCode, PhoneNumber, Remarks, SerialNumber, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
3. (In/Out) LicensePlateStateCode, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgency, RequestNumber, RequestTypeCode, [AgencyIdNumber, AgencyName, ArticleTypeCode, BirthDate, BoatHullNumber, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination,

- ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PartCategoryCode, PhoneNumber, Remarks, SerialNumber, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
4. (In/Out) GunCaliber, GunMake, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgency, RequestNumber, RequestTypeCode, SerialNumber, [AgencyIdNumber, AgencyName, ArticleTypeCode, BirthDate, BoatHullNumber, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunModel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PartCategoryCode, PhoneNumber, Remarks, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
 5. (In/Out) ArticleTypeCode, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgency, RequestNumber, RequestTypeCode, SerialNumber, [AgencyIdNumber, AgencyName, BirthDate, BoatHullNumber, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PartCategoryCode, PhoneNumber, Remarks, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
 6. (In/Out) BoatRegistrationNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgency, RequestNumber, RequestTypeCode, [AgencyIdNumber, AgencyName, ArticleTypeCode, BirthDate, BoatHullNumber, BoatMakeCode, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PartCategoryCode, PhoneNumber, Remarks, SerialNumber, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
 7. (In/Out) BoatHullNumber, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgency, RequestNumber, RequestTypeCode, [AgencyIdNumber, AgencyName, ArticleTypeCode, BirthDate, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PartCategoryCode, PhoneNumber, Remarks, SerialNumber, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
 8. (In/Out) OriginatingAgencyCaseNumber, PriorityDestinationCode, RequesterName, RequestingAgency, RequestNumber, RequestTypeCode, SerialNumber, [AgencyIdNumber, AgencyName, ArticleTypeCode, BirthDate, BoatHullNumber, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PartCategoryCode, PhoneNumber, Remarks, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

AOSHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyIdNumber	AgencyIdNumber	O	15	
AgencyName	AgencyName	O	30	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	8	
BoatHullNumber	BoatHullNumber	C	20	
BoatMakeCode	BoatMakeCode	O	20	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	

BrandName	BrandName	O	6	
CCICNumber	CCICNumber	O	10	
ConfirmationStatusCode	ConfirmationStatusCode	M	1	
ConfirmerName	ConfirmerName	M	30	
ConfirmingAgency	ConfirmingAgency	M	30	
CourtOrderNumber	CourtOrderNumber	O	20	
Denomination	Denomination	O	9	
ExtensionNumber	ExtensionNumber	O	4	
FaxNumber	FaxNumber	O	10	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	3	
GunModel	GunModel	O	20	
HoursForConfirmation	HoursForConfirmation	O	3	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PhoneNumber	PhoneNumber	O	10	
Remarks	Remarks	O	500	
RequestTypeCode	RequestTypeCode	M	2	
SerialNumber	SerialNumber	C	20	
SexCode	SexCode	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	20	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) LicensePlateNumber, ConfirmingAgency, ConfirmerName, ConfirmationStatusCode, OriginatingAgencyCaseNumber, RequestTypeCode, [AgencyIdNumber, AgencyName, ArticleTypeCode, BirthDate, BoatHullNumber, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, HoursForConfirmation, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PhoneNumber, Remarks, SerialNumber, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
2. (In/Out) ConfirmingAgency, ConfirmerName, ConfirmationStatusCode, OriginatingAgencyCaseNumber, RequestTypeCode, VehicleIdentificationNumber, [AgencyIdNumber, AgencyName, ArticleTypeCode, BirthDate, BoatHullNumber, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, HoursForConfirmation, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PhoneNumber, Remarks, SerialNumber, SexCode, VehicleMakeCode, VehicleYear, WarrantNumber]
3. (In/Out) BirthDate, ConfirmingAgency, ConfirmerName, ConfirmationStatusCode, Name, OriginatingAgencyCaseNumber, RequestTypeCode, [AgencyIdNumber, AgencyName, ArticleTypeCode, BoatHullNumber, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, HoursForConfirmation, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, NCICNumber, PhoneNumber, Remarks,

- SerialNumber, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
4. ConfirmingAgency, ConfirmerName, ConfirmationStatusCode, GunCaliber, GunMake, OriginatingAgencyCaseNumber, RequestTypeCode, SerialNumber, [AgencyIdNumber, AgencyName, ArticleTypeCode, BirthDate, BoatHullNumber, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunModel, HoursForConfirmation, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PhoneNumber, Remarks, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
 5. (In/Out) ArticleTypeCode, ConfirmingAgency, ConfirmerName, ConfirmationStatusCode, OriginatingAgencyCaseNumber, RequestTypeCode, SerialNumber, [AgencyIdNumber, AgencyName, BirthDate, BoatHullNumber, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, HoursForConfirmation, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PhoneNumber, Remarks, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
 6. (In/Out) BoatHullNumber, ConfirmingAgency, ConfirmerName, ConfirmationStatusCode, OriginatingAgencyCaseNumber, RequestTypeCode, [AgencyIdNumber, AgencyName, ArticleTypeCode, BirthDate, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, HoursForConfirmation, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PhoneNumber, Remarks, SerialNumber, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
 7. (In/Out) ConfirmingAgency, ConfirmerName, ConfirmationStatusCode, OriginatingAgencyCaseNumber, RequestTypeCode, SerialNumber, [AgencyIdNumber, AgencyName, ArticleTypeCode, BirthDate, BoatHullNumber, BoatMakeCode, BoatRegistrationNumber, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, HoursForConfirmation, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PhoneNumber, Remarks, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]
 8. (In/Out) BoatRegistrationNumber, ConfirmingAgency, ConfirmerName, ConfirmationStatusCode, OriginatingAgencyCaseNumber, RequestTypeCode, [AgencyIdNumber, AgencyName, ArticleTypeCode, BirthDate, BoatHullNumber, BoatMakeCode, BrandName, CCICNumber, CourtOrderNumber, Denomination, ExtensionNumber, FaxNumber, GunCaliber, GunMake, GunModel, HoursForConfirmation, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, Name, NCICNumber, PhoneNumber, Remarks, SerialNumber, SexCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear, WarrantNumber]

AOSORIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FormORI	FormORI	M	9	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) FormORI, [UnitId]

Canadian Basic Inquiries (CBI)

CanadianArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
ReasonCode	ReasonCode	M	1	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, PersonPropertyInSightIndicator, ReasonCode, [UnitId]

CanadianBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	12	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
ProvinceCode	ProvinceCode	M	2	
ReasonCode	ReasonCode	M	1	
RegistrationNumber	RegistrationNumber	C	7	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) BoatHullIdNumber, PersonPropertyInSightIndicator, ProvinceCode, ReasonCode, [UnitId]
2. (In/Out) PersonPropertyInSightIndicator, ProvinceCode, ReasonCode, RegistrationNumber, [UnitId]

CanadianDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	8	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
ProvinceCode	ProvinceCode	M	2	
ReasonCode	ReasonCode	M	1	
SexCode	SexCode	M	1	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) BirthDate, Name, PersonPropertyInSightIndicator, ProvinceCode, ReasonCode, SexCode, [OperatorLicenseNumber, UnitId]

CanadianGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	M	23	
GunTypeCode	GunTypeCode	M	2	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
ReasonCode	ReasonCode	M	1	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) GunSerialNumber, GunTypeCode, PersonPropertyInSightIndicator, ReasonCode, [UnitId]

CanadianVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	M	1	
ProvinceCode	ProvinceCode	M	2	
ReasonCode	ReasonCode	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) LicensePlateNumber, PersonPropertyInSightIndicator, ProvinceCode, ReasonCode, [UnitId]
2. (In/Out) PersonPropertyInSightIndicator, ProvinceCode, ReasonCode, VehicleIdentificationNumber, [UnitId]

Computerized Criminal History (CCH)

CCHCriminalHistoryRecordExistenceQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	O	8	
CCICNumber	CCICNumber	C	10	
FBINumber	FBINumber	O	9	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
Operator	Operator	O	30	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	O	1	
ReasonForInquiry	ReasonForInquiry	O	75	
Requestor	Requestor	O	30	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) CCICNumber, PurposeCode, [Attention, UnitId]
2. (In/Out) BirthDate, Name, PurposeCode, SexCode, RaceCode, [Attention, Operator, ReasonForInquiry, Requestor, UnitId]
3. (In/Out) BirthDate, Name, PurposeCode, SexCode, RaceCode, SocialSecurityNumber, [Attention, Operator, ReasonForInquiry, Requestor, UnitId]
4. (In/Out) BirthDate, Name, PurposeCode, SexCode, RaceCode, MiscellaneousNumber, [Attention, Operator, ReasonForInquiry, Requestor, UnitId]
5. (In/Out) Name, PurposeCode, SocialSecurityNumber, [Attention, Operator, ReasonForInquiry, Requestor, UnitId]
6. (In/Out) Name, PurposeCode, MiscellaneousNumber, [Attention, Operator, ReasonForInquiry, Requestor, UnitId]
7. (In/Out) StateIdNumber, [Attention, Name, Operator, ReasonForInquiry, Requestor, UnitId]
8. (In/Out) FBINumber, [Attention, Name, Operator, ReasonForInquiry, Requestor, UnitId]

CCHCriminalHistoryRecordQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	30	
Attention	Attention	C	30	
Building	Building	O	30	
CCICNumber	CCICNumber	C	10	
CityAndState	CityAndState	O	30	
DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	9	
Name	Name	O	30	
PurposeCode	PurposeCode	C	1	
ReasonForInquiry	ReasonForInquiry	O	75	
StateIdNumber	StateIdNumber	C	10	
UnitId	UnitId	O	5	
ZipCode	ZipCode	O	9	
RapSheetTypeCode	RapSheetTypeCode	O	1	

Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, [Address, Building, CityAndState, DepartmentName, Name, ReasonForInquiry, UnitId, ZipCode, RapSheetTypeCode]
2. (In/Out) Attention, PurposeCode, StateIdNumber, [Address, Building, CityAndState, DepartmentName, Name, ReasonForInquiry, UnitId, ZipCode, RapSheetTypeCode]
3. (In/Out) CCICNumber, [Attention, PurposeCode, UnitId]

CCHFullCriminalRecordQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Address	Address	O	30	
Attention	Attention	M	30	
Building	Building	O	30	
CityAndState	CityAndState	O	30	
DepartmentName	DepartmentName	O	30	
ImageIndicator	ImageIndicator	O	1	'Y' and blank
PurposeCode	PurposeCode	M	1	
ReasonForInquiry	ReasonForInquiry	O	75	
State	State	O	2	
StateIdNumber	StateIdNumber	M	10	
UnitId	UnitId	O	5	
ZipCode	ZipCode	O	9	

Possible Combinations

1. (In/Out) Attention, PurposeCode, StateIdNumber, [Address, Building, CityAndState, DepartmentName, ImageIndicator, ReasonForInquiry, State, UnitId, ZipCode]

CCHIdentityInformationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	C	30	
BirthDate	BirthDate	O	8	
ImageIndicator	ImageIndicator	O	1	'Y' and blank
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
PurposeCode	PurposeCode	C	1	

RaceCode	RaceCode	O	1	
ReasonForInquiry	ReasonForInquiry	O	75	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
State	State	O	2	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) Attention, Name, PurposeCode, [BirthDate, ImageIndicator, MiscellaneousNumber, RaceCode, ReasonForInquiry, SexCode, SocialSecurityNumber, State, UnitId]

Person Entry (PE)

PEWantedCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestNumber	ArrestNumber	O	9	
ArrestDate	ArrestDate	O	10	
BondAgency	BondAgency	O	9	
CancelDate	CancelDate	M	10	
CCICNumber	CCICNumber	C	10	
CourtTime	CourtTime	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PurposeOfCancel	PurposeOfCancel	O	1	D=Arrested B=Bonded X=Quashed/Error/Other
ReturnCourtDate	ReturnCourtDate	O	10	

Possible Combinations

1. (In/Out) CancelDate, CCICNumber, OriginatingAgencyCaseNumber, [Any optional fields]
2. (In/Out) CancelDate, NCICNumber, OriginatingAgencyCaseNumber, [Any optional fields]
3. (In/Out) CancelDate, Name, OriginatingAgencyCaseNumber, [Any optional fields]

PEWantedClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestNumber	ArrestNumber	O	9	
ArrestDate	ArrestDate	O	10	
BondAgency	BondAgency	O	9	
CCICNumber	CCICNumber	C	10	
ClearDate	ClearDate	M	10	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
CourtTime	CourtTime	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	

PersonArmedIndicator	PersonArmedIndicator	O	1	Y, N or Blank
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PurposeForClear	PurposeForClear	O	1	D=Arrested B=Bonded X=Quashed/Error/Other
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
ReturnCourtDate	ReturnCourtDate	O	10	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	See NCIC code manual

Possible Combinations

1. (In/Out) ClearDate, CCICNumber, OriginatingAgencyCaseNumber, [Any optional fields]
2. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, [Any optional fields]
3. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, [Any optional fields]

PEWantedEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	See NCIC code manual
Bond	Bond	O	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC code manual
CitizenshipCode	CitizenshipCode	O	2	See NCIC code manual
ColoradoRevisedStatute	ColoradoRevisedStatute	O	36	
ColoradoRevisedStatuteDescription	ColoradoRevisedStatuteDescription	O	80	
CourtDocketNumber	CourtDocketNumber	O	16	
CourtIdentificationNumber	CourtIdentificationNumber	O	4	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	Y, N or Blank
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	O	10	
ExpirationDate	ExpirationDate	O	10	
ExtraditionLimitation	ExtraditionLimitation	O	2	See NCIC code manual
EyeColorCode	EyeColorCode	O	3	See NCIC code manual
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	3	See NCIC code manual
FraudulentBirthDate	FraudulentBirthDate	O	10	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
HairColorCode	HairColorCode	M	3	See NCIC code manual
Height	Height	M	3	See NCIC code manual
LawClass	LawClass	O	3	

LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	Default: EW EW-C, EWJ, EWJC ET, ET-C
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Y, N or Blank
OffenseCode	OffenseCode	M	4	See NCIC code manual
OffenseCodeDescription	OffenseCodeDescription	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	See NCIC code manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	See NCIC code manual
RecordType	RecordType	M	3	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	See NCIC code manual
SexCode	SexCode	M	1	See NCIC code manual
SkinToneCode	SkinToneCode	O	3	See NCIC code manual
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
VehicleColorCode	VehicleColorCode	O	7	See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	See NCIC code manual
VehicleMakeDescription	VehicleMakeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	See NCIC code manual
VehicleStyleCode	VehicleStyleCode	O	2	See NCIC code manual
VehicleYear	VehicleYear	O	4	
ViolationDate	ViolationDate	O	10	
WarrantDate	WarrantDate	O	10	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	M	3	See NCIC code manual

Possible Combinations

1. (In/Out) HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, RaceCode, RecordType, SexCode, Weight, [Any optional fields]

PEWantedLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CCICNumber	CCICNumber	C	10	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
ExtraditionCode	ExtraditionCode	M	4	See NCIC code manual
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	

NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	Y, N or Blank
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	10	
Remarks	Remarks	O	500	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	See NCIC code manual

Possible Combinations

1. (In/Out) CCICNumber, ExtraditionCode, OriginatingAgencyCaseNumber, RecoveryDate, [Any optional fields]
2. (In/Out) ExtraditionCode, Name, OriginatingAgencyCaseNumber, RecoveryDate, [Any optional fields]
3. (In/Out) ExtraditionCode, NCICNumber, OriginatingAgencyCaseNumber, RecoveryDate, [Any optional fields]

PEWantedModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	See NCIC code manual
Bond	Bond	O	8	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC code manual
CCICNumber	CCICNumber	C	10	
CitizenshipCode	CitizenshipCode	O	2	See NCIC code manual
ColoradoRevisedStatute	ColoradoRevisedStatute	O	36	
ColoradoRevisedStatuteDescription	ColoradoRevisedStatuteDescription	O	80	
CourtDocketNumber	CourtDocketNumber	O	16	
CourtIdentificationNumber	CourtIdentificationNumber	O	4	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	Y, N or Blank
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	O	10	
ExpirationDate	ExpirationDate	O	10	
ExtraditionLimitation	ExtraditionLimitation	O	2	See NCIC code manual
EyeColorCode	EyeColorCode	O	3	See NCIC code manual
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	3	See NCIC code manual
HairColorCode	HairColorCode	O	3	See NCIC code manual
Height	Height	O	3	See NCIC code manual
LawClass	LawClass	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	

LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
ModifiedName	ModifiedName	O	30	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Y, N or Blank
OffenseCode	OffenseCode	O	4	See NCIC code manual
OffenseCodeDescription	OffenseCodeDescription	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	See NCIC code manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	O	1	See NCIC code manual
RecordType	RecordType	O	3	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	See NCIC code manual
SexCode	SexCode	O	1	See NCIC code manual
SkinToneCode	SkinToneCode	O	3	See NCIC code manual
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	See NCIC code manual
VehicleMakeDescription	VehicleMakeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	See NCIC code manual
VehicleStyleCode	VehicleStyleCode	O	2	See NCIC code manual
VehicleYear	VehicleYear	O	4	
ViolationDate	ViolationDate	O	10	
WarrantDate	WarrantDate	O	10	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	See NCIC code manual

Possible Combinations

1. (In/Out) CCICNumber, OriginatingAgencyCaseNumber, [Any optional fields]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [Any optional fields]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [Any optional fields]

PEWantedSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	30	
BirthDate	BirthDate	O	10	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC code manual
CCICNumber	CCICNumber	C	10	
ColoradoRevisedStatute	ColoradoRevisedStatute	O	36	

ColoradoRevisedStatuteDescription	ColoradoRevisedStatuteDescription	O	80	
CourtDocketNumber	CourtDocketNumber	O	16	
ImageNCICNumber	ImageNCICNumber	O	10	* See Note below
ImageNCICNumber2	ImageNCICNumber2	O	10	* See Note below
ImageNCICNumber3	ImageNCICNumber3	O	10	* See Note below
ImageNCICNumber4	ImageNCICNumber4	O	10	* See Note below
ImageNCICNumber5	ImageNCICNumber5	O	10	* See Note below
ImageNCICNumber6	ImageNCICNumber6	O	10	* See Note below
ImageNCICNumber7	ImageNCICNumber7	O	10	* See Note below
ImageNCICNumber8	ImageNCICNumber8	O	10	* See Note below
ImageNCICNumber9	ImageNCICNumber9	O	10	* See Note below
ImageTypeCode	ImageTypeCode	O	1	See NCIC code manual
ImageTypeCode2	ImageTypeCode2	O	1	See NCIC code manual
ImageTypeCode3	ImageTypeCode3	O	1	See NCIC code manual
ImageTypeCode4	ImageTypeCode4	O	1	See NCIC code manual
ImageTypeCode5	ImageTypeCode5	O	1	See NCIC code manual
ImageTypeCode6	ImageTypeCode6	O	1	See NCIC code manual
ImageTypeCode7	ImageTypeCode7	O	1	See NCIC code manual
ImageTypeCode8	ImageTypeCode8	O	1	See NCIC code manual
ImageTypeCode9	ImageTypeCode9	O	1	See NCIC code manual
LawClass	LawClass	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	* See Note below
LicensePlateStateCode	LicensePlateStateCode	O	2	* See Note below
LicensePlateTypeCode	LicensePlateTypeCode	O	2	* See Note below See NCIC code manual
LicensePlateYear	LicensePlateYear	O	4	* See Note below
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
Nickname	Nickname	O	15	
OffenseCode	OffenseCode	O		See NCIC code manual
OffenseDescription	OffenseDescription	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	* See Note below
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	* See Note below
OperatorLicenseYear	OperatorLicenseYear	O	4	* See Note below
OriginalOffenseCode	OriginalOffenseCode	O	4	See NCIC code manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	See NCIC code manual
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	See NCIC code manual
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	See NCIC code manual
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	See NCIC code manual
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	See NCIC code manual
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	See NCIC code manual
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	See NCIC code manual
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	See NCIC code manual
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	See NCIC code manual
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	* See Note below See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	* See Note below
VehicleMakeCode	VehicleMakeCode	O	4	* See Note below See NCIC code manual

VehicleMakeDescription	VehicleMakeDescription	O	20	* See Note below
VehicleModelCode	VehicleModelCode	O	3	* See Note below See NCIC code manual
VehicleStyleCode	VehicleStyleCode	O	2	* See Note below See NCIC code manual
VehicleYear	VehicleYear	O	4	* See Note below

***NOTE:** Image, Operator License, License Plate and Vehicle data must be entered as sets. See NCIC manual for guidance.

Possible Combinations

1. (In/Out) CCICNumber, OriginatingAgencyCaseNumber, (Any optional Fields)
2. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, (Any optional Fields)
3. (In/Out) Name, OriginatingAgencyCaseNumber, (Any optional Fields)

PEWantedSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs	O	30	
BirthDate	BirthDate	O	10	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	See NCIC code manual
CCICNumber	CCICNumber	C	10	
ColoradoRevisedStatute	ColoradoRevisedStatute	O	36	
ColoradoRevisedStatuteDescription	ColoradoRevisedStatuteDescription	O	80	
CourtDocketNumber	CourtDocketNumber	O	16	
ImageNCICNumber	ImageNCICNumber	O	10	* See Note below
ImageNCICNumber2	ImageNCICNumber2	O	10	* See Note below
ImageNCICNumber3	ImageNCICNumber3	O	10	* See Note below
ImageNCICNumber4	ImageNCICNumber4	O	10	* See Note below
ImageNCICNumber5	ImageNCICNumber5	O	10	* See Note below
ImageNCICNumber6	ImageNCICNumber6	O	10	* See Note below
ImageNCICNumber7	ImageNCICNumber7	O	10	* See Note below
ImageNCICNumber8	ImageNCICNumber8	O	10	* See Note below
ImageNCICNumber9	ImageNCICNumber9	O	10	* See Note below
ImageTypeCode	ImageTypeCode	O	1	See NCIC code manual
ImageTypeCode2	ImageTypeCode2	O	1	See NCIC code manual
ImageTypeCode3	ImageTypeCode3	O	1	See NCIC code manual
ImageTypeCode4	ImageTypeCode4	O	1	See NCIC code manual
ImageTypeCode5	ImageTypeCode5	O	1	See NCIC code manual
ImageTypeCode6	ImageTypeCode6	O	1	See NCIC code manual
ImageTypeCode7	ImageTypeCode7	O	1	See NCIC code manual
ImageTypeCode8	ImageTypeCode8	O	1	See NCIC code manual
ImageTypeCode9	ImageTypeCode9	O	1	See NCIC code manual
LawClass	LawClass	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	* See Note below
LicensePlateStateCode	LicensePlateStateCode	O	2	* See Note below
LicensePlateTypeCode	LicensePlateTypeCode	O	2	* See Note below See NCIC code manual
LicensePlateYear	LicensePlateYear	O	4	* See Note below
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
Nickname	Nickname	O	15	

OffenseCode	OffenseCode	O	4	See NCIC code manual
OffenseDescription	OffenseDescription	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	* See Note below
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	* See Note below
OperatorLicenseYear	OperatorLicenseYear	O	4	* See Note below
OriginalOffenseCode	OriginalOffenseCode	O	4	See NCIC code manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	See NCIC code manual
ScarsMarksTattoosCode2	ScarsMarksTattoosCode2	O	10	See NCIC code manual
ScarsMarksTattoosCode3	ScarsMarksTattoosCode3	O	10	See NCIC code manual
ScarsMarksTattoosCode4	ScarsMarksTattoosCode4	O	10	See NCIC code manual
ScarsMarksTattoosCode5	ScarsMarksTattoosCode5	O	10	See NCIC code manual
ScarsMarksTattoosCode6	ScarsMarksTattoosCode6	O	10	See NCIC code manual
ScarsMarksTattoosCode7	ScarsMarksTattoosCode7	O	10	See NCIC code manual
ScarsMarksTattoosCode8	ScarsMarksTattoosCode8	O	10	See NCIC code manual
ScarsMarksTattoosCode9	ScarsMarksTattoosCode9	O	10	See NCIC code manual
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	* See Note below See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	* See Note below
VehicleMakeCode	VehicleMakeCode	O	4	* See Note below See NCIC code manual
VehicleMakeDescription	VehicleMakeDescription	O	20	* See Note below
VehicleModelCode	VehicleModelCode	O	3	* See Note below See NCIC code manual
VehicleStyleCode	VehicleStyleCode	O	2	* See Note below See NCIC code manual
VehicleYear	VehicleYear	O	4	* See Note below

***NOTE:** Image, Operator License, License Plate and Vehicle data must be entered as sets. See NCIC manual for guidance.

Possible Combinations

1. (In/Out) CCICNumber, OriginatingAgencyCaseNumber, (Any optional Fields)
2. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, (Any optional Fields)
3. (In/Out) Name, OriginatingAgencyCaseNumber, (Any optional Fields)

Wanted Missing Person Inquiries (WMP-I)

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
AreaCode	AreaCode	O	3	
BirthDate	BirthDate	O	8	
CCICNumber	CCICNumber	O	10	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
EyeColorCode	EyeColorCode	C	3	
FBINumber	FBINumber	C	9	
HairColorCode	HairColorCode	C	3	
Height	Height	C	3	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	

MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
Name2	Name2	O	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StatIdNumber	StatIdNumber	C	8	
UnitId	UnitId	O	5	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [AreaCode, ExpandedNameSearchCode, ImageIndicator, Name2, UnitId]
2. (In/Out) CICNumber, [ImageIndicator, UnitId]
3. (In/Out) FBINumber, [ImageIndicator, OriginatingAgencyORI, UnitId]
4. (In/Out) LicensePlateNumber, [ImageIndicator, LicensePlateStateCode, UnitId]
5. (In/Out) MiscellaneousNumber, [ImageIndicator, UnitId]
6. (In/Out) Name, [ImageIndicator, OriginatingAgencyCaseNumber, UnitId]
7. (In/Out) NCICNumber, [ImageIndicator, UnitId]
8. (In/Out) OperatorLicenseNumber, [ImageIndicator, UnitId]
9. (In/Out) OriginatingAgencyCaseNumber, [ImageIndicator, UnitId]
10. (In/Out) SocialSecurityNumber, [ImageIndicator, UnitId]
11. (In/Out) StatIdNumber, [ImageIndicator, UnitId]
12. (In/Out) VehicleIdentificationNumber, [ImageIndicator, UnitId, VehicleMakeCode]

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	Numeric-Date. See NCIC manual
CCICNumber	CCICNumber	C	10	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric: 0, 1, 2, 3 – See NCIC manual
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Alphabetic: Y, N, or blank
FBINumber	FBINumber	O	9	Alphanumeric. See NCIC manual
ImageIndicator	ImageIndicator	O	1	Alphabetic: Y, N, or blank
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric. See NCIC manual
LicensePlateStateCode	LicensePlateStateCode	C	2	Alphanumeric; See NCIC code manual
MiscellaneousNumber	MiscellaneousNumber	O	15	Alphanumeric, Special chars, See NCIC code manual
Name	Name	C	30	Alphanumeric; See NCIC manual
NCICNumber	NCICNumber	C	10	Alphanumeric. See NCIC manual
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric. See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	Alphanumeric, Special chars, See NCIC code manual
ProtectionOrderNumber	ProtectionOrderNumber	C	15	Alphanumeric, Special chars, See NCIC code manual
RaceCode	RaceCode	O	1	Alphabetic: I, A, B, W, U. See NCIC code manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Alphabetic: Y, N, or blank
SexCode	SexCode	O	1	Alpha: M, F, U
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
UnitId	UnitId	O	5	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric, See NCIC manual

VehicleMakeCode	VehicleMakeCode	C	24	Alphanumeric, See NCIC manual
-----------------	-----------------	---	----	-------------------------------

Possible Combinations

1. (In/Out) Name, [BirthDate, ExpandedBirthDateSearchCode, ExpandedNameSearchCode, FBINumber, ImageIndicator, MiscellaneousNumber, OperatorLicenseNumber, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, UnitId]
2. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, RelatedHitSearchIndicator, UnitId, VehicleIdentificationNumber, VehicleMakeCode]
3. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator, LicensePlateNumber, LicensePlateStateCode, RelatedHitSearchIndicator, UnitId]
4. (In/Out) Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchCode, ImageIndicator, RelatedHitSearchIndicator, UnitId]
5. (In/Out) Name, ProtectionOrderNumber, [ExpandedNameSearchCode, ImageIndicator, RelatedHitSearchIndicator, UnitId]
6. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]
7. (In/Out) CCICNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]

WMPISexOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
CICNumber	CICNumber	C	10	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SexualOffenderStatusIndicator	SexualOffenderStatusIndicator	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	8	
UnitId	UnitId	O	5	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
ZipCode	ZipCode	C	10	

Possible Combinations

1. (In/Out) NCICNumber, [ImageIndicator, UnitId]
2. (In/Out) CICNumber, [ImageIndicator, UnitId]
3. (In/Out) Name, [ExpandedBirthDateSearchCode, ExpandedNameSearchCode, FBINumber, ImageIndicator, LicensePlateNumber, LicensePlateStateCode, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, RelatedHitSearchIndicator, SexCode, SexualOffenderStatusIndicator, SocialSecurityNumber, UnitId, VehicleIdentificationNumber, VehicleMakeCode]
4. (In/Out) ZipCode, [ImageIndicator, SexualOffenderStatusIndicator, UnitId]
5. (In/Out) OriginatingAgencyCaseNumber, [ImageIndicator, SexualOffenderStatusIndicator, UnitId]

6. (In/Out) StateIdNumber, [ImageIndicator, SexualOffenderStatusIndicator, UnitId]
7. (In/Out) FBI Number, [ImageIndicator, SexualOffenderStatusIndicator, UnitId]
8. (In/Out) SocialSecurityNumber, [ImageIndicator, SexualOffenderStatusIndicator, UnitId]
9. (In/Out) MiscellaneousNumber, [ImageIndicator, SexualOffenderStatusIndicator, UnitId]
10. (In/Out) OperatorLicenseNumber, [ImageIndicator, SexualOffenderStatusIndicator, UnitId]
11. (In/Out) LicensePlateNumber, [ImageIndicator, SexualOffenderStatusIndicator, UnitId]
12. (In/Out) VehicleIdentificationNumber, [ImageIndicator, SexualOffenderStatusIndicator, UnitId]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
AreaCode	AreaCode	O	3	
BodyPartsStatusCode	BodyPartsStatusCode	C	15	
EyeColorCode	EyeColorCode	C	3	
HairColorCode	HairColorCode	C	3	
Height	Height	C	3	
ImageIndicator	ImageIndicator	O	1	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
UnitId	UnitId	O	5	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, Weight, SexCode, RaceCode, [AreaCode, ImageIndicator, RelatedHitSearchIndicator, UnitId,]
2. (In/Out), BodyPartsStatusCode, [AreaCode, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode, UnitId]
3. (In/Out) SexCode, RaceCode, [BodyPartsStatusCode, ImageIndicator, RelatedHitSearchIndicator, UnitId]
4. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]
5. (In/Out) OriginatingAgencyCaseNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
CCICNumber	CCICNumber	C	10	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
FBI Number	FBI Number	C	9	
ImageIndicator	ImageIndicator	O	1	'Y' and blank
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
MessageKey	MessageKey	O	1	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	'Y' and blank
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
UnitId	UnitId	O	5	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	

Possible Combinations

1. (In/Out) Name, [BirthDate, ExpandedBirthDateSearchCode, ExpandedNameSearchCode, FBINumber, ImageIndicator, MessageKey, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, UnitId]
2. (In/Out) LicensePlateNumber, LicensePlateStateCode, [UnitId, VehicleIdentificationNumber, VehicleMakeCode]
3. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [LicensePlateNumber, LicensePlateStateCode, UnitId]
4. (In/Out) Name, OriginatingAgencyCaseNumber, [UnitId]
5. (In/Out) NCICNumber, [UnitId]
6. (In/Out) CCICNumber, [UnitId]

Expanded Transactions Supported:

CoCbiOfmlQAL

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
Name	Name	C	40	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RecordLimit	RecordLimit	O	4	
Score	Score	O	2	
SexCode	SexCode	O	1	
StatIdNumber	StatIdNumber	C	8	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) Name, [BirthDate, OriginatingAgencyCaseNumber, RaceCode, RecordLimit, Score, SexCode, StatIdNumber, UnitId]
2. (In/Out) OriginatingAgencyCaseNumber, [Name, BirthDate, RaceCode, RecordLimit, Score, SexCode, StatIdNumber, UnitId]
3. (In/Out) StatIdNumber, [Name, BirthDate, OriginatingAgencyCaseNumber, RaceCode, RecordLimit, Score, SexCode, UnitId]

CoCbiOfmlQDNAM

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
Name	Name	M	30	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) Name, [BirthDate, UnitId]

CoCbiOfmlQDNUM

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CorrectionsNumber	CorrectionsNumber	M	20	
MessageTypeCode	MessageTypeCode	O	3	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) DocumentNumber, [CorrectionsNumber, MessageTypeCode, UnitId]

CoCbiOfmlQC

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
CCICNumber	CCICNumber	C	10	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	8	
UnitId	UnitId	O	5	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	

Possible Combinations

1. (In/Out) Name, [ExpandedBirthDateSearchCode, ExpandedNameSearchCode, FBINumber, ImageIndicator, LicensePlateNumber, LicensePlateStateCode, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, UnitId, VehicleIdentificationNumber, VehicleMakeCode]
2. (In/Out) LicensePlateNumber, [LicensePlateStateCode, ImageIndicator, RelatedHitSearchIndicator, UnitId, VehicleIdentificationNumber, VehicleMakeCode]
3. (In/Out) VehicleIdentificationNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId, VehicleMakeCode]
4. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]
5. (In/Out) CCICNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]
6. (In/Out) OriginatingAgencyCaseNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]
7. (In/Out) FBINumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]
8. (In/Out) MiscellaneousNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]
9. (In/Out) SocialSecurityNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]
10. (In/Out) OperatorLicenseNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]
11. (In/Out) StateIdNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]

CoCbiOfmlQQ

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
Name	Name	C	40	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
SocialSecurityNumber	SocialSecurityNumber	C	9	
UnitId	UnitId	O	5	
VehicleIdentificationNumber	VehicleIdentificationNumber	C		

Possible Combinations

1. (In/Out) BirthDate, Name, [OperatorLicenseNumber, OperatorLicenseStateCode, SocialSecurityNumber, UnitId]
2. (In/Out) LicensePlateNumber, [LicensePlateStateCode, UnitId]
3. (In/Out) OperatorLicenseNumber, [BirthDate, Name, OperatorLicenseStateCode, SocialSecurityNumber, UnitId]
4. (In/Out) SocialSecurityNumber, [BirthDate, Name, OperatorLicenseNumber, OperatorLicenseStateCode, UnitId]
5. (In/Out) VehicleIdentificationNumber, [UnitId]

DriverAlphaQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
State	State	O	2	
Name	Name	C	40	
UnitId	UnitId	O	5	

Possible Combinations

1. (In) Name, [UnitId]
2. (Out) Name, State, [UnitId]

LojackQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LojackReplyCode	LojackReplyCode	M	5	
MessageType	MessageType	M	12	

Possible Combinations

1. (In/Out) LojackReplyCode, MessageType

SecuritiesStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CICNumber	CICNumber	C	10	
Denomination	Denomination	C	9	
Issuer	Issuer	O	15	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
Owner	Owner	C	40	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SecurityDate	SecurityDate	O	9	
SecuritySerialNumber	SecuritySerialNumber	C	18	
SecurityTypeCode	SecurityTypeCode	C	2	
SocialSecurityNumber	SocialSecurityNumber	C	9	

UnitId	UnitId	O	5	
--------	--------	---	---	--

Possible Combinations

1. (In/Out) CICNumber, [RelatedHitSearchIndicator, SecurityDate, UnitId]
2. (In/Out) NCICNumber, [RelatedHitSearchIndicator, SecurityDate, UnitId]
3. (In/Out) OriginatingAgencyCaseNumber [RelatedHitSearchIndicator, SecurityDate, UnitId]
4. (In/Out) SecuritySerialNumber, Denomination, SecurityTypeCode, [Issuer, RelatedHitSearchIndicator, SecurityDate, UnitId]
5. (In/Out) Owner, [OriginatingAgencyCaseNumber, SocialSecurityNumber, SecurityTypeCode, Issuer, RelatedHitSearchIndicator, SecurityDate, UnitId]
6. (In/Out) SocialSecurityNumber, [Issuer, RelatedHitSearchIndicator, SecurityDate, UnitId]

SnowmobileRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	10	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
UnitId	UnitId	O	5	

Possible Combinations

1. (In/Out) BirthDate, Name, [State, UnitId]
2. (In/Out) RegistrationNumber, [State, UnitId]
3. (In/Out) VehicleIdentificationNumber, [State, UnitId]

VehiclePartialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
Name	Name	C	40	
UnitId	UnitId	O	5	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	3	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	20	
VehicleYearEnd	VehicleYearEnd	O	4	
VehicleYearStart	VehicleYearStart	O	4	

Possible Combinations

1. (In/Out) LicensePlateNumber, [UnitId, VehicleColorCode, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYearEnd, VehicleYearStart]
2. (In/Out) Name, [UnitId]
3. (In/Out) VehicleIdentificationNumber, [UnitId, VehicleYearEnd, VehicleYearStart]
4. (In/Out) VehicleMakeCode, [UnitId, VehicleColorCode, VehicleIdentificationNumber, VehicleModelCode, VehicleStyleCode, VehicleYearEnd, VehicleYearStart]

VehicleStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
CCICNumber	CCICNumber	C	10	
ImageIndicator	ImageIndicator	O	1	'Y' and blank
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	

LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	'Y' and blank
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
UnitId	UnitId	O	5	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	

Possible Combinations

1. (In/Out) BirthDate, Name, [ImageIndicator, OperatorLicenseStateCode, RaceCode, RelatedHitSearchIndicator, SexCode, UnitId]
2. (In/Out) Name, [BirthDate, LicensePlateNumber, LicensePlateStateCode, SocialSecurityNumber, UnitId, VehicleIdentificationNumber]
3. (In/Out) CCICNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]
4. (In/Out) OriginatingAgencyCaseNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]
5. (In/Out) LicensePlateNumber, [ImageIndicator, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, RelatedHitSearchIndicator, UnitId, VehicleIdentificationNumber]
6. (In/Out) VehicleIdentificationNumber, [ImageIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, RelatedHitSearchIndicator, UnitId, VehicleMakeCode]
7. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator, UnitId]
8. (In/Out) SocialSecurityNumber, [ImageIndicator, UnitId]
9. (In/Out) OperatorLicenseNumber, [ImageIndicator, UnitId]
10. (In/Out) MiscellaneousNumber, [ImageIndicator, UnitId]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

References:

- Specification for FoxTalk™ TCP/IP Protocol Version 1.1
- OpenFox™ Interface Specification for the OpenFox™ / Omnixx™ Force Markup Language (OFML™) Version 1.1