

Delaware (DE) DSPCJIS

[Statement](#)

[Disclaimer](#)

Transport:

TCPIP

DE Specific Transport

Routing and Configuration Information:

Mnemonic Routing

- The DELJIS assigned ORI for a device (or for the site) should be placed in the <Authentication>/<ORI> field in the ConnectCIC header.
- The DELJIS assigned Mnemonic for a device should be placed in the <Authentication>/<Mnemonic> field in the ConnectCIC header.
- The DELJIS assigned UserName for a user should be placed in the <Authentication>/<UserName> field in the ConnectCIC header.

Security Requirements:

None known at this time.

Certification Requirements:

Agency sponsor is required.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	
ImageIndicator	ImageIndicator	O	1	'Y','N' or blank
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	'Y','N' or blank

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [ImageIndicator, RelatedHitSearchIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
ImageIndicator	ImageIndicator	O	1	'Y','N' or blank
RegistrationNumber	RegistrationNumber	C	8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	'Y','N' or blank

Possible Combinations

1. (In/Out) BoatHullIdNumber, [ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) RegistrationNumber, [ImageIndicator, RelatedHitSearchIndicator]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
ImageIndicator	ImageIndicator	O	1	'Y','N' or blank
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
SexCode	SexCode	O	1	
State	State	O	2	
State2	State2	O		
State3	State3	O		
State4	State4	O		
State5	State5	O		

Possible Combinations

1. (In/Out) BirthDate, Name, [ImageIndicator, SexCode, State, State2, State3, State4, State5]
2. (In/Out) OperatorLicenseNumber, [ImageIndicator, OperatorLicenseStateCode, State, State2, State3, State4, State5]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	M	11	
ImageIndicator	ImageIndicator	O	1	'Y','N' or blank
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	'Y','N' or blank

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunModel, ImageIndicator, RelatedHitSearchIndicator]

LogoffRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

LogonRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Password	Password	M	18	

Possible Combinations

1. (In/Out) Password

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
State	State	O	2	
State2	State2	O		
State3	State3	O		
State4	State4	O		
State5	State5	O		
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, [State, State2, State3, State4, State5]
2. (In/Out) VehicleIdentificationNumber, [State, State2, State3, State4, State5, VehicleMakeCode, VehicleYear]

Transactions Supported:

None

Expanded Transactions Supported:

WantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchIndicator	ExpandedBirthDateSearchIndicator	O	1	'Y','N' or blank
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	'Y','N' or blank
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	'Y','N' or blank
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
MessageKeyModifier	MessageKeyModifier	O	1	'A','E','F','S' or blank
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	'Y','N' or blank
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
2. (In/Out) Name, and one or more numeric identifiers(BirthDate, FBINumber, MiscellaneousNumber, OriginatingAgencyCaseNumber, OperatorLicenseNumber, SocialSecurityNumber), [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator, MessageKeyModifier, RaceCode, RelatedHitSearchIndicator, SexCode]
3. (In/Out) NCICNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
4. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- DELJIS Documentation