

Illinois (IL) LEADS OFML [Statement](#)

[Disclaimer](#)

Transport:

TCP/IP Foxtalk

Routing and Configuration Information:

Mnemonic Routing

- The state assigned UserId for each user should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.
- The LEADS assigned ORI for a device or agency should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The LEADS assigned CDC name (maximum 10 characters) for the agency submitting the transaction should be placed in the **<Authentication>/<CDCName>** field. If only one agency is operating through the same message switch connection the CDC name can be set in the **CDCName** field found in the “Other State Settings” drop down list.
- The state assigned **ConnectionName** should also be set in the “Other State Settings” drop down list.
- The application device identifier used for routing responses should be placed in the **<Authentication>/<Mnemonic>** field in each transaction.

Security Requirements:

None known at this time

Logon Requirements:

None

Certification Requirements:

Excerpt From LEADS Administrative Rules - Section 1240.40 Connecting to LEADS

a) To connect to LEADS, an agency must have computer hardware and computer software, and be connected to a communications link to the LEADS Data Center in Springfield. For each of these requirements, there are various options. In addition, the agency must meet certain planning and administrative responsibilities.

- Notify LEADS Administrator When an agency desires to participate in LEADS and meets the qualifications described in Section 1240.30 or when an agency wishes to change its method of connecting to LEADS, it must make a written request at least 90 days in advance of the desired connection date. The request must be sent to the LEADS Administrator and must state:
 - 1) When connection to LEADS is desired; and
 - 2) What equipment and connecting options are planned by the agency.
- Arrange a Conference - The agency must arrange for a conference between its own representatives, any hardware or software vendors involved, and the Department. The LEADS Administrator may waive the requirement for a formal meeting if the vendor has previously demonstrated the ability to

successfully interface with LEADS. The Department accepts no responsibility for misunderstanding of LEADS specifications and requirements that occurs between the local agency and its vendors.

b) The LEADS Administrator must approve the agency's hardware and software configuration prior to the agency connecting to LEADS.

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	M	7	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode
2. (In/Out) OwnerAppliedNumber, ArticleTypeCode

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Y or blank
State	State	M	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) BoatHullIdNumber, State, [RelatedHitSearchIndicator, State2, State3, State4, State5]
2. (In/Out) RegistrationNumber, State, [RelatedHitSearchIndicator, State2, State3, State4, State5]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
State	State	C	2	

Possible Combinations

1. (In) Name, BirthDate, [ImageIndicator, RelatedHitSearchIndicator, SexCode]

2. (In) OperatorLicenseNumber, [ImageIndicator, RelatedHitSearchIndicator]
3. (Out) Name, BirthDate, State[ImageIndicator, RelatedHitSearchIndicator, SexCode]
4. (Out) OperatorLicenseNumber, State[ImageIndicator, RelatedHitSearchIndicator]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	3	
GunSerialNumber	GunSerialNumber	M	20	
ImageIndicatot	ImageIndicatot	O	1	Blank or Y
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Blank or Y

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, ImageIndicator, RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageIndicator	ImageIndicator	O	1	Blank or Y
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Blank or Y
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMake	VehicleMake	O	24	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) LicensePlateNumber, [ImageIndicator, LicensePlateTypeCode, LicensePlateYear, RelatedHitSearchIndicator]
2. (In) VehicleIdentificationNumber, [RelatedHitSearchIndicator, VehicleMakeCode, VehicleYear]
3. (In/Out) [ImageIndicator, LicensePlateNumber, LicensePlateYear, RelatedHitSearchIndicator, State, VehicleIdentificationNumber, VehicleMake]
4. (Out) VehicleIdentificationNumber, State, [ImageIndicator, RelatedHitSearchIndicator, VehicleMakeCode, VehicleYear]
5. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State, [ImageIndicator, RelatedHitSearchIndicator]

Transactions Supported:

Computerized Criminal History (CCH) Package:

CCHCriminalHistoryQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	O	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	

Name	Name	M	30	
PurposeCode	PurposeCode	M	1	Alpha: 'A', 'C', 'D', 'F', 'H', 'I', 'J', 'S', 'V', or 'X'
RaceCode	RaceCode	O	1	
RequestingAgency	RequestingAgency	O	20	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) Attention, Name, PurposeCode, [BirthDate, MiscellaneousNumber, RaceCode, RequestingAgency, SexCode, SocialSecurityNumber]

CCHCriminalHistoryQR1Query

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AgencyName	AgencyName	O	30	
Attention	Attention	M	30	
BuildingInformation	BuildingInformation	O	30	
FBINumber	FBINumber	C	10	
MailingAddress	MailingAddress	O	30	
PurposeCode	PurposeCode	M	1	Alpha: 'A', 'C', 'D', 'F', 'H', 'I', 'J', 'S', 'V', or 'X'
RequestingAgency	RequestingAgency	O	20	
StateIdNumber	StateIdNumber	C	10	
ZipCode	ZipCode	O	9	

Possible Combinations

1. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressCityState, AgencyName, BuildingInformation, ImageIndicator, MailingAddress, RequestingAgency, ZipCode]
2. (In/Out) Attention, PurposeCode, FBINumber, [AddressCityState, AgencyName, BuildingInformation, ImageIndicator, MailingAddress, RequestingAgency, ZipCode]

CCHCriminalHistoryQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AgencyName	AgencyName	O	30	
Attention	Attention	M	30	
BuildingInformation	BuildingInformation	O	30	
FBINumber	FBINumber	C	10	
AddressStreet	AddressStreet	O	30	
PurposeCode	PurposeCode	M	1	Alpha: 'A', 'C', 'D', 'F', 'H', 'I', 'J', 'S', 'V', or 'X'
RequestingAgency	RequestingAgency	M	20	
StateIdNumber	StateIdNumber	C	10	
UserId	UserId	O	2	
AddressZipCode	AddressZipCode	O	9	

Possible Combinations

1. (In/Out) Attention, PurposeCode, RequestingAgency, FBINumber, [AddressCityState, AgencyName, BuildingInformation, AddressStreet, UserId, AddressZipCode]
2. (In/Out) Attention, PurposeCode, RequestingAgency, StateIdNumber, [AddressCityState, AgencyName, BuildingInformation, AddressStreet, UserId, AddressZipCode]

Wanted Missing Person Entry (WMPE)

WMPEMissingPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
LeadsRecordNumber	LeadsRecordNumber	C	8	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, Name, NCICNumber, [PersonRecordRemovalReason]
2. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber, [PersonRecordRemovalReason]
3. (In/Out) CancellationDate, Name, OriginatingAgencyCaseNumber, [PersonRecordRemovalReason]
4. (In/Out) CancellationDate, LeadsRecordNumber, Name, [PersonRecordRemovalReason]

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
LeadsRecordNumber	LeadsRecordNumber	C	8	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonArmedIndicator	PersonArmedIndicator	O	1	

PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber,, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]
2. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]
3. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]
4. (In/Out) ClearDate, LeadsRecordNumber, Name, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]

WMPEMissingPersonEnter

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	2	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CDCName	CDCName	O	3	
CircumcisionCode	CircumcisionCode	O	1	
CitizenshipCode	CitizenshipCode	O	2	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	O	10	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	
FBI Number	FBI Number	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintIndicator	FootprintIndicator	O	1	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
JewelryTypeCode	JewelryTypeCode	O	50	
LastContactDate	LastContactDate	M	10	
LicensePlateMonth	LicensePlateMonth	O	2	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	

LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	M	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	
MissingPersonCode	MissingPersonCode	M	2	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
PropertyDescriptionText	PropertyDescriptionText	O	100	
RaceCode	RaceCode	M	1	
ReportingAgency	ReportingAgency	O	30	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
UserId	UserId	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) EyeColorCode, HairColorCode, Height, LastContactDate, MessageKey, MissingPersonCode, Name, RaceCode, SexCode, Weight, [Age, BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CDCName, CircumcisionCode, CitizenshipCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, FBI Number, FingerprintClassificationCode, FootprintIndicator, JewelryTypeCode, LicensePlateMonth, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, PropertyDescriptionText, ReportingAgency, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, UserId, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
DispositionCode	DispositionCode	M	4	
LeadsRecordNumber	LeadsRecordNumber	C	8	

MissingPersonHitResultCode	MissingPersonHitResultCode	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	10	

Possible Combinations

1. (In/Out) DispositionCode, RecoveryDate, Name, NCICNumber, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
2. (In/Out) DispositionCode, RecoveryDate, NCICNumber, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
3. (In/Out) DispositionCode, RecoveryDate, Name, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
4. (In/Out) DispositionCode, RecoveryDate, LeadsRecordNumber, Name, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

WMPEMissingPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyCity	AgencyCity	O	4	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
CitizenshipCode	CitizenshipCode	O	2	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DispositionCode	DispositionCode	O	4	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	O	10	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintIndicator	FootprintIndicator	O	1	
HairColorCode	HairColorCode	O	3	

Height	Height	O	3	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
JewelryDescription	JewelryDescription	O	100	
JewelryTypeCode	JewelryTypeCode	O	50	
LastContactDate	LastContactDate	O	10	
LeadsRecordNumber	LeadsRecordNumber	C	8	
LicensePlateMonth	LicensePlateMonth	O	2	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	
MissingPersonCode	MissingPersonCode	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewMessageKey	NewMessageKey	O	4	
NewName	NewName	O	30	
NewORI	NewORI	O	9	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RecoveryDate	RecoveryDate	O	10	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateldNumber	StateldNumber	O	10	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, NCICNumber, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, JewelryDescription, JewelryTypeCode, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear,

- LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, NewMessageKey, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
2. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, JewelryDescription, JewelryTypeCode, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, NewMessageKey, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
 3. (In/Out) Name, OriginatingAgencyCaseNumber, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, JewelryDescription, JewelryTypeCode, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, NewMessageKey, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
 4. (In/Out) LeadsRecordNumber, Name, [AgencyCity, BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPerscriptionCode, DispositionCode, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, ImageNCICNumber, ImageTypeCode, JewelryDescription, JewelryTypeCode, LastContactDate, LicensePlateMonth, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, NCICNumber, NewMessageKey, NewName, NewORI, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, RaceCode, RecoveryDate, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPEUnidentifiedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber, [PersonRecordRemovalReason]

WMPEUnidentifiedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, [PersonRecordRemovalReason]

WMPEUnidentifiedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
BodyFoundDate	BodyFoundDate	O	8	
BodyPartsStatusCode	BodyPartsStatusCode	O	15	
BodyXRayCode	BodyXRayCode	O	1	
CauseOfDeath	CauseOfDeath	O	30	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EstimatedBirthYear	EstimatedBirthYear	O	9	
EstimatedDeathDate	EstimatedDeathDate	O	8	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintAvailableIndicator	FootprintAvailableIndicator	O	1	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
JewelryDescription	JewelryDescription	O	100	
JewelryTypeCode	JewelryTypeCode	O	50	
LinkageAgencyORI	LinkageAgencyORI	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MedicalExaminerAgencyAndCaseNumber	MedicalExaminerAgencyAndCaseNumber	O	50	
MedicalExaminerLocality	MedicalExaminerLocality	O	30	
MedicalExaminerTelephoneNumber	MedicalExaminerTelephoneNumber	O	12	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	

RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SubjectType	SubjectType	M	1	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) EyeColorCode, HairColorCode, Height, OriginatingAgencyCaseNumber, RaceCode, SexCode, SubjectType, Weight, [BloodTypeCode, BodyFoundDate, BodyPartsStatusCode, BodyXRayCode, CauseOfDeath, CircumcisionCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EstimatedBirthYear, EstimatedDeathDate, EthnicityCode, FingerprintClassificationCode, FootprintAvailableIndicator, JewelryDescription, JewelryTypeCode, LinkageAgencyORI, LinkageCaseNumber, MedicalExaminerAgencyAndCaseNumber, MedicalExaminerLocality, MedicalExaminerTelephoneNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ScarsMarksTattoosCode]

WMPEUnidentifiedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
BodyFoundDate	BodyFoundDate	O	10	
BodyPartsStatusCode	BodyPartsStatusCode	O	15	
BodyXRayCode	BodyXRayCode	O	1	
CauseOfDeath	CauseOfDeath	O	30	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EstimatedBirthYear	EstimatedBirthYear	O	9	
EstimatedDeathDate	EstimatedDeathDate	O	10	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintAvailableIndicator	FootprintAvailableIndicator	O	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	7	
JewelryDescription	JewelryDescription	O	100	
JewelryTypeCode	JewelryTypeCode	O	50	
LinkageAgencyORI	LinkageAgencyORI	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MedicalExaminerAgencyAndCaseNumber	MedicalExaminerAgencyAndCaseNumber	O	50	
MedicalExaminerLocality	MedicalExaminerLocality	O	30	
MedicalExaminerTelephoneNumber	MedicalExaminerTelephoneNumber	O	12	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	M	10	
NewMessageKey	NewMessageKey	O	4	
NewORI	NewORI	O	9	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	

SexCode	SexCode	O	1	
ValidatorName	ValidatorName	O	30	
Weight	Weight	O	7	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [BloodTypeCode, BodyFoundDate, BodyPartsStatusCode, BodyXRayCode, CauseOfDeath, CircumcisionCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EstimatedBirthYear, EstimatedDeathDate, EthnicityCode, EyeColorCode, FingerprintClassificationCode, FootprintAvailableIndicator, HairColorCode, Height, JewelryDescription, JewelryTypeCode, LinkageAgencyORI, LinkageCaseNumber, MedicalExaminerAgencyAndCaseNumber, MedicalExaminerLocality, MedicalExaminerTelephoneNumber, MiscellaneousDescriptiveText, NewMessageKey, NewORI, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, RaceCode, ScarsMarksTattoosCode, SexCode, ValidatorName, Weight]

WMPEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
LeadsRecordNumber	LeadsRecordNumber	C	8	
MessageKey	MessageKey	O	4	
MiscellaneousDiscriptiveText	MiscellaneousDiscriptiveText	O	501	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, Name, NCICNumber, [MessageKey, MiscellaneousDiscriptiveText, PersonRecordRemovalReason]
2. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber, [MessageKey, MiscellaneousDiscriptiveText, PersonRecordRemovalReason]
3. (In/Out) CancellationDate, Name, OriginatingAgencyCaseNumber, [MessageKey, MiscellaneousDiscriptiveText, PersonRecordRemovalReason]
4. (In/Out) CancellationDate, LeadsRecordNumber, Name, [MessageKey, MiscellaneousDiscriptiveText, PersonRecordRemovalReason]

WMPEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
LeadsRecordNumber	LeadsRecordNumber	C	8	
MessageKey	MessageKey	O	4	
MissingPersonHitResultCode	MissingPersonHitResultCode	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	

RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber, [ContrabandRecoveredValue, MessageKey, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
2. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MessageKey, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
3. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MessageKey, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
4. (In/Out) ClearDate, LeadsRecordNumber, Name, [ContrabandRecoveredValue, MessageKey, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEWantedPersonEnter

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffenseIndicator	AdditionalOffenseIndicator	O	1	
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
Age	Age	O	2	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CDCName	CDCName	O	3	
CIL	CIL	O	1	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
DocumentedAddressDate	DocumentedAddressDate	O	10	
EmancipationDate	EmancipationDate	O	10	
EthnicityCode	EthnicityCode	O	1	
ExtraditionLimitation	ExtraditionLimitation	O	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FraudulentBirthDate	FraudulentBirthDate	O	10	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	30	

FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
GEO	GEO	O	113	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LicensePlateMonth	LicensePlateMonth	O	2	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	M	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
RaceCode	RaceCode	M	1	
ReportingAgency	ReportingAgency	O	30	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
UserId	UserId	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	M	10	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) HairColorCode, Height, Name, OffenseCode, RaceCode, SexCode, WarrantDate, Weight, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, Age, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CDCName, CIL, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, ExtraditionLimitation, EyeColorCode, FBINumber,

FingerprintClassificationCode, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, GEO, ImageNCICNumber, ImageTypeCode, LicensePlateMonth, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, OriginatingAgencyCaseNumber, ReportingAgency, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, UserId, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantNumber]

WMPEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
ExtraditionCode	ExtraditionCode	M	4	
LeadsRecordNumber	LeadsRecordNumber	C	8	
MessageKey	MessageKey	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	10	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

1. (In/Out) ExtraditionCode, RecoveryDate, Name, NCICNumber, [ContrabandRecoveredValue, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, WantedPersonHitResultCode]
2. (In/Out) ExtraditionCode, RecoveryDate, NCICNumber, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, WantedPersonHitResultCode]
3. (In/Out) ExtraditionCode, RecoveryDate, Name, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, WantedPersonHitResultCode]
4. (In/Out) ExtraditionCode, RecoveryDate, LeadsRecordNumber, Name, [ContrabandRecoveredValue, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, WantedPersonHitResultCode]

WMPEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffenseIndicator	AdditionalOffenseIndicator	O	1	
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
AgencyCity	AgencyCity	O	4	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CIL	CIL	O	1	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
DocumentedAddressDate	DocumentedAddressDate	O	10	
EmancipationDate	EmancipationDate	O	10	
EthnicityCode	EthnicityCode	O	1	
ExtraditionCode	ExtraditionCode	O	4	
ExtraditionLimitation	ExtraditionLimitation	O	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
GEO	GEO	O	113	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LeadsRecordNumber	LeadsRecordNumber	C	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewMKE	NewMKE	O	3	
newName	newName	O	30	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	O	24	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	

OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RecoveryDate	RecoveryDate	O	10	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
ViolationDate	ViolationDate	O	10	
WarrantDate	WarrantDate	O	10	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, NCICNumber, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, AgencyCity, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CIL, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, ExtraditionCode, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, GEO, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, RecoveryDate, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight]
2. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, AgencyCity, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CIL, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, ExtraditionCode, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, GEO, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, RecoveryDate, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight]
3. (In/Out) Name, OriginatingAgencyCaseNumber, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, AgencyCity, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CIL, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, ExtraditionCode, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, GEO,

HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, RecoveryDate, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight]

4. (In/Out) LeadsRecordNumber, Name, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, AgencyCity, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CIL, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, ExtraditionCode, ExtraditionLimitation, EyeColorCode, FBI Number, FingerprintClassificationCode, GEO, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewMKE, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, RecoveryDate, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight]

Wanted Missing Person Inquiries (WMP-I)

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	M	3	
AreaCode	AreaCode	O	3	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
Name	Name	O	30	
RaceCode	RaceCode	M	1	
SexCode	SexCode	M	1	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [AreaCode, EnhancedNameSearchIndicator, EthnicityCode, Name]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
AreaCode	AreaCode	O	3	
BodyPartsStatusCode	BodyPartsStatusCode	C	15	
EyeColorCode	EyeColorCode	C	3	
HairColorCode	HairColorCode	C	3	

Height	Height	C	3	
ImageIndicator	ImageIndicator	O	1	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [ImageIndicator]
2. (In/Out) BodyPartsStatusCode, [AreaCode, ImageIndicator, RaceCode, SexCode]
3. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) OriginatingAgencyCaseNumber, [ImageIndicator]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
FBINumber	FBINumber	O	9	
ImageIndicator	ImageIndicator	O	1	
LeadsRecordNumber	LeadsRecordNumber	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	O	100	
NCICNumber	NCICNumber	O	10	
MessageKey	MessageKey	O	5	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
WarrantNumber	WarrantNumber	O	25	

Possible Combinations

1. (In/Out) Name, BirthDate, SexCode, [ImageIndicator, MessageKey]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, ImageIndicator, MessageKey, RelatedHitSearchIndicator]
3. (In/Out) Name, FBINumber, [BirthDate, RaceCode, SexCode, EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, ImageIndicator, MessageKey, RelatedHitSearchIndicator]
4. (In/Out) Name, MiscellaneousNumber, [BirthDate, RaceCode, SexCode, EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, ImageIndicator, MessageKey, RelatedHitSearchIndicator]
5. (In/Out) Name, OperatorLicenseNumber, [EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, ImageIndicator, MessageKey, RelatedHitSearchIndicator]

6. (In/Out) Name, SocialSecurityNumber, [BirthDate, RaceCode, SexCode, EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, ImageIndicator, MessageKey, RelatedHitSearchIndicator]
7. (In/Out) Name, LicensePlateNumber, LicensePlateStateCode, [BirthDate, RaceCode, SexCode, EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, ImageIndicator, MessageKey, RelatedHitSearchIndicator]
8. (In/Out) Name, VehicleIdentificationNumber, VehicleMakeCode, [BirthDate, RaceCode, SexCode, EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, ImageIndicator, MessageKey, RelatedHitSearchIndicator]
9. (In/Out) NCICNumber, [ImageIndicator, MessageKey, RelatedHitSearchIndicator]

Expanded Transaction Supported:

DriverLicenseByNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
Age	Age	O	2	
Name	Name	M	8	
NextPage	NextPage	O	20	
SexCode	SexCode	O	1	
State	State	O	2	

Possible Combinations

1. (In/Out) Name, [AddressCity, AddressCounty, Age, NextPage, SexCode, State]

FirearmsOwnersIdQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
FirearmId	FirearmId	C	12	
Name	Name	C	30	
SexCode	SexCode	C	1	

Possible Combinations

1. (In) FirearmId
2. (In) Name, BirthDate, SexCode

ILLeadsDriverAbstractQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	O	1	

Possible Combinations

1. (In) Name, [BirthDate, SexCode]
2. (In) OperatorLicenseNumber

ILLeadsHandicapPlacardQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
HandicapPlacardNumber	HandicapPlacardNumber	M	20	

Possible Combinations

1. (In) HandicapPlacardNumber

///LeadsLeadsTypeQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DistrictCode	DistrictCode	O	2	
MessageKeyModifier	MessageKeyModifier	M	1	A – Article P - Plates Q - Title S – Security T – Gang Members V – Vehicle W – Wanted Person X – Sex Offender
QueryMonthDay	QueryMonthDay	M	4	MMDD

Possible Combinations

1. (In) MessageKeyModifier, QueryMonthDay, [DistrictCode]

///LeadsSoundExQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	C	30	
PageNumber	PageNumber	C	30	
PageNumberOption	PageNumberOption	O	15	
PageSize	PageSize	O	8	

Possible Combinations

1. (In/Out) Name, [PageNumberOption, PageSize]
2. (In/Out) PageNumber, [PageNumberOption, PageSize]

///LeadsVehicleTitleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LeadsRecordNumber	LeadsRecordNumber	C	8	
TitleNumber	TitleNumber	C	12	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) LeadsRecordNumber
2. (In/Out) TitleNumber
3. (In/Out) VehicleIdentificationNumber, [VehicleMakeCode, VehicleYear]

///LeadsWantedQWXQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageIndicator	ImageIndicator	O	1	
LeadsRecordNumber	LeadsRecordNumber	M	8	

Possible Combinations

1. (In/Out) LeadsRecordNumber, [ImageIndicator]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual (12/99)
- NLETS User Guide (10/1/98)
- ISP Connection Manager Technical Reference (2/2000)