

Indiana (IN) IDACS

[Disclaimer Statement](#)

Transport:

TCPIP (DMPP2020)

Routing and Configuration Information:

Save byte routing

- The IDACS assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The IDACS assigned User ID should be placed in the **<Authentication>/<UserName>** field in the ConnectCIC header.

Security Requirements:

ISP, who operates the message switch in Indiana, does not require vendor's employees who will be exposed to CJIS data to be fingerprinted for background checks at a sponsor site (i.e. first site in state), but they may require vendor employees who will be exposed to CJIS information to complete the CJIS Security Addendum for each site. Please request such from CommSys when necessary. IDACS utilizes the standard CJIS Security Addendum. If your site has any questions regarding IDACS security requirements, contact the CJIS Information Security Officer at IDACS.

Logon Requirements:

None

Certification Requirements:

No certification required

Paperwork for interface needed to be completed by the agency – see IDACS website.

Need Site Sponsor

Information from IDACS Website <http://www.in.gov/isp/idacs/>

See FAQ's section for agency instructions on how to sponsor, request, setup, and configure a connection to IDACS.

<http://www.in.gov/isp/idacs/faq.html>

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

Tags returned from Data mining

If the Data-Mining Module is purchased, secondary person queries are automatically performed by ConnectCIC. These queries are performed with information obtain from an in-state vehicle registration response return. ConnectCIC will data-mine (parse) out the necessary fields and if data is available ConnectCIC will perform an in-state driver's registration transaction and a QW transaction and automatically return the results.

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Article Type	ArticleTypeCode	C	7	
NCIC Number	NCICNumber	C	10	
Serial Number	ArticleSerialNumber	C	20	

Possible Combinations (*fields within the square brackets are optional*)

1. NCICNumber
2. ArticleSerialNumber, ArticleTypeCode

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Birth Date	BirthDate	O	8	
Boat Hull Identification Number	BoatHullIdNumber	C	20	
Name	Name	C	30	
NCIC Number	NCICNumber	C	10	
Registration Number	RegistrationNumber	C	8	
State	State	O	2	

Possible Combinations (*fields within the square brackets are optional*)

1. BoatHullIdNumber, [State]
2. Name [BirthDate, State]
3. NCICNumber
4. RegistrationNumber [BoatHullIdNumber, State]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
Birth Date	BirthDate	C	8	
Driver License Number	OperatorLicenseNumber	C	20	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	30	
PurposeCode	PurposeCode	O	1	
Sex	SexCode	C	1	
State	State	O	2	

Possible Combinations (fields within the square brackets are optional)

1. (In/Out) Name, BirthDate, Sex, [Attention, PurposeCode, State, ImageIndicator]
2. (In/Out) OperatorLicenseNumber, [Attention, PurposeCode, State, ImageIndicator]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Birth Date	BirthDate	C	8	
Driver License Number	OperatorLicenseNumber	C	20	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	30	
Sex	SexCode	C	1	
State	State	O	2	

Possible Combinations (fields within the square brackets are optional)

3. (In/Out) Name, BirthDate, Sex [State, ImageIndicator]
4. (In/Out) OperatorLicenseNumber [State, ImageIndicator]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Gun Caliber	GunCaliber	O	4	
Gun Make	GunMake	O	23	
NCIC Number	NCICNumber	C	10	
Serial Number	GunSerialNumber	C	20	

Possible Combinations (fields within the square brackets are optional)

1. NCICNumber
2. GunSerialNumber [GunCaliber, GunMake]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
License Plate Number	LicensePlateNumber	C	10	
License Plate Type	LicensePlateTypeCode	C	2	
License Plate Year	LicensePlateYear	C	4	
State	State	O	2	
Vehicle Identification Number	VehicleIdentificationNumber	C	20	
Vehicle Make	VehicleMakeCode	O	4	
Vehicle Year	VehicleYear	O	4	

Possible Combinations (fields within the square brackets are optional)

1. (In/Out) LicensePlateNumber, LicensePlateYear, LicensePlateTypeCode, [State]
2. (In/Out) LicensePlateNumber, [State] *** This combination will only conduct a stolen vehicle query, no registration***
3. (In/Out) VehicleIdentificationNumber, [State, VehicleMakeCode, VehicleYear]

Transactions Supported:

Computerized Criminal History (CCH)

CCHCriminalHistoryAQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
FreeText	FreeText	M	14400	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
NletsDestination4	NletsDestination4	O	9	
PurposeCode	PurposeCode	M	1	

Possible Combinations

1. (In/Out) Attention, FreeText, NletsDestination, PurposeCode, [NletsDestination2, NletsDestination3, NletsDestination4]

CCHCriminalHistoryARQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
FreeText	FreeText	M	14400	
NletsDestination	NletsDestination	M	9	
PurposeCode	PurposeCode	M	1	

Possible Combinations

1. (In/Out) Attention, FreeText, NletsDestination, PurposeCode

CCHCriminalHistoryFQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
Attention	Attention	M	30	
BuildingName	BuildingName	O	30	
DepartmentName	DepartmentName	O	30	
ImageIndicator	ImageIndicator	O	1	
PurposeCode	PurposeCode	M	1	
State	State	C	2	
StateIdNumber	StateIdNumber	M	10	

Possible Combinations

1. (In) Attention, PurposeCode, StateIdNumber, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, ImageIndicator]
2. (Out) Attention, PurposeCode, StateIdNumber, State [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, ImageIndicator]

CCHCriminalHistoryIQQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	C	30	
BirthDate	BirthDate	C	8	

ImageIndicator	ImageIndicator	O	1	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	O	9	
State	State	O	2	

Possible Combinations

1. (In) Attention, BirthDate, Name, PurposeCode, SexCode, [ImageIndicator, MiscellaneousNumber, RaceCode, SocialSecurityNumber]
2. (Out) Attention, BirthDate, Name, PurposeCode, SexCode, State, [ImageIndicator, MiscellaneousNumber, RaceCode, SocialSecurityNumber]

CCHCriminalHistoryQHQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) BirthDate, Name, PurposeCode, RaceCode, SexCode, [Attention]
2. (In/Out) BirthDate, MiscellaneousNumber, Name, PurposeCode, RaceCode, SexCode, [Attention]
3. (In/Out) BirthDate, Name, PurposeCode, RaceCode, SexCode, SocialSecurityNumber, [Attention]
4. (In/Out) Name, PurposeCode, SocialSecurityNumber, [Attention]
5. (In/Out) MiscellaneousNumber, Name, PurposeCode, [Attention]
6. (In/Out) PurposeCode, StateIdNumber, [Attention, Name]
7. (In/Out) FBINumber, PurposeCode, [Attention, Name]

CCHCriminalHistoryQRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
Attention	Attention	M	30	
BuildingName	BuildingName	O	30	
DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	10	
PurposeCode	PurposeCode	M	1	
StateIdNumber	StateIdNumber	C	10	
Name	Name	O	30	

Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, Name]
2. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName, Name]

CCHCriminalHistoryQWIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
EnhancedNameSearchIndicator	EnhancedNameSearchIndicator	O	1	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
ImageIndicator	ImageIndicator	O	1	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) BirthDate, MiscellaneousNumber, Name, PurposeCode, RaceCode, SexCode, [Attention, EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) BirthDate, Name, PurposeCode, RaceCode, SexCode, [Attention, EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) BirthDate, Name, PurposeCode, RaceCode, SexCode, SocialSecurityNumber, [Attention, EnhancedNameSearchIndicator, ExpandedBirthDateSearchCode, ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) MiscellaneousNumber, Name, PurposeCode, [Attention, EnhancedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) Name, PurposeCode, SocialSecurityNumber, [Attention, EnhancedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]

CCHCriminalHistoryZRQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCityState	AddressCityState	O	30	
AddressStreet	AddressStreet	O	30	
AddressZipCode	AddressZipCode	O	9	
Attention	Attention	M	30	
BuildingName	BuildingName	O	30	
DepartmentName	DepartmentName	O	30	
FBINumber	FBINumber	C	10	
PurposeCode	PurposeCode	M	1	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) Attention, FBINumber, PurposeCode, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName]
2. (In/Out) Attention, PurposeCode, StateIdNumber, [AddressCityState, AddressStreet, AddressZipCode, BuildingName, DepartmentName]

Wanted Missing Person Entry (WMPE)

WMPEMissingPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, Name, NCICNumber, [PersonRecordRemovalReason]
2. (In/Out) CancellationDate, Name, OriginatingAgencyCaseNumber, [PersonRecordRemovalReason]
3. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber, [PersonRecordRemovalReason]

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
MissingPersonHitResultCode	MissingPersonHitResultCode	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
2. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
3. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPERMissingPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
CitizenshipCode	CitizenshipCode	O	2	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	C	10	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	
FBINumber	FBINumber	C	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	3	
FootprintIndicator	FootprintIndicator	O	1	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
JewelryDescription	JewelryDescription	O	100	
JewelryTypeCode	JewelryTypeCode	O	50	
LastContactDate	LastContactDate	M	10	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	M	4	EMD,EMDC,EME,EMC,EMI,EMIC,EMJ,EMJC,EMV,EMVC,EMO,EMOC
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	
MissingPersonCode	MissingPersonCode	M	2	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	O	10	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeDescription	VehicleMakeDescription	O	20	

VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) MessageKey, Name, RaceCode, SexCode, EyeColorCode, HairColorCode, Height, LastContactDate, MissingPersonCode, OriginatingAgencyCaseNumber, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, JewelryDescription, JewelryTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPEMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
DispositionCode	DispositionCode	M	4	
MissingPersonHitResultCode	MissingPersonHitResultCode	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	O	10	

Possible Combinations

1. (In/Out) DispositionCode, RecoveryDate, Name, NCICNumber, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
2. (In/Out) DispositionCode, RecoveryDate, Name, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
3. (In/Out) DispositionCode, RecoveryDate, NCICNumber, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MissingPersonHitResultCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

WMPEMissingPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
CitizenshipCode	CitizenshipCode	O	2	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	O	10	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	3	
FootprintIndicator	FootprintIndicator	O	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
JewelryDescription	JewelryDescription	O	100	
JewelryTypeCode	JewelryTypeCode	O	50	
LastContactDate	LastContactDate	O	10	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	
MissingPersonCode	MissingPersonCode	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewName	NewName	O	30	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateldNumber	StateldNumber	O	10	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	

VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeDescription	VehicleMakeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, NCICNumber, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, JewelryDescription, JewelryTypeCode, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, JewelryDescription, JewelryTypeCode, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, HairColorCode, Height, JewelryDescription, JewelryTypeCode, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPEProtectionOrderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	

MessageKey	MessageKey	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectionOrderNumber	ProtectionOrderNumber	C	15	

Possible Combinations

1. (In/Out) CancellationDate, Name, NCICNumber, [MessageKey]
2. (In/Out) CancellationDate, Name, OriginatingAgencyCaseNumber, [MessageKey]
3. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber, [MessageKey]
4. (In/Out) CancellationDate, ProtectionOrderNumber, [MessageKey]

WMPEProtectionOrderClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
MessageKey	MessageKey	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectionOrderNumber	ProtectionOrderNumber	C	15	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber, [MessageKey]
2. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, [MessageKey]
3. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, [MessageKey]
4. (In/Out) ClearDate, ProtectionOrderNumber, [MessageKey]

WMPEProtectionOrderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BradyIndicator	BradyIndicator	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EthnicityCode	EthnicityCode	O	1	
ExpirationDate	ExpirationDate	M	10	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssueDate	IssueDate	O	10	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	

LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	10	
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	M	2	
ProtectionOrderNumber	ProtectionOrderNumber	O	15	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ServiceCode	ServiceCode	O	1	
ServiceDate	ServiceDate	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeDescription	VehicleMakeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, RaceCode, SexCode, ExpirationDate, ProtectionOrderConditionsCode, [BirthDate, BirthPlaceCode, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderNumber, ScarsMarksTattoosCode, ServiceCode, ServiceDate, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPEProtectionOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BradyIndicator	BradyIndicator	O	1	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EthnicityCode	EthnicityCode	O	1	
ExpirationDate	ExpirationDate	O	10	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IssueDate	IssueDate	O	10	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewName	NewName	O	30	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NewProtectionOrderNumber	NewProtectionOrderNumber	O	15	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectedPersonBirthDate	ProtectedPersonBirthDate	O	10	
ProtectedPersonName	ProtectedPersonName	O	30	
ProtectedPersonRaceCode	ProtectedPersonRaceCode	O	1	
ProtectedPersonSexCode	ProtectedPersonSexCode	O	1	
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber	O	9	
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode	O	2	
ProtectionOrderNumber	ProtectionOrderNumber	C	15	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
ServiceCode	ServiceCode	O	1	
ServiceDate	ServiceDate	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
ValidatorName	ValidatorName	O	30	

VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeDescription	VehicleMakeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, NCICNumber, [BirthDate, BirthPlaceCode, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOriginatingAgencyCaseNumber, NewProtectionOrderNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderConditionsCode, RaceCode, ScarsMarksTattoosCode, ServiceCode, ServiceDate, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [BirthDate, BirthPlaceCode, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOriginatingAgencyCaseNumber, NewProtectionOrderNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderConditionsCode, RaceCode, ScarsMarksTattoosCode, ServiceCode, ServiceDate, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [BirthDate, BirthPlaceCode, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOriginatingAgencyCaseNumber, NewProtectionOrderNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderConditionsCode, RaceCode, ScarsMarksTattoosCode, ServiceCode, ServiceDate, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

4. (In/Out) ProtectionOrderNumber, [BirthDate, BirthPlaceCode, BradyIndicator, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, EthnicityCode, ExpirationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IssueDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOriginatingAgencyCaseNumber, NewProtectionOrderNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ProtectionOrderConditionsCode, RaceCode, ScarsMarksTattoosCode, ServiceCode, ServiceDate, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPESexOffenderCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

Possible Combinations

1. (In/Out) CancellationDate, Name, NCICNumber
2. (In/Out) CancellationDate, Name, OriginatingAgencyCaseNumber
3. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber

WMPESexOffenderClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber
2. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber
3. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber

WMPESexOffenderEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	M	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	

BirthDate	BirthDate	M	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BoatColorCode	BoatColorCode	O	7	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullNumber	BoatHullNumber	O	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatRegistrationNumber	BoatRegistrationNumber	O	10	
BoatStateCode	BoatStateCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	10	
ConvictionDate	ConvictionDate	M	10	
ConvictionOffenseCode	ConvictionOffenseCode	M	4	
CrimeLocationCode	CrimeLocationCode	O	2	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmailAddress	EmailAddress	O	80	
EmployerName	EmployerName	O	80	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	3	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
HomePort	HomePort	O	20	
InternetId	InternetId	O	80	
JuvenileOffenderIndicator	JuvenileOffenderIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
Occupation	Occupation	O	80	
OffenderStatusCode	OffenderStatusCode	O	2	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProfessionalLicenseNumber	ProfessionalLicenseNumber	O	30	
ProfessionalLicenseNumberType	ProfessionalLicenseNumberType	O	80	

RaceCode	RaceCode	M	1	
RegistrationEndDate	RegistrationEndDate	M	10	
RegistrationStartDate	RegistrationStartDate	M	10	
RelationshipToVictimCode	RelationshipToVictimCode	O	2	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SchoolName	SchoolName	O	200	
SexCode	SexCode	M	1	
SexOffenderTier	SexOffenderTier	O	1	
SexualPredatorIndicator	SexualPredatorIndicator	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
TelephoneNumber	TelephoneNumber	O	12	
TelephoneType	TelephoneType	O	1	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeDescription	VehicleMakeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleOwnershipCode	VehicleOwnershipCode	O	1	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) Name, ConvictionDate, ConvictionOffenseCode, EyeColorCode, HairColorCode, Height, OriginatingAgencyCaseNumber, RaceCode, RegistrationEndDate, RegistrationStartDate, SexCode, AddressStateCode, [AddressCity, AddressCounty, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, BoatColorCode, BoatHullMaterialCode, BoatHullNumber, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatName, BoatPropulsionCode, BoatRegistrationNumber, BoatStateCode, BoatTypeCode, CautionMedicalConditionsCode, CitizenshipCode, CoastGuardDocumentNumber, CrimeLocationCode, DNAIndicator, DNALocation, EmailAddress, EmployerName, EthnicityCode, FBINumber, FingerprintClassificationCode, HomePort, InternetId, JuvenileOffenderIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, Occupation, OffenderStatusCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProfessionalLicenseNumber, ProfessionalLicenseNumberType, RelationshipToVictimCode, ScarsMarksTattoosCode, SchoolName, SexOffenderTier, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, StateIdNumber, TelephoneNumber, TelephoneType, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleOwnershipCode, VehicleStyleCode, VehicleYear, Weight]

WMPESexOffenderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	

AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
BoatColorCode	BoatColorCode	O	7	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullNumber	BoatHullNumber	O	20	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatRegistrationNumber	BoatRegistrationNumber	O	10	
BoatStateCode	BoatStateCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	10	
ConvictionDate	ConvictionDate	O	10	
ConvictionOffenseCode	ConvictionOffenseCode	O	4	
CrimeLocationCode	CrimeLocationCode	O	2	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmailAddress	EmailAddress	O	80	
EmployerName	EmployerName	O	80	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
HomePort	HomePort	O	20	
InternetId	InternetId	O	80	
JuvenileOffenderIndicator	JuvenileOffenderIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewName	NewName	O	30	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
Occupation	Occupation	O	80	
OffenderStatusCode	OffenderStatusCode	O	2	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	

OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProfessionalLicenseNumber	ProfessionalLicenseNumber	O	30	
ProfessionalLicenseNumberType	ProfessionalLicenseNumberType	O	80	
RaceCode	RaceCode	O	1	
RegistrationEndDate	RegistrationEndDate	O	10	
RegistrationStartDate	RegistrationStartDate	O	10	
RelationshipToVictimCode	RelationshipToVictimCode	O	2	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SchoolName	SchoolName	O	200	
SexCode	SexCode	O	1	
SexOffenderTier	SexOffenderTier	O	1	
SexualPredatorIndicator	SexualPredatorIndicator	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateldNumber	StateldNumber	O	10	
TelephoneNumber	TelephoneNumber	O	12	
TelephoneType	TelephoneType	O	1	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeDescription	VehicleMakeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleOwnershipCode	VehicleOwnershipCode	O	1	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, NCICNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, BoatColorCode, BoatHullMaterialCode, BoatHullNumber, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatName, BoatPropulsionCode, BoatRegistrationNumber, BoatStateCode, BoatTypeCode, CautionMedicalConditionsCode, CitizenshipCode, CoastGuardDocumentNumber, ConvictionDate, ConvictionOffenseCode, CrimeLocationCode, DNAIndicator, DNALocation, EmailAddress, EmployerName, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, HomePort, InternetId, JuvenileOffenderIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOriginatingAgencyCaseNumber, Occupation, OffenderStatusCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginatingAgencyCaseNumber, ProfessionalLicenseNumber, ProfessionalLicenseNumberType, RaceCode, RegistrationEndDate, RegistrationStartDate, RelationshipToVictimCode, ScarsMarksTattoosCode, SchoolName, SexCode, SexOffenderTier, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, StateldNumber, TelephoneNumber, TelephoneType, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleOwnershipCode, VehicleStyleCode, VehicleYear, Weight]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode,

AddressZipCode, BirthDate, BirthPlaceCode, BoatColorCode, BoatHullMaterialCode, BoatHullNumber, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatName, BoatPropulsionCode, BoatRegistrationNumber, BoatStateCode, BoatTypeCode, CautionMedicalConditionsCode, CitizenshipCode, CoastGuardDocumentNumber, ConvictionDate, ConvictionOffenseCode, CrimeLocationCode, DNAIndicator, DNALocation, EmailAddress, EmployerName, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, HomePort, InternetId, JuvenileOffenderIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOriginatingAgencyCaseNumber, Occupation, OffenderStatusCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProfessionalLicenseNumber, ProfessionalLicenseNumberType, RaceCode, RegistrationEndDate, RegistrationStartDate, RelationshipToVictimCode, ScarsMarksTattoosCode, SchoolName, SexCode, SexOffenderTier, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, StateIdNumber, TelephoneNumber, TelephoneType, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleOwnershipCode, VehicleStyleCode, VehicleYear, Weight]

3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, BoatColorCode, BoatHullMaterialCode, BoatHullNumber, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatName, BoatPropulsionCode, BoatRegistrationNumber, BoatStateCode, BoatTypeCode, CautionMedicalConditionsCode, CitizenshipCode, CoastGuardDocumentNumber, ConvictionDate, ConvictionOffenseCode, CrimeLocationCode, DNAIndicator, DNALocation, EmailAddress, EmployerName, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, HomePort, InternetId, JuvenileOffenderIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOriginatingAgencyCaseNumber, Occupation, OffenderStatusCode, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ProfessionalLicenseNumber, ProfessionalLicenseNumberType, RaceCode, RegistrationEndDate, RegistrationStartDate, RelationshipToVictimCode, ScarsMarksTattoosCode, SchoolName, SexCode, SexOffenderTier, SexualPredatorIndicator, SkinToneCode, SocialSecurityNumber, StateIdNumber, TelephoneNumber, TelephoneType, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleOwnershipCode, VehicleStyleCode, VehicleYear, Weight]

WMPESupervisedReleaserCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

Possible Combinations

1. (In/Out) CancellationDate, Name, NCICNumber
2. (In/Out) CancellationDate, Name, OriginatingAgencyCaseNumber
3. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber

WMPESupervisedReleaserClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber
2. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber
3. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber

WMPESupervisedReleaserEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestDate	ArrestDate	O	10	
ArrestingAgencyORI	ArrestingAgencyORI	O	9	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmailAddress	EmailAddress	O	80	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	3	
FraudulentBirthDate	FraudulentBirthDate	O	10	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
IncarcerationPlace	IncarcerationPlace	O	50	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	

OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
ProbationRevokedDate	ProbationRevokedDate	O		
ProbationRevokedReason	ProbationRevokedReason	O		
RaceCode	RaceCode	M	1	
ReleaseLocation	ReleaseLocation	O	50	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SentencingCourtORI	SentencingCourtORI	O	9	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
SupervisingOfficerName	SupervisingOfficerName	M	30	
SupervisingOfficerTelephone	SupervisingOfficerTelephone	M	12	
SupervisionExpirationDate	SupervisionExpirationDate	M	10	
SupervisionReleaseDate	SupervisionReleaseDate	O	10	
SupervisionStartDate	SupervisionStartDate	M	10	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeDescription	VehicleMakeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantCourtORI	WarrantCourtORI	O	9	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) Name, RaceCode, SexCode, HairColorCode, Height, OriginatingAgencyCaseNumber, SupervisingOfficerName, SupervisingOfficerTelephone, SupervisionExpirationDate, SupervisionStartDate, Weight, [ArrestDate, ArrestingAgencyORI, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, DNAIndicator, DNALocation, EmailAddress, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ProbationRevokedDate, ProbationRevokedReason, ReleaseLocation, ScarsMarksTattoosCode, SentencingCourtORI, SkinToneCode, SocialSecurityNumber, StateIdNumber, SupervisionReleaseDate, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantCourtORI, WarrantNumber]

WMPESupervisedReleaserModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestDate	ArrestDate	O	10	
ArrestingAgencyORI	ArrestingAgencyORI	O	9	
BirthDate	BirthDate	O	10	

BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmailAddress	EmailAddress	O	80	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
IncarcerationPlace	IncarcerationPlace	O	50	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewName	NewName	O	30	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProbationRevokedDate	ProbationRevokedDate	O		
ProbationRevokedReason	ProbationRevokedReason	O		
RaceCode	RaceCode	O	1	
ReleaseLocation	ReleaseLocation	O	50	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SentencingCourtORI	SentencingCourtORI	O	9	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateldNumber	StateldNumber	O	10	
SupervisingOfficerName	SupervisingOfficerName	O	30	
SupervisingOfficerTelephone	SupervisingOfficerTelephone	O	12	
SupervisionExpirationDate	SupervisionExpirationDate	O	10	
SupervisionReleaseDate	SupervisionReleaseDate	O	10	
SupervisionStartDate	SupervisionStartDate	O	10	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeDescription	VehicleMakeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	

VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantCourtORI	WarrantCourtORI	O	9	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, NCICNumber, [ArrestDate, ArrestingAgencyORI, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, DNAIndicator, DNALocation, EmailAddress, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOriginatingAgencyCaseNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ProbationRevokedDate, ProbationRevokedReason, RaceCode, ReleaseLocation, ScarsMarksTattoosCode, SentencingCourtORI, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, SupervisingOfficerName, SupervisingOfficerTelephone, SupervisionExpirationDate, SupervisionReleaseDate, SupervisionStartDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantCourtORI, WarrantNumber, Weight]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [ArrestDate, ArrestingAgencyORI, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, DNAIndicator, DNALocation, EmailAddress, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOriginatingAgencyCaseNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ProbationRevokedDate, ProbationRevokedReason, RaceCode, ReleaseLocation, ScarsMarksTattoosCode, SentencingCourtORI, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, SupervisingOfficerName, SupervisingOfficerTelephone, SupervisionExpirationDate, SupervisionReleaseDate, SupervisionStartDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantCourtORI, WarrantNumber, Weight]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [ArrestDate, ArrestingAgencyORI, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, DNAIndicator, DNALocation, EmailAddress, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, IncarcerationPlace, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOriginatingAgencyCaseNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, OriginatingAgencyCaseNumber, ProbationRevokedDate, ProbationRevokedReason, RaceCode, ReleaseLocation, ScarsMarksTattoosCode, SentencingCourtORI, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, SupervisingOfficerName, SupervisingOfficerTelephone, SupervisionExpirationDate, SupervisionReleaseDate, SupervisionStartDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantCourtORI, WarrantNumber, Weight]

WMPEUnidentifiedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

CancellationDate	CancellationDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber, [PersonRecordRemovalReason]

WMPEUnidentifiedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, [PersonRecordRemovalReason]

WMPEUnidentifiedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
BodyFoundDate	BodyFoundDate	M	8	
BodyPartsStatusCode	BodyPartsStatusCode	C	15	
CauseOfDeath	CauseOfDeath	O	30	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EstimatedBirthYear	EstimatedBirthYear	O	9	
EstimatedDeathDate	EstimatedDeathDate	C	8	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	M	3	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintAvailableIndicator	FootprintAvailableIndicator	O	1	
HairColorCode	HairColorCode	M	3	
Height	Height	O	7	
JewelryDescription	JewelryDescription	O	100	
JewelryTypeCode	JewelryTypeCode	O	50	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MedicalExaminerAgencyAndCaseNumber	MedicalExaminerAgencyAndCaseNumber	O	50	
MedicalExaminerLocality	MedicalExaminerLocality	O	30	
MedicalExaminerTelephoneNumber	MedicalExaminerTelephoneNumber	O	12	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	

RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
Weight	Weight	M	7	
XraysAvailableIndicator	XraysAvailableIndicator	M	1	

Possible Combinations

1. (In/Out) BodyFoundDate, EyeColorCode, HairColorCode, Height, OriginatingAgencyCaseNumber, SexCode, Weight, XraysAvailableIndicator, [BloodTypeCode, BodyPartsStatusCode, CauseOfDeath, CircumcisionCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EstimatedBirthYear, EstimatedDeathDate, EthnicityCode, FingerprintClassificationCode, FootprintAvailableIndicator, JewelryDescription, JewelryTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MedicalExaminerAgencyAndCaseNumber, MedicalExaminerLocality, MedicalExaminerTelephoneNumber, MessageKey, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, RaceCode, ScarsMarksTattoosCode]

WMPEUnidentifiedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	
BodyFoundDate	BodyFoundDate	O	10	
BodyPartsStatusCode	BodyPartsStatusCode	O	15	
CauseOfDeath	CauseOfDeath	O	30	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EstimatedBirthYear	EstimatedBirthYear	O	9	
EstimatedDeathDate	EstimatedDeathDate	O	10	
EthnicityCode	EthnicityCode	O	1	
EyeColorCode	EyeColorCode	O	3	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintAvailableIndicator	FootprintAvailableIndicator	O	1	
HairColorCode	HairColorCode	O	3	
Height	Height	O	7	
JewelryDescription	JewelryDescription	O	100	
JewelryTypeCode	JewelryTypeCode	O	50	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MedicalExaminerAgencyAndCaseNumber	MedicalExaminerAgencyAndCaseNumber	O	50	
MedicalExaminerLocality	MedicalExaminerLocality	O	30	
MedicalExaminerTelephoneNumber	MedicalExaminerTelephoneNumber	O	12	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	200	
NCICNumber	NCICNumber	M	10	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	

ValidatorName	ValidatorName	O	30	
Weight	Weight	O	7	
XraysAvailableIndicator	XraysAvailableIndicator	O	1	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [BloodTypeCode, BodyFoundDate, BodyPartsStatusCode, CauseOfDeath, CircumcisionCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EstimatedBirthYear, EstimatedDeathDate, EthnicityCode, EyeColorCode, FingerprintClassificationCode, FootprintAvailableIndicator, HairColorCode, Height, JewelryDescription, JewelryTypeCode, LinkageAgencyIdentifier, LinkageCaseNumber, MedicalExaminerAgencyAndCaseNumber, MedicalExaminerLocality, MedicalExaminerTelephoneNumber, MiscellaneousDescriptiveText, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, RaceCode, ScarsMarksTattoosCode, SexCode, ValidatorName, Weight, XraysAvailableIndicator]

WMPEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	10	
MessageKey	MessageKey	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, Name, NCICNumber, [MessageKey, PersonRecordRemovalReason]
2. (In/Out) CancellationDate, Name, OriginatingAgencyCaseNumber, [MessageKey, PersonRecordRemovalReason]
3. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber, [MessageKey, PersonRecordRemovalReason]

WMPEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	10	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
MessageKey	MessageKey	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

1. (In/Out) ClearDate, Name, NCICNumber, [ContrabandRecoveredValue, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]
2. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]
3. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, WantedPersonHitResultCode]

WMPEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffenseIndicator	AdditionalOffenseIndicator	O	1	
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
DocumentedAddressDate	DocumentedAddressDate	O	10	
EmancipationDate	EmancipationDate	C	10	
EthnicityCode	EthnicityCode	O	1	
ExtraditionLimitation	ExtraditionLimitation	M	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	3	
FraudulentBirthDate	FraudulentBirthDate	O	10	
FraudulentMiscellaneousNumber	FraudulentMiscellaneousNumber	O	15	
FraudulentName	FraudulentName	O	30	
FraudulentOperatorLicenseNumber	FraudulentOperatorLicenseNumber	O	20	
FraudulentOperatorLicenseStateCode	FraudulentOperatorLicenseStateCode	O	2	
FraudulentOperatorLicenseYear	FraudulentOperatorLicenseYear	O	4	
FraudulentSocialSecurityNumber	FraudulentSocialSecurityNumber	O	9	
HairColorCode	HairColorCode	M	3	
Height	Height	M	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	

LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	4	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	M	4	
OffenseCodeDescription	OffenseCodeDescription	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
RaceCode	RaceCode	M	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateldNumber	StateldNumber	O	10	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeDescription	VehicleMakeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
ViolationDate	ViolationDate	C	10	
WarrantDate	WarrantDate	C	10	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) Name, RaceCode, SexCode, HairColorCode, Height, ExtraditionLimitation, OffenseCode, OriginatingAgencyCaseNumber, Weight, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OffenseCodeDescription, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, StateldNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantDate, WarrantNumber]

2. (In/Out) Name, RaceCode, SexCode, HairColorCode, Height, ExtraditionLimitation, OffenseCode, OriginatingAgencyCaseNumber, Weight, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FraudulentBirthDate, FraudulentMiscellaneousNumber, FraudulentName, FraudulentOperatorLicenseNumber, FraudulentOperatorLicenseStateCode, FraudulentOperatorLicenseYear, FraudulentSocialSecurityNumber, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OffenseCodeDescription, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantNumber]

WMPEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
ExtraditionCode	ExtraditionCode	M	4	
MessageKey	MessageKey	O	2	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	10	
WantedPersonHitResultCode	WantedPersonHitResultCode	O	2	

Possible Combinations

1. (In/Out) RecoveryDate, ExtraditionCode, Name, NCICNumber, [ContrabandRecoveredValue, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, WantedPersonHitResultCode]
2. (In/Out) RecoveryDate, ExtraditionCode, Name, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, WantedPersonHitResultCode]
3. (In/Out) RecoveryDate, ExtraditionCode, NCICNumber, OriginatingAgencyCaseNumber, [ContrabandRecoveredValue, MessageKey, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, WantedPersonHitResultCode]

WMPEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffenseIndicator	AdditionalOffenseIndicator	O	1	
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressStreetNumber	AddressStreetNumber	O	7	
AddressTypeCode	AddressTypeCode	O	2	
AddressZipCode	AddressZipCode	O	10	
BirthDate	BirthDate	O	10	
BirthPlaceCode	BirthPlaceCode	O	2	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CitizenshipCode	CitizenshipCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
DocumentedAddressDate	DocumentedAddressDate	O	10	
EmancipationDate	EmancipationDate	O	10	
EthnicityCode	EthnicityCode	O	1	
ExtraditionLimitation	ExtraditionLimitation	O	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	3	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyIdentifier	LinkageAgencyIdentifier	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKey	MessageKey	O	2	
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
NewName	NewName	O	30	
NewOriginatingAgencyCaseNumber	NewOriginatingAgencyCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	O	4	
OffenseCodeDescription	OffenseCodeDescription	O	20	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OperatorLicenseYear	OperatorLicenseYear	O	4	
OriginalOffenseCode	OriginalOffenseCode	O	4	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	
SexCode	SexCode	O	1	

SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleMakeDescription	VehicleMakeDescription	O	20	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
ViolationDate	ViolationDate	O	10	
WarrantDate	WarrantDate	O	10	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) Name, NCICNumber, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OffenseCodeDescription, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOriginatingAgencyCaseNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OffenseCodeDescription, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressStateCode, AddressStreetName, AddressStreetNumber, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyIdentifier, LinkageCaseNumber, MessageKey, MiscellaneousDescriptiveText, MiscellaneousNumber, NewName, NewOriginatingAgencyCaseNumber,

NotifyOriginatingAgencyIndicator, OffenseCode, OffenseCodeDescription, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantDate, WarrantNumber, Weight]

Wanted Missing Person Inquiries (WMP-I)

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	M	2	
AreaCode	AreaCode	O	3	See NCIC Code Manual
EthnicityCode	EthnicityCode	O	1	See NCIC Code Manual
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Blank, Y
EyeColorCode	EyeColorCode	M	3	See NCIC Code Manual
HairColorCode	HairColorCode	M	3	See NCIC Code Manual
Height	Height	M	3	
Name	Name	O	30	
RaceCode	RaceCode	M	1	See NCIC Code Manual
SexCode	SexCode	M	1	See NCIC Code Manual
Weight	Weight	M	3	

Possible Combinations

- (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [AreaCode, EthnicityCode, ExpandedNameSearchCode, Name]

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Blank, Y
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Blank, Y
FBI Number	FBI Number	C	9	
ImageIndicator	ImageIndicator	O	1	Blank, Y
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	See NCIC Code Manual
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
ProtectionOrderNumber	ProtectionOrderNumber	C	15	
RaceCode	RaceCode	O	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Blank, Y
SexCode	SexCode	O	1	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	See NCIC Code Manual

Possible Combinations

- (In/Out) Name, BirthDate, [ExpandedBirthDateSearchCode, ExpandedNameSearchCode, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]

2. (In/Out) Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchCode, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
3. (In/Out) Name, ProtectionOrderNumber, [ExpandedNameSearchCode, ImageIndicator, RaceCode, RelatedHitSearchIndicator, SexCode]
4. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) Name, FBINumber, [ImageIndicator, RelatedHitSearchIndicator]
6. (In/Out) Name, MiscellaneousNumber, [ImageIndicator, RelatedHitSearchIndicator]
7. (In/Out) Name, OperatorLicenseNumber, [ImageIndicator, RelatedHitSearchIndicator]
8. (In/Out) Name, SocialSecurityNumber, [ImageIndicator, RelatedHitSearchIndicator]
9. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMakeCode]
10. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator, RelatedHitSearchIndicator, LicensePlateNumber, LicensePlateStateCode]

WMPISexOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
BoatHullNumber	BoatHullNumber	C	20	
BoatRegistrationNumber	BoatRegistrationNumber	C	10	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Blank, Y
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	Blank, Y
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	Blank, Y
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	See NCIC Code Manual
SexualOffenderStatusIndicator	SexualOffenderStatusIndicator	O	1	Y,N
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	See NCIC Code Manual
ZipCode	ZipCode	C	10	

Possible Combinations

1. (In/Out) Name, **and at least one** BirthDate, BoatHullNumber, FBINumber, LicensePlateNumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RegistrationNumber, SocialSecurityNumber, VehicleIdentificationNumber, [ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, ImageIndicator, LicensePlateStateCode, RaceCode, RelatedHitSearchIndicator, SexCode, VehicleMakeCode]
2. (In/Out) ZipCode, [SexualOffenderStatusIndicator, ImageIndicator]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	
AreaCode	AreaCode	O	3	See NCIC Code Manual
BodyPartsStatusCode	BodyPartsStatusCode	C	15	See NCIC Code Manual

EthnicityCode	EthnicityCode	O	1	See NCIC Code Manual
EyeColorCode	EyeColorCode	C	3	See NCIC Code Manual
HairColorCode	HairColorCode	C	3	See NCIC Code Manual
Height	Height	C	3	
ImageIndicator	ImageIndicator	O	1	Blank, Y
NCICNumber	NCICNumber	C	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	C	1	See NCIC Code Manual
SexCode	SexCode	C	1	See NCIC Code Manual
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight [AreaCode, EthnicityCode, ImageIndicator]
2. (In/Out) BodyPartsStatusCode, [AreaCode, ImageIndicator, RaceCode, SexCode]
3. (In/Out) NCICNumber
4. (In/Out) OriginatingAgencyCaseNumber

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/I/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Blank, Y
ExpandedNameSearchCode	ExpandedNameSearchCode	O	1	Blank, Y
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	Blank, Y
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
MessageKeyModifier	MessageKeyModifier	O	1	Blank, A, E, F, S See NCIC Wanted Person File for additional information on different message keys available.
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	See NCIC Code Manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Blank, Y
SexCode	SexCode	O	1	See NCIC Code Manual
SocialSecurityNumber	SocialSecurityNumber	C	9	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	24	See NCIC Code Manual

Possible Combinations

1. (In/Out) Name, BirthDate [ExpandedBirthDateSearchCode, ExpandedNameSearchCode, ImageIndicator, MessageKeyModifier, RaceCode, RelatedHitSearchIndicator, SexCode]
2. (In/Out) Name, OriginatingAgencyCaseNumber [ExpandedNameSearchCode, ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
3. (In/Out) NCICNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
4. (In/Out) Name, FBINumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
5. (In/Out) Name, MiscellaneousNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
6. (In/Out) Name, OperatorLicenseNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]

7. (In/Out) Name, SocialSecurityNumber, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator]
8. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMakeCode]
9. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, [ImageIndicator, MessageKeyModifier, RelatedHitSearchIndicator, LicensePlateNumber, LicensePlateStateCode]

Expanded Queries Supported:

AlarmExchangeResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlarmResponse	AlarmResponse	M	16384	
DestinationORI	DestinationORI	M	9	
FormORI	FormORI	O	9	

Possible Combinations

1. (In/Out) AlarmResponse, DestinationORI, [FormORI]

ConcealedWeaponsQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
PermitNumber	PermitNumber	C	20	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, [State]
2. (In/Out) PermitNumber, [State]
3. (In/Out) SocialSecurityNumber, [State]

P1AlarmExchangeResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlarmResponse	AlarmResponse	M	16384	
DestinationORI	DestinationORI	M	9	
FormORI	FormORI	O	9	

Possible Combinations

1. (In/Out) AlarmResponse, DestinationORI, [FormORI]

QueryPassThrough

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Message Data	FreeText	M		

Possible Combinations

1. FreeText

This is a message key pass through and does not require the header of the message, only the body.

Example: (Header)**QA.ORI/123456789.TYP/YTHING.SER/123456**
Bolded text would be sent to ConnectCIC server in the FreeText tag.

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- IDACS/NCIC 2000 Web Documentation