

Kentucky (KY) LINK

Transport:

Datamaxx DMP-2020 (Lems Extended)

Routing and Configuration Information:

Mnemonic routing

- The LINK assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The LINK assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.

Security Requirements:

None known at this time.

Logon Requirements:

None

Certification Requirements:

None

Need Site Sponsor

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)

[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	20	
ArticleTypeCode	ArticleTypeCode	M	7	
ImageIndicator	ImageIndicator	O	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [ImageIndicator]

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

BoatHullIdNumber	BoatHullIdNumber	C	20	
RegistrationNumber	RegistrationNumber	C	8	
State	State	O	2	

Possible Combinations

1. (In/Out) BoatHullIdNumber, [State]
2. (In/Out) RegistrationNumber, [State]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [Attention, ImageIndicator, PurposeCode, State]
2. (In/Out) OperatorLicenseNumber, [Attention, ImageIndicator, PurposeCode, State]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	C	1	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In) OperatorLicenseNumber
2. (In/Out) BirthDate, Name
3. (In/Out) ImageIndicator, OperatorLicenseNumber
4. (In/Out) Name, OperatorLicenseNumber
5. (Out) BirthDate, Name, SexCode, [ImageIndicator, State]
6. (Out) OperatorLicenseNumber, [ImageIndicator, State]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	
GunSerialNumber	GunSerialNumber	M	11	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageIndicator	ImageIndicator	O	1	

LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	C	4	
LicensePlateStateCode	LicensePlateStateCode	O	2	Valid NCIC state code (see NCIC Code Manual), used to limit search parameters.
State	State	C	2	Inquiry destination. Refer to LINK and Nlets documentation for acceptable codes. Expected default: "KY".
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) LicensePlateNumber, [ImageIndicator, LicensePlateStateCode]
2. (In) VehicleIdentificationNumber, [ImageIndicator, VehicleMakeCode]
3. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State, [LicensePlateStateCode]
4. (Out) State, VehicleIdentificationNumber, [VehicleMakeCode, VehicleYear]

Transactions Supported:

Agency Operations and Support (AOS)

AOSHazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ChemicalName	ChemicalName	C	50	
UnitedNationsNumber	UnitedNationsNumber	C	4	

Possible Combinations

1. (In/Out) ChemicalName
2. (In/Out) UnitedNationsNumber

Canadian Basic Inquiries (CBI)

CBIArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	M	23	
ArticleTypeCode	ArticleTypeCode	M	2	
IsPersonPropertyInSite	IsPersonPropertyInSite	O	1	
ReasonCode	ReasonCode	O	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [IsPersonPropertyInSite, ReasonCode]

CBIBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	12	
IsPersonPropertyInSite	IsPersonPropertyInSite	O	1	
ReasonCode	ReasonCode	O	1	
RegistrationNumber	RegistrationNumber	C	7	

Possible Combinations

1. (In/Out) BoatHullIdNumber, [IsPersonPropertyInSite, ReasonCode]
2. (In/Out) RegistrationNumber, [IsPersonPropertyInSite, ReasonCode]

CBIDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	10	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	O	1	
ReasonCode	ReasonCode	O	1	
SexCode	SexCode	M	2	
State	State	M	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, State, [OperatorLicenseNumber, PersonPropertyInSightIndicator, ReasonCode]

CBIGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	M	23	
GunTypeCode	GunTypeCode	M	2	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	O	1	
ReasonCode	ReasonCode	O	1	

Possible Combinations

1. (In/Out) GunSerialNumber, GunTypeCode, [PersonPropertyInSightIndicator, ReasonCode]

CBIVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	O	1	
ReasonCode	ReasonCode	O	1	
State	State	M	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	

Possible Combinations

1. (In/Out) LicensePlateNumber, State, [PersonPropertyInSightIndicator, ReasonCode]
2. (In/Out) VehicleIdentificationNumber, State, [PersonPropertyInSightIndicator, ReasonCode]

Wanted Missing Person Inquiries (WMP-I)***WMPIWantedPersonQuery***

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	M	30	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) Name, BirthDate

© 2025 CommSys, Inc.

Confidential. NDA Required.

2. (In/Out) Name, BirthDate, RaceCode, SexCode
3. (In/Out) Name, BirthDate, RaceCode, SexCode, SocialSecurityNumber
4. (In/Out) Name, SocialSecurityNumber

Expanded Transactions Supported:

KyConcealedWeaponsQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
Name	Name	C	30	
PermitNumber	PermitNumber	C	7	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) PermitNumber
2. (In/Out) Name, BirthDate, [SocialSecurityNumber]
3. (In/Out) SocialSecurityNumber

KyVehicleRegistrationChainQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCounty	AddressCounty	C	4	
Name	Name	C	30	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) Name, AddressCounty
2. (In/Out) VehicleIdentificationNumber

KyWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	10	
Name	Name	M	30	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) Name, BirthDate, [RaceCode, SexCode, SocialSecurityNumber]
2. (In/Out) Name, SocialSecurityNumber

NletsDriverLicenseNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
Age	Age	O	2	
Name	Name	M	30	
NextPage	NextPage	O	20	A free form field. See State Help files for more information.
SexCode	SexCode	O	2	

State	State	M	2	
-------	-------	---	---	--

Possible Combinations

1. (In/Out) Name, State, [AddressCity, AddressCounty, Age, NextPage, SexCode]

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- Link Interface Specifications