

Minnesota (MN) LEMS

[Disclaimer Statement](#)

Transport:

TCPIP

Routing and Configuration Information:

Save byte routing

- The MNJIS assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The MNJIS assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.

Security Requirements:

None known at this time.

Logon Requirements:

None

Certification Requirements:

None – Some minor testing with the state with first site may be required.
Need Site Sponsor

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)
[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
ImageIndicator	ImageIndicator	O	1	
NCICNumber	NCICNumber	C	10	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [ImageIndicator, RelatedHitSearchIndicator]

2. (In/Out) ArticleTypeCode, OwnerAppliedNumber, [ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) NCICNumber

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMakeCode	BoatMakeCode	O	24	
ImageIndicator	ImageIndicator	O	1	
RegistrationNumber	RegistrationNumber	C	8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) BoatHullIdNumber, [BoatMakeCode, ImageIndicator, RelatedHitSearchIndicator]
2. (In) RegistrationNumber
3. (Out) BoatHullIdNumber, State, [State2, State3, State4, State5]
4. (Out) RegistrationNumber, State, [State2, State3, State4, State5]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	Y
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) Name
2. (In) OperatorLicenseNumber, [ImageIndicator]
3. (Out) BirthDate, Name, SexCode, State, [ImageIndicator, State2, State3, State4, State5]
4. (Out) OperatorLicenseNumber, State, [ImageIndicator, State2, State3, State4, State5]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
Name	Name	C	30	
BirthDate	BirthDate	C	8	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
SexCode	SexCode	C	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	

State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [Attention, PurposeCode, State, State2, State3, State4, State5]
2. (In/Out) OperatorLicenseNumber, [Attention, PurposeCode, State, State2, State3, State4, State5]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	
GunModel	GunModel	O	11	
GunSerialNumber	GunSerialNumber	C	11	
ImageIndicator	ImageIndicator	O	1	
NCICNumber	NCICNumber	C	10	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunModel, ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) NCICNumber
3. (In/Out) OwnerAppliedNumber, [GunCaliber, GunMake, GunModel, ImageIndicator, RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	C	30	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) BirthDate, Name
2. (In) LicensePlateNumber, [LicensePlateYear, RelatedHitSearchIndicator, State]
3. (In) VehicleIdentificationNumber, [State]
4. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State, [State2, State3, State4, State5]
5. (Out) VehicleIdentificationNumber, State, [State2, State3, State4, State5, VehicleMakeCode, VehicleYear]

Transactions Supported:

Expanded Transactions Supported:

AdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationORI	DestinationORI	M	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
FreeText	FreeText	M	500	

Possible Combinations

1. (In/Out) DestinationORI, FreeText, [DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5]

ArticleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	O	20	
CancellationDate	CancellationDate	M	8	
FreeText	FreeText	O	501	
NCICNumber	NCICNumber	M	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyORI, [ArticleSerialNumber, FreeText, OriginatingAgencyCaseNumber, OwnerAppliedNumber, PropertyRecordRemovalReason]

ArticleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	O	20	
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
NCICNumber	NCICNumber	M	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, NCICNumber, OriginatingAgencyORI, [ArticleSerialNumber, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, OwnerAppliedNumber, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

ArticleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	M	6	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	O	20	
ArticleTypeCode	ArticleTypeCode	M	7	
FreeText	FreeText	O	200	
HazardousMaterialContainer	HazardousMaterialContainer	O	25	
LatentHoldIndicator	LatentHoldIndicator	M	1	Y, N
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PartialLotIndicator	PartialLotIndicator	O	1	
TheftDate	TheftDate	M	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) ArticleBrand, ArticleTypeCode, LatentHoldIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, [ArticleModel, ArticleSerialNumber, FreeText, HazardousMaterialContainer, LinkageAgencyId, LinkageCaseNumber, LotNumber, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, PartialLotIndicator, UnitedNationsNumber]

ArticleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	O	20	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
NCICNumber	NCICNumber	M	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyORI, RecoveryDate, [ArticleSerialNumber, ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, OwnerAppliedNumber, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

ArticleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	O	20	
ArticleTypeCode	ArticleTypeCode	O	7	
FreeText	FreeText	O	200	
HazardousMaterialContainer	HazardousMaterialContainer	O	25	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LatentHoldIndicator	LatentHoldIndicator	O	1	Y, N
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
ModifiedArticleSerialNumber	ModifiedArticleSerialNumber	O	20	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
ModifiedOwnerAppliedNumber	ModifiedOwnerAppliedNumber	O	20	
NCICNumber	NCICNumber	M	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PartialLotIndicator	PartialLotIndicator	O	1	
TheftDate	TheftDate	O	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyORI, [ArticleBrand, ArticleModel, ArticleSerialNumber, ArticleTypeCode, FreeText, HazardousMaterialContainer, ImageNCICNumber, ImageTypeCode, LatentHoldIndicator, LinkageAgencyId, LinkageCaseNumber, LotNumber, ModifiedArticleSerialNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, ModifiedOwnerAppliedNumber, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, OwnerAppliedNumber, PartialLotIndicator, TheftDate, UnitedNationsNumber]

BicycleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
LicensePlateNumber	LicensePlateNumber	C	10	
Name	Name	C	30	
SerialNumber	SerialNumber	C	20	

Possible Combinations

1. (In/Out) BirthDate, Name

2. (In/Out) LicensePlateNumber
3. (In/Out) SerialNumber

BoatCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	O	20	
CancellationDate	CancellationDate	M	8	
FreeText	FreeText	O	501	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
RegistrationNumber	RegistrationNumber	O	20	

Possible Combinations

1. (In/Out) CancellationDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BoatHullIdNumber, FreeText, NCICNumber, PropertyRecordRemovalReason, RegistrationNumber]

BoatClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	O	20	
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
RegistrationNumber	RegistrationNumber	O	8	

Possible Combinations

1. (In/Out) ClearDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BoatHullIdNumber, ContrabandRecoveredValue, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, RegistrationNumber]

BoatEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColorCode	BoatColorCode	O	7	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	C	24	
BoatModelName	BoatModelName	O	20	

BoatModelYear	BoatModelYear	M	4	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
CoastGaurdDocumentNumber	CoastGaurdDocumentNumber	O	8	
FreeText	FreeText	O	200	
HomePort	HomePort	O	20	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LatentHoldIndicator	LatentHoldIndicator	M	1	Y, N
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	M	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
RegistrationExpirationYear	RegistrationExpirationYear	O	4	
RegistrationNumber	RegistrationNumber	O	8	
RegistrationStateCode	RegistrationStateCode	O	2	
TheftDate	TheftDate	M	8	
VehicleOwnershipDataCode	VehicleOwnershipDataCode	O	1	

Possible Combinations

1. (In/Out) BoatModelYear, LatentHoldIndicator, OccupantsArmedIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, [BoatColorCode, BoatHullIdNumber, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatName, BoatPropulsionCode, BoatTypeCode, CoastGaurdDocumentNumber, FreeText, HomePort, ImageNCICNumber, ImageTypeCode, LinkageAgencyId, LinkageCaseNumber, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, RegistrationExpirationYear, RegistrationNumber, RegistrationStateCode, VehicleOwnershipDataCode]

BoatLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	O	20	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	
RegistrationNumber	RegistrationNumber	O	8	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, [BoatHullIdNumber, ContrabandRecoveredValue, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue,

PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RegistrationNumber]

BoatModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColorCode	BoatColorCode	O	7	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
FreeText	FreeText	O	200	
HomePort	HomePort	O	20	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LatentHoldIndicator	LatentHoldIndicator	O	1	Y, N
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
ModifiedBoatHullIdNumber	ModifiedBoatHullIdNumber	O	20	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
ModifiedRegistrationNumber	ModifiedRegistrationNumber	O	8	
NCICNumber	NCICNumber	O	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	O	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
RegistrationExpirationYear	RegistrationExpirationYear	O	4	
RegistrationNumber	RegistrationNumber	O	8	
RegistrationStateCode	RegistrationStateCode	O	2	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleOwnershipDataCode	VehicleOwnershipDataCode	O	1	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BoatColorCode, BoatHullIdNumber, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatPropulsionCode, BoatTypeCode, CoastGuardDocumentNumber, FreeText, HomePort, ImageNCICNumber, ImageTypeCode, LatentHoldIndicator, LinkageAgencyId, LinkageCaseNumber, ModifiedBoatHullIdNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, ModifiedRegistrationNumber, NCICNumber, NotifyOriginatingAgencyIndicator, OccupantsArmedIndicator, OwnerAppliedNumber, RegistrationExpirationYear, RegistrationNumber, RegistrationStateCode, TheftDate, ValidatorName, VehicleOwnershipDataCode]

BoatRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	6	

Possible Combinations

1. (In/Out) Name
2. (In/Out) RegistrationNumber

BoatStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMakeCode	BoatMakeCode	O	24	
ImageIndicator	ImageIndicator	O	1	
RegistrationNumber	RegistrationNumber	C	8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) BoatHullIdNumber, [BoatMakeCode, ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) RegistrationNumber, [ImageIndicator, RelatedHitSearchIndicator]

DisabilityCertificateQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
CertificateNumber	CertificateNumber	C	7	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	

Possible Combinations

1. (In/Out) BirthDate, Name
2. (In/Out) CertificateNumber
3. (In/Out) OperatorLicenseNumber

DriverLicenseImageQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
OperatorLicenseNumber	OperatorLicenseNumber	M	20	

Possible Combinations

1. (In/Out) OperatorLicenseNumber

DriverLicenseNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	M	30	

Possible Combinations

1. (In/Out) Name

FirearmSafetyCertificateQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	

Possible Combinations

1. (In/Out) BirthDate, Name
2. (In/Out) OperatorLicenseNumber

GangMemberQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) BirthDate, Name, [RaceCode, SexCode]

GunCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FreeText	FreeText	O	501	
GunEntryTypeCode	GunEntryTypeCode	M	1	L, R, S
GunSerialNumber	GunSerialNumber	O	20	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	

Possible Combinations

1. (In/Out) CancellationDate, GunEntryTypeCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, GunSerialNumber, NCICNumber, PropertyRecordRemovalReason]
2. (In/Out) CancellationDate, GunEntryTypeCode, RecoveringAgencyORI, [FreeText, GunSerialNumber, NCICNumber, PropertyRecordRemovalReason, RecoveringAgencyCaseNumber]

GunClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	C	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
GunEntryTypeCode	GunEntryTypeCode	M	1	L, R, S
GunSerialNumber	GunSerialNumber	O	20	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	

Possible Combinations

1. (In/Out) ClearDate, GunEntryTypeCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [ContrabandRecoveredValue, GunSerialNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
2. (In/Out) GunEntryTypeCode, RecoveringAgencyORI, [ClearDate, ContrabandRecoveredValue, GunSerialNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OriginatingAgencyORI, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

GunEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	O	200	
GunEntryTypeCode	GunEntryTypeCode	M	1	L, R, S
GunCaliber	GunCaliber	M	4	
GunMake	GunMake	M	23	
GunModel	GunModel	O	11	
GunSerialNumber	GunSerialNumber	M	11	
GunTypeCode	GunTypeCode	M	2	
LatentHoldIndicator	LatentHoldIndicator	M	1	Y, N
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LossDate	LossDate	C	8	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	C	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	
RecoveryDate	RecoveryDate	C	8	
TheftDate	TheftDate	C	8	

Possible Combinations

1. (In/Out) GunCaliber, GunEntryTypeCode, GunMake, GunSerialNumber, GunTypeCode, LatentHoldIndicator, LossDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, GunModel, LinkageAgencyId, LinkageCaseNumber, NotifyOriginatingAgencyIndicator]
2. (In/Out) GunCaliber, GunEntryTypeCode, GunMake, GunSerialNumber, GunTypeCode, LatentHoldIndicator, OriginatingAgencyORI, TheftDate, [FreeText, GunModel, LinkageAgencyId, LinkageCaseNumber, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber]
3. (In/Out) GunCaliber, GunEntryTypeCode, GunMake, GunSerialNumber, GunTypeCode, LatentHoldIndicator, RecoveringAgencyCaseNumber, RecoveringAgencyORI, RecoveryDate, [FreeText, GunModel, LinkageAgencyId, LinkageCaseNumber, NotifyOriginatingAgencyIndicator]

GunLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
GunEntryTypeCode	GunEntryTypeCode	M	1	L, R, S
GunSerialNumber	GunSerialNumber	O	20	
NCICNumber	NCICNumber	O	10	

NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

1. (In/Out) GunEntryTypeCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, [ContrabandRecoveredValue, GunSerialNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

GunModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	O	200	
GunCaliber	GunCaliber	O	4	
GunEntryTypeCode	GunEntryTypeCode	M	1	L, R, S
GunMake	GunMake	O	23	
GunModel	GunModel	O	11	
GunSerialNumber	GunSerialNumber	O	20	
GunTypeCode	GunTypeCode	O	2	
LatentHoldIndicator	LatentHoldIndicator	C	1	Y, N
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LossDate	LossDate	O	8	
ModifiedGunSerialNumber	ModifiedGunSerialNumber	O	20	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
NCICNumber	NCICNumber	O	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) GunEntryTypeCode, LatentHoldIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, GunTypeCode, LinkageAgencyId, LinkageCaseNumber, ModifiedGunSerialNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NCICNumber, NotifyOriginatingAgencyIndicator, TheftDate, ValidatorName]
2. (In/Out) GunEntryTypeCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, GunTypeCode, LinkageAgencyId, LinkageCaseNumber, LossDate, ModifiedGunSerialNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NCICNumber, NotifyOriginatingAgencyIndicator, ValidatorName]

3. (In/Out) GunEntryTypeCode, RecoveringAgencyORI, [FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, GunTypeCode, LinkageAgencyId, LinkageCaseNumber, ModifiedGunSerialNumber, ModifiedOriginatingAgencyCaseNumber, NCICNumber, NotifyOriginatingAgencyIndicator, RecoveringAgencyCaseNumber, TheftDate, ValidatorName]
4. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, GunTypeCode, LinkageAgencyId, LinkageCaseNumber, ModifiedGunSerialNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NCICNumber, NotifyOriginatingAgencyIndicator, TheftDate, ValidatorName]

ImageQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatLength	BoatLength	C	2	
BoatMakeCode	BoatMakeCode	C	24	
BoatTypeCode	BoatTypeCode	C	3	
BoatYear	BoatYear	O	4	
ImageNCICNumber	ImageNCICNumber	C	10	
NCICNumber	NCICNumber	C	10	
VehicleMakeCode	VehicleMakeCode	C	24	
VehicleModelCode	VehicleModelCode	C	3	
VehicleStyleCode	VehicleStyleCode	C	2	
VehicleYear	VehicleYear	C	4	

Possible Combinations

1. (In/Out) BoatLength, BoatMakeCode, BoatTypeCode, [BoatYear]
2. (In/Out) ImageNCICNumber
3. (In/Out) NCICNumber
4. (In/Out) VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear

LicensePlateCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FreeText	FreeText	O	501	
LicensePlateNumber	LicensePlateNumber	O	10	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, LicensePlateNumber, NCICNumber, PropertyRecordRemovalReason]

LicensePlateClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	

OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [ContrabandRecoveredValue, LicensePlateNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

LicensePlateEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	O	200	
LatentHoldIndicator	LatentHoldIndicator	M	1	Y, N
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	M	4	
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	M	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
State	State	M	2	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) LatentHoldIndicator, LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, OccupantsArmedIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, State, TheftDate, [FreeText, LinkageAgencyId, LinkageCaseNumber, NotifyOriginatingAgencyIndicator]
2. (In/Out) LatentHoldIndicator, LicensePlateNumber, LicensePlateYear, OccupantsArmedIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, State, TheftDate, [FreeText, LicensePlateTypeCode, LinkageAgencyId, LinkageCaseNumber, NotifyOriginatingAgencyIndicator]

LicensePlateLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	

RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, [ContrabandRecoveredValue, LicensePlateNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

LicensePlateModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	O	200	
LatentHoldIndicator	LatentHoldIndicator	C	1	Y, N
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
ModifiedLicensePlateNumber	ModifiedLicensePlateNumber	O	10	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
NCICNumber	NCICNumber	O	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	C	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) LatentHoldIndicator, OccupantsArmedIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, ModifiedLicensePlateNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NCICNumber, NotifyOriginatingAgencyIndicator, TheftDate, ValidatorName]
2. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, ModifiedLicensePlateNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NCICNumber, NotifyOriginatingAgencyIndicator, TheftDate, ValidatorName]

OffRoadVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	6	

Possible Combinations

1. (In/Out) Name
2. (In/Out) RegistrationNumber

ProbationParoleCorrectionsQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	
MessageKey	MessageKey	O	1	"P" – Parole, "B" – Probation, "C" – Corrections, "A" – Comprehensive (parole, probation, and corrections) ("A" is sent by default if there is not a value for the MessageKey field)
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
PurposeCode	PurposeCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [Attention, ImageIndicator, MessageKey, PurposeCode, State]
2. (In/Out) FBINumber, [Attention, ImageIndicator, MessageKey, PurposeCode, State]
3. (In/Out) MiscellaneousNumber, [Attention, ImageIndicator, MessageKey, PurposeCode, State]
4. (In/Out) SocialSecurityNumber, [Attention, ImageIndicator, MessageKey, PurposeCode, State]
5. (In/Out) StateIdNumber, [Attention, ImageIndicator, MessageKey, PurposeCode, State]

PermitCarryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
IdentificationNumber	IdentificationNumber	C	20	
Name	Name	C	30	

Possible Combinations

1. (In/Out) BirthDate, Name
2. (In/Out) IdentificationNumber

PersonMissingCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonEntryType	PersonEntryType	M	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, OriginatingAgencyORI, PersonEntryType, [Name, NCICNumber, OriginatingAgencyCaseNumber, PersonRecordRemovalReason]

PersonMissingClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
HitResultsIndicator	HitResultsIndicator	O	2	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonEntryType	PersonEntryType	M	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, OriginatingAgencyORI, PersonEntryType, [ContrabandRecoveredValue, HitResultsIndicator, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

PersonMissingEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CautionIndicator	CautionIndicator	M	1	Y, N
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	C	8	
EyeColorCode	EyeColorCode	C	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintIndicator	FootprintIndicator	O	1	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	C	3	
Height	Height	M	3	
JewelryTypeCode	JewelryTypeCode	O	50	
JewelryTypeCode10	JewelryTypeCode10	O	50	
JewelryTypeCode11	JewelryTypeCode11	O	50	
JewelryTypeCode12	JewelryTypeCode12	O	50	
JewelryTypeCode13	JewelryTypeCode13	O	50	
JewelryTypeCode14	JewelryTypeCode14	O	50	
JewelryTypeCode15	JewelryTypeCode15	O	50	

JewelryTypeCode16	JewelryTypeCode16	O	50	
JewelryTypeCode17	JewelryTypeCode17	O	50	
JewelryTypeCode2	JewelryTypeCode2	O	50	
JewelryTypeCode3	JewelryTypeCode3	O	50	
JewelryTypeCode4	JewelryTypeCode4	O	50	
JewelryTypeCode5	JewelryTypeCode5	O	50	
JewelryTypeCode6	JewelryTypeCode6	O	50	
JewelryTypeCode7	JewelryTypeCode7	O	50	
JewelryTypeCode8	JewelryTypeCode8	O	50	
JewelryTypeCode9	JewelryTypeCode9	O	50	
LastContactDate	LastContactDate	C	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	
MissingPersonCode	MissingPersonCode	C	2	
Name	Name	M	30	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonEntryType	PersonEntryType	M	1	
PropertyDescriptionText	PropertyDescriptionText	O	100	
RaceCode	RaceCode	M	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) CautionIndicator, Height, MissingPersonCode, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonEntryType, RaceCode, SexCode, Weight, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionMedicalConditionsCode, CircumcisionCode, CorrectiveVisionPrescriptionCode, DNAIndicator, DNALocation, EmancipationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, FreeText, HairColorCode, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6,

JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MiscellaneousNumber, MissingPersonCircumstanceCode, NotifyOriginatingAgencyIndicator, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, PropertyDescriptionText, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear]

PersonMissingLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
DispositionCode	DispositionCode	M	4	
HitResultsIndicator	HitResultsIndicator	O	2	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

1. (In/Out) DispositionCode, OriginatingAgencyORI, RecoveryDate, [ContrabandRecoveredValue, HitResultsIndicator, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

PersonMissingModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BloodTypeCode	BloodTypeCode	O	5	
BodyXRayCode	BodyXRayCode	O	1	
CautionIndicator	CautionIndicator	O	1	Y, N
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CircumcisionCode	CircumcisionCode	O	1	
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	
EmancipationDate	EmancipationDate	O	8	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FootprintIndicator	FootprintIndicator	O	1	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	

JewelryTypeCode	JewelryTypeCode	O	50	
JewelryTypeCode10	JewelryTypeCode10	O	50	
JewelryTypeCode11	JewelryTypeCode11	O	50	
JewelryTypeCode12	JewelryTypeCode12	O	50	
JewelryTypeCode13	JewelryTypeCode13	O	50	
JewelryTypeCode14	JewelryTypeCode14	O	50	
JewelryTypeCode15	JewelryTypeCode15	O	50	
JewelryTypeCode16	JewelryTypeCode16	O	50	
JewelryTypeCode17	JewelryTypeCode17	O	50	
JewelryTypeCode2	JewelryTypeCode2	O	50	
JewelryTypeCode3	JewelryTypeCode3	O	50	
JewelryTypeCode4	JewelryTypeCode4	O	50	
JewelryTypeCode5	JewelryTypeCode5	O	50	
JewelryTypeCode6	JewelryTypeCode6	O	50	
JewelryTypeCode7	JewelryTypeCode7	O	50	
JewelryTypeCode8	JewelryTypeCode8	O	50	
JewelryTypeCode9	JewelryTypeCode9	O	50	
LastContactDate	LastContactDate	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousNumber	MiscellaneousNumber	O	15	
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	
MissingPersonCode	MissingPersonCode	O	2	
ModifiedFullName	ModifiedFullName	O	30	
ModifiedName	ModifiedName	O	30	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonEntryTypeCode	PersonEntryTypeCode	O	1	
PropertyDescriptionText	PropertyDescriptionText	O	100	
RaceCode	RaceCode	O	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	

VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) OriginatingAgencyORI, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionIndicator, CautionMedicalConditionsCode, CircumcisionCode, CorrectiveVisionPerscriptionCode, EmancipationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, FreeText, HairColorCode, Height, JewelryTypeCode, JewelryTypeCode10, JewelryTypeCode11, JewelryTypeCode12, JewelryTypeCode13, JewelryTypeCode14, JewelryTypeCode15, JewelryTypeCode16, JewelryTypeCode17, JewelryTypeCode2, JewelryTypeCode3, JewelryTypeCode4, JewelryTypeCode5, JewelryTypeCode6, JewelryTypeCode7, JewelryTypeCode8, JewelryTypeCode9, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, ModifiedFullName, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, Name, NCICNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, PersonEntryTypeCode, PropertyDescriptionText, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

PersonWantedCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonEntryType	PersonEntryType	M	1	A, F, J
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
SystemAssignedNumber	SystemAssignedNumber	C	7	

Possible Combinations

1. (In/Out) CancellationDate, OriginatingAgencyORI, PersonEntryType, [Name, NCICNumber, OriginatingAgencyCaseNumber, PersonRecordRemovalReason]
2. (In/Out) CancellationDate, OriginatingAgencyORI, PersonEntryType, SystemAssignedNumber, [Name, NCICNumber, OriginatingAgencyCaseNumber, PersonRecordRemovalReason]

PersonWantedClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
HitResultsIndicator	HitResultsIndicator	O	2	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	

PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonEntryType	PersonEntryType	M	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
SystemAssignedNumber	SystemAssignedNumber	O	7	

Possible Combinations

1. (In/Out) ClearDate, OriginatingAgencyORI, PersonEntryType, [ContrabandRecoveredValue, HitResultsIndicator, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, SystemAssignedNumber]
2. (In/Out) ClearDate, OriginatingAgencyORI, PersonEntryType, [ContrabandRecoveredValue, HitResultsIndicator, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

PersonWantedEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressApartmentNumber	AddressApartmentNumber	O	6	
AddressCity	AddressCity	O	21	
AddressHouseNumber	AddressHouseNumber	O	9	
AddressStateCode	AddressStateCode	O	2	
AddressStreetDirection	AddressStreetDirection	O	2	
AddressStreetName	AddressStreetName	O	16	
AddressStreetSuffix	AddressStreetSuffix	O	4	
AddressZipCode	AddressZipCode	O	9	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BondInformation	BondInformation	O	7	
CautionIndicator	CautionIndicator	M	1	Y, N
CautionMedicalConditionsCode	CautionMedicalConditionsCode	C	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	C	8	
ExtraditionLimitation	ExtraditionLimitation	M	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	C	3	
Height	Height	C	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyId	LinkageAgencyId	O	9	

LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NightcapInformation	NightcapInformation	O	1	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	M	24	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonEntryType	PersonEntryType	M	1	
RaceCode	RaceCode	M	1	
RecordTypeCode	RecordTypeCode	C	2	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	M	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	7	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
ViolationDate	ViolationDate	C	8	
WarrantDate	WarrantDate	C	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	C	3	

Possible Combinations

1. (In/Out) CautionIndicator, CautionMedicalConditionsCode, ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonEntryType, RaceCode, RecordTypeCode, SexCode, WarrantDate, Weight, [AddressApartmentNumber, AddressCity, AddressHouseNumber, AddressStateCode, AddressStreetDirection, AddressStreetName, AddressStreetSuffix, AddressZipCode, BirthDate, BirthPlaceCode, BondInformation, CourtORI, DNAIndicator, DNALocation, EmancipationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, FreeText, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MiscellaneousNumber, NightcapInformation, NotifyOriginatingAgencyIndicator, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantNumber]
2. (In/Out) CautionIndicator, EmancipationDate, ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonEntryType, RaceCode, RecordTypeCode, SexCode, ViolationDate, Weight, [AddressApartmentNumber, AddressCity, AddressHouseNumber, AddressStateCode, AddressStreetDirection, AddressStreetName, AddressStreetSuffix, AddressZipCode, BirthDate, BirthPlaceCode, BondInformation, CautionMedicalConditionsCode, CourtORI, DNAIndicator, DNALocation, EyeColorCode, FBINumber, FingerprintClassificationCode, FreeText, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MiscellaneousNumber, NightcapInformation, NotifyOriginatingAgencyIndicator, OperatorLicenseExpirationYear,

- OperatorLicenseNumber, OperatorLicenseStateCode, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantNumber]
3. (In/Out) CautionIndicator, ExtraditionLimitation, Name, OffenseCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonEntryType, RaceCode, SexCode, WarrantDate, [BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CourtORI, DNAIndicator, DNALocation, EmancipationDate, EyeColorCode, FBINumber, FingerprintClassificationCode, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MiscellaneousNumber, NotifyOriginatingAgencyIndicator, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, ScarMarkTattooCode, SkinToneCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantNumber, Weight]

PersonWantedLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
ExtraditionLimitation	ExtraditionLimitation	M	4	
HitResultsIndicator	HitResultsIndicator	O	2	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonEntryType	PersonEntryType	M	1	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	
SystemAssignedNumber	SystemAssignedNumber	C	7	

Possible Combinations

1. (In/Out) ExtraditionLimitation, OriginatingAgencyORI, PersonEntryType, RecoveryDate, [ContrabandRecoveredValue, HitResultsIndicator, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
2. (In/Out) ExtraditionLimitation, OriginatingAgencyORI, PersonEntryType, RecoveryDate, SystemAssignedNumber, [ContrabandRecoveredValue, HitResultsIndicator, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

PersonWantedModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AddressApartmentNumber	AddressApartmentNumber	O	6	
AddressCity	AddressCity	O	21	
AddressHouseNumber	AddressHouseNumber	O	9	
AddressStateCode	AddressStateCode	O	2	

AddressStreetDirection	AddressStreetDirection	O	2	
AddressStreetName	AddressStreetName	O	16	
AddressStreetSuffix	AddressStreetSuffix	O	4	
AddressZipCode	AddressZipCode	O	9	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BondInformation	BondInformation	O	7	
CautionIndicator	CautionIndicator	C	1	Y, N
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	O	8	
ExtraditionLimitation	ExtraditionLimitation	O	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousNumber	MiscellaneousNumber	O	15	
ModifiedName	ModifiedName	O	30	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
NightcapInformation	NightcapInformation	O	1	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	O	24	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginalTemporaryIndicator	OriginalTemporaryIndicator	M	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonEntryTypeCode	PersonEntryTypeCode	C	1	Y, N
RaceCode	RaceCode	O	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
SystemAssignedNumber	SystemAssignedNumber	C	7	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	

VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) CautionIndicator, OriginalTemporaryIndicator, OriginatingAgencyORI, PersonEntryTypeCode, [BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CourtORI, DNAIndicator, DNALocation, EmancipationDate, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, Name, NCICNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantDate, WarrantNumber, Weight]
2. (In/Out) CautionIndicator, OriginalTemporaryIndicator, OriginatingAgencyORI, PersonEntryTypeCode, SystemAssignedNumber, [AddressApartmentNumber, AddressCity, AddressHouseNumber, AddressStateCode, AddressStreetDirection, AddressStreetName, AddressStreetSuffix, AddressZipCode, BirthDate, BirthPlaceCode, BondInformation, CautionMedicalConditionsCode, CourtORI, DNAIndicator, DNALocation, EmancipationDate, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MiscellaneousNumber, Name, NCICNumber, NightcapInformation, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, StateldNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantDate, WarrantNumber, Weight]

QueryPassThrough

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	M	100	

Possible Combinations

1. (In/Out) FreeText

*This is a message key pass through and does not require the header of the message, only the body.

Example: (Header)**QA.ORI/123456789.TYP/YTHING.SER/123456**

Bolded text would be sent to ConnectCIC server in the FreeText tag.

ReportArrestCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestChargeNumber	ArrestChargeNumber	M	2	

ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
PersonSequenceNumber	PersonSequenceNumber	M	3	

Possible Combinations

1. (In/Out) ArrestChargeNumber, ControllingAgencyNumber, ControlNumber, PersonSequenceNumber

ReportArrestEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestChargeNumber	ArrestChargeNumber	M	2	
ArrestChargeNumber2	ArrestChargeNumber2	O	2	
ArrestChargeNumber3	ArrestChargeNumber3	O	2	
ArrestDate	ArrestDate	M	6	
ArrestDispositionNumeric	ArrestDispositionNumeric	M	3	
ArrestDispositionNumeric2	ArrestDispositionNumeric2	O	3	
ArrestDispositionNumeric3	ArrestDispositionNumeric3	O	3	
ArrestingAgencyNumber	ArrestingAgencyNumber	O	9	
BirthDate	BirthDate	M	6	
ChargeCode	ChargeCode	M	1	
ChargeCode2	ChargeCode2	O	1	
ChargeCode3	ChargeCode3	O	1	
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
GeneralOffenseCharacter	GeneralOffenseCharacter	M	1	
GeneralOffenseCharacter2	GeneralOffenseCharacter2	O	1	
GeneralOffenseCharacter3	GeneralOffenseCharacter3	O	1	
MinnesotaOffenseCode	MinnesotaOffenseCode	M	5	
MinnesotaOffenseCode2	MinnesotaOffenseCode2	O	5	
MinnesotaOffenseCode3	MinnesotaOffenseCode3	O	5	
PersonCharged	PersonCharged	M	1	
PersonSequenceNumber	PersonSequenceNumber	M	3	
RaceCode	RaceCode	M	1	
SexCode	SexCode	M	1	
StateCode	StateCode	M	2	
StateCode2	StateCode2	O	2	
StateCode3	StateCode3	O	2	
StateOrOrdinanceNumber	StateOrOrdinanceNumber	M	12	
StateOrOrdinanceNumber2	StateOrOrdinanceNumber2	O	12	
StateOrOrdinanceNumber3	StateOrOrdinanceNumber3	O	12	

Possible Combinations

1. (In/Out) ArrestChargeNumber, ArrestDate, ArrestDispositionNumeric, BirthDate, ChargeCode, ControllingAgencyNumber, ControlNumber, GeneralOffenseCharacter, MinnesotaOffenseCode, PersonCharged, PersonSequenceNumber, RaceCode, SexCode, StateCode, StateOrOrdinanceNumber, [ArrestChargeNumber2, ArrestChargeNumber3, ArrestDispositionNumeric2, ArrestDispositionNumeric3, ArrestingAgencyNumber, ChargeCode2, ChargeCode3, GeneralOffenseCharacter2, GeneralOffenseCharacter3, MinnesotaOffenseCode2, MinnesotaOffenseCode3, StateCode2, StateCode3, StateOrOrdinanceNumber2, StateOrOrdinanceNumber3]

ReportArrestModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestChargeNumber	ArrestChargeNumber	M	2	
ArrestDate	ArrestDate	O	6	
ArrestDispositionNumeric	ArrestDispositionNumeric	O	3	
ArrestingAgencyNumber	ArrestingAgencyNumber	O	9	
BirthDate	BirthDate	O	6	
ChargeCode	ChargeCode	O	1	
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
GeneralOffenseCharacter	GeneralOffenseCharacter	O	1	
MinnesotaOffenseCode	MinnesotaOffenseCode	O	5	
PersonCharged	PersonCharged	O	1	
PersonSequenceNumber	PersonSequenceNumber	M	3	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
StateCode	StateCode	O	2	
StateOrOrdinanceNumber	StateOrOrdinanceNumber	O	12	

Possible Combinations

1. (In/Out) ArrestChargeNumber, ControllingAgencyNumber, ControlNumber, PersonSequenceNumber, [ArrestDate, ArrestDispositionNumeric, ArrestingAgencyNumber, BirthDate, ChargeCode, GeneralOffenseCharacter, MinnesotaOffenseCode, PersonCharged, RaceCode, SexCode, StateCode, StateOrOrdinanceNumber]

ReportArrestQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestChargeNumber	ArrestChargeNumber	M	2	
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
PersonSequenceNumber	PersonSequenceNumber	M	3	

Possible Combinations

1. (In/Out) ArrestChargeNumber, ControllingAgencyNumber, ControlNumber, PersonSequenceNumber

ReportDailyDetentionQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

ReportDetentionInformationCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	6	
Name	Name	M	30	
RegisterNumber	RegisterNumber	M	7	
ReportingFacility	ReportingFacility	M	9	

Possible Combinations

1. (In/Out) BirthDate, Name, RegisterNumber, ReportingFacility

ReportDetentionInformationEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdultJuvenileCode	AdultJuvenileCode	M	1	
BirthDate	BirthDate	M	6	
ControllingAgency	ControllingAgency	O	9	
DetentionDate	DetentionDate	M	6	
DetentionTime	DetentionTime	M	4	
DetentionTimeOut	DetentionTimeOut	O	4	
MinnesotaOffenseCode	MinnesotaOffenseCode	M	5	
Name	Name	O	30	
ReasonBeingHeld	ReasonBeingHeld	M	2	
ReasonBeingReleased	ReasonBeingReleased	O	2	
RegisterNumber	RegisterNumber	M	7	
ReleaseDate	ReleaseDate	O	6	
ReportingFacility	ReportingFacility	M	9	
SentenceExpirationDate	SentenceExpirationDate	O	6	
SentenceStartDate	SentenceStartDate	O	6	
SexCode	SexCode	M	1	
TransactionTypeCode	TransactionTypeCode	M	1	
UnusualPrisonerBehavior	UnusualPrisonerBehavior	O	2	
WorkReleaseCode	WorkReleaseCode	O	1	

Possible Combinations

1. (In/Out) AdultJuvenileCode, BirthDate, DetentionDate, DetentionTime, MinnesotaOffenseCode, ReasonBeingHeld, RegisterNumber, ReportingFacility, SexCode, TransactionTypeCode, [ControllingAgency, DetentionTimeOut, Name, ReasonBeingReleased, ReleaseDate, SentenceExpirationDate, SentenceStartDate, UnusualPrisonerBehavior, WorkReleaseCode]

ReportDetentionInformationModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdultJuvenileCode	AdultJuvenileCode	O	1	
BirthDate	BirthDate	M	6	
ControllingAgency	ControllingAgency	O	9	
DetentionDate	DetentionDate	O	6	
DetentionTime	DetentionTime	O	4	
DetentionTimeOut	DetentionTimeOut	O	4	
MinnesotaOffenseCode	MinnesotaOffenseCode	O	5	
Name	Name	M	30	
ReasonBeingHeld	ReasonBeingHeld	O	2	
ReasonBeingReleased	ReasonBeingReleased	O	2	
RegisterNumber	RegisterNumber	M	7	
ReleaseDate	ReleaseDate	O	6	
ReportingFacility	ReportingFacility	M	9	
SentenceExpirationDate	SentenceExpirationDate	O	6	
SentenceStartDate	SentenceStartDate	O	6	
SexCode	SexCode	O	1	
TransactionTypeCode	TransactionTypeCode	M	1	
UnusualPrisonerBehavior	UnusualPrisonerBehavior	O	2	
WorkReleaseCode	WorkReleaseCode	O	1	

Possible Combinations

1. (In/Out) BirthDate, Name, RegisterNumber, ReportingFacility, TransactionTypeCode, [AdultJuvenileCode, ControllingAgency, DetentionDate, DetentionTime, DetentionTimeOut, MinnesotaOffenseCode, ReasonBeingHeld, ReasonBeingReleased, ReleaseDate, SentenceExpirationDate, SentenceStartDate, SexCode, UnusualPrisonerBehavior, WorkReleaseCode]

ReportDetentionInformationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	6	
Name	Name	O	30	
RegisterNumber	RegisterNumber	M	7	
ReportingFacility	ReportingFacility	M	9	

Possible Combinations

1. (In/Out) BirthDate, RegisterNumber, ReportingFacility, [Name]

ReportIncidentCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
MessageKey	MessageKey	M	1	E, I (E - Incident Without Optional Data Line, I - Incident With Optional Data Line)

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, MessageKey

ReportIncidentEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrivedTime	ArrivedTime	O	4	
AssignedTime	AssignedTime	O	4	
ClearedTime	ClearedTime	O	4	
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
HowReceived	HowReceived	O	1	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
IncidentSequenceNumber2	IncidentSequenceNumber2	O	2	
IncidentSequenceNumber3	IncidentSequenceNumber3	O	2	
IncidentSequenceNumber4	IncidentSequenceNumber4	O	2	
LocationGridNumber	LocationGridNumber	O	8	
MessageKey	MessageKey	M	1	E, I (E - Incident Without Optional Data Line, I - Incident With Optional Data Line)
MinnesotaOffenseCode	MinnesotaOffenseCode	M	5	
MinnesotaOffenseCode2	MinnesotaOffenseCode2	O	5	
MinnesotaOffenseCode3	MinnesotaOffenseCode3	O	5	
MinnesotaOffenseCode4	MinnesotaOffenseCode4	O	5	
MinnesotaOffenseCodeStatus	MinnesotaOffenseCodeStatus	O	1	
MinnesotaOffenseCodeStatus2	MinnesotaOffenseCodeStatus2	O	1	
MinnesotaOffenseCodeStatus3	MinnesotaOffenseCodeStatus3	O	1	
MinnesotaOffenseCodeStatus4	MinnesotaOffenseCodeStatus4	O	1	
PlaceCommitted	PlaceCommitted	O	19	

ReportedDate	ReportedDate	M	6	
ReportedTime	ReportedTime	M	4	
SquadOrBadgeNumber	SquadOrBadgeNumber	O	5	

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, MessageKey, MinnesotaOffenseCode, ReportedDate, ReportedTime, [ArrivedTime, AssignedTime, ClearedTime, HowReceived, IncidentSequenceNumber2, IncidentSequenceNumber3, IncidentSequenceNumber4, LocationGridNumber, MinnesotaOffenseCode2, MinnesotaOffenseCode3, MinnesotaOffenseCode4, MinnesotaOffenseCodeStatus, MinnesotaOffenseCodeStatus2, MinnesotaOffenseCodeStatus3, MinnesotaOffenseCodeStatus4, PlaceCommitted, SquadOrBadgeNumber]
2. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, MessageKey, MinnesotaOffenseCode, ReportedDate, ReportedTime, [IncidentSequenceNumber2, IncidentSequenceNumber3, IncidentSequenceNumber4, LocationGridNumber, MinnesotaOffenseCode2, MinnesotaOffenseCode3, MinnesotaOffenseCode4, MinnesotaOffenseCodeStatus, MinnesotaOffenseCodeStatus2, MinnesotaOffenseCodeStatus3, MinnesotaOffenseCodeStatus4, PlaceCommitted]

ReportIncidentModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrivedTime	ArrivedTime	O	4	
AssignedTime	AssignedTime	O	4	
ClearedTime	ClearedTime	O	4	
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
HowReceived	HowReceived	O	1	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
LocationGridNumber	LocationGridNumber	O	8	
MessageKey	MessageKey	M	1	E, I (E - Incident Without Optional Data Line, I - Incident With Optional Data Line)
MinnesotaOffenseCode	MinnesotaOffenseCode	O	5	
MinnesotaOffenseCodeStatus	MinnesotaOffenseCodeStatus	O	1	
PlaceCommitted	PlaceCommitted	O	19	
ReportedDate	ReportedDate	O	6	
ReportedTime	ReportedTime	O	4	
SquadOrBadgeNumber	SquadOrBadgeNumber	O	5	

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, MessageKey, [ArrivedTime, AssignedTime, ClearedTime, HowReceived, LocationGridNumber, MinnesotaOffenseCode, MinnesotaOffenseCodeStatus, PlaceCommitted, ReportedDate, ReportedTime, SquadOrBadgeNumber]

ReportIncidentQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
MessageKey	MessageKey	M	1	E, I (E - Incident Without Optional Data Line, I - Incident With Optional Data Line)

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, MessageKey

ReportRecoveredPropertyCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
TypeSequenceNumber	TypeSequenceNumber	M	2	

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, TypeSequenceNumber

ReportRecoveredPropertyEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
IncidentSequenceNumber2	IncidentSequenceNumber2	O	2	
IncidentSequenceNumber3	IncidentSequenceNumber3	O	2	
IncidentSequenceNumber4	IncidentSequenceNumber4	O	2	
PropertyTypeCode	PropertyTypeCode	M	1	
PropertyTypeCode2	PropertyTypeCode2	O	1	
PropertyTypeCode3	PropertyTypeCode3	O	1	
PropertyTypeCode4	PropertyTypeCode4	O	1	
RecoveredCode	RecoveredCode	M	1	
RecoveredCode2	RecoveredCode2	O	1	
RecoveredCode3	RecoveredCode3	O	1	
RecoveredCode4	RecoveredCode4	O	1	
RecoveredValue	RecoveredValue	M	7	
RecoveredValue2	RecoveredValue2	O	7	
RecoveredValue3	RecoveredValue3	O	7	
RecoveredValue4	RecoveredValue4	O	7	
RecoveryDate	RecoveryDate	M	6	
TypeSequenceNumber	TypeSequenceNumber	M	2	
TypeSequenceNumber2	TypeSequenceNumber2	O	2	
TypeSequenceNumber3	TypeSequenceNumber3	O	2	
TypeSequenceNumber4	TypeSequenceNumber4	O	2	

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, PropertyTypeCode, RecoveredCode, RecoveredValue, RecoveryDate, TypeSequenceNumber, [IncidentSequenceNumber2, IncidentSequenceNumber3, IncidentSequenceNumber4, PropertyTypeCode2, PropertyTypeCode3, PropertyTypeCode4, RecoveredCode2, RecoveredCode3, RecoveredCode4, RecoveredValue2, RecoveredValue3, RecoveredValue4, TypeSequenceNumber2, TypeSequenceNumber3, TypeSequenceNumber4]

ReportRecoveredPropertyQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	

TypeSequenceNumber	TypeSequenceNumber	M	2	
--------------------	--------------------	---	---	--

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, TypeSequenceNumber

ReportStolenPropertyCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
TypeSequenceNumber	TypeSequenceNumber	M	2	

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, TypeSequenceNumber

ReportStolenPropertyEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
IncidentSequenceNumber2	IncidentSequenceNumber2	O	2	
IncidentSequenceNumber3	IncidentSequenceNumber3	O	2	
IncidentSequenceNumber4	IncidentSequenceNumber4	O	2	
PropertyTypeCode	PropertyTypeCode	M	1	
PropertyTypeCode2	PropertyTypeCode2	O	1	
PropertyTypeCode3	PropertyTypeCode3	O	1	
PropertyTypeCode4	PropertyTypeCode4	O	1	
StolenValue	StolenValue	M	7	
StolenValue2	StolenValue2	O	7	
StolenValue3	StolenValue3	O	7	
StolenValue4	StolenValue4	O	7	
TheftDate	TheftDate	M	6	
TypeSequenceNumber	TypeSequenceNumber	M	2	
TypeSequenceNumber2	TypeSequenceNumber2	O	2	
TypeSequenceNumber3	TypeSequenceNumber3	O	2	
TypeSequenceNumber4	TypeSequenceNumber4	O	2	

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, PropertyTypeCode, StolenValue, TheftDate, TypeSequenceNumber, [IncidentSequenceNumber2, IncidentSequenceNumber3, IncidentSequenceNumber4, PropertyTypeCode2, PropertyTypeCode3, PropertyTypeCode4, StolenValue2, StolenValue3, StolenValue4, TypeSequenceNumber2, TypeSequenceNumber3, TypeSequenceNumber4]

ReportStolenPropertyQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
TypeSequenceNumber	TypeSequenceNumber	M	2	

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, TypeSequenceNumber

RoadMinnesotaQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

RoadWeatherQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) [State]
2. (Out) State, [State2, State3, State4, State5]

SecuritiesQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Denomination	Denomination	M	9	
Issuer	Issuer	O	15	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SecurityTypeCode	SecurityTypeCode	M	2	
SerialNumber	SerialNumber	M	18	

Possible Combinations

1. (In/Out) Denomination, SecurityTypeCode, SerialNumber, [Issuer, RelatedHitSearchIndicator]

SnowmobileRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	8	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In) Name
2. (In) RegistrationNumber
3. (Out) RegistrationNumber, State, [State2, State3, State4, State5]
4. (Out) VehicleIdentificationNumber, State, [State2, State3, State4, State5]

VehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

CancellationDate	CancellationDate	M	8	
FreeText	FreeText	O	501	
LicensePlateNumber	LicensePlateNumber	O	10	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
VehicleEntryType	VehicleEntryType	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	

Possible Combinations

1. (In/Out) CancellationDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, VehicleEntryType, [FreeText, LicensePlateNumber, NCICNumber, PropertyRecordRemovalReason, VehicleIdentificationNumber]

VehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
VehicleEntryType	VehicleEntryType	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	

Possible Combinations

1. (In/Out) ClearDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, VehicleEntryType, [ContrabandRecoveredValue, LicensePlateNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, VehicleIdentificationNumber]

VehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	O	200	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LatentHoldIndicator	LatentHoldIndicator	M	1	Y, N
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	

OccupantsArmedIndicator	OccupantsArmedIndicator	M	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
State	State	O	2	
TheftDate	TheftDate	M	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleEntryType	VehicleEntryType	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleOwnershipDataCode	VehicleOwnershipDataCode	O	1	
VehicleStyleCode	VehicleStyleCode	M	2	
VehicleYear	VehicleYear	M	4	

Possible Combinations

1. (In/Out) LatentHoldIndicator, OccupantsArmedIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, VehicleEntryType, VehicleMakeCode, VehicleStyleCode, VehicleYear, [FreeText, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, State, VehicleColorCode, VehicleIdentificationNumber, VehicleModelCode, VehicleOwnershipDataCode]

VehicleHotFilesQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateYear	LicensePlateYear	O	4	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) LicensePlateNumber, [LicensePlateYear, State]
2. (In/Out) VehicleIdentificationNumber

VehicleLeinHolderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateYear	LicensePlateYear	O	4	
State	State	O	2	

Possible Combinations

1. (In/Out) LicensePlateNumber, [LicensePlateYear, State]

VehicleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	

OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	
VehicleEntryType	VehicleEntryType	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, VehicleEntryType, [ContrabandRecoveredValue, LicensePlateNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, VehicleIdentificationNumber]

VehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	O	200	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LatentHoldIndicator	LatentHoldIndicator	C	1	Y, N
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
ModifiedLicensePlateNumber	ModifiedLicensePlateNumber	O	10	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
ModifiedVehicleIdentificationNumber	ModifiedVehicleIdentificationNumber	O	20	
NCICNumber	NCICNumber	O	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	C	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
State	State	O	2	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleEntryTypeCode	VehicleEntryTypeCode	C	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleOwnershipDataCode	VehicleOwnershipDataCode	O	1	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) LatentHoldIndicator, OccupantsArmedIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, VehicleEntryTypeCode, [FreeText, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear,

LinkageAgencyId, LinkageCaseNumber, ModifiedLicensePlateNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, ModifiedVehicleIdentificationNumber, NCICNumber, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, State, TheftDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleOwnershipDataCode, VehicleStyleCode, VehicleYear]

VehiclePreviousOwnerQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) LicensePlateNumber, [State]
2. (In/Out) VehicleIdentificationNumber

VehicleRegistrationOwnerQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	

Possible Combinations

1. (In/Out) BirthDate, Name
2. (In/Out) OperatorLicenseNumber

VehicleStickerNumberQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
State	State	O	2	
StickerNumber	StickerNumber	M	8	

Possible Combinations

1. (In/Out) StickerNumber, [State]

VehicleStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) LicensePlateNumber, [State]
2. (In/Out) VehicleIdentificationNumber

WantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
MiscellaneousNumber	MiscellaneousNumber	C	15	

Name	Name	C	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
SystemAssignedNumber	SystemAssignedNumber	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	

Possible Combinations

1. (In/Out) Name, BirthDate, [FBINumber, LicensePlateNumber, LicensePlateStateCode, MiscellaneousNumber, NCICNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, SystemAssignedNumber, VehicleIdentificationNumber, VehicleMakeCode]
2. (In/Out) Name, OriginatingAgencyCaseNumber
3. (In/Out) Name, FBINumber
4. (In/Out) Name, MiscellaneousNumber
5. (In/Out) Name, SocialSecurityNumber
6. (In/Out) Name, OperatorLicenseNumber
7. (In/Out) Name, LicensePlateNumber
8. (In/Out) Name, [VehicleIdentificationNumber, VehicleMakeCode]

WeatherIowaQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

WeatherMinnesotaQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

WeatherMinnesotaZonalForecastQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

WeatherNorthDakotaQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

WeatherSouthDakotaQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

WeatherWisconsinQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- Minnesota Department of Public Safety Specifications