

Minnesota (MN) MNCJIS

[Disclaimer Statement](#)

Transport:

TCPIP

Routing and Configuration Information:

Save byte routing

- The MNJIS assigned ORI for a device (or for the site) should be placed in the **<Authentication>/<ORI>** field in the ConnectCIC header.
- The MNJIS assigned Mnemonic for a device should be placed in the **<Authentication>/<Mnemonic>** field in the ConnectCIC header.

Security Requirements:

None known at this time.

Logon Requirements:

None

Certification Requirements:

None – Some minor testing with the state with first site may be required.
Need Site Sponsor

Data-Mined Transactions:

NCIC (QA, QB, QG, QV, QW) and DMV (Person and Vehicle)
[Tags returned from Data mining](#)

Basic Queries Supported:

ArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
ImageIndicator	ImageIndicator	O	1	
NCICNumber	NCICNumber	C	10	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) ArticleSerialNumber, ArticleTypeCode, [ImageIndicator, RelatedHitSearchIndicator]

2. (In/Out) ArticleTypeCode, OwnerAppliedNumber, [ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) NCICNumber

BoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMakeCode	BoatMakeCode	O	24	
ImageIndicator	ImageIndicator	O	1	
RegistrationNumber	RegistrationNumber	C	8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) BoatHullIdNumber, [BoatMakeCode, ImageIndicator, RelatedHitSearchIndicator]
2. (In) RegistrationNumber
3. (Out) BoatHullIdNumber, State, [State2, State3, State4, State5]
4. (Out) RegistrationNumber, State, [State2, State3, State4, State5]

DriverHistoryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
Name	Name	C	30	
BirthDate	BirthDate	C	8	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	1	
SexCode	SexCode	C	1	
State	State	O	2	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [Attention, PurposeCode, State]
2. (In/Out) OperatorLicenseNumber, [Attention, PurposeCode, State]

DriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	Y
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
PurposeCode	PurposeCode	O	2	CC = Criminal Court Investigation JC = Juvenile Court Investigation MP = Locate of Missing Person PC = Prosecute Crime PO = Enforce OFP or DANCO SP = Service of Process TI = Traffic Investigation Should be defaulted to 'TI' in the user interface.
Reason	Reason	O	80	Free format text
SexCode	SexCode	C	1	

State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) Name, [BirthDate]
2. (In) OperatorLicenseNumber, [ImageIndicator, PurposeCode, Reason]
3. (Out) BirthDate, Name, SexCode, State, [ImageIndicator, State2, State3, State4, State5]
4. (Out) OperatorLicenseNumber, State, [ImageIndicator, State2, State3, State4, State5]

GunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunCaliber	GunCaliber	O	4	
GunMake	GunMake	O	23	
GunModel	GunModel	O	11	
GunSerialNumber	GunSerialNumber	C	11	
ImageIndicator	ImageIndicator	O	1	
NCICNumber	NCICNumber	C	10	
OwnerAppliedNumber	OwnerAppliedNumber	C	20	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) GunSerialNumber, [GunCaliber, GunMake, GunModel, ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) NCICNumber
3. (In/Out) OwnerAppliedNumber, [GunCaliber, GunMake, GunModel, ImageIndicator, RelatedHitSearchIndicator]

VehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	O	4	
Name	Name	C	30	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In) BirthDate, Name
2. (In) LicensePlateNumber, [LicensePlateYear, RelatedHitSearchIndicator, State]
3. (In) VehicleIdentificationNumber, [State]
4. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State, [State2, State3, State4, State5]

5. (Out) VehicleIdentificationNumber, State, [State2, State3, State4, State5, VehicleMakeCode, VehicleYear]

Transactions Supported:

Administrative and Operations Support (AOS)

AOSAdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationORI	DestinationORI	M	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
FreeText	FreeText	M	1000	

Possible Combinations

1. (In/Out) DestinationORI, FreeText [DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5]

AOSAircraftRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AircraftSerialNumber	AircraftSerialNumber	C	16	
Attention	Attention	M	30	
RegistrationNumber	RegistrationNumber	C	6	
Name	Name	C	40	

Possible Combinations

1. (In/Out) Attention, RegistrationNumber
2. (In/Out) Attention, AircraftSerialNumber
3. (In/Out) Attention, Name

AOSHazardousMaterialQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ChemicalName	ChemicalName	C	50	
UnitedNationsNumber	UnitedNationsNumber	C	4	

Possible Combinations

1. (In/Out) ChemicalName
2. (In/Out) UnitedNationsNumber

AOSHitConfirmationRequest

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	8	
BoatHullNumber	BoatHullNumber	C	20	
BoatMakeCode	BoatMakeCode	O	24	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	
CourtOrderNumber	CourtOrderNumber	O	9	

CourtORI	CourtORI	O	9	
Denomination	Denomination	O	9	
ExtensionNumber	ExtensionNumber	O	4	
FaxNumber	FaxNumber	O	10	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	24	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	20	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	8	
Name	Name	C	8	
NCICNumber	NCICNumber	M	10	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PartBrand	PartBrand	O	4	
PartCategoryCode	PartCategoryCode	O	2	
PartSerialNumber	PartSerialNumber	C	20	
PhoneNumber	PhoneNumber	O	10	
PriorityDestinationCode	PriorityDestinationCode	M	1	
Remarks	Remarks	O	500	
RequestingAgency	RequestingAgency	M	30	
RequestNumber	RequestNumber	M	1	
RequestorName	RequestorName	M	30	
RequestTypeCode	RequestTypeCode	M	2	
SecuritySerialNumber	SecuritySerialNumber	C	20	
SecurityTypeCode	SecurityTypeCode	C	2	
SexCode	SexCode	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	
WarrantNumber	WarrantNumber	O	20	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateCode, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgency, RequestorName, RequestNumber, RequestTypeCode [ExtensionNumber, FaxNumber, LicensePlateTypeCode, LicensePlateYear, NletsDestination2, NletsDestination3, OriginatingAgencyORI, PhoneNumber, Remarks]
2. (In/Out) LicensePlateNumber, LicensePlateStateCode, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgency, RequestorName, RequestNumber, RequestTypeCode, VehicleIdentificationNumber [ExtensionNumber, FaxNumber, LicensePlateTypeCode, LicensePlateYear, NletsDestination2, NletsDestination3, OriginatingAgencyORI, PhoneNumber, Remarks, VehicleMakeCode, VehicleYear]
3. (In/Out) BirthDate, Name, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgency, RequestorName, RequestNumber, RequestTypeCode, WarrantNumber [CourtOrderNumber, CourtORI, ExtensionNumber,

- FaxNumber, NletsDestination2, NletsDestination3, OriginatingAgencyORI, PhoneNumber, Remarks, SexCode]
4. (In/Out) GunCaliber, GunMake, GunSerialNumber, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgency, RequestorName, RequestNumber, RequestTypeCode [ExtensionNumber, FaxNumber, GunModel, NletsDestination2, NletsDestination3, OriginatingAgencyORI, Remarks]
 5. (In/Out) ArticleSerialNumber, ArticleTypeCode, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgency, RequestorName, RequestNumber, RequestTypeCode [ArticleBrand, ExtensionNumber, FaxNumber, NletsDestination2, NletsDestination3, OriginatingAgencyORI, PhoneNumber, Remarks]
 6. (In/Out) BoatRegistrationNumber, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgency, RequestorName, RequestNumber, RequestTypeCode, [ExtensionNumber, FaxNumber, NletsDestination2, NletsDestination3, OriginatingAgencyORI, PhoneNumber, Remarks]
 7. (In/Out) BoatHullNumber, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgency, RequestorName, RequestNumber, RequestTypeCode, [BoatMakeCode, ExtensionNumber, FaxNumber, Name, NletsDestination2, NletsDestination3, OriginatingAgencyORI, PhoneNumber, Remarks]
 8. (In/Out) NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, PriorityDestinationCode, RequestingAgency, RequestorName, RequestNumber, RequestTypeCode, SecuritySerialNumber, SecurityTypeCode [Denomination, ExtensionNumber, FaxNumber, Name, NletsDestination2, NletsDestination3, OriginatingAgencyORI, PhoneNumber, Remarks]
 9. (In/Out) NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, PartSerialNumber, PriorityDestinationCode, RequestingAgency, RequestorName, RequestNumber, RequestTypeCode, [ExtensionNumber, FaxNumber, Name, NletsDestination2, NletsDestination3, OriginatingAgencyORI, PartBrand, PartCategoryCode, PhoneNumber, Remarks]

AOSHitConfirmationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleSerialNumber	ArticleSerialNumber	C	20	
ArticleTypeCode	ArticleTypeCode	C	7	
BirthDate	BirthDate	C	10	
BoatHullNumber	BoatHullNumber	C	20	
BoatMakeCode	BoatMakeCode	C	24	
BoatRegistrationNumber	BoatRegistrationNumber	C	8	
ConfirmationStatusCode	ConfirmationStatusCode	M	1	
ConfirmingAgencyName	ConfirmingAgencyName	M	30	
ConfirmingName	ConfirmingName	M	30	
Denomination	Denomination	O	9	
ExtensionNumber	ExtensionNumber	O	4	
FaxNumber	FaxNumber	O	10	
GunCaliber	GunCaliber	C	4	
GunMake	GunMake	C	24	
GunModel	GunModel	O	20	
GunSerialNumber	GunSerialNumber	C	20	
HoursForConfirmation	HoursForConfirmation	M	3	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	

LicensePlateYear	LicensePlateYear	O	4	
Name	Name	C	30	
NCICNumber	NCICNumber	M	10	
NletsDestination	NletsDestination	M	9	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PartBrand	PartBrand	O	4	
PartCategoryCode	PartCategoryCode	O	2	
PartSerialNumber	PartSerialNumber	C	20	
PhoneNumber	PhoneNumber	O	10	
Remarks	Remarks	O	500	
RequestTypeCode	RequestTypeCode	M	2	SV = Stolen Vehicle WP = Wanted Person PO = Protection Order MP = Missing Person SL = Stolen License Plate SG = Stolen Gun SA = Stolen Article SS = Stolen Security SB = Stolen Boat SP = Stolen Part
SecuritySerialNumber	SecuritySerialNumber	C	20	
SecurityTypeCode	SecurityTypeCode	C	2	
SexCode	SexCode	O	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (In/Out) ConfirmationStatusCode, ConfirmingAgencyName, ConfirmingName, HoursForConfirmation, LicensePlateNumber, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, RequestTypeCode, [ExtensionNumber, FaxNumber, OriginatingAgencyORI, PhoneNumber, Remarks, VehicleIdentificationNumber, VehicleMakeCode, VehicleYear]
2. (In/Out) ConfirmationStatusCode, ConfirmingAgencyName, ConfirmingName, HoursForConfirmation, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, RequestTypeCode, VehicleIdentificationNumber [ExtensionNumber, FaxNumber, LicensePlateNumber, OriginatingAgencyORI, PhoneNumber, Remarks, VehicleMakeCode, VehicleYear]
3. (In/Out) BirthDate, ConfirmationStatusCode, ConfirmingAgencyName, ConfirmingName, HoursForConfirmation, Name, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, RequestTypeCode [ExtensionNumber, FaxNumber, OriginatingAgencyORI, PhoneNumber, Remarks, SexCode]
4. (In/Out) ConfirmationStatusCode, ConfirmingAgencyName, ConfirmingName, HoursForConfirmation, LicensePlateNumber, LicensePlateStateCode, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, RequestTypeCode [ExtensionNumber, FaxNumber, LicensePlateTypeCode, LicensePlateYear, OriginatingAgencyORI, PhoneNumber, Remarks]
5. (In/Out) ConfirmationStatusCode, ConfirmingAgencyName, ConfirmingName, GunCaliber, GunMake, GunSerialNumber, HoursForConfirmation, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, RequestTypeCode [ExtensionNumber, FaxNumber, GunModel, OriginatingAgencyORI, PhoneNumber, Remarks]
6. (In/Out) ArticleSerialNumber, ArticleTypeCode, ConfirmationStatusCode, ConfirmingAgencyName, ConfirmingName, HoursForConfirmation, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode [ArticleBrand, ExtensionNumber, FaxNumber, NletsDestination, OriginatingAgencyORI, PhoneNumber, Remarks]

7. (In/Out) ConfirmationStatusCode, ConfirmingAgencyName, ConfirmingName, HoursForConfirmation, NCICNumber, OriginatingAgencyCaseNumber, RequestTypeCode, SecuritySerialNumber, SecurityTypeCode [Denomination, ExtensionNumber, FaxNumber, NletsDestination, OriginatingAgencyORI, PhoneNumber, Remarks]
8. (In/Out) BoatRegistrationNumber, ConfirmationStatusCode, ConfirmingAgencyName, ConfirmingName, HoursForConfirmation, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, RequestTypeCode [BoatMakeCode, ExtensionNumber, FaxNumber, OriginatingAgencyORI, PhoneNumber, Remarks]
9. (In/Out) BoatHullNumber, ConfirmationStatusCode, ConfirmingAgencyName, ConfirmingName, HoursForConfirmation, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, RequestTypeCode [BoatMakeCode, ExtensionNumber, FaxNumber, OriginatingAgencyORI, PhoneNumber, Remarks]
10. (In/Out) ConfirmationStatusCode, ConfirmingAgencyName, ConfirmingName, HoursForConfirmation, NCICNumber, NletsDestination, OriginatingAgencyCaseNumber, PartSerialNumber, RequestTypeCode [ExtensionNumber, FaxNumber, OriginatingAgencyORI, PartBrand, PartCategoryCode, PhoneNumber, Remarks]

AOSORIQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DestinationORI	DestinationORI	M	9	

Possible Combinations

1. (In/Out) DestinationORI

Basic Entry Package (BEP)

BEPArticleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	O	20	
CancellationDate	CancellationDate	M	8	
FreeText	FreeText	O	501	
NCICNumber	NCICNumber	M	10	
MessageKeyModifier	MessageKeyModifier	O	1	L – Lost Article
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyORI, [ArticleSerialNumber, FreeText, MessageKeyModifier, OriginatingAgencyCaseNumber, OwnerAppliedNumber, PropertyRecordRemovalReason]

BEPArticleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	O	20	
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	

NCICNumber	NCICNumber	M	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
MessageKeyModifier	MessageKeyModifier	O	1	L – Lost Article
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, NCICNumber, OriginatingAgencyORI, [ArticleSerialNumber, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, OwnerAppliedNumber, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

BEPArticleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	M	6	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	O	20	
ArticleTypeCode	ArticleTypeCode	M	7	
FreeText	FreeText	O	200	
HazardousMaterialContainer	HazardousMaterialContainer	O	25	
LatentHoldIndicator	LatentHoldIndicator	M	1	Y, N
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	L – Lost Article
NCICPublicDisseminationCode	NCICPublicDisseminationCode	O	8	IN, OUT, or date in YYYYMMDD format
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PartialLotIndicator	PartialLotIndicator	O	1	
TheftDate	TheftDate	M	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	

Possible Combinations

1. (In/Out) ArticleBrand, ArticleTypeCode, LatentHoldIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, [ArticleModel, ArticleSerialNumber, FreeText, HazardousMaterialContainer, LinkageAgencyId, LinkageCaseNumber, LotNumber, MessageKeyModifier, NCICPublicDisseminationCode, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, PartialLotIndicator, UnitedNationsNumber]

BEPArticleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleSerialNumber	ArticleSerialNumber	O	20	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
MessageKeyModifier	MessageKeyModifier	O	1	L – Lost Article
NCICNumber	NCICNumber	M	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyORI, RecoveryDate, [ArticleSerialNumber, ContrabandRecoveredValue, MessageKeyModifier, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, OwnerAppliedNumber, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

BEPArticleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArticleBrand	ArticleBrand	O	6	
ArticleModel	ArticleModel	O	9	
ArticleSerialNumber	ArticleSerialNumber	O	20	
ArticleTypeCode	ArticleTypeCode	O	7	
FreeText	FreeText	O	200	
HazardousMaterialContainer	HazardousMaterialContainer	O	25	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LatentHoldIndicator	LatentHoldIndicator	O	1	Y, N
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LotNumber	LotNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	L – Lost Article
ModifiedArticleSerialNumber	ModifiedArticleSerialNumber	O	20	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
ModifiedOwnerAppliedNumber	ModifiedOwnerAppliedNumber	O	20	
NCICNumber	NCICNumber	M	10	
NCICPublicDisseminationCode	NCICPublicDisseminationCode	O	8	IN, OUT, or date in YYYYMMDD format
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	

PartialLotIndicator	PartialLotIndicator	O	1	
TheftDate	TheftDate	O	8	
UnitedNationsNumber	UnitedNationsNumber	O	4	
ValidatorName	ValidatorName	O	30	

Possible Combinations

- (In/Out) NCICNumber, OriginatingAgencyORI, [ArticleBrand, ArticleModel, ArticleSerialNumber, ArticleTypeCode, FreeText, HazardousMaterialContainer, ImageNCICNumber, ImageTypeCode, LatentHoldIndicator, LinkageAgencyId, LinkageCaseNumber, LotNumber, ModifiedArticleSerialNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, ModifiedOwnerAppliedNumber, NCICPublicDisseminationCode, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber, OwnerAppliedNumber, PartialLotIndicator, TheftDate, UnitedNationsNumber, ValidatorName]

BEPBoatCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	O	20	
CancellationDate	CancellationDate	M	8	
FreeText	FreeText	O	501	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
RegistrationNumber	RegistrationNumber	O	20	

Possible Combinations

- (In/Out) CancellationDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BoatHullIdNumber, FreeText, NCICNumber, PropertyRecordRemovalReason, RegistrationNumber]

BEPBoatClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	O	20	
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
RegistrationNumber	RegistrationNumber	O	8	

Possible Combinations

- (In/Out) ClearDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BoatHullIdNumber, ContrabandRecoveredValue, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue,

PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, RegistrationNumber]

BEPBoatEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColorCode	BoatColorCode	O	7	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	C	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	M	4	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
CoastGaurdDocumentNumber	CoastGaurdDocumentNumber	O	8	
FreeText	FreeText	O	200	
HomePort	HomePort	O	20	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LatentHoldIndicator	LatentHoldIndicator	M	1	Y, N
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	M	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
RegistrationExpirationYear	RegistrationExpirationYear	O	4	
RegistrationNumber	RegistrationNumber	O	8	
RegistrationStateCode	RegistrationStateCode	O	2	
TheftDate	TheftDate	M	8	
VehicleOwnershipDataCode	VehicleOwnershipDataCode	O	1	

Possible Combinations

1. (In/Out) BoatModelYear, LatentHoldIndicator, OccupantsArmedIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, [BoatColorCode, BoatHullIdNumber, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatName, BoatPropulsionCode, BoatTypeCode, CoastGaurdDocumentNumber, FreeText, HomePort, ImageNCICNumber, ImageTypeCode, LinkageAgencyId, LinkageCaseNumber, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, RegistrationExpirationYear, RegistrationNumber, RegistrationStateCode, VehicleOwnershipDataCode]

BEPBoatLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	O	20	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	

NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	
RegistrationNumber	RegistrationNumber	O	8	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, [BoatHullIdNumber, ContrabandRecoveredValue, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RegistrationNumber]

BEPBoatModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatColorCode	BoatColorCode	O	7	
BoatHullIdNumber	BoatHullIdNumber	O	20	
BoatHullMaterialCode	BoatHullMaterialCode	O	2	
BoatHullShapeCode	BoatHullShapeCode	O	2	
BoatLength	BoatLength	O	2	
BoatMakeCode	BoatMakeCode	O	24	
BoatModelName	BoatModelName	O	20	
BoatModelYear	BoatModelYear	O	4	
BoatName	BoatName	O	20	
BoatPropulsionCode	BoatPropulsionCode	O	2	
BoatTypeCode	BoatTypeCode	O	3	
CoastGuardDocumentNumber	CoastGuardDocumentNumber	O	8	
FreeText	FreeText	O	200	
HomePort	HomePort	O	20	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LatentHoldIndicator	LatentHoldIndicator	O	1	Y, N
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
ModifiedBoatHullIdNumber	ModifiedBoatHullIdNumber	O	20	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
ModifiedRegistrationNumber	ModifiedRegistrationNumber	O	8	
NCICNumber	NCICNumber	O	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	O	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
RegistrationExpirationYear	RegistrationExpirationYear	O	4	
RegistrationNumber	RegistrationNumber	O	8	
RegistrationStateCode	RegistrationStateCode	O	2	

TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleOwnershipDataCode	VehicleOwnershipDataCode	O	1	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BoatColorCode, BoatHullIdNumber, BoatHullMaterialCode, BoatHullShapeCode, BoatLength, BoatMakeCode, BoatModelName, BoatModelYear, BoatName, BoatPropulsionCode, BoatTypeCode, CoastGuardDocumentNumber, FreeText, HomePort, ImageNCICNumber, ImageTypeCode, LatentHoldIndicator, LinkageAgencyId, LinkageCaseNumber, ModifiedBoatHullIdNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, ModifiedRegistrationNumber, NCICNumber, NotifyOriginatingAgencyIndicator, OccupantsArmedIndicator, OwnerAppliedNumber, RegistrationExpirationYear, RegistrationNumber, RegistrationStateCode, TheftDate, ValidatorName, VehicleOwnershipDataCode]

BEPGunCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FreeText	FreeText	O	501	
GunEntryTypeCode	GunEntryTypeCode	M	1	L, R, S
GunSerialNumber	GunSerialNumber	O	20	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	

Possible Combinations

1. (In/Out) CancellationDate, GunEntryTypeCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, GunSerialNumber, NCICNumber, PropertyRecordRemovalReason]
2. (In/Out) CancellationDate, GunEntryTypeCode, RecoveringAgencyORI, [FreeText, GunSerialNumber, NCICNumber, PropertyRecordRemovalReason, RecoveringAgencyCaseNumber]

BEPGunClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	C	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
GunEntryTypeCode	GunEntryTypeCode	M	1	L, R, S
GunSerialNumber	GunSerialNumber	O	20	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	

RecoveringAgencyORI	RecoveringAgencyORI	C	9	
---------------------	---------------------	---	---	--

Possible Combinations

1. (In/Out) ClearDate, GunEntryTypeCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [ContrabandRecoveredValue, GunSerialNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
2. (In/Out) GunEntryTypeCode, RecoveringAgencyORI, [ClearDate, ContrabandRecoveredValue, GunSerialNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OriginatingAgencyORI, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

BEPGunEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	O	200	
GunEntryTypeCode	GunEntryTypeCode	M	1	L, R, S
GunCaliber	GunCaliber	M	4	
GunMake	GunMake	M	23	
GunModel	GunModel	O	11	
GunSerialNumber	GunSerialNumber	M	11	
GunTypeCode	GunTypeCode	M	2	
LatentHoldIndicator	LatentHoldIndicator	M	1	Y, N
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LossDate	LossDate	C	8	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	C	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	
RecoveryDate	RecoveryDate	C	8	
TheftDate	TheftDate	C	8	

Possible Combinations

1. (In/Out) GunCaliber, GunEntryTypeCode, GunMake, GunSerialNumber, GunTypeCode, LatentHoldIndicator, LossDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, GunModel, LinkageAgencyId, LinkageCaseNumber, NotifyOriginatingAgencyIndicator]
2. (In/Out) GunCaliber, GunEntryTypeCode, GunMake, GunSerialNumber, GunTypeCode, LatentHoldIndicator, OriginatingAgencyORI, TheftDate, [FreeText, GunModel, LinkageAgencyId, LinkageCaseNumber, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber]
3. (In/Out) GunCaliber, GunEntryTypeCode, GunMake, GunSerialNumber, GunTypeCode, LatentHoldIndicator, RecoveringAgencyCaseNumber, RecoveringAgencyORI, RecoveryDate, [FreeText, GunModel, LinkageAgencyId, LinkageCaseNumber, NotifyOriginatingAgencyIndicator]

BEPGunLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
GunEntryTypeCode	GunEntryTypeCode	M	1	L, R, S

GunSerialNumber	GunSerialNumber	O	20	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

1. (In/Out) GunEntryTypeCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, [ContrabandRecoveredValue, GunSerialNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

BEPGunModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	O	200	
GunCaliber	GunCaliber	O	4	
GunEntryTypeCode	GunEntryTypeCode	M	1	L, R, S
GunMake	GunMake	O	23	
GunModel	GunModel	O	11	
GunSerialNumber	GunSerialNumber	O	20	
GunTypeCode	GunTypeCode	O	2	
LatentHoldIndicator	LatentHoldIndicator	C	1	Y, N
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
LossDate	LossDate	O	8	
ModifiedGunSerialNumber	ModifiedGunSerialNumber	O	20	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
NCICNumber	NCICNumber	O	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
OriginatingAgencyORI	OriginatingAgencyORI	C	9	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	C	9	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) GunEntryTypeCode, LatentHoldIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, GunTypeCode, LinkageAgencyId, LinkageCaseNumber, ModifiedGunSerialNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NCICNumber, NotifyOriginatingAgencyIndicator, TheftDate, ValidatorName]
2. (In/Out) GunEntryTypeCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, GunTypeCode, LinkageAgencyId, LinkageCaseNumber, LossDate, ModifiedGunSerialNumber,

- ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NCICNumber, NotifyOriginatingAgencyIndicator, ValidatorName]
3. (In/Out) GunEntryTypeCode, RecoveringAgencyORI, [FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, GunTypeCode, LinkageAgencyId, LinkageCaseNumber, ModifiedGunSerialNumber, ModifiedOriginatingAgencyCaseNumber, NCICNumber, NotifyOriginatingAgencyIndicator, RecoveringAgencyCaseNumber, TheftDate, ValidatorName]
 4. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, GunCaliber, GunMake, GunModel, GunSerialNumber, GunTypeCode, LinkageAgencyId, LinkageCaseNumber, ModifiedGunSerialNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NCICNumber, NotifyOriginatingAgencyIndicator, TheftDate, ValidatorName]

BEPWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonEntryType	PersonEntryType	M	1	A, F, J
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
SystemAssignedNumber	SystemAssignedNumber	C	7	

Possible Combinations

1. (In/Out) CancellationDate, OriginatingAgencyORI, PersonEntryType, [Name, NCICNumber, OriginatingAgencyCaseNumber, PersonRecordRemovalReason]
2. (In/Out) CancellationDate, OriginatingAgencyORI, PersonEntryType, SystemAssignedNumber, [Name, NCICNumber, OriginatingAgencyCaseNumber, PersonRecordRemovalReason]

BEPWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
HitResultsIndicator	HitResultsIndicator	O	2	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonEntryType	PersonEntryType	M	1	A,F,J
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
SystemAssignedNumber	SystemAssignedNumber	O	7	

Possible Combinations

1. (In/Out) ClearDate, OriginatingAgencyORI, PersonEntryType, [ContrabandRecoveredValue, HitResultsIndicator, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, SystemAssignedNumber]
2. (In/Out) ClearDate, OriginatingAgencyORI, PersonEntryType, [ContrabandRecoveredValue, HitResultsIndicator, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

BEPWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffense	AdditionalOffense	O	1	Y,Blank
AddressCity	AddressCity	O	20	
AddressCounty	AddressCounty	O	20	
AddressHouseNumber	AddressHouseNumber	O	7	
AddressStateCode	AddressStateCode	O	2	
AddressStreetName	AddressStreetName	O	25	
AddressTypeCode	AddressTypeCode	O	2	01=residence (last known) 02=employer 03=relative 04=known associate 05=other 06=homeless 07=transient lodging 08=incarcerated 09=temporary lodging
AddressZipCode	AddressZipCode	O	9	
BirthDate	BirthDate	M	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BondAmount	BondAmount	O	7	
CautionMedicalConditionsCode	CautionMedicalConditionsCode	C	2	See NCIC 2000 Code Manual, Required if MessageKeyModifier is C
CitizenshipCountryCode	CitizenshipCountryCode	O	2	See NCIC 2000 Code Manual
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
DocumentedAddressDate	DocumentedAddressDate	O	8	
EmancipationDate	EmancipationDate	C	8	
Ethnicity	Ethnicity	O	1	See NCIC 2000 Code Manual
ExtraditionLimitation	ExtraditionLimitation	M	2	1=Felony – full extradition 2=Felony – limited extradition 3=Felony – extradite surrounding states only 4=Felony – no extradition A=Misdemeanor – full extradition B=Misdemeanor – limited extradition C=Misdemeanor – extradite surrounding states only D=Misdemeanor – no extradition
EyeColorCode	EyeColorCode	O	3	See NCIC 2000 Code Manual
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	

HairColorCode	HairColorCode	M	3	See NCIC 2000 Code Manual
Height	Height	M	3	See NCIC 2000 Code Manual
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MessageKeyModifier	MessageKeyModifier	O	1	C=Caution
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	
MiscellaneousNumber	MiscellaneousNumber	O	15	
Name	Name	M	30	
NightcapInformation	NightcapInformation	C	1	Y.N
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	M	4	See NCIC 2000 Code Manual
OffenseCodeDescription	OffenseCodeDescription	C	20	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	Required if OperatorLicenseNumber is entered
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	Required if OperatorLicenseNumber is entered
OriginalOffenseCode	OriginalOffenseCode	C	4	See NCIC 2000 Code Manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonEntryType	PersonEntryType	M	1	A=Adult J=Juvenile F=Temporary Felony
RaceCode	RaceCode	M	1	See NCIC 2000 Code Manual
RecordTypeCode	RecordTypeCode	M	2	FE=felony warrant GM=gross misdemeanor warrant MS=misdemeanor warrant
ScarMarkTattooCode	ScarMarkTattooCode	O	10	See NCIC 2000 Code Manual
SexCode	SexCode	M	1	See NCIC 2000 Code Manual
SignAndRelease	SignAndRelease	O	1	Y or empty
SkinToneCode	SkinToneCode	O	3	See NCIC 2000 Code Manual
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
VehicleColorCode	VehicleColorCode	O	7	Required if VIN is entered
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	Required if VIN is entered
VehicleModelCode	VehicleModelCode	O	7	Required if VIN is entered
VehicleStyleCode	VehicleStyleCode	O	2	Required if VIN is entered
VehicleYear	VehicleYear	O	4	Required if VIN is entered
ViolationDate	ViolationDate	C	8	
WarrantDate	WarrantDate	C	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	M	3	

Possible Combinations

1. (In/Out) BirthDate, EmancipationDate, ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonEntryType, RaceCode, RecordTypeCode, SexCode, ViolationDate, Weight, [AdditionalOffense, AddressCity, AddressCountyCode, AddressHouseNumber, AddressStateCode, AddressStreetName, AddressTypeCode, AddressZipCode, BirthPlaceCode, BondAmount,

CautionMedicalConditionsCode, CitizenshipCountryCode, CourtORI, DNAIndicator, DNALocation, Ethnicity, EyeColorCode, FBINumber, FingerprintClassificationCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NightcapInformation, NotifyOriginatingAgencyIndicator, OffenseCodeDescription, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginalOffenseCode, ScarMarkTattooCode, SignAndRelease, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantNumber]

2. (In/Out) BirthDate, ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonEntryType, RaceCode, RecordTypeCode, SexCode, WarrantDate, Weight, [AdditionalOffense, AddressCity, AddressCountyCode, AddressHouseNumber, AddressStateCode, AddressStreetName, AddressTypeCode, AddressZipCode, BirthPlaceCode, BondAmount, CautionMedicalConditionsCode, CitizenshipCountryCode, CourtORI, DNAIndicator, DNALocation, Ethnicity, EyeColorCode, FBINumber, FingerprintClassificationCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, NightcapInformation, NotifyOriginatingAgencyIndicator, OffenseCodeDescription, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginalOffenseCode, ScarMarkTattooCode, SignAndRelease, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantNumber]

BEPWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
ExtraditionLimitation	ExtraditionLimitation	M	4	
HitResultsIndicator	HitResultsIndicator	O	2	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
OutOfStateIndicator	OutOfStateIndicator	O	1	Y or blank
PersonEntryType	PersonEntryType	M	1	A,F,J
PersonArmedIndicator	PersonArmedIndicator	O	1	
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	
SystemAssignedNumber	SystemAssignedNumber	C	7	

Possible Combinations

1. (In/Out) ExtraditionLimitation, OriginatingAgencyORI, PersonEntryType, RecoveryDate, [ContrabandRecoveredValue, HitResultsIndicator, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, OutOfStateIndicator, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

2. (In/Out) ExtraditionLimitation, OriginatingAgencyORI, PersonEntryType, RecoveryDate, SystemAssignedNumber, [ContrabandRecoveredValue, HitResultsIndicator, Name, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OriginatingAgencyCaseNumber, OtherRecoveredPropertyValue, OutOfStateIndicator, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

BEPWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffense	AdditionalOffense	O	1	
AddressApartmentNumber	AddressApartmentNumber	O	6	
AddressCity	AddressCity	O	21	
AddressHouseNumber	AddressHouseNumber	O	9	
AddressStateCode	AddressStateCode	O	2	
AddressStreetDirection	AddressStreetDirection	O	2	
AddressStreetName	AddressStreetName	O	16	
AddressStreetSuffix	AddressStreetSuffix	O	4	
AddressZipCode	AddressZipCode	O	9	
BirthDate	BirthDate	O	8	
BirthPlaceCode	BirthPlaceCode	O	2	
BondInformation	BondInformation	O	7	
CautionIndicator	CautionIndicator	C	1	Y, N
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	
CourtORI	CourtORI	O	9	
DNAIndicator	DNAIndicator	O	1	
DNALocation	DNALocation	O	250	
EmancipationDate	EmancipationDate	O	8	
ExtraditionLimitation	ExtraditionLimitation	O	2	
EyeColorCode	EyeColorCode	O	3	
FBINumber	FBINumber	O	9	
FingerprintClassificationCode	FingerprintClassificationCode	O	20	
FreeText	FreeText	O	500	
HairColorCode	HairColorCode	O	3	
Height	Height	O	3	
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
MiscellaneousNumber	MiscellaneousNumber	O	15	
ModifiedName	ModifiedName	O	30	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
Name	Name	O	30	
NCICNumber	NCICNumber	O	10	
NightcapInformation	NightcapInformation	O	1	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OffenseCode	OffenseCode	O	24	
OperatorLicenseExpirationYear	OperatorLicenseExpirationYear	O	4	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	

OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	
OriginalOffenseCode	OriginalOffenseCode	C	4	
OriginalTemporaryIndicator	OriginalTemporaryIndicator	M	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PersonEntryTypeCode	PersonEntryTypeCode	C	1	Y, N
RaceCode	RaceCode	O	1	
ScarMarkTattooCode	ScarMarkTattooCode	O	10	
SexCode	SexCode	O	1	
SkinToneCode	SkinToneCode	O	3	
SocialSecurityNumber	SocialSecurityNumber	O	9	
StateIdNumber	StateIdNumber	O	10	
SystemAssignedNumber	SystemAssignedNumber	C	7	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	
WarrantDate	WarrantDate	O	8	
WarrantNumber	WarrantNumber	O	15	
Weight	Weight	O	3	

Possible Combinations

1. (In/Out) CautionIndicator, OriginalTemporaryIndicator, OriginatingAgencyORI, PersonEntryTypeCode, [AdditionalOffense, BirthDate, BirthPlaceCode, CautionMedicalConditionsCode, CourtORI, DNAIndicator, DNALocation, EmancipationDate, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MiscellaneousNumber, ModifiedName, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, Name, NCICNumber, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginalOffenseCode, OriginatingAgencyCaseNumber, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantDate, WarrantNumber, Weight]
2. (In/Out) CautionIndicator, OriginalTemporaryIndicator, OriginatingAgencyORI, PersonEntryTypeCode, SystemAssignedNumber, [AdditionalOffense, AddressApartmentNumber, AddressCity, AddressHouseNumber, AddressStateCode, AddressStreetDirection, AddressStreetName, AddressStreetSuffix, AddressZipCode, BirthDate, BirthPlaceCode, BondInformation, CautionMedicalConditionsCode, CourtORI, DNAIndicator, DNALocation, EmancipationDate, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, FreeText, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MiscellaneousNumber, Name, NCICNumber, NightcapInformation, NotifyOriginatingAgencyIndicator, OffenseCode, OperatorLicenseExpirationYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginalOffenseCode, OriginatingAgencyCaseNumber, RaceCode, ScarMarkTattooCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantDate, WarrantNumber, Weight]

BEPVehicleCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FreeText	FreeText	O	501	
LicensePlateNumber	LicensePlateNumber	O	10	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
VehicleEntryType	VehicleEntryType	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	

Possible Combinations

1. (In/Out) CancellationDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, VehicleEntryType, [FreeText, LicensePlateNumber, NCICNumber, PropertyRecordRemovalReason, VehicleIdentificationNumber]

BEPVehicleClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	
VehicleEntryType	VehicleEntryType	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	

Possible Combinations

1. (In/Out) ClearDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, VehicleEntryType, [ContrabandRecoveredValue, LicensePlateNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI, VehicleIdentificationNumber]

BEPVehicleEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	O	200	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LatentHoldIndicator	LatentHoldIndicator	M	1	Y, N
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	

LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
NCICPublicDisseminationCode	NCICPublicDisseminationCode	O	8	IN, OUT, or date in YYYYMMDD format
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	M	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
TheftDate	TheftDate	M	8	
VehicleColorCode	VehicleColorCode	O	7	
VehicleEntryType	VehicleEntryType	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	M	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleOwnershipDataCode	VehicleOwnershipDataCode	O	1	
VehicleStyleCode	VehicleStyleCode	M	2	
VehicleYear	VehicleYear	M	4	

Possible Combinations

- (In/Out) LatentHoldIndicator, OccupantsArmedIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, VehicleEntryType, VehicleMakeCode, VehicleStyleCode, VehicleYear, [FreeText, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, NCICPublicDisseminationCode, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleModelCode, VehicleOwnershipDataCode]

BEPVehicleLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	
VehicleEntryType	VehicleEntryType	M	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	

Possible Combinations

- (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, VehicleEntryType, [ContrabandRecoveredValue, LicensePlateNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, VehicleIdentificationNumber]

BEPVehicleModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	O	200	
ImageNCICNumber	ImageNCICNumber	O	10	
ImageTypeCode	ImageTypeCode	O	1	
LatentHoldIndicator	LatentHoldIndicator	C	1	Y, N
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
ModifiedLicensePlateNumber	ModifiedLicensePlateNumber	O	10	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
ModifiedVehicleIdentificationNumber	ModifiedVehicleIdentificationNumber	O	20	
NCICNumber	NCICNumber	O	10	
NCICPublicDisseminationCode	NCICPublicDisseminationCode	O	8	IN, OUT, or date in YYYYMMDD format
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	C	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OwnerAppliedNumber	OwnerAppliedNumber	O	20	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	
VehicleColorCode	VehicleColorCode	O	7	
VehicleEntryTypeCode	VehicleEntryTypeCode	C	1	
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	
VehicleMakeCode	VehicleMakeCode	O	24	
VehicleModelCode	VehicleModelCode	O	3	
VehicleOwnershipDataCode	VehicleOwnershipDataCode	O	1	
VehicleStyleCode	VehicleStyleCode	O	2	
VehicleYear	VehicleYear	O	4	

Possible Combinations

- (In/Out) LatentHoldIndicator, OccupantsArmedIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, VehicleEntryTypeCode, [FreeText, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, ModifiedLicensePlateNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, ModifiedVehicleIdentificationNumber, NCICNumber, NCICPublicDisseminationCode, NotifyOriginatingAgencyIndicator, OwnerAppliedNumber, TheftDate, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleModelCode, VehicleOwnershipDataCode, VehicleStyleCode, VehicleYear]

Canadian Basic Inquiries (CBI)

CBIArticleSingleQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

ArticleSerialNumber	ArticleSerialNumber	M	23	
ArticleTypeCode	ArticleTypeCode	M	2	
OriginatingAgencyORI	OriginatingAgencyORI	O		
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	O	1	
ReasonCode	ReasonCode	O	1	

Possible Combinations

1. (Out) ArticleSerialNumber, ArticleTypeCode, [OriginatingAgencyORI, PersonPropertyInSightIndicator, ReasonCode]

CBIBoatQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	12	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	O	1	
ReasonCode	ReasonCode	O	1	
RegistrationNumber	RegistrationNumber	C	7	

Possible Combinations

1. (Out) BoatHullIdNumber, [OriginatingAgencyORI, PersonPropertyInSightIndicator, ReasonCode]
2. (Out) RegistrationNumber, [OriginatingAgencyORI, PersonPropertyInSightIndicator, ReasonCode]

CBIDriverLicenseQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	10	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	O	1	
ReasonCode	ReasonCode	O	1	
SexCode	SexCode	M	1	
State	State	O	2	

Possible Combinations

1. (Out) BirthDate, Name, SexCode, [OperatorLicenseNumber, OriginatingAgencyORI, PersonPropertyInSightIndicator, ReasonCode, State]
2. (Out) BirthDate, Name, SexCode, [OriginatingAgencyORI, PersonPropertyInSightIndicator, ReasonCode]

CBIGunQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
GunSerialNumber	GunSerialNumber	M	23	
GunTypeCode	GunTypeCode	M	2	
OriginatingAgencyORI	OriginatingAgencyORI	O		
PersonPropertyInSiteIndicator	PersonPropertyInSiteIndicator	O	1	
ReasonCode	ReasonCode	O	1	

Possible Combinations

1. (Out) GunSerialNumber, GunTypeCode, [OriginatingAgencyORI, PersonPropertyInSiteIndicator, ReasonCode]

CBIVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
OriginatingAgencyORI	OriginatingAgencyORI	O	9	
PersonPropertyInSightIndicator	PersonPropertyInSightIndicator	O	1	
ReasonCode	ReasonCode	O	1	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	

Possible Combinations

1. (In/Out) LicensePlateNumber, [OriginatingAgencyORI, PersonPropertyInSightIndicator, ReasonCode, State]
2. (In/Out) VehicleIdentificationNumber, [OriginatingAgencyORI, PersonPropertyInSightIndicator, ReasonCode, State]

Computerized Criminal History (CCH)

CCHCriminalHistoryAdditionalInformationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
InquiryText	InquiryText	M	14400	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
NletsDestination4	NletsDestination4	O	9	
NletsDestination5	NletsDestination5	O	9	
PurposeCode	PurposeCode	M	1	

Possible Combinations

1. (In/Out) Attention, NletsDestination, PurposeCode, InquiryText, [NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

CCHCriminalHistoryAdditionalInformationResponse

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
InquiryText	InquiryText	M	14400	
NletsDestination	NletsDestination	M	9	
NletsDestination2	NletsDestination2	O	9	
NletsDestination3	NletsDestination3	O	9	
NletsDestination4	NletsDestination4	O	9	
NletsDestination5	NletsDestination5	O	9	
PurposeCode	PurposeCode	M	1	

Possible Combinations

1. (In/Out) Attention, NletsDestination, PurposeCode, InquiryText, [NletsDestination2, NletsDestination3, NletsDestination4, NletsDestination5]

CCHCriminalHistoryFullRecordQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BuildingName	BuildingName	O	30	

CityState	CityState	O	30	
DepartmentName	DepartmentName	O	30	
ImageIndicator	ImageIndicator	O	1	
PurposeCode	PurposeCode	M	1	
State	State	M	2	
StateIdNumber	StateIdNumber	M	10	
StreetAddress	StreetAddress	O	30	
ZipCode	ZipCode	O	9	

Possible Combinations

1. (In/Out) Attention, PurposeCode, State, StateIdNumber, [BuildingName, CityState, DepartmentName, ImageIndicator, StreetAddress, ZipCode]

CCHCriminalHistoryIdentityQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	C	30	
BirthDate	BirthDate	C	8	
ImageIndicator	ImageIndicator	O	1	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
PurposeCode	PurposeCode	C	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, PurposeCode, SexCode, State, [ImageIndicator, State2, State3, State4, State5]
2. (In/Out) Attention, MiscellaneousNumber, Name, SocialSecurityNumber, State, [ImageIndicator, PurposeCode, State2, State3, State4, State5]
3. (In/Out) Attention, Name, PurposeCode, SocialSecurityNumber, State, [ImageIndicator, State2, State3, State4, State5]

CCHCriminalHistoryRecordExistenceQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	M	30	
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
MessageKeyModifier	MessageKeyModifier	O	1	M or N
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
Password	Password	M	5	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	

StateIdNumber	StateIdNumber	C	10	
---------------	---------------	---	----	--

Possible Combinations

1. (In/Out) Attention, BirthDate, Name, Password, PurposeCode, RaceCode, SexCode, [MessageKeyModifier]
2. (In/Out) Attention, Name, Password, PurposeCode, SocialSecurityNumber, [MessageKeyModifier]
3. (In/Out) Attention, MiscellaneousNumber, Name, Password, PurposeCode, [MessageKeyModifier]
4. (In/Out) Attention, BirthDate, Name, Password, PurposeCode, RaceCode, SexCode, SocialSecurityNumber, [MessageKeyModifier]
5. (In/Out) Attention, BirthDate, MiscellaneousNumber, Name, Password, PurposeCode, RaceCode, SexCode, [MessageKeyModifier]
6. (In/Out) Attention, Password, PurposeCode, StateIdNumber, [MessageKeyModifier]
7. (In/Out) Attention, Name, Password, PurposeCode, StateIdNumber, [MessageKeyModifier]
8. (In/Out) Attention, FBINumber, Password, PurposeCode, [MessageKeyModifier]
9. (In/Out) Attention, FBINumber, Name, Password, PurposeCode, [MessageKeyModifier]

CCHCriminalHistoryRecordQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AgencyName	AgencyName	O	30	
Attention	Attention	M	30	
BuildingInformation	BuildingInformation	O	30	
CityStateCode	CityStateCode	C	30	
FBINumber	FBINumber	C	9	
MailingAddress	MailingAddress	O	30	
MessageKeyModifier	MessageKeyModifier	O	1	N and M
Name	Name	O	30	
Password	Password	M	5	
PurposeCode	PurposeCode	M	1	
StateIdNumber	StateIdNumber	C	10	
ZipCode	ZipCode	O	9	

Possible Combinations

1. (In/Out) Attention, FBINumber, Password, PurposeCode, [AgencyName, BuildingInformation, CityStateCode, MailingAddress, MessageKeyModifier, Name, StateIdNumber, ZipCode]
2. (In/Out) Attention, StateIdNumber, Password, PurposeCode, [AgencyName, BuildingInformation, CityStateCode, MailingAddress, MessageKeyModifier, Name, StateIdNumber, ZipCode]

CCHSuspenseRecordExistenceQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
Name	Name	C	30	
PurposeCode	PurposeCode	C	1	
RaceCode	RaceCode	C	1	
SexCode	SexCode	C	1	

Possible Combinations

1. (In/Out) BirthDate, Name, PurposeCode, RaceCode, SexCode, [Attention]

CCHSuspenseRecordQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	C	30	
Name	Name	O	30	
Password	Password	M	5	
PurposeCode	PurposeCode	C	1	
SuspensionNumber	SuspensionNumber	O	16	

Possible Combinations

1. (In/Out) Attention, Password, PurposeCode, StatelIdNumber, [SuspensionNumber]

CCHTriplelandPersonFileQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	'Y', 'N', ''
ExpandedBirthdateSearchIndicator	ExpandedBirthdateSearchIndicator	O	1	'0', '1', '2', '3'
ImageIndicator	ImageIndicator	O	1	'Y', 'N', ''
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	30	
PurposeCode	PurposeCode	M	1	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	'Y', 'N', ''
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	

Possible Combinations

1. (In/Out) BirthDate, Name, PurposeCode, RaceCode, SexCode, [Attention, ExpandedNameSearchIndicator, ExpandedBirthdateSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) MiscellaneousNumber, Name, PurposeCode, [Attention, ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) Name, PurposeCode, SocialSecurityNumber, [Attention, ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]

Wanted Missing Person Entry (WMPE)

WMPEMissingPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	Numeric
Name	Name	C	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	C	10	Alphanumeric See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	Alphanumeric, See NCIC code manual

Possible Combinations

1. (In/Out) Name, NCICNumber, OriginatingAgencyORI, CancellationDate, [PersonRecordRemovalReason]

2. (In/Out) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, CancellationDate, [PersonRecordRemovalReason]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, CancellationDate, [PersonRecordRemovalReason]

WMPEMissingPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	Numeric
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	Numeric – See NCIC manual
DispositionCode	DispositionCode	O	4	DETN, RELD – See NCIC manual
Name	Name	C	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	C	10	See NCIC manual
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	A/N – See NCIC manual
NumberPersonsApprehended	NumberPersonsApprehended	O	3	Numeric – See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	Numeric – See NCIC manual
PersonArmedIndicator	PersonArmedIndicator	O	1	Numeric: 1, 2, 3 See NCIC code manual
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	Alphanumeric, See NCIC code manual
PropertyRecoveredValue	PropertyRecoveredValue	O	8	A/N – See NCIC manual
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	A/N, '-' – See NCIC manual
RecoveringAgencyORI	RecoveringAgencyORI	O	9	Valid NCIC-assigned ORI

Possible Combinations

1. (In/Out) Name, NCICNumber, OriginatingAgencyORI, ClearDate, [ContrabandRecoveredValue, DispositionCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
2. (In/Out) Name, OriginatingAgencyORI, OriginatingAgencyCaseNumber, ClearDate, [ContrabandRecoveredValue, DispositionCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]
3. (In/Out) NCICNumber, OriginatingAgencyORI, OriginatingAgencyCaseNumber, ClearDate, [ContrabandRecoveredValue, DispositionCode, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEMissingPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	Numeric
BirthPlaceCode	BirthPlaceCode	O	2	Alpha, See NCIC code manual
BloodTypeCode	BloodTypeCode	O	5	Alpha, See NCIC code manual
BodyXRayCode	BodyXRayCode	O	1	Alpha: F, P, N
CautionIndicator	CautionIndicator	O	1	C or BLANK
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	Numeric, See NCIC code manual
CircumcisionCode	CircumcisionCode	O	1	Alpha: C, N, U
CitizenshipCode	CitizenshipCode	O	2	Alpha, See NCIC code manual
CorrectiveVisionPrescriptionCode	CorrectiveVisionPrescriptionCode	O	40	AN, Special chars, See NCIC code manual
DNAIndicator	DNAIndicator	O	1	Alpha: Y, N, blank

DNALocation	DNALocation	O	250	Alphanumeric, Special Chars (Free text)
EmancipationDate	EmancipationDate	O	8	Numeric
EthnicityCode	EthnicityCode	O	1	Alpha: H, N
EyeColorCode	EyeColorCode	M	3	Alpha, See NCIC code manual
FBINumber	FBINumber	O	9	Alphanumeric
FingerprintClassificationCode	FingerprintClassificationCode	O	20	Alpha, See NCIC code manual
FootprintIndicator	FootprintIndicator	O	1	Alpha: Y, N
HairColorCode	HairColorCode	M	3	Alpha, See NCIC code manual
Height	Height	M	3	Numeric or UNK, See NCIC code manual
JewelryDescription	JewelryDescription	O	100	Alphanumeric, Special chars (Free text)
JewelryTypeCode	JewelryTypeCode	O	50	Alpha, See NCIC code manual
LastContactDate	LastContactDate	M	8	Numeric
LicensePlateNumber	LicensePlateNumber	O	10	Alphanumeric
LicensePlateStateCode	LicensePlateStateCode	O	2	Alpha, See NCIC code manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	Alpha, See NCIC code manual
LicensePlateYear	LicensePlateYear	O	4	Numeric, or Alpha 'NX'
LinkageAgencyId	LinkageAgencyId	O	9	Valid NCIC-assigned ORI
LinkageCaseNumber	LinkageCaseNumber	O	20	A/N, '-' – See NCIC manual
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	Alphanumeric, See NCIC code manual
MiscellaneousNumber	MiscellaneousNumber	O	15	AN, Special chars, See NCIC code manual
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	Alpha: S, R, N, F, See NCIC code manual
MissingPersonCode	MissingPersonCode	M	2	Alpha: AA, CA, DV, MP, See NCIC code manual
MissingPersonEntryType	MissingPersonEntryType	M	1	Alpha: D, E, I, O, J, V
Name	Name	M	30	A/N, Special chars – See NCIC code manual
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Alpha: Y, N, blank
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	Alpha, See NCIC code manual
OperatorLicenseYear	OperatorLicenseYear	O	4	Numeric, or Alpha 'NX'
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
RaceCode	RaceCode	M	1	Alpha: I, A, B, W, U, See NCIC code manual
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	Alpha, See NCIC code manual
SexCode	SexCode	M	1	Alpha: M, F, U
SignAndRelease	SignAndRelease	O	1	Y or empty
SkinToneCode	SkinToneCode	O	3	Alpha, See NCIC code manual
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
StateldNumber	StateldNumber	O	10	
VehicleColorCode	VehicleColorCode	O	7	Alpha and '/', See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	Alphanumeric, See NCIC manual
VehicleMakeCode	VehicleMakeCode	O	4	See NCIC manual and code manual
VehicleMakeCodeDescription	VehicleMakeCodeDescription	O	20	Fretext description; see NCIC manual
VehicleModelCode	VehicleModelCode	O	3	AN, Special chars, See NCIC code manual
VehicleStyleCode	VehicleStyleCode	O	2	Alphanumeric, See NCIC code manual
VehicleYear	VehicleYear	O	4	Numeric
Weight	Weight	M	3	Numeric or UNK, See NCIC code manual

Possible Combinations

(In/Out) EyeColorCode, HairColorCode, Height, LastContactDate, MissingPersonCode, MissingPersonEntryType, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, SexCode, Weight [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionIndicator, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPrescriptionCode, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, JewelryDescription, JewelryTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonEntryType, NotifyOriginatingAgencyIndicator, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SignAndRelease, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEMissingPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	Numeric
DispositionCode	DispositionCode	M	4	DETN, RELD – See NCIC manual
Name	Name	C	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	C	10	Alphanumeric See NCIC manual
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	A/N – See NCIC manual
NumberPersonsApprehended	NumberPersonsApprehended	O	3	Numeric – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	Numeric – See NCIC manual
PersonArmedIndicator	PersonArmedIndicator	O	1	Numeric: 1, 2, 3 See NCIC code manual
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	Alphanumeric, See NCIC code manual
PropertyRecoveredValue	PropertyRecoveredValue	O	8	A/N – See NCIC manual
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	A/N, '-' – See NCIC manual
RecoveryDate	RecoveryDate	M	8	Numeric

Possible Combinations

1. (In/Out) DispositionCode, Name, NCICNumber, OriginatingAgencyORI, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
2. (In/Out) DispositionCode, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]
3. (In/Out) DispositionCode, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, [ContrabandRecoveredValue, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

WMPEMissingPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	Numeric
BirthPlaceCode	BirthPlaceCode	O	2	Alpha, See NCIC code manual

BloodTypeCode	BloodTypeCode	O	5	Alpha, See NCIC code manual
BodyXRayCode	BodyXRayCode	O	1	Alpha: F, P, N
CautionIndicator	CautionIndicator	O	1	C or BLANK
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	Numeric, See NCIC code manual
CircumcisionCode	CircumcisionCode	O	1	Alpha: C, N, U
CitizenshipCode	CitizenshipCode	O	2	Alpha, See NCIC code manual
CorrectiveVisionPrescriptionCode	CorrectiveVisionPrescriptionCode	O	40	AN,Special chars,See NCIC code manual
DeleteVehicleDataIndicator	DeleteVehicleDataIndicator	O	1	Y or blank (Y invokes LIC-VCO/.)
DNAIndicator	DNAIndicator	O	1	Alpha: Y, N, blank
DNALocation	DNALocation	O	250	Alphanumeric, Special Chars (Free text)
EmancipationDate	EmancipationDate	O	8	Numeric
EthnicityCode	EthnicityCode	O	1	Alpha: H, N
EyeColorCode	EyeColorCode	O	3	Alpha, See NCIC code manual
FBINumber	FBINumber	O	9	Alphanumeric
FingerprintClassificationCode	FingerprintClassificationCode	O	20	Alpha, See NCIC code manual
FootprintIndicator	FootprintIndicator	O	1	Alpha: Y, N
FormORI	FormORI	O	9	Valid NCIC-assigned ORI
HairColorCode	HairColorCode	O	3	Alpha, See NCIC code manual
Height	Height	O	3	Numeric or UNK, See NCIC code manual
JewelryDescription	JewelryDescription	O	100	Alphanumeric, Special chars (Free text)
JewelryTypeCode	JewelryTypeCode	O	50	Up to 17 alpha codes sep. by comma
LastContactDate	LastContactDate	O	8	Numeric
LicensePlateNumber	LicensePlateNumber	O	10	Alphanumeric
LicensePlateStateCode	LicensePlateStateCode	O	2	Alpha, See NCIC code manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	Alpha, See NCIC code manual
LicensePlateYear	LicensePlateYear	O	4	Numeric, or Alpha 'NX'
LinkageAgencyId	LinkageAgencyId	O	9	Valid NCIC-assigned ORI
LinkageCaseNumber	LinkageCaseNumber	O	20	A/N, '-' – See NCIC manual
MessageKeyModifier	MessageKeyModifier	O	1	Alpha: D, E, I, O, J, V
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	Alphanumeric, See NCIC code manual
MiscellaneousNumber	MiscellaneousNumber	O	15	AN,Special chars,See NCIC code manual
MissingPersonCircumstanceCode	MissingPersonCircumstanceCode	O	1	Alpha: S, R, N, F,See NCIC code manual
MissingPersonCode	MissingPersonCode	O	2	Alpha: AA, CA, DV, MP, See NCIC code manual
Name	Name	C	30	A/N, Special chars – See NCIC code manual
Name2	Name2	O	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	C	10	Alphanumeric See NCIC manual
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Alpha: Y, N, blank
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	Alpha – See NCIC code manual
OperatorLicenseYear	OperatorLicenseYear	O	4	Numeric
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
RaceCode	RaceCode	O	1	Alpha: I, A, B, W, U,See NCIC code manual
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	Alpha, See NCIC code manual

SexCode	SexCode	O	1	Alpha: M, F, U
SkinToneCode	SkinToneCode	O	3	Alpha, See NCIC code manual
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
StateIdNumber	StateIdNumber	O	10	
ValidatorName	ValidatorName	O	30	A/N, Special chars – See NCIC code manual
VehicleColorCode	VehicleColorCode	O	7	Alpha and '/', See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	Alphanumeric, See NCIC manual
VehicleMakeCode	VehicleMakeCode	O	4	See NCIC manual and code manual
VehicleMakeCodeDescription	VehicleMakeCodeDescription	O	20	Freertext description; see NCIC manual
VehicleModelCode	VehicleModelCode	O	3	AN, Special chars, See NCIC code manual
VehicleStyleCode	VehicleStyleCode	O	2	Alphanumeric, See NCIC code manual
VehicleYear	VehicleYear	O	4	Numeric
Weight	Weight	O	3	Numeric or UNK, See NCIC code manual

Possible Combinations

1. (In/Out) Name, NCICNumber, OriginatingAgencyORI, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionIndicator, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPrescriptionCode, DeleteVehicleDataIndicator, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, FormORI, HairColorCode, Height, JewelryDescription, JewelryTypeCode, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, Name2, NotifyOriginatingAgencyIndicator, OperatorLicenseYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber2, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
2. (In/Out) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionIndicator, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPrescriptionCode, DeleteVehicleDataIndicator, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, FormORI, HairColorCode, Height, JewelryDescription, JewelryTypeCode, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, Name2, NotifyOriginatingAgencyIndicator, OperatorLicenseYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber2, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BirthDate, BirthPlaceCode, BloodTypeCode, BodyXRayCode, CautionIndicator, CautionMedicalConditionsCode, CircumcisionCode, CitizenshipCode, CorrectiveVisionPrescriptionCode, DeleteVehicleDataIndicator, DNAIndicator, DNALocation, EmancipationDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, FootprintIndicator, FormORI, HairColorCode, Height,

JewelryDescription, JewelryTypeCode, LastContactDate, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, MissingPersonCircumstanceCode, MissingPersonCode, Name2, NotifyOriginatingAgencyIndicator, OperatorLicenseYear, OperatorLicenseNumber, OperatorLicenseStateCode, OriginatingAgencyCaseNumber2, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, Weight]

WMPEMissingPersonSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs, AlsoKnownAs2 - AlsoKnownAs9	O	30	A/N, Special chars – See NCIC code manual This field supports up to 9 instances.
BirthDate	BirthDate, BirthDate2 - BirthDate9	O	8	Numeric This field supports up to 9 instances
CautionMedicalConditionsCode	CautionMedicalConditionsCode, CautionMedicalConditionsCode2 - CautionMedicalConditionsCode10	O	2	Numeric, See NCIC code manual This field supports up to 9 instances.
CitizenshipCode	CitizenshipCode, CitizenshipCode2 - CitizenshipCode10	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
ImageNCICNumber	ImageNCICNumber, ImageNCICNumber2 - ImageNCICNumber12	O	10	Alphanumeric See NCIC manual This field supports up to 9 instances.
ImageTypeCode	ImageTypeCode, ImageTypeCode2 - ImageTypeCode12	O	1	Alpha:M, S, I, V, B-See NCIC code manual This field supports up to 9 instances.
LicensePlateNumber	LicensePlateNumber, LicensePlateNumber2 - LicensePlateNumber9	O	10	Alphanumeric This field supports up to 9 instances.
LicensePlateStateCode	LicensePlateStateCode, LicensePlateStateCode2 - LicensePlateStateCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
LicensePlateTypeCode	LicensePlateTypeCode, LicensePlateTypeCode2 - LicensePlateTypeCode	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
LicensePlateYear	LicensePlateYear, LicensePlateYear2 - LicensePlateYear9	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.
MiscellaneousNumber	MiscellaneousNumber, MiscellaneousNumber2 - MiscellaneousNumber9	O	15	AN,Special chars,See NCIC code manual This field supports up to 9 instances.
Name	Name	C	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	C	10	Alphanumeric See NCIC manual

OperatorLicenseNumber	OperatorLicenseNumber, OperatorLicenseNumber2 - OperatorLicenseNumber9	O	20	Alphanumeric This field supports up to 9 instances.
OperatorLicenseStateCode	OperatorLicenseStateCode, OperatorLicenseStateCode2 - OperatorLicenseStateCode9	O	2	Alpha – See NCIC code manual This field supports up to 9 instances.
OperatorLicenseYear	OperatorLicenseYear, OperatorLicenseYear2 - OperatorLicenseYear9	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
ScarsMarksTattoosCode	ScarsMarksTattoosCode, ScarsMarksTattoosCode2 - ScarsMarksTattoosCode19	O	10	Alpha, See NCIC code manual This field supports up to 9 instances.
SocialSecurityNumber	SocialSecurityNumber, SocialSecurityNumber2 - SocialSecurityNumber9	O	9	Alphanumeric This field supports up to 9 instances.
StateIdNumber	StateIdNumber, StateIdNumber2, ... StateIdNumber9	O	10	Alphanumeric This field supports up to 9 instances.
VehicleColorCode	VehicleColorCode, VehicleColorCode2 - VehicleColorCode9	O	7	Alpha and '/', See NCIC code manual This field supports up to 9 instances.
VehicleIdentificationNumber	VehicleIdentificationNumber, VehicleIdentificationNumber2 - VehicleIdentificationNumber9	O	20	Alphanumeric, See NCIC manual This field supports up to 9 instances.
VehicleMakeCode	VehicleMakeCode, VehicleMakeCode2 - VehicleMakeCode9	O	4	See NCIC manual and code manual This field supports up to 9 instances.
VehicleMakeCodeDescription	VehicleMakeCodeDescription, VehicleMakeCodeDescription2 - VehicleMakeCodeDescription9	O	20	Fretext description; see NCIC manual This field supports up to 9 instances.
VehicleModelCode	VehicleModelCode, VehicleModelCode2 - VehicleModelCode9	O	3	AN, Special chars, See NCIC code manual This field supports up to 9 instances.
VehicleStyleCode	VehicleStyleCode, VehicleStyleCode2 - VehicleStyleCode9	O	2	Alphanumeric, See NCIC code manual This field supports up to 9 instances.
VehicleYear	VehicleYear, VehicleYear2 - VehicleYear9	O	4	Numeric This field supports up to 9 instances.

Possible Combinations

1. (In/Out) Name, NCICNumber, OriginatingAgencyORI, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode, CitizenshipCode, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode,

- VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear]
2. (In/Out) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode, CitizenshipCode, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode, CitizenshipCode, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEMissingPersonSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs, AlsoKnownAs2 - AlsoKnownAs9	O	30	A/N, Special chars – See NCIC code manual This field supports up to 9 instances.
BirthDate	BirthDate, BirthDate2 - BirthDate9	O	8	Numeric This field supports up to 9 instances
CautionMedicalConditionsCode	CautionMedicalConditionsCode, CautionMedicalConditionsCode2 - CautionMedicalConditionsCode9	O	2	Numeric, See NCIC code manual This field supports up to 9 instances.
CitizenshipCode	CitizenshipCode, CitizenshipCode2 - CitizenshipCode9	O	2	Alpha, See NCIC code manual This field supports up to 10 instances.
ImageNCICNumber	ImageNCICNumber, ImageNCICNumber2 - ImageNCICNumber9	O	10	Alphanumeric See NCIC manual This field supports up to 9 instances.
ImageTypeCode	ImageTypeCode, ImageTypeCode2 - ImageTypeCode9	O	1	Alpha:M, S, I, V, B-See NCIC code manual This field supports up to 9 instances.
LicensePlateNumber	LicensePlateNumber, LicensePlateNumber2 - LicensePlateNumber9	O	10	Alphanumeric This field supports up to 9 instances.
LicensePlateStateCode	LicensePlateStateCode, LicensePlateStateCode2 - LicensePlateStateCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
LicensePlateTypeCode	LicensePlateTypeCode, LicensePlateTypeCode2 - LicensePlateTypeCode	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
LicensePlateYear	LicensePlateYear, LicensePlateYear2 -	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.

	LicensePlateYear9			
MiscellaneousNumber	MiscellaneousNumber, MiscellaneousNumber2 - MiscellaneousNumber9	O	15	AN,Special chars,See NCIC code manual This field supports up to 9 instances.
Name	Name	C	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	C	10	Alphanumeric See NCIC manual
OperatorLicenseNumber	OperatorLicenseNumber, OperatorLicenseNumber2 - OperatorLicenseNumber9	O	20	Alphanumeric This field supports up to 9 instances.
OperatorLicenseStateCode	OperatorLicenseStateCode, OperatorLicenseStateCode2 - OperatorLicenseStateCode9	O	2	Alpha – See NCIC code manual This field supports up to 9 instances.
OperatorLicenseYear	OperatorLicenseYear, OperatorLicenseYear2 - OperatorLicenseYear9	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
ScarsMarksTattoosCode	ScarsMarksTattoosCode, ScarsMarksTattoosCode2 - ScarsMarksTattoosCode9	O	10	Alpha, See NCIC code manual This field supports up to 9 instances.
SocialSecurityNumber	SocialSecurityNumber, SocialSecurityNumber2 - SocialSecurityNumber9	O	9	Alphanumeric This field supports up to 9 instances.
StateIdNumber	StateIdNumber, StateIdNumber2, ... StateIdNumber9	O	10	Alphanumeric This field supports up to 9 instances.
VehicleColorCode	VehicleColorCode, VehicleColorCode2 - VehicleColorCode9	O	7	Alpha and 'I', See NCIC code manual This field supports up to 9 instances.
VehicleIdentificationNumber	VehicleIdentificationNumber, VehicleIdentificationNumber2 - VehicleIdentificationNumber9	O	20	Alphanumeric, See NCIC manual This field supports up to 9 instances.
VehicleMakeCode	VehicleMakeCode, VehicleMakeCode2 - VehicleMakeCode9	O	4	See NCIC manual and code manual This field supports up to 9 instances.
VehicleMakeCodeDescription	VehicleMakeCodeDescription, VehicleMakeCodeDescription2 - VehicleMakeCodeDescription9	O	20	Freetext description; see NCIC manual This field supports up to 9 instances.
VehicleModelCode	VehicleModelCode, VehicleModelCode2 - VehicleModelCode9	O	3	AN,Special chars,See NCIC code manual This field supports up to 9 instances.
VehicleStyleCode	VehicleStyleCode, VehicleStyleCode2 - VehicleStyleCode9	O	2	Alphanumeric, See NCIC code manual This field supports up to 9 instances.
VehicleYear	VehicleYear, VehicleYear2 - VehicleYear9	O	4	Numeric This field supports up to 9 instances.

Possible Combinations

1. Name, NCICNumber, OriginatingAgencyORI, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode, CitizenshipCode, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear]
2. (In/Out) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode, CitizenshipCode, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber, VehicleColorCode, VehicleIdentificationNumber, StateIdNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode, CitizenshipCode, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber, VehicleColorCode, StateIdNumber, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEPersonFraudulentDataCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate, BirthDate2 - BirthDate9	O	8	Numeric, See NCIC Manual This field supports up to 9 instances.
FraudulentName	FraudulentName, FraudulentName2 - FraudulentName99	O	30	A/N, special chars; See NCIC manual This field supports up to 99 instances.
MiscellaneousNumber	MiscellaneousNumber, MiscellaneousNumber2 - MiscellaneousNumber9	O	15	A/N, special chars; See NCIC manual This field supports up to 9 instances.
Name	Name	C	30	A/N, special chars; See NCIC manual
NCICNumber	NCICNumber	C	10	Alphanumeric, See NCIC Manual
OperatorLicenseNumber	OperatorLicenseNumber, OperatorLicenseNumber2 - OperatorLicenseNumber9	O	20	Alphanumeric This field supports up to 9 instances.
OperatorLicenseStateCode	OperatorLicenseStateCode, OperatorLicenseStateCode2 - OperatorLicenseStateCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
OperatorLicenseYear	OperatorLicenseYear, OperatorLicenseYear2 - OperatorLicenseYear9	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
SocialSecurityNumber	SocialSecurityNumber, SocialSecurityNumber2	O	9	Numeric This field supports up to 9 instances.

	- SocialSecurityNumber9			
--	----------------------------	--	--	--

Possible Combinations

1. (In/Out) Name, NCICNumber, OriginatingAgencyORI, [BirthDate, FraudulentName, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, SocialSecurityNumber]
2. (In/Out) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BirthDate, FraudulentName, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, SocialSecurityNumber]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BirthDate, FraudulentName, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, SocialSecurityNumber]

WMPEPersonFraudulentDataEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate, BirthDate2 - BirthDate9	O	8	Numeric, See NCIC Manual This field supports up to 9 instances.
FraudulentName	FraudulentName, FraudulentName2 - FraudulentName99	O	30	A/N, special chars; See NCIC manual This field supports up to 99 instances.
MiscellaneousNumber	MiscellaneousNumber, MiscellaneousNumber2 - MiscellaneousNumber9	O	15	A/N, special chars; See NCIC manual This field supports up to 9 instances.
Name	Name	C	30	A/N, special chars; See NCIC manual
NCICNumber	NCICNumber	C	10	Alphanumeric, See NCIC Manual
OperatorLicenseNumber	OperatorLicenseNumber, OperatorLicenseNumber2 - OperatorLicenseNumber9	O	20	Alphanumeric This field supports up to 9 instances.
OperatorLicenseStateCode	OperatorLicenseStateCode, OperatorLicenseStateCode2 - OperatorLicenseStateCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
OperatorLicenseYear	OperatorLicenseYear, OperatorLicenseYear2 - OperatorLicenseYear9	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
SocialSecurityNumber	SocialSecurityNumber, SocialSecurityNumber2 - SocialSecurityNumber9	O	9	Numeric This field supports up to 9 instances.

Possible Combinations

1. (In/Out) Name, NCICNumber, OriginatingAgencyORI, [BirthDate, FraudulentName, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, SocialSecurityNumber]
2. (In/Out) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BirthDate, FraudulentName, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, SocialSecurityNumber]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BirthDate, FraudulentName, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, SocialSecurityNumber]

WMPEPersonWithInformationCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	C	30	A/N, special chars; See NCICmanual
NCICNumber	NCICNumber	C	10	Alphanumeric, See NCIC Manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
PersonWithInformationName	PersonWithInformationName	M	21	A/N, special chars; See NCICmanual

Possible Combinations

1. (In/Out) Name, NCICNumber, PersonWithInformationName, OriginatingAgencyORI
2. (In/Out) Name, OriginatingAgencyCaseNumber, PersonWithInformationName, OriginatingAgencyORI
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, PersonWithInformationName, OriginatingAgencyORI

WMPEPersonWithInformationEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	Numeric
EthnicityCode	EthnicityCode	O	1	Alpha: H, N
EyeColorCode	EyeColorCode	O	3	Alpha, See NCIC code manual
HairColorCode	HairColorCode	O	3	Alpha, See NCIC code manual
Height	Height	O	3	Numeric or UNK, See NCIC code manual
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	500	Alphanumeric, See NCIC code manual
Name	Name	C	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	C	10	Alphanumeric See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
PersonWithInformationName	PersonWithInformationName	O	30	A/N, Special chars – See NCIC code manual
RaceCode	RaceCode	O	1	Alpha: I, A, B, W, U, See NCIC code manual
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	Alpha, See NCIC code manual
SexCode	SexCode	O	1	Alpha: M, F, U
SkinToneCode	SkinToneCode	O	3	Alpha, See NCIC code manual
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
Weight	Weight	O	3	Numeric or UNK, See NCIC code manual

Possible Combinations

1. (In/Out) MiscellaneousDescriptiveText, OriginatingAgencyORI, Name, NCICNumber, PersonWithInformationName, [BirthDate, EthnicityCode, EyeColorCode, HairColorCode, Height, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, Weight]
2. (In/Out) MiscellaneousDescriptiveText, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonWithInformationName, [BirthDate, EthnicityCode, EyeColorCode, HairColorCode, Height, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, Weight]
3. (In/Out) MiscellaneousDescriptiveText, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonWithInformationName, [BirthDate, EthnicityCode, EyeColorCode, HairColorCode, Height, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, Weight]

WMPEPersonWithInformationModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	Numeric
EthnicityCode	EthnicityCode	O	1	Alpha: H, N
EyeColorCode	EyeColorCode	O	3	Alpha, See NCIC code manual
FormORI	FormORI	O	9	Valid NCIC-assigned ORI
HairColorCode	HairColorCode	O	3	Alpha, See NCIC code manual
Height	Height	O	3	Numeric or UNK, See NCIC code manual
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	Alphanumeric, See NCIC code manual
Name	Name	C	30	A/N, Special chars – See NCIC code manual
Name2	Name2	O	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	C	30	Alphanumeric See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
PersonWithInformationName	PersonWithInformationName	C	30	A/N, Special chars – See NCIC code manual
PersonWithInformationName2	PersonWithInformationName2	O	30	A/N, Special chars – See NCIC code manual
RaceCode	RaceCode	O	1	Alpha: I, A, B, W, U, See NCIC code manual
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	Alpha, See NCIC code manual
SexCode	SexCode	O	1	Alpha: M, F, U
SkinToneCode	SkinToneCode	O	3	Alpha, See NCIC code manual
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
Weight	Weight	O	3	Numeric or UNK, See NCIC code manual

Possible Combinations

1. (In/Out) Name, NCICNumber, OriginatingAgencyORI, PersonWithInformationName, [BirthDate, EthnicityCode, EyeColorCode, FormORI, HairColorCode, Height, MiscellaneousDescriptiveText, Name2, PersonWithInformationName2, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, Weight]
2. (In/Out) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonWithInformationName, [BirthDate, EthnicityCode, EyeColorCode, FormORI, HairColorCode, Height, MiscellaneousDescriptiveText, Name2, PersonWithInformationName2, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, Weight]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonWithInformationName, [BirthDate, EthnicityCode, EyeColorCode, FormORI, HairColorCode, Height, MiscellaneousDescriptiveText, Name2, PersonWithInformationName2, RaceCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, Weight]

WMPEPersonWithInformationSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs, AlsoKnownAs2 - AlsoKnownAs9	O	30	A/N, Special chars – See NCIC code manual This field supports up to 9 instances.
BirthDate	BirthDate, BirthDate2	O	8	Numeric This field supports up to 9 instances.

	- BirthDate9			
Name	Name	C	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	C	10	Alphanumeric See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
PersonWithInformationName	PersonWithInformationName	C	21	A/N, Special chars – See NCIC code manual
ScarsMarksTattoosCode	ScarsMarksTattoosCode, ScarsMarksTattoosCode2 - ScarsMarksTattoosCode9	O	10	Alpha, See NCIC code manual This field supports up to 9 instances.
SocialSecurityNumber	SocialSecurityNumber, SocialSecurityNumber2 - SocialSecurityNumber9	O	9	Numeric This field supports up to 9 instances.

Possible Combinations

1. (In/Out) Name, NCICNumber, OriginatingAgencyORI, PersonWithInformationName, [AlsoKnownAs, BirthDate, ScarsMarksTattoosCode, SocialSecurityNumber]
2. (In/Out) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonWithInformationName, [AlsoKnownAs, BirthDate, ScarsMarksTattoosCode, SocialSecurityNumber]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonWithInformationName, [AlsoKnownAs, BirthDate, ScarsMarksTattoosCode, SocialSecurityNumber]

WMPEPersonWithInformationSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs, AlsoKnownAs2 - AlsoKnownAs9	O	30	A/N, Special chars – See NCIC code manual This field supports up to 9 instances.
BirthDate	BirthDate, BirthDate2 - BirthDate9	O	8	Numeric This field supports up to 9 instances.
Name	Name	C	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	C	10	Alphanumeric See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
PersonWithInformationName	PersonWithInformationName	C	21	A/N, Special chars – See NCIC code manual
ScarsMarksTattoosCode	ScarsMarksTattoosCode, ScarsMarksTattoosCode2 - ScarsMarksTattoosCode9	O	10	Alpha, See NCIC code manual This field supports up to 9 instances.
SocialSecurityNumber	SocialSecurityNumber, SocialSecurityNumber2 - SocialSecurityNumber9	O	9	Numeric This field supports up to 9 instances.

Possible Combinations

1. (In/Out) Name, NCICNumber, OriginatingAgencyORI, PersonWithInformationName, [AlsoKnownAs, BirthDate, ScarsMarksTattoosCode, SocialSecurityNumber]

2. (In/Out) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonWithInformationName, [AlsoKnownAs, BirthDate, ScarsMarksTattoosCode, SocialSecurityNumber]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonWithInformationName, [AlsoKnownAs, BirthDate, ScarsMarksTattoosCode, SocialSecurityNumber]

WMPEProtectionOrderModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CautionIndicator	CautionIndicator	O	1	Alpha: C, or blank
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	Numeric, See NCIC code and MN manual
EyeColorCode	EyeColorCode	O	3	Alpha, See NCIC code manual
HairColorCode	HairColorCode	O	3	Alpha, See NCIC code manual
Height	Height	O	3	Numeric or UNK, See NCIC code manual
LicensePlateNumber	LicensePlateNumber	O	10	Alphanumeric
LicensePlateStateCode	LicensePlateStateCode	O	2	Alpha, See NCIC code manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	Alpha, See NCIC code manual
LicensePlateYear	LicensePlateYear	O	4	Numeric, or Alpha 'NX'
MessageKeyModifier	MessageKeyModifier	O	1	Alpha: P, T (PO and TPO, respectively)
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	Alphanumeric, See NCIC code manual
Name	Name	M	30	A/N, Special chars – See NCIC code manual
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	Alpha, See NCIC code manual
OperatorLicenseYear	OperatorLicenseYear	O	4	Numeric, or Alpha 'NX'
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
ProtectionOrderNumber	ProtectionOrderNumber	M	15	Alphanumeric, Special chars
RaceCode	RaceCode	O	1	Alpha: I, A, B, W, U, See NCIC code manual
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	Alpha, See NCIC code manual
SourceCode	SourceCode	M	15	Alpha, 'I' – See MN manual
SourceCodeDescription	SourceCodeDescription	O	37	Alphanumeric, See MN manual
StateIdNumber	StateIdNumber	O	10	Alphanumeric, See MN manual
VehicleColorCode	VehicleColorCode	O	7	Alpha and 'I', See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	Alphanumeric, See NCIC manual
VehicleMakeCode	VehicleMakeCode	O	4	See NCIC manual and code manual
VehicleMakeCodeDescription	VehicleMakeCodeDescription	O	20	Freertext description; see NCIC manual
VehicleModelCode	VehicleModelCode	O	3	AN, Special chars, See NCIC code manual
VehicleStyleCode	VehicleStyleCode	O	2	Alphanumeric, See NCIC code manual
VehicleYear	VehicleYear	O	4	Numeric
Weight	Weight	O	3	Numeric or UNK, See NCIC code manual

Possible Combinations

1. (In/Out) Name, OriginatingAgencyORI, ProtectionOrderNumber, SourceCode, [CautionIndicator, CautionMedicalConditionsCode, EyeColorCode, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, MessageKeyModifier, MiscellaneousDescriptiveText, OperatorLicenseNumber, OperatorLicenseStateCode, RaceCode, ScarsMarksTattoosCode, SourceCodeDescription, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, Weight]

WMPEProtectionOrderSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

AlsoKnownAs	AlsoKnownAs, AlsoKnownAs2 - AlsoKnownAs99	O	30	A/N, Special chars – See NCIC code manual This field supports up to 9 instances.
BirthDate	BirthDate, BirthDate2 - BirthDate9	O	8	Numeric This field supports up to 9 instances.
CautionMedicalConditionsCode	CautionMedicalConditionsCode, CautionMedicalConditionsCode2 - CautionMedicalConditionsCode10	O	2	Numeric, See NCIC code and MN manual This field supports up to 9 instances.
CitizenshipCode	CitizenshipCode CitizenshipCode2, ... CitizenshipCode9	O	2	This field supports up to 9 instances.
ImageNCICNumber	ImageNCICNumber	O	10	This field supports up to 9 instances.
ImageTypeCode	ImageTypeCode	O	1	This field supports up to 9 instances.
LicensePlateNumber	LicensePlateNumber, LicensePlateNumber2 - LicensePlateNumber9	O	10	Alphanumeric This field supports up to 9 instances.
LicensePlateStateCode	LicensePlateStateCode, LicensePlateStateCode2 - LicensePlateStateCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
LicensePlateTypeCode	LicensePlateTypeCode, LicensePlateTypeCode2 - LicensePlateTypeCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
LicensePlateYear	LicensePlateYear, LicensePlateYear2 - LicensePlateYear9	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.
Name	Name	M	30	A/N, Special chars – See NCIC code manual
OperatorLicenseNumber	OperatorLicenseNumber, OperatorLicenseNumber2 - OperatorLicenseNumber9	O	20	Alphanumeric This field supports up to 9 instances.
OperatorLicenseStateCode	OperatorLicenseStateCode, OperatorLicenseStateCode2 - OperatorLicenseStateCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
OperatorLicenseYear	OperatorLicenseYear, OperatorLicenseYear2 - OperatorLicenseYear9	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode, ProtectionOrderConditionsCode2 ... ProtectionOrderConditionsCode9	O	2	This field supports up to 9 instances.
ProtectedPersonBirthDate	ProtectedPersonBirthDate, ProtectedPersonBirthDate2, ... ProtectedPersonBirthDate9	O	10	This field supports up to 9 instances
ProtectedPersonName	ProtectedPersonName, ProtectedPersonName2, ... ProtectedPersonName9	O	30	This field supports up to 9 instances
ProtectedPersonRaceCode	ProtectedPersonRaceCode, ProtectedPersonRaceCode2,	O	1	This field supports up to 9 instances

	... ProtectedPersonRaceCode9			
ProtectedPersonSexCode	ProtectedPersonSexCode, ProtectedPersonSexCode2, ... ProtectedPersonSexCode9	O	1	This field supports up to 9 instances
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber, ProtectedPersonSocialSecurityNumber2, ... ProtectedPersonSocialSecurityNumber9	O	9	This field supports up to 9 instances
ProtectionOrderNumber	ProtectionOrderNumber	M	15	Alphanumeric, Special chars
ScarsMarksTattoosCode	ScarsMarksTattoosCode, ScarsMarksTattoosCode2 - ScarsMarksTattoosCode10	O	10	Alpha, See NCIC code manual This field supports up to 10 instances.
SourceCode	SourceCode	M	15	Alpha, '/' – See MN manual
SourceCodeDescription	SourceCodeDescription	O	37	Alphanumeric, See MN manual
StateIdNumber	StateIdNumber, StateIdNumber2, ... StateIdNumber9	O	10	Alphanumeric This field supports up to 9 instances I
VehicleColorCode	VehicleColorCode, VehicleColorCode2 - VehicleColorCode9	O	7	Alpha and '/', See NCIC code manual This field supports up to 9 instances.
VehicleIdentificationNumber	VehicleIdentificationNumber, VehicleIdentificationNumber2 - VehicleIdentificationNumber9	O	20	Alphanumeric, See NCIC manual This field supports up to 9 instances.
VehicleMakeCode	VehicleMakeCode, VehicleMakeCode2 - VehicleMakeCode9	O	4	AN,Special chars,See NCIC code manual This field supports up to 9 instances.
VehicleMakeCodeDescription	VehicleMakeCodeDescription, VehicleMakeCodeDescription2 - VehicleMakeCodeDescription9	O	20	Freetext description; see NCIC manual This field supports up to 9 instances.
VehicleModelCode	VehicleModelCode, VehicleModelCode2 - VehicleModelCode9	O	3	AN,Special chars,See NCIC code manual This field supports up to 9 instances.
VehicleStyleCode	VehicleStyleCode, VehicleStyleCode2 - VehicleStyleCode9	O	2	Alphanumeric, See NCIC code manual This field supports up to 9 instances.
VehicleYear	VehicleYear, VehicleYear2 - VehicleYear9	O	4	Numeric This field supports up to 9 instances.

Possible Combinations

1. (In/Out) Name, OriginatingAgencyORI, ProtectionOrderNumber, SourceCode, [CautionMedicalConditionsCode, CitizenshipCode, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, OperatorLicenseNumber, OperatorLicenseStateCode, ProtectionOrderConditionsCode, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ScarsMarksTattoosCode, SourceCodeDescription, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode]

WMPEProtectionOrderSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs, AlsoKnownAs2 - AlsoKnownAs99	O	30	A/N, Special chars – See NCIC code manual This field supports up to 99 instances.
BirthDate	BirthDate, BirthDate2 - BirthDate9	O	8	Numeric This field supports up to 9 instances.
CautionMedicalConditionsCode	CautionMedicalConditionsCode, CautionMedicalConditionsCode2 - CautionMedicalConditionsCode10	O	2	Numeric, See NCIC code and MN manual This field supports up to 10 instances.
CitizenshipCode	CitizenshipCode, CitizenshipCode2, ... CitizenshipCode9	O	2	This field supports up to 9 instances.
ImageNCICNumber	ImageNCICNumber	O	10	This field supports up to 9 instances.
ImageTypeCode	ImageTypeCode	O	1	This field supports up to 9 instances.
LicensePlateNumber	LicensePlateNumber, LicensePlateNumber2 - LicensePlateNumber9	O	10	Alphanumeric This field supports up to 9 instances.
LicensePlateStateCode	LicensePlateStateCode, LicensePlateStateCode2 - LicensePlateStateCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
LicensePlateTypeCode	LicensePlateTypeCode, LicensePlateTypeCode2 - LicensePlateTypeCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
LicensePlateYear	LicensePlateYear, LicensePlateYear2 - LicensePlateYear9	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.
Name	Name	M	30	A/N, Special chars – See NCIC code manual
OperatorLicenseNumber	OperatorLicenseNumber, OperatorLicenseNumber2 - OperatorLicenseNumber9	O	20	Alphanumeric This field supports up to 9 instances.
OperatorLicenseStateCode	OperatorLicenseStateCode, OperatorLicenseStateCode2 - OperatorLicenseStateCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
OperatorLicenseYear	OperatorLicenseYear, OperatorLicenseYear2 - OperatorLicenseYear9	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
ProtectionOrderConditionsCode	ProtectionOrderConditionsCode, ProtectionOrderConditionsCode2, ... ProtectionOrderConditionsCode9	O	2	This field supports up to 9 instances.
ProtectedPersonBirthDate	ProtectedPersonBirthDate, ProtectedPersonBirthDate2, ... ProtectedPersonBirthDate9	O	10	This field supports up to 9 instances
ProtectedPersonName	ProtectedPersonName, ProtectedPersonName2, ...	O	30	This field supports up to 9 instances

	ProtectedPersonName9			
ProtectedPersonRaceCode	ProtectedPersonRaceCode, ProtectedPersonRaceCode2, ... ProtectedPersonRaceCode9	O	1	This field supports up to 9 instances
ProtectedPersonSexCode	ProtectedPersonSexCode, ProtectedPersonSexCode2, ... ProtectedPersonSexCode9	O	1	This field supports up to 9 instances
ProtectedPersonSocialSecurityNumber	ProtectedPersonSocialSecurityNumber, ProtectedPersonSocialSecurityNumber2, ... ProtectedPersonSocialSecurityNumber9	O	9	This field supports up to 9 instances
ProtectionOrderNumber	ProtectionOrderNumber	M	15	Alphanumeric, Special chars
ScarsMarksTattoosCode	ScarsMarksTattoosCode, ScarsMarksTattoosCode2 - ScarsMarksTattoosCode10	O	10	Alpha, See NCIC code manual This field supports up to 10 instances.
SourceCode	SourceCode	M	15	Alpha, '/' – See MN manual
SourceCodeDescription	SourceCodeDescription	O	37	Alphanumeric, See MN manual
StateIdNumber	StateIdNumber, StateIdNumber2, ... StateIdNumber9	O	10	Alphanumeric This field supports up to 9 instances
VehicleColorCode	VehicleColorCode, VehicleColorCode2 - VehicleColorCode9	O	7	Alpha and '/', See NCIC code manual This field supports up to 9 instances.
VehicleIdentificationNumber	VehicleIdentificationNumber, VehicleIdentificationNumber2 - VehicleIdentificationNumber9	O	20	Alphanumeric, See NCIC manual This field supports up to 9 instances.
VehicleMakeCode	VehicleMakeCode, VehicleMakeCode2 - VehicleMakeCode9	O	4	AN, Special chars, See NCIC code manual This field supports up to 9 instances.
VehicleMakeCodeDescription	VehicleMakeCodeDescription, VehicleMakeCodeDescription2 - VehicleMakeCodeDescription9	O	20	Freertext description; see NCIC manual This field supports up to 9 instances.
VehicleModelCode	VehicleModelCode, VehicleModelCode2 - VehicleModelCode9	O	3	AN, Special chars, See NCIC code manual This field supports up to 9 instances.
VehicleStyleCode	VehicleStyleCode, VehicleStyleCode2 - VehicleStyleCode9	O	2	Alphanumeric, See NCIC code manual This field supports up to 9 instances.
VehicleYear	VehicleYear, VehicleYear2 - VehicleYear9	O	4	Numeric This field supports up to 9 instances.

Possible Combinations

1. (In/Out) Name, OriginatingAgencyORI, ProtectionOrderNumber, SourceCode, [CautionMedicalConditionsCode, CitizenshipCode, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, OperatorLicenseNumber, OperatorLicenseStateCode, ProtectionOrderConditionsCode, ProtectedPersonBirthDate, ProtectedPersonName, ProtectedPersonRaceCode, ProtectedPersonSexCode, ProtectedPersonSocialSecurityNumber, ScarsMarksTattoosCode, SourceCodeDescription, StateIdNumber, VehicleColorCode,

VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription,
VehicleModelCode, VehicleStyleCode]

WMPEProtectionOrderUpdate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	Numeric
Name	Name	C	30	AN, Special chars, See NCIC code manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	C	9	Originating agency's ORI
ProtectionOrderNumber	ProtectionOrderNumber	C	15	Originating agency's ORI
ServiceDate	ServiceDate	C	8	Numeric
ServiceORI	ServiceORI	C	9	Servicing agency's ORI
ServiceTime	ServiceTime	C	4	Numeric, 24 hr HHMM format
ServiceType	ServiceType	C	1	Numeric: 1, 2, 3, 4 – See MN manual

Possible Combinations

1. (In/Out) Name, OriginatingAgencyORI, ProtectionOrderNumber, ServiceDate, ServiceORI, ServiceTime, ServiceType, [BirthDate, OriginatingAgencyCaseNumber]

WMPESupplementalDentalInformationCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
NCICNumber	NCICNumber	M	10	Alphanumeric, See NCIC Manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI

WMPESupplementalDentalInformationEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DentalCharacteristics	DentalCharacteristics	M	319	See NCIC manual, missing pers sec 9
DentistRemarks	DentistRemarks	O	50	A/N, Special chars – See NCIC code manual
ModelsAvailableIndicator	ModelsAvailableIndicator	M	1	Alpha: Y, N
NCICNumber	NCICNumber	M	10	Alphanumeric, See NCIC Manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
XraysAvailableIndicator	XraysAvailableIndicator	M	1	Alpha: Y, N

Possible Combinations

1. (In/Out) DentalCharacteristics, ModelsAvailableIndicator, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, XraysAvailableIndicator, [DentistRemarks]

WMPESupplementalDentalInformationModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DentalCharacteristics	DentalCharacteristics	O	319	See NCIC manual, missing pers sec 9
DentistRemarks	DentistRemarks	O	50	A/N, Special chars – See NCIC code manual
ModelsAvailableIndicator	ModelsAvailableIndicator	O	1	Alpha: Y, N
NCICNumber	NCICNumber	M	10	Alphanumeric, See NCIC Manual

OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
XraysAvailableIndicator	XraysAvailableIndicator	O	1	Alpha: Y, N

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [DentalCharacteristics, DentistRemarks, ModelsAvailableIndicator, XraysAvailableIndicator]

WMPEUnidentifiedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	Numeric
NCICNumber	NCICNumber	M	10	Alphanumeric See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	Alphanumeric, See NCIC code manual

Possible Combinations

1. (In/Out) CancellationDate, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [PersonRecordRemovalReason]

WMPEUnidentifiedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	Numeric
NCICNumber	NCICNumber	M	10	Alphanumeric See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	Alphanumeric, See NCIC code manual

Possible Combinations

1. (In/Out) ClearDate, NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [PersonRecordRemovalReason]

WMPEUnidentifiedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	Alpha, See NCIC code manual
BodyFoundDate	BodyFoundDate	M	8	Numeric
BodyPartsStatusCode	BodyPartsStatusCode	M	15	Alpha, See NCIC manual
BodyXRayCode	BodyXRayCode	M	1	Alpha: F, P, N
CauseOfDeath	CauseOfDeath	O	30	AN,Special chars,See NCIC code manual
CircumcisionCode	CircumcisionCode	O	1	Alpha: C, N, U
CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	AN,Special chars,See NCIC code manual
DNAIndicator	DNAIndicator	O	1	Alpha: Y, N, blank
DNALocation	DNALocation	O	250	Alphanumeric, Special Chars (Free text)
EstimatedBirthYear	EstimatedBirthYear	O	9	Num range YYYY-YYYY
EstimatedDeathDate	EstimatedDeathDate	O	8	Numeric
EyeColorCode	EyeColorCode	M	3	Alpha, See NCIC code manual

FingerprintClassificationCode	FingerprintClassificationCode	O	20	Alpha, See NCIC code manual
FootprintIndicator	FootprintIndicator	O	1	Alpha: Y, N
HairColorCode	HairColorCode	M	3	Alpha, See NCIC code manual
Height	Height	M	7	UNK,N. range NNN-NNN
JewelryDescription	JewelryDescription	O	100	Alphanumeric, Special chars (Free text)
JewelryTypeCode	JewelryTypeCode	O	50	Alpha, See NCIC code manual
LinkageAgencyId	LinkageAgencyId	O	9	Valid NCIC-assigned ORI
LinkageCaseNumber	LinkageCaseNumber	O	20	A/N, '-' – See NCIC manual
MedicalExaminerAgencyAndCaseNumber	MedicalExaminerAgencyAndCaseNumber	O	50	Alphanumeric, Special Chars (Free text)
MedicalExaminerLocality	MedicalExaminerLocality	O	30	Alphanumeric, Special Chars (Free text)
MedicalExaminerTelephoneNumber	MedicalExaminerTelephoneNumber	O	12	AAA PPP-SSSS
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	Alphanumeric, See NCIC code manual
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Alpha: Y, N, blank
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
RaceCode	RaceCode	M	1	Alpha: I, A, B, W, U, See NCIC code manual
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	Alpha, See NCIC code manual
SexCode	SexCode	M	1	Alpha: M, F, U
UnidentifiedPersonEntryType	UnidentifiedPersonEntryType	M	1	Alpha: D, L, V – See NCIC manual
Weight	Weight	M	7	UNK,N. range NNN-NNN

Possible Combinations

1. (In/Out) BodyFoundDate, BodyPartsStatusCode, BodyXRayCode, EyeColorCode, HairColorCode, Height, OriginatingAgencyCaseNumber, OriginatingAgencyORI, RaceCode, SexCode, UnidentifiedPersonEntryType, Weight, [BloodTypeCode, CauseOfDeath, CircumcisionCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EstimatedBirthYear, EstimatedDeathDate, FingerprintClassificationCode, FootprintIndicator, JewelryDescription, JewelryTypeCode, LinkageAgencyId, LinkageCaseNumber, MedicalExaminerAgencyAndCaseNumber, MedicalExaminerLocality, MedicalExaminerTelephoneNumber, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, ScarsMarksTattoosCode, UnidentifiedPersonEntryType]

WMPEUnidentifiedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BloodTypeCode	BloodTypeCode	O	5	Alpha, See NCIC code manual
BodyFoundDate	BodyFoundDate	O	8	Numeric
BodyPartsStatusCode	BodyPartsStatusCode	O	15	Alpha, See NCIC manual
BodyXRayCode	BodyXRayCode	O	1	Alpha: F, P, N
CauseOfDeath	CauseOfDeath	O	30	AN, Special chars, See NCIC code manual
CircumcisionCode	CircumcisionCode	O	1	Alpha: C, N, U

CorrectiveVisionPerscriptionCode	CorrectiveVisionPerscriptionCode	O	40	AN, Special chars, See NCIC code manual
DNAIndicator	DNAIndicator	O	1	Alpha: Y, N, blank
DNALocation	DNALocation	O	250	Alphanumeric, Special Chars (Free text)
EstimatedBirthYear	EstimatedBirthYear	O	9	Num range YYYY-YYYY
EstimatedDeathDate	EstimatedDeathDate	O	8	Numeric
EyeColorCode	EyeColorCode	O	3	Alpha, See NCIC code manual
FingerprintClassificationCode	FingerprintClassificationCode	O	20	Alpha, See NCIC code manual
FootprintIndicator	FootprintIndicator	O	1	Alpha: Y, N
FormORI	FormORI	O	9	NCIC-assigned ORI
HairColorCode	HairColorCode	O	3	Alpha, See NCIC code manual
Height	Height	O	7	UNK, N. range NNN-NNN
JewelryDescription	JewelryDescription	O	100	Alphanumeric, Special chars (Free text)
JewelryTypeCode	JewelryTypeCode	O	50	Up to 17 alpha codes sep. by comma
LinkageAgencyId	LinkageAgencyId	O	9	Valid NCIC-assigned ORI
LinkageCaseNumber	LinkageCaseNumber	O	20	A/N, '-' – See NCIC manual
MedicalExaminerAgencyAndCaseNumber	MedicalExaminerAgencyAndCaseNumber	O	50	Alphanumeric, Special Chars (Free text)
MedicalExaminerLocality	MedicalExaminerLocality	O	30	Alphanumeric, Special Chars (Free text)
MedicalExaminerTelephoneNumber	MedicalExaminerTelephoneNumber	O	12	AAA PPP-SSSS
MessageKeyModifier	MessageKeyModifier	O	1	Alpha: D, L, V – See NCIC manual
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	M	500	Alphanumeric, See NCIC code manual
NCICNumber	NCICNumber	C	10	Alphanumeric See NCIC manual
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Alpha: Y, N, blank
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
RaceCode	RaceCode	O	1	Alpha: I, A, B, W, U, See NCIC code manual
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	Alpha, See NCIC code manual
SexCode	SexCode	O	1	Alpha: M, F, U
ValidatorName	ValidatorName	O	30	A/N, Special chars – See NCIC code manual
Weight	Weight	O	7	UNK, N. range NNN-NNN

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [BloodTypeCode, BodyPartsStatusCode, BodyXRayCode, CauseOfDeath, CircumcisionCode, CorrectiveVisionPerscriptionCode, DNAIndicator, DNALocation, EstimatedBirthYear, EyeColorCode, FingerprintClassificationCode, FootprintIndicator, FormORI, HairColorCode, Height, JewelryDescription, JewelryTypeCode, LinkageAgencyId, LinkageCaseNumber, MedicalExaminerAgencyAndCaseNumber, MedicalExaminerLocality,

MedicalExaminerTelephoneNumber, MessageKeyModifier, MiscellaneousDescriptiveText, NotifyOriginatingAgencyIndicator, OriginatingAgencyCaseNumber2, RaceCode, ScarsMarksTattoosCode, SexCode, ValidatorName, Weight]

WMPEUnidentifiedPersonSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageNCICNumber	ImageNCICNumber, ImageNCICNumber2 - ImageNCICNumber9	O	10	Alphanumeric See NCIC manual This field supports up to 9 instances.
ImageTypeCode	ImageTypeCode, ImageTypeCode2 - ImageTypeCode9	O	1	Alpha:M, S, I, V, B-See NCIC code manual This field supports up to 9 instances.
NCICNumber	NCICNumber	M	10	Alphanumeric See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
ScarsMarksTattoosCode	ScarsMarksTattoosCode, ScarsMarksTattoosCode2 - ScarsMarksTattoosCode9	O	10	Alpha, See NCIC code manual This field supports up to 9 instances.

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI,
[ImageNCICNumber, ImageTypeCode, ScarsMarksTattoosCode]

WMPEUnidentifiedPersonSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageNCICNumber	ImageNCICNumber, ImageNCICNumber2 - ImageNCICNumber9	O	10	Alphanumeric See NCIC manual This field supports up to 9 instances.
ImageTypeCode	ImageTypeCode, ImageTypeCode2 - ImageTypeCode9	O	1	Alpha:M, S, I, V, B-See NCIC code manual This field supports up to 9 instances.
NCICNumber	NCICNumber	M	10	Alphanumeric See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
ScarsMarksTattoosCode	ScarsMarksTattoosCode, ScarsMarksTattoosCode2 - ScarsMarksTattoosCode9	O	10	Alpha, See NCIC code manual This field supports up to 9 instances.

Possible Combinations

1. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI,
[ImageNCICNumber, ImageTypeCode, ScarsMarksTattoosCode]

WMPEWantedPersonCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	Numeric
Name	Name	M	30	AN,Special chars – See NCIC/MN manual
NCICNumber	NCICNumber	O	10	Alphanumeric See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
PersonEntryType	PersonEntryType	M	1	A-Adult, F-Temp. Fel, J-Juvenile

PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	Alpha; See NCIC/MN manual
SystemAssignedNumber	SystemAssignedNumber	M	10	Alphanumeric, See MIN in MN manual

Possible Combinations

1. (In/Out) CancellationDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonEntryType, SystemAssignedNumber, [NCICNumber, PersonRecordRemovalReason]

WMPEWantedPersonClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	Numeric
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	Numeric – See NCIC manual
HitResultsIndicator	HitResultsIndicator	O	2	Numeric, See NCIC code manual
Name	Name	M	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	O	10	Alphanumeric – See NCIC manual
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	A/N – See NCIC manual
NumberPersonsApprehended	NumberPersonsApprehended	O	3	Numeric – See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	Numeric – See NCIC manual
PersonArmedIndicator	PersonArmedIndicator	O	1	Numeric: 1, 2, 3 See NCIC code manual
PersonEntryType	PersonEntryType	M	1	A-Adult, F-Temp. Fel, J-Juvenile
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	Alpha; See NCIC/MN manual
PropertyRecoveredValue	PropertyRecoveredValue	O	8	A/N – See NCIC manual
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	A/N, '-' – See NCIC manual
RecoveringAgencyORI	RecoveringAgencyORI	O	9	Valid NCIC-assigned ORI
SystemAssignedNumber	SystemAssignedNumber	M	10	Alphanumeric, See MIN in MN manual

Possible Combinations

1. (In/Out) ClearDate, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonEntryType, SystemAssignedNumber, [ContrabandRecoveredValue, HitResultsIndicator, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

WMPEWantedPersonDetainerCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
DetainerCaseNumber	DetainerCaseNumber	M	20	A/N, '-' – See NCIC manual
Name	Name	M	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	O	10	See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
SystemAssignedNumber	SystemAssignedNumber	M	10	Alphanumeric, See MIN in MN manual

Possible Combinations

1. (In/Out) DetainerCaseNumber, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SystemAssignedNumber, [NCICNumber]

WMPEWantedPersonDetainerEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BeginIncarcerationDate	BeginIncarcerationDate	O	8	Numeric
DetainerCaseNumber	DetainerCaseNumber	M	20	A/N, '-' – See NCIC manual
DetainerDate	DetainerDate	M	8	Numeric

EndSentenceDate	EndSentenceDate	O	8	Numeric
IncarceratingAgencyORI	IncarceratingAgencyORI	M	9	Incarcerating agency's ORI
IncarcerationPlace	IncarcerationPlace	M	50	Alphanumeric, See NCIC/MN manual
Name	Name	M	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	O	10	See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
SystemAssignedNumber	SystemAssignedNumber	M	10	Alphanumeric, See MIN in MN manual

Possible Combinations

1. (In/Out) DetainerCaseNumber, DetainerDate, IncarceratingAgencyORI, IncarcerationPlace, Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SystemAssignedNumber, [BeginIncarcerationDate, EndSentenceDate, NCICNumber]

WMPEWantedPersonEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffenseIndicator	AdditionalOffenseIndicator	O	1	Alpha: Y or blank
AddressCity	AddressCity	O	20	A/N, Special chars – See MN manual
AddressCounty	AddressCounty	O	20	A/N, Special chars – See MN manual
AddressHouseNumber	AddressHouseNumber	O	7	A/N, Special chars – See MN manual
AddressStateCode	AddressStateCode	O	2	A/N, Special chars – See MN manual
AddressStreetName	AddressStreetName	O	25	A/N, Special chars – See MN manual
AddressTypeCode	AddressTypeCode	O	2	Numeric – See MN manual
AddressZipCode	AddressZipCode	O	9	Numeric
BirthDate	BirthDate	M	8	Numeric
BirthPlaceCode	BirthPlaceCode	O	2	Alpha, See NCIC code manual
BondAmount	BondAmount	O	7	Numeric; round up if decimal
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	Numeric
CitizenshipCode	CitizenshipCode	O	2	Numeric, See NCIC/MN code manual
CourtORI	CourtORI	M	9	Issuing court's ORI
DNAIndicator	DNAIndicator	M	1	Alpha: Y or N
DNALocation	DNALocation	O	250	Alphanumeric, See NCIC code manual
DocumentedAddressDate	DocumentedAddressDate	O	8	Numeric
EmancipationDate	EmancipationDate	C	8	Numeric
EthnicityCode	EthnicityCode	O	1	Alpha: H, N
ExtraditionLimitation	ExtraditionLimitation	M	2	Alphanumeric, See NCIC/MN code manual
EyeColorCode	EyeColorCode	O	3	Alpha, See NCIC code manual
FBINumber	FBINumber	O	9	Alphanumeric
FingerprintClassificationCode	FingerprintClassificationCode	O	20	Alpha, See NCIC code manual
HairColorCode	HairColorCode	M	3	Alpha, See NCIC code manual
Height	Height	M	3	Numeric or UNK, See NCIC code manual
LicensePlateNumber	LicensePlateNumber	O	10	Alphanumeric
LicensePlateStateCode	LicensePlateStateCode	O	2	Alpha, See NCIC code manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	Alpha, See NCIC code manual
LicensePlateYear	LicensePlateYear	O	4	Numeric, or Alpha 'NX'
LinkageAgencyId	LinkageAgencyId	O	9	Valid NCIC-assigned ORI
LinkageCaseNumber	LinkageCaseNumber	O	20	A/N, '-' – See NCIC manual
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	Alphanumeric, See NCIC code manual
MiscellaneousNumber	MiscellaneousNumber	O	15	AN,Special chars,See NCIC code manual

Name	Name	M	30	A/N, Special chars – See NCIC code manual
NightcapIndicator	NightcapIndicator	O	1	Alpha: Y, N, or blank
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Alpha: Y, N, or blank
OffenseCode	OffenseCode	M	4	Numeric, See NCIC code manual
OffenseCodeDescription	OffenseCodeDescription	O	20	Free text description of OffenseCode
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	Alpha, See NCIC code manual
OperatorLicenseYear	OperatorLicenseYear	O	4	Numeric, or Alpha 'NX'
OriginalOffenseCode	OriginalOffenseCode	O	4	Numeric, See NCIC and MN manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
PersonEntryType	PersonEntryType	M	1	A-Adult, F-Temp. Fel, J-Juvenile
RaceCode	RaceCode	M	1	Alpha: I, A, B, W, U, See NCIC code manual
RecordTypeCode	RecordTypeCode	M	2	Alpha: FE – Felony Warrant GM – Gross Misdemeanor Warrant MS – Misdemeanor Warrant See MN manual
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	Alpha, See NCIC code manual
SexCode	SexCode	M	1	Alpha: M, F, U
SkinToneCode	SkinToneCode	O	3	Alpha, See NCIC code manual
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
StateIdNumber	StateIdNumber	O	10	Alphanumeric
VehicleColorCode	VehicleColorCode	O	7	Alpha and '/', See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	Alphanumeric, See NCIC manual
VehicleMakeCode	VehicleMakeCode	O	4	See NCIC manual and code manual
VehicleMakeCodeDescription	VehicleMakeCodeDescription	O	20	Freertext description; see NCIC manual
VehicleModelCode	VehicleModelCode	O	3	AN, Special chars, See NCIC code manual
VehicleStyleCode	VehicleStyleCode	O	2	Alphanumeric, See NCIC code manual
VehicleYear	VehicleYear	O	4	Numeric
ViolationDate	ViolationDate	O	8	Numeric
WarrantDate	WarrantDate	M	8	Numeric
WarrantNumber	WarrantNumber	M	15	A/N, '-' – See NCIC manual
Weight	Weight	M	3	Numeric or UNK, See NCIC code manual

Possible Combinations

1. (In/Out, **PersonEntryType=A or F**) BirthDate, CourtORI, DNAIndicator, ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonEntryType, RaceCode, RecordTypeCode, SexCode, WarrantDate, WarrantNumber, Weight
[AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressHouseNumber, AddressStateCode, AddressStreetName, AddressTypeCode, AddressZipCode, BirthPlaceCode, BondAmount, CautionMedicalConditionsCode, CitizenshipCode, DNALocation, DocumentedAddressDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NightcapIndicator, NotifyOriginatingAgencyIndicator, OffenseCodeDescription, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode,

VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate]

2. (In/Out, **PersonEntryType=J**) BirthDate, CourtORI, DNAIndicator, EmancipationDate, ExtraditionLimitation, HairColorCode, Height, Name, OffenseCode, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonEntryType, RaceCode, RecordTypeCode, SexCode, ViolationDate, WarrantDate, WarrantNumber, Weight, [AddressCity, AddressCounty, AddressHouseNumber, AddressStateCode, AddressStreetName, AddressTypeCode, AddressZipCode, AdditionalOffenseIndicator, BirthPlaceCode, BondAmount, CautionMedicalConditionsCode, CitizenshipCode, DNALocation, DocumentedAddressDate, EthnicityCode, EyeColorCode, FBINumber, FingerprintClassificationCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MiscellaneousDescriptiveText, MiscellaneousNumber, NightcapIndicator, NotifyOriginatingAgencyIndicator, OffenseCodeDescription, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, ScarsMarksTattoosCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate]

WMPEWantedPersonLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	Numeric
ExtraditionLimitation	ExtraditionLimitation	O	4	DET, RELD – See NCIC manual
HitResultsIndicator	HitResultsIndicator	O	2	Numeric, See NCIC code manual
Name	Name	M	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	O	10	Alphanumeric See NCIC manual
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	A/N – See NCIC manual
NumberPersonsApprehended	NumberPersonsApprehended	O	3	Numeric – See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	Originating agency's ORI
OriginatingAgencyORI	OriginatingAgencyORI	M	9	A/N, '-' – See NCIC manual
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	Numeric – See NCIC manual
PersonArmedIndicator	PersonArmedIndicator	O	1	Numeric: 1, 2, 3 See NCIC code manual
PersonEntryType	PersonEntryType	M	1	A-Adult, F-Temp. Fel, J-Juvenile
PersonRecordRemovalReason	PersonRecordRemovalReason	O	21	Alphanumeric, See NCIC code manual
PropertyRecoveredValue	PropertyRecoveredValue	O	8	A/N – See NCIC manual
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	A/N, '-' – See NCIC manual
RecoveryDate	RecoveryDate	M	8	Numeric
SystemAssignedNumber	SystemAssignedNumber	M	10	Alphanumeric, See MIN in MN manual

Possible Combinations

1. (In/Out) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonEntryType, RecoveryDate, SystemAssignedNumber, [ContrabandRecoveredValue, ExtraditionLimitation, HitResultsIndicator, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PersonArmedIndicator, PersonRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

WMPEWantedPersonModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdditionalOffenseIndicator	AdditionalOffenseIndicator	O	1	Alpha: Y or blank
AddressCity	AddressCity	O	20	A/N, Special chars – See MN manual
AddressCounty	AddressCounty	O	20	A/N, Special chars – See MN manual
AddressHouseNumber	AddressHouseNumber	O	7	A/N, Special chars – See MN manual

AddressStateCode	AddressStateCode	O	2	A/N, Special chars – See MN manual
AddressStreetName	AddressStreetName	O	25	A/N, Special chars – See MN manual
AddressTypeCode	AddressTypeCode	O	2	Numeric – See MN manual
AddressZipCode	AddressZipCode	O	9	Numeric
BirthDate	BirthDate	O	8	Numeric
BirthPlaceCode	BirthPlaceCode	O	2	Alpha, See NCIC code manual
BondAmount	BondAmount	O	7	Numeric; round up if decimal
CautionMedicalConditionsCode	CautionMedicalConditionsCode	O	2	Numeric
CitizenshipCode	CitizenshipCode	O	2	Numeric, See NCIC/MN code manual
CourtORI	CourtORI	O	9	Issuing court's ORI
DNAIndicator	DNAIndicator	O	1	Alpha: Y or N
DNALocation	DNALocation	O	250	Alphanumeric, See NCIC code manual
DocumentedAddressDate	DocumentedAddressDate	O	8	Numeric
EmancipationDate	EmancipationDate	O	8	Numeric
EthnicityCode	EthnicityCode	O	1	Alpha: H, N
ExtraditionLimitation	ExtraditionLimitation	O	2	Alphanumeric, See NCIC/MN code manual
EyeColorCode	EyeColorCode	O	3	Alpha, See NCIC code manual
FBINumber	FBINumber	O	9	Alphanumeric
FingerprintClassificationCode	FingerprintClassificationCode	O	20	Alpha, See NCIC code manual
FormORI	FormORI	O	4	Valid NCIC-assigned ORI
HairColorCode	HairColorCode	O	3	Alpha, See NCIC code manual
Height	Height	O	3	Numeric or UNK, See NCIC code manual
LicensePlateNumber	LicensePlateNumber	O	10	Alphanumeric
LicensePlateStateCode	LicensePlateStateCode	O	2	Alpha, See NCIC code manual
LicensePlateTypeCode	LicensePlateTypeCode	O	2	Alpha, See NCIC code manual
LicensePlateYear	LicensePlateYear	O	4	Numeric, or Alpha 'NX'
LinkageAgencyId	LinkageAgencyId	O	9	Valid NCIC-assigned ORI
LinkageCaseNumber	LinkageCaseNumber	O	20	A/N, '-' – See NCIC manual
MessageKeyModifier	MessageKeyModifier	O	9	Alpha: EW, EW-C, ET, ET-C, EWJ, EWJC
MiscellaneousDescriptiveText	MiscellaneousDescriptiveText	O	500	Alphanumeric, See NCIC code manual
MiscellaneousNumber	MiscellaneousNumber	O	15	AN, Special chars, See NCIC code manual
Name	Name	M	30	A/N, Special chars – See NCIC code manual
Name2	Name2	O	30	A/N, Special chars – See NCIC code manual
NightcapIndicator	NightcapIndicator	O	1	Alpha: Y, N
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	Alpha: Y, N, blank
OffenseCode	OffenseCode	O	4	Numeric, See NCIC code manual
OffenseCodeDescription	OffenseCodeDescription	O	20	Free text description of OffenseCode
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
OperatorLicenseStateCode	OperatorLicenseStateCode	O	2	Alpha, See NCIC code manual
OperatorLicenseYear	OperatorLicenseYear	O	4	Numeric, or Alpha 'NX'
OriginalOffenseCode	OriginalOffenseCode	O	4	Numeric, See NCIC and MN manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyCaseNumber2	OriginatingAgencyCaseNumber2	O	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
PersonEntryType	PersonEntryType	M	1	A-Adult, F-Temp. Fel, J-Juvenile
RaceCode	RaceCode	O	1	Alpha: I, A, B, W, U, See NCIC code manual
RecordTypeCode	RecordTypeCode	O	2	Alpha: FE – Felony Warrant GM – Gross Misdemeanor Warrant

				MS – Misdemeanor Warrant See MN manual
ScarsMarksTattoosCode	ScarsMarksTattoosCode	O	10	Alpha, See NCIC code manual
SexCode	SexCode	O	1	Alpha: M, F, U
SkinToneCode	SkinToneCode	O	3	Alpha, See NCIC code manual
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
SystemAssignedNumber	SystemAssignedNumber	M	10	Alphanumeric, See MIN in MN manual
StateIdNumber	StateIdNumber	O	10	Alphanumeric, See NCIC/MN manual
ValidatorName	ValidatorName	O	30	A/N, Special chars – See NCIC code manual
VehicleColorCode	VehicleColorCode	O	7	Alpha and '/', See NCIC code manual
VehicleIdentificationNumber	VehicleIdentificationNumber	O	20	Alphanumeric, See NCIC manual
VehicleMakeCode	VehicleMakeCode	O	4	See NCIC manual and code manual
VehicleMakeCodeDescription	VehicleMakeCodeDescription	O	20	Freertext description; see NCIC manual
VehicleModelCode	VehicleModelCode	O	3	AN, Special chars, See NCIC code manual
VehicleStyleCode	VehicleStyleCode	O	2	Alphanumeric, See NCIC code manual
VehicleYear	VehicleYear	O	4	Numeric
ViolationDate	ViolationDate	O	8	Numeric
WarrantDate	WarrantDate	O	8	Numeric
WarrantNumber	WarrantNumber	O	15	Numeric
Weight	Weight	O	3	Numeric or UNK, See NCIC code manual

Possible Combinations

1. (In/Out, **PersonEntryType=A or F**) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonEntryType, SystemAssignedNumber, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressHouseNumber, AddressStateCode, AddressStreetName, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, BondAmount, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EthnicityCode, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, FormORI, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, Name2, NightcapIndicator, NotifyOriginatingAgencyIndicator, OffenseCode, OffenseCodeDescription, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, OriginatingAgencyCaseNumber2, RaceCode, RecordTypeCode, ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, StateIdNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, WarrantDate, WarrantNumber, Weight]
2. (In/Out, **PersonEntryType=J**) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, PersonEntryType, SystemAssignedNumber, [AdditionalOffenseIndicator, AddressCity, AddressCounty, AddressHouseNumber, AddressStateCode, AddressStreetName, AddressTypeCode, AddressZipCode, BirthDate, BirthPlaceCode, BondAmount, CautionMedicalConditionsCode, CitizenshipCode, CourtORI, DNAIndicator, DNALocation, DocumentedAddressDate, EmancipationDate, EthnicityCode, ExtraditionLimitation, EyeColorCode, FBINumber, FingerprintClassificationCode, FormORI, HairColorCode, Height, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, MessageKeyModifier, MiscellaneousDescriptiveText, MiscellaneousNumber, Name2, NightcapIndicator, NotifyOriginatingAgencyIndicator, OffenseCode, OffenseCodeDescription, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, OriginalOffenseCode, OriginatingAgencyCaseNumber2, RaceCode, RecordTypeCode,

ScarsMarksTattoosCode, SexCode, SkinToneCode, SocialSecurityNumber, ValidatorName, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear, ViolationDate, WarrantNumber, Weight]

WMPEWantedPersonSupplementalCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs, AlsoKnownAs2 - AlsoKnownAs99	O	30	A/N, Special chars – See NCIC code manual This field supports up to 9 instances.
BirthDate	BirthDate, BirthDate2 - BirthDate9	O	8	Numeric This field supports up to 9 instances.
CautionMedicalConditionsCode	CautionMedicalConditionsCode, CautionMedicalConditionsCode2 - CautionMedicalConditionsCode9	O	2	Numeric, See NCIC code manual This field supports up to 9 instances.
CitizenshipCode	CitizenshipCode, CitizenshipCode2 - CitizenshipCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
ImageNCICNumber	ImageNCICNumber, ImageNCICNumber2 - ImageNCICNumber9	O	10	Alphanumeric See NCIC manual This field supports up to 9 instances.
ImageTypeCode	ImageTypeCode, ImageTypeCode2 - ImageTypeCode9	O	1	Alpha:M, S, I, V, B-See NCIC code manual This field supports up to 9 instances.
LicensePlateNumber	LicensePlateNumber, LicensePlateNumber2 - LicensePlateNumber9	O	10	Alphanumeric This field supports up to 9 instances.
LicensePlateStateCode	LicensePlateStateCode, LicensePlateStateCode2 - LicensePlateStateCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
LicensePlateTypeCode	LicensePlateTypeCode, LicensePlateTypeCode2 - LicensePlateTypeCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
LicensePlateYear	LicensePlateYear, LicensePlateYear2 - LicensePlateYear9	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.
MiscellaneousNumber	MiscellaneousNumber, MiscellaneousNumber2 - MiscellaneousNumber9	O	15	AN,Special chars,See NCIC code manual This field supports up to 9 instances.
Name	Name	C	30	A/N, Special chars – See NCIC code manual
NCICNumber	NCICNumber	C	10	Alphanumeric See NCIC manual
OperatorLicenseNumber	OperatorLicenseNumber, OperatorLicenseNumber2 - OperatorLicenseNumber9	O	20	Alphanumeric This field supports up to 9 instances.
OperatorLicenseStateCode	OperatorLicenseStateCode, OperatorLicenseStateCode2 - OperatorLicenseStateCode9	O	2	Alpha – See NCIC code manual This field supports up to 9 instances.

OperatorLicenseYear	OperatorLicenseYear, OperatorLicenseYear2 - OperatorLicenseYear9	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
ScarsMarksTattoosCode	ScarsMarksTattoosCode, ScarsMarksTattoosCode2 - ScarsMarksTattoosCode9	O	10	Alpha, See NCIC code manual This field supports up to 9 instances.
SocialSecurityNumber	SocialSecurityNumber, SocialSecurityNumber2 - SocialSecurityNumber9	O	9	Alphanumeric This field supports up to 9 instances.
SystemAssignedNumber	SystemAssignedNumber	M	10	Alphanumeric, See MIN in MN manual
StateIdNumber	StateIdNumber, StateIdNumber2 ... StateIdNumber9	O	10	Alphanumeric This field supports up to 9 instances.
VehicleColorCode	VehicleColorCode, VehicleColorCode2 - VehicleColorCode9	O	7	Alpha and '/', See NCIC code manual This field supports up to 9 instances.
VehicleIdentificationNumber	VehicleIdentificationNumber, VehicleIdentificationNumber2 - VehicleIdentificationNumber9	O	20	Alphanumeric, See NCIC manual This field supports up to 9 instances.
VehicleMakeCode	VehicleMakeCode, VehicleMakeCode2 - VehicleMakeCode9	O	4	See NCIC manual and code manual This field supports up to 9 instances.
VehicleMakeCodeDescription	VehicleMakeCodeDescription, VehicleMakeCodeDescription2 - VehicleMakeCodeDescription9	O	20	Freetext description; see NCIC manual This field supports up to 9 instances.
VehicleModelCode	VehicleModelCode, VehicleModelCode2 - VehicleModelCode9	O	3	AN, Special chars, See NCIC code manual This field supports up to 9 instances.
VehicleStyleCode	VehicleStyleCode, VehicleStyleCode2 - VehicleStyleCode9	O	2	Alphanumeric, See NCIC code manual This field supports up to 9 instances.
VehicleYear	VehicleYear, VehicleYear2 - VehicleYear9	O	4	Numeric This field supports up to 9 instances.

Possible Combinations

1. (In/Out) Name, NCICNumber, OriginatingAgencyORI, SystemAssignedNumber, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode, CitizenshipCode, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear]
2. (In/Out) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SystemAssignedNumber, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode, CitizenshipCode, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode,

- OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear]
3. (In/Out) NCICNumber, OriginatingAgencyCaseNumber, OriginatingAgencyORI, SystemAssignedNumber, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode, CitizenshipCode, ImageNCICNumber, ImageTypeCode, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber, OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear, ScarsMarksTattoosCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, VehicleModelCode, VehicleStyleCode, VehicleYear]

WMPEWantedPersonSupplementalEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AlsoKnownAs	AlsoKnownAs, AlsoKnownAs2 - AlsoKnownAs9	O	30	A/N, Special chars – See NCIC code manual This field supports up to 9 instances.
BirthDate	BirthDate, BirthDate2 - BirthDate9	O	8	Numeric This field supports up to 9 instances.
CautionMedicalConditionsCode	CautionMedicalConditionsCode, CautionMedicalConditionsCode2 - CautionMedicalConditionsCode9	O	2	Numeric, See NCIC code manual This field supports up to 9 instances.
CitizenshipCode	CitizenshipCode, CitizenshipCode2 - CitizenshipCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
ImageNCICNumber	ImageNCICNumber, ImageNCICNumber2 - ImageNCICNumber9	O	10	Alphanumeric See NCIC manual This field supports up to 9 instances.
ImageTypeCode	ImageTypeCode, ImageTypeCode2 - ImageType9	O	1	Alpha:M, S, I, V, B-See NCIC code manual This field supports up to 9 instances.
LicensePlateNumber	LicensePlateNumber, LicensePlateNumber2 - LicensePlateNumber9	O	10	Alphanumeric This field supports up to 9 instances.
LicensePlateStateCode	LicensePlateStateCode, LicensePlateStateCode2 - LicensePlateStateCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
LicensePlateTypeCode	LicensePlateTypeCode, LicensePlateTypeCode2 - LicensePlateTypeCode9	O	2	Alpha, See NCIC code manual This field supports up to 9 instances.
LicensePlateYear	LicensePlateYear, LicensePlateYear2 - LicensePlateYear9	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.
MiscellaneousNumber	MiscellaneousNumber, MiscellaneousNumber2 - MiscellaneousNumber9	O	15	AN,Special chars,See NCIC code manual This field supports up to 9 instances.
Name	Name	M	30	A/N, Special chars – See NCIC code manual
OperatorLicenseNumber	OperatorLicenseNumber,	O	20	Alphanumeric

	OperatorLicenseNumber2 - OperatorLicenseNumber9			This field supports up to 9 instances.
OperatorLicenseStateCode	OperatorLicenseStateCode, OperatorLicenseStateCode2 - OperatorLicenseStateCode9	O	2	Alpha – See NCIC code manual This field supports up to 9 instances.
OperatorLicenseYear	OperatorLicenseYear, OperatorLicenseYear2 - OperatorLicenseYear9	O	4	Numeric, or Alpha 'NX' This field supports up to 9 instances.
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	A/N, '-' – See NCIC manual
OriginatingAgencyORI	OriginatingAgencyORI	M	9	Originating agency's ORI
ScarsMarksTattoosCode	ScarsMarksTattoosCode, ScarsMarksTattoosCode2 - ScarsMarksTattoosCode19	O	10	Alpha, See NCIC code manual This field supports up to 19 instances.
SocialSecurityNumber	SocialSecurityNumber, SocialSecurityNumber2 - SocialSecurityNumber9	O	9	Alphanumeric This field supports up to 9 instances.
SystemAssignedNumber	SystemAssignedNumber	M	10	Alphanumeric, See MIN in MN manual
StateIdNumber	StateIdNumber, StateIdNumber2, ... StateIdNumber9	O	10	Alphanumeric This field supports up to 9 instances.
VehicleColorCode	VehicleColorCode, VehicleColorCode2 - VehicleColorCode9	O	7	Alpha and '/', See NCIC code manual This field supports up to 9 instances.
VehicleIdentificationNumber	VehicleIdentificationNumber, VehicleIdentificationNumber2 - VehicleIdentificationNumber9	O	20	Alphanumeric, See NCIC manual This field supports up to 9 instances.
VehicleMakeCode	VehicleMakeCode, VehicleMakeCode2 - VehicleMakeCode9	O	4	See NCIC manual and code manual This field supports up to 9 instances.
VehicleMakeCodeDescription	VehicleMakeCodeDescription, VehicleMakeCodeDescription2 - VehicleMakeCodeDescription9	O	20	Freetext description; see NCIC manual This field supports up to 9 instances.
VehicleModelCode	VehicleModelCode, VehicleModelCode2 - VehicleModelCode9	O	3	AN, Special chars, See NCIC code manual This field supports up to 9 instances.
VehicleStyleCode	VehicleStyleCode, VehicleStyleCode2 - VehicleStyleCode9	O	2	Alphanumeric, See NCIC code manual This field supports up to 9 instances.
VehicleYear	VehicleYear, VehicleYear2 - VehicleYear9	O	4	Numeric This field supports up to 9 instances.

Possible Combinations

(In/Out) Name, OriginatingAgencyCaseNumber, OriginatingAgencyORI,
SystemAssignedNumber, [AlsoKnownAs, BirthDate, CautionMedicalConditionsCode,
CitizenshipCode, ImageNCICNumber, ImageTypeCode, LicensePlateNumber,
LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, MiscellaneousNumber,
OperatorLicenseNumber, OperatorLicenseStateCode, OperatorLicenseYear,
ScarsMarksTattoosCode, SocialSecurityNumber, StateIdNumber, VehicleColorCode,

VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription,
VehicleModelCode, VehicleStyleCode, VehicleYear]

Wanted Missing Persons Inquiries (WMP-I)

WMPIMinnesotaProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ImageIndicator	ImageIndicator	M	1	Y or N
ProtectionOrderNumber	ProtectionOrderNumber	C	15	
SystemAssignedNumber	SystemAssignedNumber	C	10	

Possible Combinations

1. (In/Out) ImageIndicator, ProtectionOrderNumber
2. (In/Out) ImageIndicator, SystemAssignedNumber

WMPIMinnesotaQPQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdministrativeIndicator	AdministrativeIndicator	O	1	Alpha: Y or blank
BirthDate	BirthDate	O	8	Numeric
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric: 0, 1, 2, 3 – See NCIC manual
ExpandedNameSearchCode	ExpandedNameSearchIndicator	O	1	Alpha: Y, N, or blank
FBINumber	FBINumber	O	9	Alphanumeric
ImageIndicator	ImageIndicator	O	1	Alpha: Y or blank
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
LicensePlateStateCode	LicensePlateStateCode	O	2	Alpha, See NCIC code manual
MiscellaneousNumber	MiscellaneousNumber	O	15	AN,Special chars,See NCIC code manual
Name	Name	C	30	AN,Special chars,See NCIC code manual
NCICNumber	NCICNumber	C	10	Alphanumeric See NCIC manual
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	A/N, '-' – See NCIC manual
RaceCode	RaceCode	O	1	Alpha: I, A, B, W, U,See NCIC code manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Alpha: Y, N, or blank
SexCode	SexCode	O	1	Alpha: M, F, U
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
SystemAssignedNumber	SystemAssignedNumber	C	10	Alphanumeric, See MIN in MN operating manual

Possible Combinations

1. (In/Out) Name, [AdministrativeIndicator, BirthDate, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, FBINumber, ImageIndicator, MiscellaneousNumber, OriginatingAgencyCaseNumber, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, OperatorLicenseNumber]
2. (In/Out) NCICNumber, [AdministrativeIndicator, ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) SystemAssignedNumber, [AdministrativeIndicator, ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) LicensePlateNumber, [AdministrativeIndicator, ImageIndicator, LicensePlateStateCode, RelatedHitSearchIndicator]

WMPIMissingPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	M	2	Numeric
AreaCode	AreaCode	O	3	AN,Special chars,See NCIC code manual

EthnicityCode	EthnicityCode	O	1	Alpha: H, N
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	Alpha: Y, N, or blank
EyeColorCode	EyeColorCode	M	3	Alpha, See NCIC code manual
HairColorCode	HairColorCode	M	3	Alpha, See NCIC code manual
Height	Height	M	3	Numeric
Name	Name	O	30	AN,Special chars,See NCIC code manual
RaceCode	RaceCode	M	1	Alpha: I, A, B, W, U,See NCIC code manual
SexCode	SexCode	M	1	Alpha: M, F, U
Weight	Weight	M	3	Numeric

Possible Combinations

1. (In/Out) Age, EyeColorCode, HairColorCode, Height, RaceCode, SexCode, Weight, [AreaCode, EthnicityCode, ExpandedNameSearchIndicator, Name]

WMPIProtectionOrderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	O	8	Numeric
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric: 0, 1, 2, 3 – See NCIC manual
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	Alpha: Y, N, or blank
FBINumber	FBINumber	O	9	Alphanumeric
ImageIndicator	ImageIndicator	O	1	Alpha: Y or blank
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
LicensePlateStateCode	LicensePlateStateCode	C	10	Alpha, See NCIC code manual
MiscellaneousNumber	MiscellaneousNumber	O	15	AN,Special chars,See NCIC code manual
Name	Name	C	30	AN,Special chars,See NCIC code manual
NCICNumber	NCICNumber	C	10	Alphanumeric See NCIC manual
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
ProtectionOrderNumber	ProtectionOrderNumber	C	15	Alphanumeric, Special chars
RaceCode	RaceCode	O	1	Alpha: I, A, B, W, U,See NCIC code manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Alpha: Y, N, or blank
SexCode	SexCode	O	1	Alpha: M, F, U
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric, See NCIC manual
VehicleMakeCode	VehicleMakeCode	C	4	See NCIC manual and code manual
VehicleMakeCodeDescription	VehicleMakeCodeDescription	C	20	Freetext description; see NCIC manual

Possible Combinations

1. (In/Out) Name, [BirthDate, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, FBINumber, ImageIndicator, MiscellaneousNumber, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, OperatorLicenseNumber]
2. (In/Out) Name, ProtectionOrderNumber, [ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) Name, OriginatingAgencyCaseNumber, [ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) NCICNumber, [ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, [LicensePlateNumber, LicensePlateStateCode, ImageIndicator, RelatedHitSearchIndicator]
6. (In/Out) LicensePlateNumber, LicensePlateStateCode, [ImageIndicator, RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription]

WMPISexOffenderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
BoatHullNumber	BoatHullNumber	O	20	
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	C	2	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	O	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
PurposeCode	PurposeCode	O	1	
RaceCode	RaceCode	O	1	
RegistrationNumber	RegistrationNumber	O	10	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	C	1	
SexualOffenderStatusIndicator	SexualOffenderStatusIndicator	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
StateIdNumber	StateIdNumber	C	10	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	C	4	
ZipCode	ZipCode	C	5	

Possible Combinations

1. (In/Out) ZipCode, [ImageIndicator, SexualOffenderStatusIndicator]
2. (In/Out) Name, OriginatingAgencyCaseNumber, [ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) Name, [BirthDate, BoatHullNumber, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, FBINumber, ImageIndicator, LicensePlateNumber, LicensePlateStateCode, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, RegistrationNumber, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, VehicleIdentificationNumber, VehicleMakeCode]
4. (Out) BirthDate, Name, SexCode, [Attention, ImageIndicator, Purpose]
5. (Out) FBINumber, [Attention, ImageIndicator, Purpose]
6. (Out) MiscellaneousNumber, [Attention, ImageIndicator, Purpose]
7. (Out) SocialSecurityNumber, [Attention, ImageIndicator, Purpose]
8. (Out) StateIdNumber, [Attention, ImageIndicator, Purpose]

WMPIUnidentifiedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	C	2	Numeric
AreaCode	AreaCode	O	3	AN, Special chars, See NCIC code manual
BodyPartsStatusCode	BodyPartsStatusCode	C	15	Alpha, See NCIC manual
EyeColorCode	EyeColorCode	C	3	Alpha, See NCIC code manual
HairColorCode	HairColorCode	C	3	Alpha, See NCIC code manual
Height	Height	C	3	Numeric
ImageIndicator	ImageIndicator	O	1	Alpha: Y or blank
NCICNumber	NCICNumber	O	10	Alphanumeric See NCIC manual
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	O	20	A/N, '-' - See NCIC manual

RaceCode	RaceCode	C	1	Alpha: I, A, B, W, U, See NCIC code manual
SexCode	SexCode	C	1	Alpha: M, F, U
Weight	Weight	C	3	Numeric

Possible Combinations

1. (In/Out) BodyPartsStatusCode, [NCICNumber, OriginatingAgencyCaseNumber, SexCode, RaceCode, AreaCode, ImageIndicator]
2. (In/Out) Age, EyeColorCode, HairColorCode, Height, SexCode, RaceCode, Weight, [NCICNumber, OriginatingAgencyCaseNumber, AreaCode, ImageIndicator]

WMPIWantedPersonQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdministrativeIndicator	AdministrativeIndicator	O	1	Alpha: Y, N, or blank
BirthDate	BirthDate	O	8	Numeric
ExpandedBirthDateSearchCode	ExpandedBirthDateSearchCode	O	1	Numeric: 0, 1, 2, 3 – See NCIC manual
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	Alpha: Y, N, or blank
FBINumber	FBINumber	O	9	Alphanumeric
ImageIndicator	ImageIndicator	O	1	Alpha: Y or blank
LicensePlateNumber	LicensePlateNumber	C	10	Alphanumeric
LicensePlateStateCode	LicensePlateStateCode	C	2	Alpha, See NCIC code manual
MiscellaneousNumber	MiscellaneousNumber	O	15	AN, Special chars, See NCIC code manual
Name	Name	C	30	AN, Special chars, See NCIC code manual
NCICNumber	NCICNumber	C	10	Alphanumeric See NCIC manual
OperatorLicenseNumber	OperatorLicenseNumber	O	20	Alphanumeric
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	A/N, '-' – See NCIC manual
RaceCode	RaceCode	O	1	Alpha: I, A, B, W, U, See NCIC code manual
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	Alpha: Y, N, or blank
SexCode	SexCode	O	1	Alpha: M, F, U
SocialSecurityNumber	SocialSecurityNumber	O	9	Numeric
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	Alphanumeric, See NCIC manual
VehicleMakeCode	VehicleMakeCode	C	4	See NCIC manual and code manual
VehicleMakeCodeDescription	VehicleMakeCodeDescription	C	20	Fretext description; see NCIC manual

Possible Combinations

1. (In/Out) Name, [AdministrativeIndicator, BirthDate, ExpandedBirthDateSearchCode, ExpandedNameSearchIndicator, FBINumber, ImageIndicator, MiscellaneousNumber, RaceCode, RelatedHitSearchIndicator, SexCode, SocialSecurityNumber, OperatorLicenseNumber]
2. (In/Out) Name, OriginatingAgencyCaseNumber [AdministrativeIndicator, ExpandedNameSearchIndicator, ImageIndicator, RelatedHitSearchIndicator]
3. (In/Out) NCICNumber, [AdministrativeIndicator, ImageIndicator, RelatedHitSearchIndicator]
4. (In/Out) VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription, [AdministrativeIndicator, LicensePlateNumber, LicensePlateStateCode, ImageIndicator, RelatedHitSearchIndicator]
5. (In/Out) LicensePlateNumber, LicensePlateStateCode, [AdministrativeIndicator, ImageIndicator, RelatedHitSearchIndicator, VehicleIdentificationNumber, VehicleMakeCode, VehicleMakeCodeDescription]

Expanded Transactions Supported:

AdministrativeMessage

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

DestinationORI	DestinationORI	M	9	
DestinationORI2	DestinationORI2	O	9	
DestinationORI3	DestinationORI3	O	9	
DestinationORI4	DestinationORI4	O	9	
DestinationORI5	DestinationORI5	O	9	
FreeText	FreeText	M	500	

Possible Combinations

1. (In/Out) DestinationORI, FreeText, [DestinationORI2, DestinationORI3, DestinationORI4, DestinationORI5]

BicycleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
LicensePlateNumber	LicensePlateNumber	C	10	
Name	Name	C	30	
SerialNumber	SerialNumber	C	20	

Possible Combinations

1. (In/Out) BirthDate, Name
2. (In/Out) LicensePlateNumber
3. (In/Out) SerialNumber

BoatRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	6	

Possible Combinations

1. (In/Out) Name
2. (In/Out) RegistrationNumber

BoatStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatHullIdNumber	BoatHullIdNumber	C	20	
BoatMakeCode	BoatMakeCode	O	24	
ImageIndicator	ImageIndicator	O	1	
RegistrationNumber	RegistrationNumber	C	8	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

Possible Combinations

1. (In/Out) BoatHullIdNumber, [BoatMakeCode, ImageIndicator, RelatedHitSearchIndicator]
2. (In/Out) RegistrationNumber, [ImageIndicator, RelatedHitSearchIndicator]

DisabilityCertificateQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
CertificateNumber	CertificateNumber	C	7	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	

Possible Combinations

1. (In/Out) BirthDate, Name

2. (In/Out) CertificateNumber
3. (In/Out) OperatorLicenseNumber

DriverLicenseImageQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
OperatorLicenseNumber	OperatorLicenseNumber	M	20	
PurposeCode	PurposeCode	M	2	CC = Criminal Court Investigation JC = Juvenile Court Investigation MP = Locate of Missing Person PC = Prosecute Crime PO = Enforce OFP or DANCO SP = Service of Process TI = Traffic Investigation Should be defaulted to 'TI' in the user interface
Reason	Reason	M	80	Free format text

Possible Combinations

1. (In/Out) OperatorLicenseNumber, PurposeCode

DriverLicenseNameQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	

Possible Combinations

1. (In/Out) Name
2. (In/Out) OperatorLicenseNumber
3. (In/Out) BirthDate, Name, [SexCode]

EFLIFirearmSafetyCertificateQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	

Possible Combinations

1. (In) BirthDate, Name
2. (In) OperatorLicenseNumber

EFLIConcealedWeaponsQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
PermitNumber	PermitNumber	C	20	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	C	2	

Possible Combinations

1. (Out) BirthDate, Name, State, [PermitNumber, SocialSecurityNumber]
2. (Out) PermitNumber, State, [BirthDate, Name, SocialSecurityNumber]
3. (Out) SocialSecurityNumber, State, [BirthDate, Name, PermitNumber]
4. (In) BirthDate, Name

5. (In) PermitNumber

FirearmSafetyCertificateQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	

Possible Combinations

1. (In/Out) BirthDate, Name
2. (In/Out) OperatorLicenseNumber

GangMemberQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) BirthDate, Name, [RaceCode, SexCode]

ImageQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BoatLength	BoatLength	C	2	
BoatMakeCode	BoatMakeCode	C	24	
BoatTypeCode	BoatTypeCode	C	3	
BoatYear	BoatYear	O	4	
ImageNCICNumber	ImageNCICNumber	C	10	
NCICNumber	NCICNumber	C	10	
VehicleMakeCode	VehicleMakeCode	C	24	
VehicleModelCode	VehicleModelCode	C	3	
VehicleStyleCode	VehicleStyleCode	C	2	
VehicleYear	VehicleYear	C	4	

Possible Combinations

1. (In/Out) BoatLength, BoatMakeCode, BoatTypeCode, [BoatYear]
2. (In/Out) ImageNCICNumber
3. (In/Out) NCICNumber
4. (In/Out) VehicleMakeCode, VehicleModelCode, VehicleStyleCode, VehicleYear

LicensePlateCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
CancellationDate	CancellationDate	M	8	
FreeText	FreeText	O	501	
LicensePlateNumber	LicensePlateNumber	O	10	
NCICNumber	NCICNumber	O	10	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	

Possible Combinations

1. (In/Out) CancellationDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, LicensePlateNumber, NCICNumber, PropertyRecordRemovalReason]

LicensePlateClear

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ClearDate	ClearDate	M	8	
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveringAgencyORI	RecoveringAgencyORI	O	9	

Possible Combinations

1. (In/Out) ClearDate, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [ContrabandRecoveredValue, LicensePlateNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber, RecoveringAgencyORI]

LicensePlateEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	O	200	
LatentHoldIndicator	LatentHoldIndicator	M	1	Y, N
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateStateCode	LicensePlateStateCode	M	2	
LicensePlateTypeCode	LicensePlateTypeCode	C	2	
LicensePlateYear	LicensePlateYear	M	4	
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	M	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
TheftDate	TheftDate	M	8	

Possible Combinations

1. (In/Out) LatentHoldIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, OccupantsArmedIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, [FreeText, LinkageAgencyId, LinkageCaseNumber, NotifyOriginatingAgencyIndicator]
2. (In/Out) LatentHoldIndicator, LicensePlateNumber, LicensePlateStateCode, LicensePlateYear, OccupantsArmedIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, TheftDate, [FreeText, LicensePlateTypeCode, LinkageAgencyId, LinkageCaseNumber, NotifyOriginatingAgencyIndicator]

LicensePlateLocate

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ContrabandRecoveredValue	ContrabandRecoveredValue	O	8	
LicensePlateNumber	LicensePlateNumber	O	10	
NCICNumber	NCICNumber	O	10	
NumberMissingPersonsFound	NumberMissingPersonsFound	O	20	
NumberPersonsApprehended	NumberPersonsApprehended	O	3	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
OtherRecoveredPropertyValue	OtherRecoveredPropertyValue	O	8	
PropertyRecordRemovalReason	PropertyRecordRemovalReason	O	21	
PropertyRecoveredValue	PropertyRecoveredValue	O	8	
RecoveringAgencyCaseNumber	RecoveringAgencyCaseNumber	O	20	
RecoveryDate	RecoveryDate	M	8	

Possible Combinations

1. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, RecoveryDate, [ContrabandRecoveredValue, LicensePlateNumber, NCICNumber, NumberMissingPersonsFound, NumberPersonsApprehended, OtherRecoveredPropertyValue, PropertyRecordRemovalReason, PropertyRecoveredValue, RecoveringAgencyCaseNumber]

LicensePlateModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	O	200	
LatentHoldIndicator	LatentHoldIndicator	C	1	Y, N
LicensePlateNumber	LicensePlateNumber	O	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
LinkageAgencyId	LinkageAgencyId	O	9	
LinkageCaseNumber	LinkageCaseNumber	O	20	
ModifiedLicensePlateNumber	ModifiedLicensePlateNumber	O	10	
ModifiedOriginatingAgencyCaseNumber	ModifiedOriginatingAgencyCaseNumber	O	20	
ModifiedOriginatingAgencyORI	ModifiedOriginatingAgencyORI	O	9	
NCICNumber	NCICNumber	O	10	
NotifyOriginatingAgencyIndicator	NotifyOriginatingAgencyIndicator	O	1	
OccupantsArmedIndicator	OccupantsArmedIndicator	C	1	Y, N
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	M	20	
OriginatingAgencyORI	OriginatingAgencyORI	M	9	
TheftDate	TheftDate	O	8	
ValidatorName	ValidatorName	O	30	

Possible Combinations

1. (In/Out) LatentHoldIndicator, OccupantsArmedIndicator, OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, ModifiedLicensePlateNumber, ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NCICNumber, NotifyOriginatingAgencyIndicator, TheftDate, ValidatorName]
2. (In/Out) OriginatingAgencyCaseNumber, OriginatingAgencyORI, [FreeText, LicensePlateNumber, LicensePlateStateCode, LicensePlateTypeCode, LicensePlateYear, LinkageAgencyId, LinkageCaseNumber, ModifiedLicensePlateNumber,

ModifiedOriginatingAgencyCaseNumber, ModifiedOriginatingAgencyORI, NCICNumber, NotifyOriginatingAgencyIndicator, TheftDate, ValidatorName]

MnMncjisCwq

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
PermitNumber	PermitNumber	C	20	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	M	2	

Possible Combinations

1. (Out) BirthDate, Name, State
2. (Out) PermitNumber, State
3. (Out) SocialSecurityNumber, State

MnMncjisDnq

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Age	Age	O	2	
AddressCity	AddressCity	C	20	
AddressCounty	AddressCounty	C	20	
FreeForm	FreeForm	O	20	
Name	Name	M	30	
SexCode	SexCode	O	1	
State	State	M	2	

Possible Combinations

1. (Out) Name, State, [Age, AddressCity, AddressCounty, FreeForm, SexCode]

MnMncjisGvq

Field Name	XML Tag Name	M/C/O	Size	Possible Values
VehicleIdentificationNumber	VehicleIdentificationNumber	C	17	

Possible Combinations

1. (Out) VehicleIdentificationNumber

MnMncjisQdm

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchIndicator	ExpandedBirthDateSearchIndicator	O	1	
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	
FBI Number	FBI Number	C	9	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
SystemAssignedNumber	SystemAssignedNumber	C	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	

Possible Combinations

1. (In/Out) Name, BirthDate, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, FBINumber, ImageIndicator, LicensePlateNumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, VehicleIdentificationNumber]
2. Name, FBINumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
3. Name, LicensePlateNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator, State]
4. Name, MiscellaneousNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
5. Name, OperatorLicenseNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
6. Name, OriginatingAgencyCaseNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
7. Name, SocialSecurityNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
8. Name, VehicleIdentificationNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator, VehicleMakeCode]

MnMncjisQdns

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	M	30	

Possible Combinations

1. (In/Out) Name

MnMncjisQdp

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	C	1	

Possible Combinations

1. (In/Out) Name
2. (In/Out) OperatorLicenseNumber
3. (In/Out) BirthDate, Name, [SexCode]

MnMncjisQdr

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) BirthDate, Name, [SexCode]
2. (In/Out) OperatorLicenseNumber

MnMncjisQds

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
SexCode	SexCode	O	1	

Possible Combinations

1. (In/Out) BirthDate, Name, [Sex]
2. (In/Out) OperatorLicenseNumber

MnMncjisQml

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateYear	LicensePlateYear	O	4	
State	State	O	2	

Possible Combinations

1. (In/Out) LicensePlateNumber, [LicensePlateYear, State]

MnMncjisQmo

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	

Possible Combinations

1. (In/Out) BirthDate, Name
2. (In/Out) OperatorLicenseNumber

MnMncjisQmp

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) LicensePlateNumber, [State]
2. (In/Out) VehicleIdentificationNumber, [State]

MnMncjisQmr

Field Name		XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber		LicensePlateNumber	C	10	
LicensePlateYear		LicensePlateYear	O	4	
State		State	O	2	
VehicleIdentificationNumber		VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) LicensePlateNumber, [LicensePlateYear, State]
2. (In/Out) VehicleIdentificationNumber, [State]

MnMncjisQms

Field Name	XML Tag Name	M/C/O	Size	Possible Values
StickerNumber	StickerNumber	M	8	

Possible Combinations

1. (In/Out) StickerNumber

MnMncjisQmv

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateYear	LicensePlateStateYear	O	4	
Name	Name	C	30	
State	State	C	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	8	

Possible Combinations

1. (In/Out) LicensePlateNumber, LicensePlateStateYear, [State]
2. (In/Out) VehicleIdentificationNumber, [VehicleMakeCode, VehicleYear]
3. (In/Out) Name, BirthDate

MnMncjisQorv

Field Name	XML Tag Name	M/C/O	Size	Possible Values
NameLast	NameLast	C	16	
NameFirst	NameFirst	C	13	
NameMiddle	NameMiddle	C	13	
RegistrationNumber	RegistrationNumber	C	6	

Possible Combinations

1. (In/Out) NameLast, NameFirst, NameMiddle
2. (In/Out) RegistrationNumber

MnMncjisQp

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchIndicator	ExpandedBirthDateSearchIndicator	O	1	
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	
FBI Number	FBI Number	C	9	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	

RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
SystemAssignedNumber	SystemAssignedNumber	C	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	

Possible Combinations

1. (In/Out) Name, BirthDate, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, FBINumber, ImageIndicator, LicensePlateNumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, VehicleIdentificationNumber]
2. Name, FBINumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
3. Name, LicensePlateNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator, State]
4. Name, MiscellaneousNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
5. Name, OperatorLicenseNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
6. Name, OriginatingAgencyCaseNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
7. Name, SocialSecurityNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
8. Name, VehicleIdentificationNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator, VehicleMakeCode]

MnMncjisQpc

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
PermitNumber	PermitNumber	C	20	

Possible Combinations

1. (In) BirthDate, Name
2. (In) PermitNumber

MnMncjisQpgc

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
ExpandedBirthDateSearchIndicator	ExpandedBirthDateSearchIndicator	O	1	
ExpandedNameSearchIndicator	ExpandedNameSearchIndicator	O	1	
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	
LicensePlateNumber	LicensePlateNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	30	
NCICNumber	NCICNumber	C	10	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	

SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
SystemAssignedNumber	SystemAssignedNumber	C	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	

Possible Combinations

1. (In/Out) Name, BirthDate, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, FBINumber, ImageIndicator, LicensePlateNumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, VehicleIdentificationNumber]
2. Name, FBINumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
3. Name, LicensePlateNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator, State]
4. Name, MiscellaneousNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
5. Name, OperatorLicenseNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
6. Name, OriginatingAgencyCaseNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
7. Name, SocialSecurityNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
8. Name, VehicleIdentificationNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator, VehicleMakeCode]

MnMncjisQpm

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
LicensePlateNumber	LicensePlateNumber	C	10	
MiscellaneousNumber	MiscellaneousNumber	C	15	
Name	Name	M	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	
OriginatingAgencyCaseNumber	OriginatingAgencyCaseNumber	C	20	
RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
SystemAssignedNumber	SystemAssignedNumber	C	7	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	

Possible Combinations

1. (In/Out) Name, BirthDate, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, FBINumber, ImageIndicator, LicensePlateNumber, MiscellaneousNumber, OperatorLicenseNumber, OriginatingAgencyCaseNumber, RaceCode, SexCode, SocialSecurityNumber, VehicleIdentificationNumber]
2. Name, FBINumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
3. Name, LicensePlateNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator, State]

4. Name, MiscellaneousNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
5. Name, OperatorLicenseNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
6. Name, OriginatingAgencyCaseNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
7. Name, SocialSecurityNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator]
8. Name, VehicleIdentificationNumber, [ExpandedBirthDateSearchIndicator, ExpandedNameSearchIndicator, ImageIndicator, VehicleMakeCode]

MnMncjisRqg

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateTypeCode	LicensePlateTypeCode	O	2	
LicensePlateYear	LicensePlateYear	O	4	
State	State	M	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	
VehicleMakeCode	VehicleMakeCode	O	4	
VehicleYear	VehicleYear	O	4	

Possible Combinations

1. (Out) LicensePlateNumber, LicensePlateTypeCode, LicensePlateYear, State, [State2, State3, State4, State5]
2. (Out) VehicleIdentificationNumber, State, [State2, State3, State4, State5, VehicleMakeCode, VehicleYear]

OffRoadVehicleRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	C	13	
RegistrationNumber	RegistrationNumber	C	6	

Possible Combinations

1. (In/Out) Name
2. (In/Out) RegistrationNumber

ProbationParoleCorrectionsQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Attention	Attention	O	30	
BirthDate	BirthDate	C	8	
FBINumber	FBINumber	C	9	
ImageIndicator	ImageIndicator	O	1	
MessageKey	MessageKey	O	1	"P" – Parole, "B" – Probation, "C" – Corrections, "A" – Comprehensive (parole, probation, and corrections) ("A" is sent by default if there is not a value for the MessageKey field)
MiscellaneousNumber	MiscellaneousNumber	C	15	

Name	Name	C	30	
PurposeCode	PurposeCode	O	1	
SexCode	SexCode	C	1	
SocialSecurityNumber	SocialSecurityNumber	C	9	
State	State	O	2	
StateIdNumber	StateIdNumber	C	10	

Possible Combinations

1. (In/Out) BirthDate, Name, SexCode, [Attention, ImageIndicator, MessageKey, PurposeCode, State]
2. (In/Out) FBINumber, [Attention, ImageIndicator, MessageKey, PurposeCode, State]
3. (In/Out) MiscellaneousNumber, [Attention, ImageIndicator, MessageKey, PurposeCode, State]
4. (In/Out) SocialSecurityNumber, [Attention, ImageIndicator, MessageKey, PurposeCode, State]
5. (In/Out) StateIdNumber, [Attention, ImageIndicator, MessageKey, PurposeCode, State]

PermitCarryQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
IdentificationNumber	IdentificationNumber	C	20	
Name	Name	C	30	

Possible Combinations

1. (In/Out) BirthDate, Name
2. (In/Out) IdentificationNumber

QueryPassThrough

Field Name	XML Tag Name	M/C/O	Size	Possible Values
FreeText	FreeText	M	100	

Possible Combinations

1. (In/Out) FreeText

*This is a message key pass through and does not require the header of the message, only the body.

Example: (Header)**QA.ORI/123456789.TYP/YTHING.SER/123456**

Bolded text would be sent to ConnectCIC server in the FreeText tag.

ReportArrestCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestChargeNumber	ArrestChargeNumber	M	2	
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
PersonSequenceNumber	PersonSequenceNumber	M	3	

Possible Combinations

1. (In/Out) ArrestChargeNumber, ControllingAgencyNumber, ControlNumber, PersonSequenceNumber

ReportArrestEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestChargeNumber	ArrestChargeNumber	M	2	
ArrestChargeNumber2	ArrestChargeNumber2	O	2	
ArrestChargeNumber3	ArrestChargeNumber3	O	2	

ArrestDate	ArrestDate	M	6	
ArrestDispositionNumeric	ArrestDispositionNumeric	M	3	
ArrestDispositionNumeric2	ArrestDispositionNumeric2	O	3	
ArrestDispositionNumeric3	ArrestDispositionNumeric3	O	3	
ArrestingAgencyNumber	ArrestingAgencyNumber	O	9	
BirthDate	BirthDate	M	6	
ChargeCode	ChargeCode	M	1	
ChargeCode2	ChargeCode2	O	1	
ChargeCode3	ChargeCode3	O	1	
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
GeneralOffenseCharacter	GeneralOffenseCharacter	M	1	
GeneralOffenseCharacter2	GeneralOffenseCharacter2	O	1	
GeneralOffenseCharacter3	GeneralOffenseCharacter3	O	1	
MinnesotaOffenseCode	MinnesotaOffenseCode	M	5	
MinnesotaOffenseCode2	MinnesotaOffenseCode2	O	5	
MinnesotaOffenseCode3	MinnesotaOffenseCode3	O	5	
PersonCharged	PersonCharged	M	1	
PersonSequenceNumber	PersonSequenceNumber	M	3	
RaceCode	RaceCode	M	1	
SexCode	SexCode	M	1	
StateCode	StateCode	M	2	
StateCode2	StateCode2	O	2	
StateCode3	StateCode3	O	2	
StateOrOrdinanceNumber	StateOrOrdinanceNumber	M	12	
StateOrOrdinanceNumber2	StateOrOrdinanceNumber2	O	12	
StateOrOrdinanceNumber3	StateOrOrdinanceNumber3	O	12	

Possible Combinations

1. (In/Out) ArrestChargeNumber, ArrestDate, ArrestDispositionNumeric, BirthDate, ChargeCode, ControllingAgencyNumber, ControlNumber, GeneralOffenseCharacter, MinnesotaOffenseCode, PersonCharged, PersonSequenceNumber, RaceCode, SexCode, StateCode, StateOrOrdinanceNumber, [ArrestChargeNumber2, ArrestChargeNumber3, ArrestDispositionNumeric2, ArrestDispositionNumeric3, ArrestingAgencyNumber, ChargeCode2, ChargeCode3, GeneralOffenseCharacter2, GeneralOffenseCharacter3, MinnesotaOffenseCode2, MinnesotaOffenseCode3, StateCode2, StateCode3, StateOrOrdinanceNumber2, StateOrOrdinanceNumber3]

ReportArrestModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestChargeNumber	ArrestChargeNumber	M	2	
ArrestDate	ArrestDate	O	6	
ArrestDispositionNumeric	ArrestDispositionNumeric	O	3	
ArrestingAgencyNumber	ArrestingAgencyNumber	O	9	
BirthDate	BirthDate	O	6	
ChargeCode	ChargeCode	O	1	
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
GeneralOffenseCharacter	GeneralOffenseCharacter	O	1	
MinnesotaOffenseCode	MinnesotaOffenseCode	O	5	
PersonCharged	PersonCharged	O	1	
PersonSequenceNumber	PersonSequenceNumber	M	3	

RaceCode	RaceCode	O	1	
SexCode	SexCode	O	1	
StateCode	StateCode	O	2	
StateOrOrdinanceNumber	StateOrOrdinanceNumber	O	12	

Possible Combinations

1. (In/Out) ArrestChargeNumber, ControllingAgencyNumber, ControlNumber, PersonSequenceNumber, [ArrestDate, ArrestDispositionNumeric, ArrestingAgencyNumber, BirthDate, ChargeCode, GeneralOffenseCharacter, MinnesotaOffenseCode, PersonCharged, RaceCode, SexCode, StateCode, StateOrOrdinanceNumber]

ReportArrestQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrestChargeNumber	ArrestChargeNumber	M	2	
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
PersonSequenceNumber	PersonSequenceNumber	M	3	

Possible Combinations

1. (In/Out) ArrestChargeNumber, ControllingAgencyNumber, ControlNumber, PersonSequenceNumber

ReportDailyDetentionQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

ReportDetentionInformationCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	6	
Name	Name	M	30	
RegisterNumber	RegisterNumber	M	7	
ReportingFacility	ReportingFacility	M	9	

Possible Combinations

1. (In/Out) BirthDate, Name, RegisterNumber, ReportingFacility

ReportDetentionInformationEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdultJuvenileCode	AdultJuvenileCode	M	1	
BirthDate	BirthDate	M	6	
ControllingAgency	ControllingAgency	O	9	
DetentionDate	DetentionDate	M	6	
DetentionTime	DetentionTime	M	4	
DetentionTimeOut	DetentionTimeOut	O	4	
MinnesotaOffenseCode	MinnesotaOffenseCode	M	5	
Name	Name	O	30	
ReasonBeingHeld	ReasonBeingHeld	M	2	
ReasonBeingReleased	ReasonBeingReleased	O	2	
RegisterNumber	RegisterNumber	M	7	
ReleaseDate	ReleaseDate	O	6	

ReportingFacility	ReportingFacility	M	9	
SentenceExpirationDate	SentenceExpirationDate	O	6	
SentenceStartDate	SentenceStartDate	O	6	
SexCode	SexCode	M	1	
TransactionTypeCode	TransactionTypeCode	M	1	
UnusualPrisonerBehavior	UnusualPrisonerBehavior	O	2	
WorkReleaseCode	WorkReleaseCode	O	1	

Possible Combinations

1. (In/Out) AdultJuvenileCode, BirthDate, DetentionDate, DetentionTime, MinnesotaOffenseCode, ReasonBeingHeld, RegisterNumber, ReportingFacility, SexCode, TransactionTypeCode, [ControllingAgency, DetentionTimeOut, Name, ReasonBeingReleased, ReleaseDate, SentenceExpirationDate, SentenceStartDate, UnusualPrisonerBehavior, WorkReleaseCode]

ReportDetentionInformationModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
AdultJuvenileCode	AdultJuvenileCode	O	1	
BirthDate	BirthDate	M	6	
ControllingAgency	ControllingAgency	O	9	
DetentionDate	DetentionDate	O	6	
DetentionTime	DetentionTime	O	4	
DetentionTimeOut	DetentionTimeOut	O	4	
MinnesotaOffenseCode	MinnesotaOffenseCode	O	5	
Name	Name	M	30	
ReasonBeingHeld	ReasonBeingHeld	O	2	
ReasonBeingReleased	ReasonBeingReleased	O	2	
RegisterNumber	RegisterNumber	M	7	
ReleaseDate	ReleaseDate	O	6	
ReportingFacility	ReportingFacility	M	9	
SentenceExpirationDate	SentenceExpirationDate	O	6	
SentenceStartDate	SentenceStartDate	O	6	
SexCode	SexCode	O	1	
TransactionTypeCode	TransactionTypeCode	M	1	
UnusualPrisonerBehavior	UnusualPrisonerBehavior	O	2	
WorkReleaseCode	WorkReleaseCode	O	1	

Possible Combinations

1. (In/Out) BirthDate, Name, RegisterNumber, ReportingFacility, TransactionTypeCode, [AdultJuvenileCode, ControllingAgency, DetentionDate, DetentionTime, DetentionTimeOut, MinnesotaOffenseCode, ReasonBeingHeld, ReasonBeingReleased, ReleaseDate, SentenceExpirationDate, SentenceStartDate, SexCode, UnusualPrisonerBehavior, WorkReleaseCode]

ReportDetentionInformationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	M	6	
Name	Name	O	30	
RegisterNumber	RegisterNumber	M	7	
ReportingFacility	ReportingFacility	M	9	

Possible Combinations

1. (In/Out) BirthDate, RegisterNumber, ReportingFacility, [Name]

ReportIncidentCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
MessageKey	MessageKey	M	1	E, I (E - Incident Without Optional Data Line, I - Incident With Optional Data Line)

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, MessageKey

ReportIncidentEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrivedTime	ArrivedTime	O	4	
AssignedTime	AssignedTime	O	4	
ClearedTime	ClearedTime	O	4	
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
HowReceived	HowReceived	O	1	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
IncidentSequenceNumber2	IncidentSequenceNumber2	O	2	
IncidentSequenceNumber3	IncidentSequenceNumber3	O	2	
IncidentSequenceNumber4	IncidentSequenceNumber4	O	2	
LocationGridNumber	LocationGridNumber	O	8	
MessageKey	MessageKey	M	1	E, I (E - Incident Without Optional Data Line, I - Incident With Optional Data Line)
MinnesotaOffenseCode	MinnesotaOffenseCode	M	5	
MinnesotaOffenseCode2	MinnesotaOffenseCode2	O	5	
MinnesotaOffenseCode3	MinnesotaOffenseCode3	O	5	
MinnesotaOffenseCode4	MinnesotaOffenseCode4	O	5	
MinnesotaOffenseCodeStatus	MinnesotaOffenseCodeStatus	O	1	
MinnesotaOffenseCodeStatus2	MinnesotaOffenseCodeStatus2	O	1	
MinnesotaOffenseCodeStatus3	MinnesotaOffenseCodeStatus3	O	1	
MinnesotaOffenseCodeStatus4	MinnesotaOffenseCodeStatus4	O	1	
PlaceCommitted	PlaceCommitted	O	19	
ReportedDate	ReportedDate	M	6	
ReportedTime	ReportedTime	M	4	
SquadOrBadgeNumber	SquadOrBadgeNumber	O	5	

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, MessageKey, MinnesotaOffenseCode, ReportedDate, ReportedTime, [ArrivedTime, AssignedTime, ClearedTime, HowReceived, IncidentSequenceNumber2, IncidentSequenceNumber3, IncidentSequenceNumber4, LocationGridNumber, MinnesotaOffenseCode2, MinnesotaOffenseCode3, MinnesotaOffenseCode4, MinnesotaOffenseCodeStatus, MinnesotaOffenseCodeStatus2, MinnesotaOffenseCodeStatus3, MinnesotaOffenseCodeStatus4, PlaceCommitted, SquadOrBadgeNumber]
2. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, MessageKey, MinnesotaOffenseCode, ReportedDate, ReportedTime, [IncidentSequenceNumber2, IncidentSequenceNumber3, IncidentSequenceNumber4, LocationGridNumber, MinnesotaOffenseCode2, MinnesotaOffenseCode3, MinnesotaOffenseCode4, MinnesotaOffenseCodeStatus, MinnesotaOffenseCodeStatus2, MinnesotaOffenseCodeStatus3, MinnesotaOffenseCodeStatus4, PlaceCommitted]

ReportIncidentModify

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ArrivedTime	ArrivedTime	O	4	
AssignedTime	AssignedTime	O	4	
ClearedTime	ClearedTime	O	4	
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
HowReceived	HowReceived	O	1	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
LocationGridNumber	LocationGridNumber	O	8	
MessageKey	MessageKey	M	1	E, I (E - Incident Without Optional Data Line, I - Incident With Optional Data Line)
MinnesotaOffenseCode	MinnesotaOffenseCode	O	5	
MinnesotaOffenseCodeStatus	MinnesotaOffenseCodeStatus	O	1	
PlaceCommitted	PlaceCommitted	O	19	
ReportedDate	ReportedDate	O	6	
ReportedTime	ReportedTime	O	4	
SquadOrBadgeNumber	SquadOrBadgeNumber	O	5	

Possible Combinations

- (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, MessageKey, [ArrivedTime, AssignedTime, ClearedTime, HowReceived, LocationGridNumber, MinnesotaOffenseCode, MinnesotaOffenseCodeStatus, PlaceCommitted, ReportedDate, ReportedTime, SquadOrBadgeNumber]

ReportIncidentQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
MessageKey	MessageKey	M	1	E, I (E - Incident Without Optional Data Line, I - Incident With Optional Data Line)

Possible Combinations

- (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, MessageKey

ReportRecoveredPropertyCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
TypeSequenceNumber	TypeSequenceNumber	M	2	

Possible Combinations

- (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, TypeSequenceNumber

ReportRecoveredPropertyEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	

IncidentSequenceNumber2	IncidentSequenceNumber2	O	2	
IncidentSequenceNumber3	IncidentSequenceNumber3	O	2	
IncidentSequenceNumber4	IncidentSequenceNumber4	O	2	
PropertyTypeCode	PropertyTypeCode	M	1	
PropertyTypeCode2	PropertyTypeCode2	O	1	
PropertyTypeCode3	PropertyTypeCode3	O	1	
PropertyTypeCode4	PropertyTypeCode4	O	1	
RecoveredCode	RecoveredCode	M	1	
RecoveredCode2	RecoveredCode2	O	1	
RecoveredCode3	RecoveredCode3	O	1	
RecoveredCode4	RecoveredCode4	O	1	
RecoveredValue	RecoveredValue	M	7	
RecoveredValue2	RecoveredValue2	O	7	
RecoveredValue3	RecoveredValue3	O	7	
RecoveredValue4	RecoveredValue4	O	7	
RecoveryDate	RecoveryDate	M	6	
TypeSequenceNumber	TypeSequenceNumber	M	2	
TypeSequenceNumber2	TypeSequenceNumber2	O	2	
TypeSequenceNumber3	TypeSequenceNumber3	O	2	
TypeSequenceNumber4	TypeSequenceNumber4	O	2	

Possible Combinations

- (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, PropertyTypeCode, RecoveredCode, RecoveredValue, RecoveryDate, TypeSequenceNumber, [IncidentSequenceNumber2, IncidentSequenceNumber3, IncidentSequenceNumber4, PropertyTypeCode2, PropertyTypeCode3, PropertyTypeCode4, RecoveredCode2, RecoveredCode3, RecoveredCode4, RecoveredValue2, RecoveredValue3, RecoveredValue4, TypeSequenceNumber2, TypeSequenceNumber3, TypeSequenceNumber4]

ReportRecoveredPropertyQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
TypeSequenceNumber	TypeSequenceNumber	M	2	

Possible Combinations

- (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, TypeSequenceNumber

ReportStolenPropertyCancel

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
TypeSequenceNumber	TypeSequenceNumber	M	2	

Possible Combinations

- (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, TypeSequenceNumber

ReportStolenPropertyEntry

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
IncidentSequenceNumber2	IncidentSequenceNumber2	O	2	
IncidentSequenceNumber3	IncidentSequenceNumber3	O	2	
IncidentSequenceNumber4	IncidentSequenceNumber4	O	2	
PropertyTypeCode	PropertyTypeCode	M	1	
PropertyTypeCode2	PropertyTypeCode2	O	1	
PropertyTypeCode3	PropertyTypeCode3	O	1	
PropertyTypeCode4	PropertyTypeCode4	O	1	
StolenValue	StolenValue	M	7	
StolenValue2	StolenValue2	O	7	
StolenValue3	StolenValue3	O	7	
StolenValue4	StolenValue4	O	7	
TheftDate	TheftDate	M	6	
TypeSequenceNumber	TypeSequenceNumber	M	2	
TypeSequenceNumber2	TypeSequenceNumber2	O	2	
TypeSequenceNumber3	TypeSequenceNumber3	O	2	
TypeSequenceNumber4	TypeSequenceNumber4	O	2	

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, PropertyTypeCode, StolenValue, TheftDate, TypeSequenceNumber, [IncidentSequenceNumber2, IncidentSequenceNumber3, IncidentSequenceNumber4, PropertyTypeCode2, PropertyTypeCode3, PropertyTypeCode4, StolenValue2, StolenValue3, StolenValue4, TypeSequenceNumber2, TypeSequenceNumber3, TypeSequenceNumber4]

ReportStolenPropertyQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
ControllingAgencyNumber	ControllingAgencyNumber	M	9	
ControlNumber	ControlNumber	M	8	
IncidentSequenceNumber	IncidentSequenceNumber	M	2	
TypeSequenceNumber	TypeSequenceNumber	M	2	

Possible Combinations

1. (In/Out) ControllingAgencyNumber, ControlNumber, IncidentSequenceNumber, TypeSequenceNumber

RoadMinnesotaQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

RoadWeatherQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
State	State	O	2	
State2	State2	O	2	
State3	State3	O	2	

State4	State4	O	2	
State5	State5	O	2	

Possible Combinations

1. (In) [State]
2. (Out) State, [State2, State3, State4, State5]

SecuritiesQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Denomination	Denomination	M	9	
Issuer	Issuer	O	15	
RelatedHitSearchIndicator	RelatedHitSearchIndicator	O	1	
SecurityTypeCode	SecurityTypeCode	M	2	
SerialNumber	SerialNumber	M	18	

Possible Combinations

1. (In/Out) Denomination, SecurityTypeCode, SerialNumber, [Issuer, RelatedHitSearchIndicator]

SnowmobileRegistrationQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
Name	Name	C	30	
RegistrationNumber	RegistrationNumber	C	8	
State	State	C	2	
State2	State2	O	2	
State3	State3	O	2	
State4	State4	O	2	
State5	State5	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In) Name
2. (In) RegistrationNumber
3. (Out) RegistrationNumber, State, [State2, State3, State4, State5]
4. (Out) VehicleIdentificationNumber, State, [State2, State3, State4, State5]

VehicleHotFilesQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateYear	LicensePlateYear	O	4	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

- (In/Out) LicensePlateNumber, [LicensePlateYear, State]
(In/Out) VehicleIdentificationNumber, [State]

VehicleLeinHolderQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	M	10	
LicensePlateYear	LicensePlateYear	O	4	
State	State	O	2	

Possible Combinations

(In/Out) LicensePlateNumber, [LicensePlateYear, State]

VehiclePreviousOwnerQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
State	State	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

(In/Out) LicensePlateNumber, [State]

(In/Out) VehicleIdentificationNumber, [State]

VehicleRegistrationOwnerQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
BirthDate	BirthDate	C	8	
Name	Name	C	30	
OperatorLicenseNumber	OperatorLicenseNumber	C	20	

Possible Combinations

(In/Out) BirthDate, Name

(In/Out) OperatorLicenseNumber

VehicleStickerNumberQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
StickerNumber	StickerNumber	M	8	

Possible Combinations

(In/Out) StickerNumber

VehicleStolenQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
LicensePlateNumber	LicensePlateNumber	C	10	
LicensePlateStateCode	LicensePlateStateCode	O	2	
VehicleIdentificationNumber	VehicleIdentificationNumber	C	20	

Possible Combinations

1. (In/Out) LicensePlateNumber, [LicensePlateStateCode]

2. (In/Out) VehicleIdentificationNumber

WeatherIowaQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

WeatherMinnesotaQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

WeatherMinnesotaZonalForecastQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

WeatherNorthDakotaQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

WeatherSouthDakotaQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

WeatherWisconsinQuery

Field Name	XML Tag Name	M/C/O	Size	Possible Values
------------	--------------	-------	------	-----------------

Possible Combinations

1. Simply send the request to ConnectCIC, no fields are used for this transaction.

Hardware/Software Requirements:

[ConnectCIC Third-Party Hardware and Software Minimum Requirements](#)

Notes:

None

References:

- NCIC 2000 Operations Manual
- NLETS User Guide
- Minnesota Department of Public Safety Specifications